What can we learn from Modelling?

Min ADHD

Suresh Kumar Mukhiya, Yngve Lamo

Important Questions

- What do you want to adapt? (Content/Presentation/Format/Notifications/ reports/system itself)
- How do you want to adapt? (Rule based system, Goal based system, Machine-learning based adaptation)
- When do you want to adapt? (Triggering rules, time)
- Who does the adaptation? (Therapist, system, manual)
- For who do we want to adapt? (Patient, Therapists)

Current MinADHD IDPT



The Current Context of Min ADHD Software

Use Case diagram - Therapists perspective



Use case diagram: Therapist Perspective, White background indicates available in the current system

Use Case diagram - Patients perspective



Use case diagram: Patient Perspective

Adaptation - Notification Systems



Adaptation in Notification System

Adaptation - Notification Systems



Adaptation in Notification System


M1
M2
M3
M4
M5
M6
M7
M8
New Module
Module Finish
New Module
Module Finish
New Module
Module Finish
New Module
Module Finish
New Module
Module Finish
New Module
Module Finish
New Module
Module Finish

Adaptive Elements

- User in activeness
- Reminders Library
- Exercise entries / Completion
  - Finished Reading
  - Complete exercise
- Start/End of modules

Feedback

Notifications/Alerts

Content Presentation

Content Complexity

Recommendation

Information Architecture

User interface

Reports

Information Architecture

Tunnel-based Information Architecture



No dependencies among the modules and Currently, no explicit evaluation criteria.

What can we learn from Modeling?



Adaptation in Notification System

What can we learn from Modeling?

- How do the Software know the module is finished?



- Perhaps, we store the log and see if user has logged in and stayed in the page at least for 10 minutes.
- Perhaps, the module contains, 3 Tasks: 1 Reading Text and 2 Quizzes. The module should be marked if one of the quiz is finished.
- Or, may be if in one of the quiz is graded, and the user has scored more than 40 points.




```
if((C2.isComplete AND C3.isComplete AND C5.isComplete)) {

  M1.isComplete = True
}
```

Tasks	Evaluation	Conditions	Constraints
T1	(visited)	C1	Not Required
T2	(visited, entry made)	C2	Required
T3	(visited, entry made)	C3	Required
T4	(visited)	C4	Not Required
T5	(visited)	C5	Required

M2

Pust



- What are the main conditions? What are the main evaluation criteria?
- These should be decided by the therapists?



Learning map constructed for Module 2





Knowledge map for Module Dependency

Login history

Login timing (What time of day?)

Most active day?

Does he have any pattern?

Device used to login? Mobile/Web?

Login failures?

User profiling

Activities history

Which modules did he finish?

What is the average time spent on each task?

Does he have any content preference?

On which task did he spend maximum time?

On which task did he spend minimum time?

Thank You

- What do you want to adapt? (Content/Presentation/Format/Notifications/ reports/system itself)
- How do you want to adapt? (Rule based system, Goal based system, Machine-learning based adaptation)
- When do you want to adapt? (Triggering rules, time)
- Who does the adaptation? (Therapist, system, manual)
- For who do we want to adapt? (Patient, Therapists)