<- must measure 50 mm

VARUNA Twin-Hull Skimmer

600 x 300 mm thermocol boat | Recommended

PLAN (from above), scale 1:5



SIDE, scale 1:5



Size	600 x 300 mm, hull 75 mm tall, 396 mm to GPS top
Weight	1289 g empty, 1558 g with 269 g of plastic
Draft	16.3 mm empty, 19.7 mm full
Reserve buoyancy	4.7 kg before the deck goes under
Stability (GM)	671 mm: very stable
Trim	bow 14.9 mm higher than stern empty; slide the battery to level
Collection	1.34 L basket
Camera	334 mm above water, tilted 35 deg down
Battery	LiPo 3S 2200 mAh (24 Wh), about 0.8 h
Thermocol	1 sheet 1000 x 500 x 25 mm

How to use these templates

1. Print at 100% / Actual size. Check the 50 mm bar with a ruler.
2. Join tiles by matching the grey 50 mm grid and the tile letters.
3. Stick the paper on thermocol with a glue stick.
4. Cut with a hot-wire cutter or a new snap-off blade, held upright.
5. Stack layers on skewers through the + holes. Glue with Fevicol SH.
6. Never use Fevikwik, spray paint or solvent glue: they melt thermocol.
7. Sand the bow steps smooth, coat with PVA + tissue or packing tape, then water-based acrylic paint.
8. Float-test in a tub before fitting the electronics.

cut line

cut out (window / pocket)

fold / glue line

placement guide, do not cut

skewer hole: lines up the layers

VARUNA Twin-Hull Skimmer | Pontoons layer 1 (bottom), left + right | 25 mm thermocol | A2, print at 100%

Cut both. Push skewers through the dots to line up the layers.



<- must measure 100 mm

VARUNA Twin-Hull Skimmer | Pontoons layer 2 (middle), left + right | 25 mm thermocol | A2, print at 100%

Cut both. Push skewers through the dots to line up the layers.





<- must measure 100 mm

VARUNA Twin-Hull Skimmer | Pontoons layer 3 (top), left + right | 25 mm thermocol | A1, print at 100%

Cut both. Push skewers through the dots to line up the layers.



<- must measure 100 mm

VARUNA Twin-Hull Skimmer | Deck | 5 mm sunboard | A2, print at 100%

Dashed boxes show where each part is glued.



<- must measure 100 mm

VARUNA Twin-Hull Skimmer | small parts 1 of 7



<- must measure 50 mm

Electronics box floor guide

paper guide, glue inside the floor | 111 x 171 mm



Prop guard ring (left)

5 mm sunboard | 146 x 168 mm





<- must measure 50 mm

Prop guard ring (right)

5 mm sunboard | 146 x 168 mm



VARUNA Twin-Hull Skimmer | small parts 3 of 7

<- must measure 50 mm

Basket bottom

3 mm sunboard | 140 x 128 mm



Intake ramp frame

3 mm sunboard | 101 x 128 mm



VARUNA Twin-Hull Skimmer | small parts 4 of 7

<- must measure 50 mm

Motor tower plate (left)
6 mm plywood (or 2 x 5 mm sunboard) | 50 x 125 mm



Motor tower plate (right)
6 mm plywood (or 2 x 5 mm sunboard) | 50 x 125 mm



Basket side (left)
3 mm sunboard | 140 x 75 mm



VARUNA Twin-Hull Skimmer | small parts 5 of 7

<- must measure 50 mm

Basket side (right)
3 mm sunboard | 140 x 75 mm



Basket back end
3 mm sunboard | 128 x 72 mm



Basket front end (entrance)
3 mm sunboard | 128 x 72 mm



GPS disc
5 mm sunboard | 70 x 70 mm



Tower gusset
5 mm sunboard | 40 x 60 mm



VARUNA Twin-Hull Skimmer | small parts 6 of 7

<- must measure 50 mm

Tower gusset
5 mm sunboard | 40 x 60 mm



Tower gusset
5 mm sunboard | 40 x 60 mm



Tower gusset
5 mm sunboard | 40 x 60 mm



One-way flap
PET sheet from a bottle / transparency | 110 x 56 mm



Mast socket layer
5 mm sunboard (cut 2, top one with hole) | 50 x 50 mm



Mast socket layer
5 mm sunboard (cut 2, top one with hole) | 50 x 50 mm



Camera plate
3 mm sunboard | 32 x 32 mm



Basket lip (left)
3 mm sunboard | 140 x 28 mm

VARUNA Twin-Hull Skimmer | small parts 7 of 7



Basket lip (right)
3 mm sunboard | 140 x 28 mm

Ramp support wedge
5 mm sunboard (cut 2) | 100 x 23 mm



Ramp support wedge
5 mm sunboard (cut 2) | 100 x 23 mm



Camera wedge side (35 deg)
3 mm sunboard | 30 x 21 mm



Camera wedge side (35 deg)
3 mm sunboard | 30 x 21 mm