GenAI Questions

1. Model

Claude Opus 4.5 (`claude-opus-4-5`) by Anthropic, used through Claude Code.

2. Questions list

1. 2026-09-22 12:54
   ➜ las_palmas mysql
   zsh: command not found: mysql

2. 2026-09-22 12:56
   I want to disable the confirmation email. When registering, user inputs details and that would be it.

3. 2026-09-22 12:57
   clear

4. 2026-09-22 12:59
   go ahead

5. 2026-09-22 12:59
   revert all

6. 2026-09-22 13:02
   initialize github repo. private one. dbms_1_las_palmas_project

7. 2026-09-22 13:04
   is Ulid are based on timestamp

8. 2026-09-22 13:06
   I want primary keys to be ulid, instead of incrementing integers.

9. 2026-09-22 13:07
   fix failing tests

10. 2026-09-22 13:09
    Now commit and push. Commit mesage, "use ulid as primary key in application domain". do not co-author.

11. 2026-09-22 13:14
    based on @architecture-guide.md lets move all technical things to app/Foundation directory. But User is a domain model. Move it to app/IAM/Entities likewise. Before move anything. Show me the list that you gonna move

12. 2026-09-22 13:17
    app/Foundation/IO/FoundationServiceProvider.php leave it as AppServiceProvider

13. 2026-09-22 13:19
    I think seeders should be moevd too

14. 2026-09-22 13:20
    move factories as needed

15. 2026-09-22 13:21
    guide says // database/factories/Booking/BookingFactory.php

16. 2026-09-22 13:23
    i thinks it is okay to keep seedes in database directory. end of the day, we are never gonna use seeders in production app

17. 2026-09-22 13:24
    now make las_palmas_test is test_database in database.php config.

18. 2026-09-22 13:26
commit and push

19. 2026-09-22 13:45
$table->string('ssn')->nullable()->unique();
is this okay

20. 2026-09-22 15:28
name varchar(40) check (
name in ('General Medicine', 'Surgery', 'Psychiatry')
) not null , can I do this in laravel migration file

21. 2026-09-22 16:07
2026_09_22_213412_create_departments_physicians_table .... 7.71ms FAIL

Illuminate\Database\QueryException

SQLSTATE[HY000]: General error: 3780 Referencing column 'department_id' and referenced column 'id' in foreign key constraint 'departments_physicians_department_id_foreign' are incompatible. (Connection: mysql, Host: 127.0.0.1, Port: 3306, Database: las_palmas, SQL: alter table `departments_physicians` add constraint `departments_physicians_department_id_foreign` foreign key (`department_id`) references `departments` (`id`))

22. 2026-09-22 21:22
I want to run @database/migrations/create_db.sql on /Users/sureshhemal/MSc/Sem-1/dbms/las_palmas/database/migrations/2026_09_23_032009_run_create_tables_schema.php

23. 2026-09-22 21:23
instead of striping commnents on migration file, you are alowed to fix the create_db.sql file

24. 2026-09-22 21:28
search everywhere for a conversation that related to make laravel model trait to work with composite keys

25. 2026-09-22 21:28
search everywhere for a conversation that related to make laravel model trait to work with composite keys. Search in global memory, project wise memory etc. even on claude web session

26. 2026-09-22 21:30
Now based on our @database/migrations/create_db.sql schema. Could you build this train on app/Foundation/<somewhere suitable according to @architecture-guide.md>

27. 2026-09-22 21:32
Make models according to create_db.sql first. Fix the existing models. then I'll tell you what model should make next

28. 2026-09-22 21:43
I am allowed to add 'id' column to each table. So, Lets do that. What I need is run make:migration <table> like command and generate migration file for each table, and make the exact table as it shows in create_db.sql file. Additional I want to add extra ulid('id) column, which should be the primary key. can you do it. as a test round make Physician table. and fix the Physician model with HasUlid trait

29. 2026-09-22 21:47
for migrations, add timestamps() and softdeletes(), and add named check constrains, it will be easy to find later

30. 2026-09-22 21:48
Now when creating physicianID, if nothing provided, it should be max(physicianID) + 1

31. 2026-09-22 21:49
We need to do this lot more tables, so it is better to extract as a seperate trait

32. 2026-09-22 21:50
I guess we no need hasPomposite keys trait, right?

33. 2026-09-22 21:50
yes

34. 2026-09-22 21:53
now Department table

35. 2026-09-22 21:58
see, I added foreignUlid() for head.

36. 2026-09-22 21:59
now fix the model

37. 2026-09-22 22:00
I don't need filable. lets go with guarded = [];

38. 2026-09-22 22:01
Now AffiliatedWith

39. 2026-09-22 22:03
I'would like to make a demanding decision here, Lets drop columns like physicianID, deptID etc. Lets go with 'id' columns only. It is more convinient. and future proof.

40. 2026-09-22 22:06
now what are failing tests?

41. 2026-09-22 22:06
delete all

42. 2026-09-22 22:07
now Procedure

43. 2026-09-22 22:08
/Users/sureshhemal/MSc/Sem-1/dbms/las_palmas/app/Staff/Entities/Models/Department.php, I guess app/staff is not the correct place to put it

44. 2026-09-22 22:09
fix composer.json

45. 2026-09-22 22:10
now Patient

46. 2026-09-22 22:12
insuranceNumber, I want snake_case

47. 2026-09-22 22:12
what are other tables that missing snake_case

48. 2026-09-22 22:13
now Nurse

49. 2026-09-22 22:15
For check, 'Head Nurse', 'Nurse', I like to get array list from enum

50. 2026-09-22 22:16
use App\Foundation\Entities\Concerns\HasValues;
what?

51. 2026-09-22 22:16
now Medication

52. 2026-09-22 22:17
now Prescribes

53. 2026-09-22 22:19
now Room

54. 2026-09-22 22:20
now Stay

55. 2026-09-22 22:20
Undergoes

56. 2026-09-22 22:21
restrictOnDelete(), do i really need this

57. 2026-09-22 22:23
so it is restrcted eventhough we didn't mention restrictOnDelete

58. 2026-09-22 22:23
okay. then delete it

59. 2026-09-22 22:23
OnCall

60. 2026-09-22 22:24
Appointment

61. 2026-09-22 22:25
okay, now, about snake_case columns, since this is an assignment, I'll keep camelCase column names

62. 2026-09-22 22:26
run tests

63. 2026-09-22 22:28
those tests are unit tests, not feature tests, move to unit directory

64. 2026-09-22 22:30
commit and push. commit message "make database schema"

65. 2026-10-15 00:00
Physician (physicianID: integer, name: varchar(40), position: varchar(40), ssn: integer)
Department (deptID: integer, name: varchar(40), headID: integer)
Foreign key: headID references Physician(physicianID)
AffiliatedWith (physicianID: integer, departmentID: integer)
Foreign key: physicianID references Physician(physicianID)
Foreign key: departmentID references Department(deptID)
Procedure (procID: integer, name: varchar(40), cost: real)
Patient (patientID: integer, ssn: integer, name: varchar(40), address: varchar(100), dob: date, phone: varchar(16), insuranceNumber: integer, primaryPhysID: integer)
Foreign key: primaryPhysID references Physician(physicianID)
Nurse (nurseID: integer, name: varchar(40), position: varchar(40), ssn: integer)
Medication (medID: integer, name: varchar(40))
Prescribes (physicianID: integer, patientID: integer, medicationID: integer, prescribedDate: date, dose: varchar(40))
Foreign key: physicianID references Physician(physicianID)
Foreign key: patientID references Patient(patientID)
Foreign key: medicationID references Medication(medID)
Room (roomID: integer, roomType: varchar(40))
Stay (stayID: integer, patientID: integer, roomID: integer, startDate: date, endDate: date)
Foreign key: patientID references Patient(patientID)
Foreign key: roomID references Room(roomID)
Undergoes (patientID: integer, procedureID: integer, stayID: integer, procDate: date, physicianID: integer, nurseID: integer)
Foreign key: patientID references Patient(patientID)
Foreign key: procedureID references Procedure(procID)
Foreign key: stayID references Stay(stayID)
Foreign key: physicianID references Physician(physicianID)
Foreign key: nurseID references Nurse(nurseID)
OnCall (nurseID: integer, startDate: date, endDate: date)
Foreign key: nurseID references Nurse(nurseID)

Appointment (appID: integer, patientID: integer, nurseID: integer, physicianID: integer, startDateTime: datetime, endDateTime: datetime)
Foreign key: patientID references Patient(patientID)
Foreign key: nurseID references Nurse(nurseID)
Foreign key: physicianID references Physician(physicianID)

see this. This is the original instructions to schema. But we managed to our laravel database conventions. I want to extract the primary keys that on given design. (physicianID, deptID etc). because user stil wants to enter those.

66. 2026-10-15 00:06
run migration

67. 2026-10-15 00:07
make those id fileds match to our naming conventions. appID is invalid, should be app_id

68. 2026-10-15 00:08
nah. lets keep it that way. We should obey the namings from given database schema anyways

69. 2026-10-15 00:09
open pr to main

70. 2026-10-15 00:11
pr shows med_id, but assignment gives medID

71. 2026-10-15 00:12
squash commits

72. 2026-10-15 00:15
github tests fails. maybe it is using sqlite. check

73. 2026-10-15 00:23
Phase 3: Access databases through the creation of an interactive application
Objectives:

Write SQL language to conduct database manipulation including insertion, deletion, search, and updating.
Write an interactive application to manage a database by considering possible database operations.

Tasks:

Create an interactive application to manage the database that you created in Project: Phase 1. In all the later descriptions, the word interface is used to represent the way that users interact with the application. The interface does NOT need to be Graphical User Interface (GUI). You have flexibilities to design this interactive application. The goal is to make it work correctly and friendly to the user.

For the interactive application, you have two options:

If you are familiar with any web development language (e.g., PHP, JavaScript, Python, or any other language), you can create a small web application as this interactive application.
If you do not know any web development language, use either Java or Python to develop this interactive application. In this case, your application will be command line based.

Functionalities:

(10 points) Retrieve all data: Given a table name, retrieve all data from the table and present it to the user.
(10 points) Average: Given a table name and a column name, return the average of the column. Here the assumption is that the column type will be numeric (e.g., cost column).
(20 points) Insert: Given a table name, your program should show the column names of that table and ask the users to input new data to the table. In case of errors, your program should directly show the MySQL errors to the users.
Assumption 1: Users will enter data according to the database constraints.
Assumption 2: Users will input one record at a time.
(20 points) Delete: Given a table name, your program should show the column names of that table and ask the users to input data that they want to delete.

Assumption 1: Users will enter data according to the database constraints.
Assumption 2: Users will input one record at a time.

(10 points) Create a README.txt file and explain how to run your code.

(10 points) Your program should be correct in terms of compiling, taking parameters, connecting to the database, etc.

(20 Points) Video Demonstration Submission

Record a video showcasing the functionalities described above.
As students are using various database systems this semester, it may not be feasible for the TA to execute everyone's code on their own systems. Therefore, a video demonstration is required.
Use screen recording software (e.g., Zoom, OBS Studio, etc.) to create your video. Mobile phone recordings are not allowed and will result in a score of zero.
You do not need to include narration in your video, but you must demonstrate every functionality at least once.
Save your video as an MP4 file and include it in your ZIP file with the following naming format: "{YourLastName_YourFirstName} - Phase3 Video Recording.mp4".
Bonus Opportunity: Creative or fun video solutions may earn bonus points!

Notes:

You can hardcode the database connection parameters (hostname, user id, database name, and password) in your program.

Submission:

You have to submit your project electronically (through Canvas). Printed copies are not accepted.
See course syllabus for policies on late submission and plagiarism.
Please create a zip file to contain both the source files and the readme file, and name the zip file "p3_(your last name).zip" (e.g., p3_Nagarkar.zip).

Grading:

Points will be deducted if file naming conventions (mentioned above) are not followed.
If your program cannot be compiled correctly, or cannot be run correctly, this phase of your project will be graded as ZERO even though your SQL can be run correctly through the interactive interface of any DBMS (e.g., MySQL Workbench).
Your code will be tested on a test data and graded accordingly.

For ChatGPT Users:

* Submit a PDF file titled "GenAIQuestions.pdf" that includes the shared public link to your ChatGPT chat.

For Users of Other Generative AI Models:

* Submit a PDF file titled "GenAIQuestions.pdf" with:
  * A bulleted list of all questions you asked the generative AI.
  * The name of the generative AI model you used.

save this in file called assignment.md, this is our goal. and understand what should do

74. 2026-10-15 00:27
1. Yes. I presented the ER diagram and he agreed. So we are good with point 1.
2. Ok by 1st point.
3. we will hide deleted records, it is global scope anyway. so we are good.
4. ORM is fine too. Agreed by professor.
5. ssn is not an integer. It is text.
6. we'll cover login by readme. Its not a big deal.

and also I want you to maintain a txt file holding my prompts. Whenever I told you, you must save it on that

file.

75. 2026-10-15 00:29
lets include prompts.txt to commit to

76. 2026-10-15 00:30
I merged this branch pr. we need new branch with pr

77. 2026-10-15 00:57
Now lets make our first page. Which is staff. I want you to make only UI. Just the UI pages and routes. I'll explain what I need. Don't do anything else by now. I'll guide you.
1. I need a page called Staff
2. Use Inertia router to load the page. Just only the page. We fetch/send data through api routes using AJAX, we just loading pages by inertia, that is all our inertia router usage.
3. All UI pages should be break into components. No page should design in single vue file.
4. For keepings things simple, lets use option api instead of composition api.
5. All method, file, computed properties, data properties, etc should be properly named. Each name should explain what is it for in simple terms. I'll review every file that you make.
6. Don't commit or push anything without my advice. Make new branch to make staffs page.
7. You must write a unit test to assert that page is loading when the url is called. thats all. No middlewares except auth. All pages must be guarded by auth
8. Use shadcdn components if needed.
9. Color theme must be consistent on all over the project. Don't care much about mobile responsive. But dark mode should work fine. This is ERP, so not mobile friendy if okay.
10. Define tailwind config colors for project and use it everywhere, If we need to change our color theme, we are only gonna change tailwind config. UI will sync accordingly then.
11. Staff page should has two tabs. One for Physicians, and one for Nurses. active tab and active page (for now it is only staff) should be highlighted.

EXTRA
12. Install axios updates.
13. install notification packages. see my other projects (developer/genuine-bsoft has my latest completed setup)
14. install eslint and configure it based on genuine-bsoft project. copy ruleset. thats fine.
15. lodash and momemnt will be good to have too
16. pinia should be installed too.
17. vue-wait-for is needed too. see genuine-bsoft to get implementations.

Now do those. fan out sub agents if needed.

78. 2026-10-15 01:04
use tailwind classes for styling. I need tailwind.config. Not custom css classes

79. 2026-10-15 01:07
eslint rule: no semicolon on line end

80. 2026-10-15 01:08
Now I like to have color theme based on green

81. 2026-10-15 01:09
sky is better

82. 2026-10-15 01:10
App name should be Las Palmas.

83. 2026-10-15 01:12
install heroicon

84. 2026-10-15 01:13
ah. then heroicon is no need. lets go with lucide

85. 2026-10-15 01:15
now open pr to main

86. 2026-10-15 01:20
Now need physician factory. and also, do we need primary key 'id' for AffiliatedWith, i guess no right?

87. 2026-10-15 01:25
lets make our newly added <__>ID columns auto-increment. so no harm will done. and factory and seeder become less complex

88. 2026-10-15 01:26
oh it needs another index then. So, no good.

89. 2026-10-15 01:30
Now I need seed database with realistic number of physicians. Imagine a hostpital like las palmas. How many physicans be there, for each @app/Staff/Entities/PhysicianPosition.php ?

90. 2026-10-15 01:31
keep auto increment. And seed the database as you shows

91. 2026-10-15 01:32
everyone is having ssn

92. 2026-10-15 01:32
do not test seeder

93. 2026-10-15 01:34
I like to have 5 digit ID for physicians. can we do that?

94. 2026-10-15 01:36
no i mean in seeder, i want physicans with 5 digit ids, database can hold 1 digit for sure.

95. 2026-10-15 01:40
Now when loading physicians tab, I want you to fetch all physicians. That should be done by api call in api.php route file. Use created() hook on option api, and make method fetchPhycians(), start a waiter while fetching. and then stop after fetching. store physicians on data property for now, pinia is no need for now. see my projects to understand my architecture. you have to install api routes first. and configure middlewwares beforehead. Just fetch It, no showing needed, I'll check on network tab for now. And install clockwork package too. So I can see quries

96. 2026-10-15 01:41
All things that I'm talking about should be in one single branch with one single PR under one single commit.

97. 2026-10-15 01:43
ah no need of adapters. Why we make our life complicated. Just make an action class, ListPhysicians. That is enough. Just return Physician::all(). thats all I needed. See genuine-bsoft

98. 2026-10-15 01:49
Now I want to display all physicians in a table. This table design should be considtend all overt the application. What I need is you need to design the structure on table in base componenets. And use that base components to make physicians table..

like following…
PhysiciansTable imports BaseTable
Which has Table Header and table body

PhysicianstableRow imports BasetableRow

Base table components has all the stylings and shared logics. while Physicians table components holds the data. Data can be passed as a prop.

99. 2026-10-15 01:50
No need doc commets for each method.

```
final class ListPhysicians
{
    /**
```

```
     * @return Collection<int, Physician>
     */
    public function execute(): Collection
    {
        return Physician::all();
    }
}
```

We typehint return type. So doc comment is redundant here. remove such

100. 2026-10-15 01:53
In UI, ssn should be masked. Only last 4 digits should be visible.

101. 2026-10-15 01:54
use *

102. 2026-10-15 01:54
Update PR

103. 2026-10-15 01:54
Now need to do the same for Nurses too.

104. 2026-10-15 01:57
update PR

105. 2026-10-15 02:02
Now I want to add "Add" button to Physician and Nurse. First lets make Physician add. I preffer side widget over modal dialog. When click add button, widget should open on right side, and there should be form, when submitting form, all required fields should be enable to click submit.

if any $wait is running. submit should disable. We don't want race issues. use vee-validate for form. See genuine-bsoft app to understand how I'm making frontend forms, and how do I link buttons to api calls.

106. 2026-10-15 02:04
$this->actingAs(User::factory()->create()) better to extract this into helper method. in tests call actingAsLoggedInUser()

107. 2026-10-15 02:06
Position dropdown is not working. We need our own dropdown.

108. 2026-10-15 02:11
vslidate ssn input field for 9 digit numerical values. leading zero is approved

109. 2026-10-15 02:13
Now add update feature. for physician

110. 2026-10-15 02:14
Don't add comments on codes, Remove comments. all of them

111. 2026-10-15 02:16
ah. in models, property declarations are needed. leave it

112. 2026-10-15 02:17
Name and position are required. The ID stays the same when left blank. remove that

113. 2026-10-15 02:19
npm run dev fails with error

npm run dev

> dev
> vp dev

Inertia SSR dev endpoint: /__inertia_ssr

2:18:39 AM [vite+] (client) info: Types generated for actions, routes, form variants
  Plugin: @laravel/vite-plugin-wayfinder
2:18:39 AM [vite+] (client) Re-optimizing dependencies because lockfile has changed
Warming up Inertia SSR module graph...

  VITE+ v0.3.0

  ➜ Local: https://vite.las_palmas.test:5173/
  ➜ Network: https://las_palmas.test:5173/
  ➜ press h + enter to show help
[laravel:fonts] Optimized font fallbacks require the optional "fontaine" package. Install it, or set "optimizedFallbacks: false" on your fonts to disable the feature.

  LARAVEL v13.33.0 plugin v3.2.0

  ➜ APP_URL: https://las_palmas.test
  ➜ Using Herd certificate to secure Vite.
Inertia SSR module graph warmed up
2026-10-15 08:18:41 SSR Staff 166.07ms
node:internal/process/promises:394
    triggerUncaughtException(err, true /* fromPromise */);
    ^

TypeError: Invalid URL
    at new URL (node:internal/url:818:25)
    at dispatchHttpRequest (file:///Users/sureshhemal/MSc/Sem-1/dbms/las_palmas/node_modules/axios/lib/adapters/http.js:724:22)
    at file:///Users/sureshhemal/MSc/Sem-1/dbms/las_palmas/node_modules/axios/lib/adapters/http.js:463:5
    at new Promise (<anonymous>)
    at wrapAsync (file:///Users/sureshhemal/MSc/Sem-1/dbms/las_palmas/node_modules/axios/lib/adapters/http.js:443:10)
    at http (file:///Users/sureshhemal/MSc/Sem-1/dbms/las_palmas/node_modules/axios/lib/adapters/http.js:568:12)
    at Axios.dispatchRequest (file:///Users/sureshhemal/MSc/Sem-1/dbms/las_palmas/node_modules/axios/lib/core/dispatchRequest.js:54:10)
    at Axios._request (file:///Users/sureshhemal/MSc/Sem-1/dbms/las_palmas/node_modules/axios/lib/core/Axios.js:242:35)
    at Axios.request (file:///Users/sureshhemal/MSc/Sem-1/dbms/las_palmas/node_modules/axios/lib/core/Axios.js:42:25)
    at Axios.<computed> [as get] (file:///Users/sureshhemal/MSc/Sem-1/dbms/las_palmas/node_modules/axios/lib/core/Axios.js:269:17) {
  code: 'ERR_INVALID_URL',
  input: '/api/physicians'
}

Node.js v22.23.3

114. 2026-10-15 02:21
update PR

115. 2026-10-15 02:21
Now do the same for nurse

116. 2026-10-15 02:27
You have not wired up update

117. 2026-10-15 02:29
you missed the emit from table

118. 2026-10-15 02:29
update the pr

119. 2026-10-15 02:32
Now when loading staff page, I want to fetch count of physicians and nurses. and show right next to the name of the tab. Use Model::count() method inside StaffController::index method. return physician_count and nurse_count from use case.

120. 2026-10-15 02:33
Not when openeing tabs, it should call from created() hook of staff page

121. 2026-10-15 02:38
Now I want to implement paginator for Nurses, It has a lot of records. So, it is ideal to have pagination bar. See my design on other project. can we do something similerly in here too?

122. 2026-10-15 02:39
in UI, it should be a select filter, not an input box.

123. 2026-10-15 02:41
I like to see pagination bar on both above and below the table.

124. 2026-10-15 02:43
Remove Next/Prev labels. It take so much space

125. 2026-10-15 02:43
update pr

126. 2026-10-15 02:44
Both nurses and physicians should order by latest()

127. 2026-10-15 02:44
We should add search bar for nurse, should be search by name or ID,

128. 2026-10-15 02:47
laravel has new way to search. we don't need to write where and orwhere, find it.

129. 2026-10-15 02:48
and also filter for position.

130. 2026-10-15 02:50
I like to have multiselector. so we can reuse it

131. 2026-10-15 02:51
when loading the tab, all positions must be selected by default.

132. 2026-10-15 02:54
Now wee need same filters (search and position) for physicians too. But no pagination bar there

133. 2026-10-15 02:56
For multiselect, add apply button. otherwise, it will make api cal everytime user clicks.

134. 2026-10-15 02:57
update pr

135. 2026-10-15 09:34
Now we need to add delete functionality to physicians and nurses. In domain terms it is not "Delete", It is revoke or something. Make that feature. I merged the pr. so get new branch from main

136. 2026-10-15 09:38
delete button is not visible on UI

137. 2026-10-15 09:39
delete button should only apears on the table

138. 2026-10-15 09:40
And same for update, we need update button too. In later, we might need open physicians or nurse by clicking

139. 2026-10-15 09:41
notification place at top middle

140. 2026-10-15 09:45
If the ntification content is long, can we adjust the width of the notification?

141. 2026-10-15 09:48
open pr to main

142. 2026-10-15 09:55
Merged. Now we need to make the Departments crud. First that domain is Hospital. So, make Hospital Page at first. Then make Departments tab. Thats all for now. Only page wiring up. and intertia routes and tests

143. 2026-10-15 09:57
Now I need Department factory.

144. 2026-10-15 10:00
Departments name can only be "General Medicine", "Surgery", and "Psychiatry". that is given instructions. So, those are predefined right?

145. 2026-10-15 10:01
I gues that should be a migration. Now a seeder. that is production data anyways. So delete the seeder and factory. make a new migraiton file

146. 2026-10-15 10:03
Tests also should based on migrated departments. No new departments.

147. 2026-10-15 12:51
Now when loading departments tab, lets load departments.

148. 2026-10-15 12:53
In migration, lets make depID with 4 digit numbers.

149. 2026-10-15 12:56
Now lets make department edit side panel. Depatment name can't be change. It is fixed. Thats is how it designed for us.

150. 2026-10-15 12:58
Leave blank is not valid. It should filled. required

151. 2026-10-15 12:59
We have severel type of physicians. Intern is not suitable for department head. Likewise, who are capable of such position. Just a general quesiton

152. 2026-10-15 13:02
So, I need a query builder class, with whereCapableOfBeingDepartmentHeadBasedOnPosition(), so, Physician::quesy()->whereCapableOfBeingDepartmentHeadBasedOnPosition()->get() should give only possible doctors only. And It should be seperate class, Not a scope where query inside the model class. See my other projects to see the pattern. And follow architecture-guide

153. 2026-10-15 13:11
Now when loading the departments page, we should fetch such doctors too. It needs new api endpoint. New controller, only having index method.

154. 2026-10-15 13:12
can we make our filters searchable.

155. 2026-10-15 13:14
Remove no head option from the list.

156. 2026-10-15 13:15
When opens, it is required filed to filled.

157. 2026-10-15 13:22
Now when offboarding physician, we need to remove him from dept head, if he is

158. 2026-10-15 13:23
before that code, that was worked. how?

159. 2026-10-15 13:24
yes

160. 2026-10-15 13:25
$physician->departments()->detach() is the way to do

161. 2026-10-15 13:28
Now lets fetch department if he is the head of it and show in physicians table too. It helps. Only fetch department id and name will be enough.

162. 2026-10-15 13:34
nice. Open pr to main

163. 2026-10-15 13:35
publish clockwork config and make it disable on env key

164. 2026-10-15 13:37
update pr with that condif

165. 2026-10-15 13:37
update pr with that config

166. 2026-10-15 13:39
Now I want to attach department heads from the seeder.

167. 2026-10-15 13:43
update pr

168. 2026-10-15 13:51
I merged pr. Now in new branch from main, lets make "AffiliatedWith". I guess this don't need seperate page. right? This is saying which doctors are working on which departments. So, maybe this can go with physicians table too. and the new input field (which is multiselect) to physician form. Is that okay?

for the api, we need to fetch departments when page is loading. You can make Promise::all() to call multiple async function on created hook to call couple of apis at once. and make sure to run a $waiter for each call seperately. when fetching departments for this staff page, it is not neccasary to fetch department head of the departments.

so, when loading physicians
fetch physicians::with('departments') and fetch departments seperatle for feed the UI forms

169. 2026-10-15 13:55
I guess no point having soft deletes on pivot table for this, right?

170. 2026-10-15 13:57
but what if, in later days, we need to see some physicians history?

171. 2026-10-15 13:57
drop then

172. 2026-10-15 13:58
when fetching physician departments, no need deptID right?

173. 2026-10-15 13:59
Now i want seeder for this too.

174. 2026-10-15 14:03
In small screens, table hides edit/delete buttons. should be x-scrollable then no?

175. 2026-10-15 14:06
Now I want to make a page for department, when clicking row in the departments table, it should show the poge for that department. And that page must have following informations

1. Department Head
2. Physicians who works under that department with their join date (i.e. created_at)

176. 2026-10-15 14:11
Now I want another filter for physicians tab, filter by departments. By default all departments are selected.

177. 2026-10-15 14:17
open pr to main

178. 2026-10-15 14:19
Now we need to plan OnCall nurses. Maybe that needs seperate page or tab. What is your idea about having that on third tab on staff page?

179. 2026-10-15 14:25
drop soft deletes is okay.
when deliting nurse will end her oncall period. not delete currently active period. deleting doesn't make sence to me in this case.
yes. letf block overlapping in backend side. and throw a validation error
Agree on seeder behaviour.

But I'm thinking what gives user to shedule on cal duties in easier way. dropdown dates are noot good for such task. I belive calender is the most preffered way to user for this taks

180. 2026-10-15 14:27
continue

181. 2026-10-15 14:42
i imegred the pr. so we need new branch

182. 2026-10-15 14:45
OnCallData start and end dates must be carbon instances. And we must handle server timezone vs ui timezone too. I guess.

183. 2026-10-15 14:48
what is !Y-m-d format

184. 2026-10-15 14:50
multiselector needs another button to clear selection.

185. 2026-10-15 14:51
And make multiselect has max-h. so it is short and scrollable if needs. Buttons should be sticky to bottom of the dropdown

186. 2026-10-15 14:54
remove on call period is render down the backdrop of edit widget. so can't click it

187. 2026-10-15 14:55
Now when I selected 2026-10-16 to 2026-10-17, period. It is a two day period. But the calendar shows the bar for single date only, which is 2026-10-16

188. 2026-10-15 15:04
yes

189. 2026-10-15 15:05
Now in calendar, can we just show the selected month records only

190. 2026-10-15 15:06
old way is better i think.

191. 2026-10-15 15:07
missed one. OffboardPhysician, shouldn't we remove assigned department records too. affiliated with

192. 2026-10-15 15:09
the max-h for multiselector, we need that for single selector too

193. 2026-10-15 15:11
clean up

194. 2026-10-15 15:11
open pr to main

195. 2026-10-15 15:17
Now I merged the pr. In new branch, lets focus on Rooms now. it is another tab under hospital page. A simple one. Make it as we did before. Write unit tests upfront. I told you in earlier sessions that we are follwoing TDD. You must obey that

196. 2026-10-15 15:24
How many rooms do you seeded

197. 2026-10-15 15:25
Okay, based on staff, is that enough?

198. 2026-10-15 15:25
yes

199. 2026-10-15 15:26
lets paginate rooms

200. 2026-10-15 15:27
open pr to main

201. 2026-10-15 15:29
Now we are going for medications. to that, we need medications for seeder. Is there a public free api or something that we can get huge list of medications.

202. 2026-10-15 15:31
can we go for like 2000 medications?

203. 2026-10-15 15:33
cool. what is better. csv of txt or json

204. 2026-10-15 15:34
make it txt

205. 2026-10-15 15:38
seed my database

206. 2026-10-15 15:39
Now we need page. As per domain, it goes under page clinical, medications tab. isn't it? So, make tab and page. All crud for medications too

207. 2026-10-15 15:53
open pr to main

208. 2026-10-15 15:54
Now in seprate branch, lets make precedures

209. 2026-10-15 16:01
How many precedures does such hospital can do

210. 2026-10-15 16:01
lets go with 300 catalogue then

211. 2026-10-15 16:05
list procedure by alphebetic order. fetch in that way

212. 2026-10-15 16:06
open pr to main

213. 2026-10-15 16:10
Now in new branch, we gonna work with patients.

214. 2026-10-15 16:14
one thing, when ofboarding a doctor, we don't need to remove his settings as primary physician. It doesn't make sence. so we can keep it, but in ui, we can strikthrough the name of the physician

215. 2026-10-15 16:21
multiselect needs select all button too.

216. 2026-10-15 16:29
that physician selector should be searchable too

217. 2026-10-15 16:31
Does the age calculation happen on frontend side?

218. 2026-10-15 16:32
yes. better artchitecture

219. 2026-10-15 16:36
open pr to main

220. 2026-10-15 16:41
merged. Now it is time for prescriptions.

this prescription should varies between years in seeder.

221. 2026-10-15 20:15
can prescription present without dosage? Is it possible?

222. 2026-10-15 20:16
yes. go for it

223. 2026-10-15 20:17
fix the seeder too. Make schema also not nullable.

224. 2026-10-15 20:19
In patient seeder, created_at should varies from several years. In reality, no patient can't have prescription older than his registered period

225. 2026-10-15 20:22
prescribed on input should be disable future dates. Maybe use full calendar for inputs

226. 2026-10-15 20:27
when form button is disabled, it should show cursor-not-allowed

227. 2026-10-15 20:29
Open pr to main

228. 2026-10-15 21:05
i merged pr. now we are for performed precedures.

229. 2026-10-15 21:07
I missed. We need to create stays first

230. 2026-10-15 21:15
In RELATIONS, why we load deleted_at?

231. 2026-10-15 22:45
stay 67287 shows bit different on UI, why?

232. 2026-10-15 22:48
Now based on that, we can show Hospital -> rooms table their occupency now. Whether the room is available (available beds) or not

233. 2026-10-15 22:50
Beds Taken is no need

234. 2026-10-15 22:51
api can be remove those too

235. 2026-10-15 22:52
Now lets add filter based on available beds.

236. 2026-10-15 23:09
I'm looking at @app/Clinical/IO/Http/DTOs/StayData.php right now. All attributes are nullable. Which makes no sence. Stay can not created without either patient or room or date. So, nothing is nullable. Only nullable thing is discharged date, which is end date. Fix the DTO

237. 2026-10-15 23:10
submission is blocked without required fields in UI. so no need for now. Since this is a demo, no one will try for api attacks

238. 2026-10-15 23:11
then make two seperate requests, Admission request and discharge request. Which provide relevent DTOs

239. 2026-10-15 23:13
DischargeData must have stay too

240. 2026-10-15 23:14
AdmissionData should containd Patient and room. Not ids of it

241. 2026-10-15 23:15
for now, those fields are only comming from UI, which is always a dropdown. So, validation is not needed, kind of

242. 2026-10-15 23:16
yes. remove

243. 2026-10-15 23:18
patients should not be able to delete. we just not serving them anymore. So, call it something else on UI.

244. 2026-10-15 23:23
"remove" for room is bit unusual, lets rename it too.

245. 2026-10-15 23:31
in @app/Hospital/UseCases/ListRooms.php where are ?string $search = null, array $roomTypes = [], array $bedsFree = [] so many inputs. I like to introduce RoomsFilters DTO to hold frontend Filter values

246. 2026-10-16 08:01
explain me if ($bedsTaken < 0) {
continue;
} this conditions. Im guessing this is for single - 2 beds?

247. 2026-10-16 08:04
: $room->where('roomType', $roomType)->whereIn('id', $roomsInUse->groupBy('room_id')->havingRaw('count(*) = ?', [$bedsTaken])));
explain this.

248. 2026-10-16 08:06
My interntion is understanding the $bedsTaken query binding

249. 2026-10-16 08:13
why lockForUpdate on @app/Clinical/UseCases/EnsureAdmissionIsAllowed.php

250. 2026-10-16 08:15
Nice. That is what I was gonna implement next.

251. 2026-10-16 08:17
for AdmissionData, that request is comming from UI, som not possible to admit deleted patient. So, soft deleting scope should be applied here. No?

252. 2026-10-16 08:18
EnsureAdmissionIsAllowed, no need to query again. We have all things we neede in DTO

253. 2026-10-16 08:19
Nah. previous way is far better

254. 2026-10-16 08:20
$data->patient->newQuery()->lockForUpdate() does this works. yes it is no?

255. 2026-10-16 08:23
```
if (! $patient instanceof Patient) {
        return null;
    }
```

what ????

256. 2026-10-16 08:23
```
if ($patient->created_at === null) {
        return null;
    }
```

we can delete this too. created_at will be always present

257. 2026-10-16 08:27
```
$overlappingStays = Stay::query()
        ->where('room_id', $room->id)
        ->whereStillAdmittedOnOrAfter($startDate)
        ->toBase()
        ->get(['startDate', 'endDate'])
```

why to base?

258. 2026-10-16 08:29
can we deal with Stay. It is stay by definition

259. 2026-10-16 08:30
prev version is good.

260. 2026-10-16 08:38
ok, so we are getting stays of each room and check for occupency there. Yeah. That is correct.

261. 2026-10-16 08:44
for admit patient, room-availability route. There is no point that giving non vacant rooms. So, only return available rooms only

262. 2026-10-16 08:46
Free beds are counted for today. Is this correct. I think we should filter rooms after selecting a date. And place a watcher for date selector. then whenever user changes the date, we should fetch availble rooms for that date

263. 2026-10-16 08:50
when I select oct-5, no room is shown. Why? Issue with created_at i guess?

264. 2026-10-16 09:08
hide discharge date from form if admitted date is today.

265. 2026-10-16 09:17
Open pr to main

266. 2026-10-16 12:26
now merged. Now lets focus on perfomed procedures. I advice to remove that stay seeder and the records from dev database, because stay is not gonna happen without performed procedure in real life. So, both of this records should come together. As a second thought, we can keep stays at it is now and attach performed procedures in matching way. Lets do it that way on seeder.

For the page, That is fourth tab on clinical page.

267. 2026-10-16 12:37
Now i see the picture, It is performed procedure that comes first, patient should have a reason to stay. That is the 'Undergoes' table record, which is performed procedure. And when recording that, we also make stay record too. So, in stays tab, there is no add stay button anymore. It should be only dismiss or extend the stay period. But stay period can be future too. So, system will show that room will be availble after that day. So, we can always select end date for stay when creating the stay record (now it is on performed precedure) . Or we have a freedom to leave it as blank for the scenarios that in unsure the end date.

So when creating performed procedure, it can be past of upcoming one, which means shedule. And the form should have two sections. One for procedure things, and other part for room selection.

hows that sounds?

268. 2026-10-16 12:50
There should be three status on stays, Admitted, Discharged and Scheduled. For Scheduled procedures

269. 2026-10-16 12:53
In query builder, I want thress scopeWhere queries for statuses, whereAdmitted(), whereDischarged(), whereScheduled(), And I want same structure for procedures too. With matching names ofc

270. 2026-10-16 12:59
In performed procedure table, Patient's name is enough. no need to show ID, stay room is enough too. no id needed.

271. 2026-10-16 13:00
ListPerformedProcedureYears should go to seperate controller. Not @app/Clinical/IO/Http/Controllers/PerformedProceduresController.php

272. 2026-10-16 13:00
with index method

273. 2026-10-16 13:02
@app/Clinical/UseCases/ListPerformedProcedures.php execute() method has bunch of arguments. move ?string $search = null, array $years = [], array $statuses = [] to PerformedProcedureFilters DTO

274. 2026-10-16 13:04
we don't need to select deleted_at for RELATIONS in performed procedures

275. 2026-10-16 13:05
Yes. Convert other twos to DTO

276. 2026-10-16 13:13
```
->whereHas('patient', fn (Builder $patient) => $patient->whereAny(['name', 'patientID'], 'like', "%{$search}%"))
        ->orWhereHas('procedure', fn (Builder $procedure) => $procedure->where('name', 'like', "%{$search}%"))
        ->orWhereHas('physician', fn (Builder $physician) => $physician->where('name', 'like', "%{$search}%"))
        ->orWhereHas('nurse', fn (Builder $nurse) => $nurse->where('name', 'like', "%{$search}%"))))
```

looking at this,

the only search thing is by patient name/ID

all others are kind of filters. No?

So, we should implement multiselect filters to filter out records for doctors and nurses. User don't want to search on doctor/nurse name, search on patient name or ID, but filter by doctor or patient. Role of filter and search is different

277. 2026-10-16 13:19
Showing 1 – 20 of 91472 results is in pagination bar. make it readable with thousand seperators

278. 2026-10-16 13:23

[Image #8] why the future dates are disabled for this?

279. 2026-10-16 13:24
30561 ul table shows discharge date at 11, but form says 12

280. 2026-10-16 13:28
procedure filter is only loading 1000. but we have more.

281. 2026-10-16 13:31
Ah. i thoght it was procedures. But it is medications. we are good for 1000. leave it as it was

282. 2026-10-16 13:51
In stays table, we don't want to see patient id

283. 2026-10-16 13:55
Open PR to main

284. 2026-10-16 14:02
I merged the PR. Now I need patient's profile. It should be open by clicking patient's table row. Or we can add a view button to the actions button list too. Anyway si fine for me for now.

When the page is loaded, I want to see followings.

0. His personal details and Age (years, months only. no need of days. Calculate this on frontend. UI recieves the dob anyways)
1. Primary physician
2. When did he registered
3. His past performed procedure list. a paginated list would be better.
4. His past prescritions. Also a paginated list
5. If he is currently admitted on room, show the room number too.

more things will be add in future. Lets go with this for now.

285. 2026-10-16 14:09
It is better if you divide personal informations to two column view,

286. 2026-10-16 14:09
ah. no original way is better

287. 2026-10-16 14:09
Patient 10000 of Las Palmas Medical Center. dont show that. remove completly

288. 2026-10-16 14:10
Also show upcomming procedures

289. 2026-10-16 14:17
Now I want to add some cards at the very top of the page,

1. Upcoming procedure -> if none, say there is no, if present, show the name and date. use orderBy('proc date', asc) and first
2. Number of performed precedures -> only count
3. Number of prescrtiptions issued
4. Total reenue of that patient, based on performed procedures. only past procedures. not scheduled ones

290. 2026-10-16 14:19
procID: is no needed

291. 2026-10-16 14:21
Upcoming Procedure. Show doctor and nurse names too

292. 2026-10-16 14:22
no need. It shows the table anyways. so remvoe i

293. 2026-10-16 14:27

Now I want to show the medications (drugs) that he have been taking so far. But as a percentage of his own prescriptions. Which means group his prescriptions by medication_id and get sum of each group, and average of all prescriptions of his. for now, lets show it as a table down below the cards

294. 2026-10-16 14:33
can we remove 'Medication.name', 'Medication.deleted_at' from group by clause?

295. 2026-10-16 14:34
sum(count(*)) over (), 1) as percentage is window function. can we do this without window functions

296. 2026-10-16 14:36
can we show it in a pie chart? It is more visually better

297. 2026-10-16 14:38
Lets try with plotly

298. 2026-10-16 14:43
Now I want two columns on the top of page.

div -> col-2

col - 1 => having cards as 2x2 grid
col - 2 => having chart

299. 2026-10-16 14:44
Medications title is no needed. remove it

300. 2026-10-16 14:44
who has the largest Prescriptions list

301. 2026-10-16 14:46
open pr to main

302. 2026-10-16 14:52
I merged the pR. Now I need to do the same thing on doctors profile.

There I need following

1. Personal details with Joined date
2. Number of patients who worked as primary physicians
3. Performed procedures
4. Issued prescriptions
5. Upcomming procedures
6. The same chart but for performed procedures

7. Cards -> Upcomming procedure, Procedure performed, Presciption issued, Total Revenue based on performed procedures.

303. 2026-10-16 15:00
In reality, no physician is doing procedures in broader areas right? So, we need to fix the seeder to replicate that.

304. 2026-10-16 15:03
In rooms table, if there is a patient there, show his name/s too. so easy to see things

305. 2026-10-16 15:04
similarly, clicking on patient name on performed procedure table should go to patient's page.

306. 2026-10-16 15:06
stays table should do the same

307. 2026-10-16 15:06
and prescriptions table. Also no patientID

308. 2026-10-16 15:07
do the same for doctor's name

309. 2026-10-16 15:08
patients table, lets move the click logit to names, remove click event from the table row. Anywehre we see patient/doctor name on table, it is clickable

310. 2026-10-16 15:09
rebase this with main branch. I merged prev pr. and open new PR to main

311. 2026-10-16 15:13
Now we need to add something. Lets make a new column to medications table. Which is going to indicate that drug issued in what persentage of all prescription. In query wise group by drug and get average of each drug of all prescriptions. Make this on new branch

312. 2026-10-16 15:17
Now lets add ordering based on name and that Share of Prescriptions column on UI table. When user clicks on the column name it should change the sort column and direction. can we do that?

313. 2026-10-16 15:18
it is not mediId, it should be name

314. 2026-10-16 15:20
Nah. I read it wrong. it is correct

315. 2026-10-16 15:20
on default share sort should be desc

316. 2026-10-16 15:21
->selectRaw('coalesce(round(100 * count(Prescribes.id) / nullif((select count(*) from Prescribes where deleted_at is null), 0), 2), 0) as prescriptionShare')
explain this

317. 2026-10-16 15:22
default sort should be share desc

318. 2026-10-16 15:23
I merged pr. rebase with main

319. 2026-10-16 15:27
order by prescriptionsCount is the right choice, not prescriptionShare, because it is rounded

320. 2026-10-16 15:28
Now lets do the same for Procedures.

321. 2026-10-16 15:31
that should be third column on UI

322. 2026-10-16 15:32
Now labels should allign this way
ID -> center, content center
Name -> left, content left
Share -> center, content center
cost -> right, content, right

do the same for other tables. fan out sub agents for each table

323. 2026-10-16 15:37
open pr to main. rebase beforehead

324. 2026-10-16 15:54
Now merged. Now I need a readme file, than explains how to install this project and run it. For all windows/linux/mac os. I guess Herd is the optimum way to do it. But its upto user. And mention about the database configuration. Assuem the person who clones the repository does not know anything about laravel or anything related to setup. Mention the requried php extensions. And php versions, node versions. All things

that need to this project. Since we don't use window functions I guess mysql 5.7 is valid for us, but we are using muysql 8 anyways. Build it for now. I'll review it

325. 2026-10-16 15:59
I just configured clockwork records on database. Add that too. Mention that user can have json files on sqlite(which needs extention) too. And mention he/she wants to see the databse queries when running the application, he should go to <site>/clockwork/app and see the ajax request to see the quries.

326. 2026-10-16 16:04
tell user
if he want fresh application without data, run migrate command
if he wants to see fake data run seed command

if he want to clear eveything migrate:fresh
clear and re seed fresh --seed

because he doesn't know laravel.

327. 2026-10-16 16:07
now we need the same informaiton on txt file too.

328. 2026-10-16 16:09
mention that t is better to see readme.md for read at the top of the txt file

329. 2026-10-16 16:09
what else do we missing on readme.md file

330. 2026-10-16 16:16
For average, can we use aggregate avg() for getting percentages of shares?

331. 2026-10-16 16:21
select m.name,
round(100 * (select avg(p.medication_id = m.id)
from Prescribes p where p.deleted_at is null), 2) as share
from Medication m
Lets ommit round from this

332. 2026-10-16 16:23
Show me the full query to percentages of medications and procedures using avg? Inwant complete quries

333. 2026-10-16 16:26
show me the current sql queries vs avg queries

334. 2026-10-16 16:33
I don't want to break my app in sake of getting good results. End of the day that is a problem what I need solve. So, use avg for sake of the assignment is not the correct way for that place. When the application grows that query will cause to break the application then. So, my solution is lets report the avg version query and what do we used instead. And clearly mention that query failed on stress testing.

335. 2026-10-16 16:44
but we should use avg for simple tasks. Possible place is avg cost per procedure.

336. 2026-10-16 16:46
```
Procedure::query()
    ->toBase()
    ->selectRaw('avg(cost) as averageCost')
    ->selectRaw('count(cost) as pricedProcedureCount')
    ->selectRaw('count(*) - count(cost) as unpricedProcedureCount')
    ->first();
```

instead of this we can use proper query builder methods, ->avg(). no?

337. 2026-10-16 16:47
In the report, you only reported raw sql queries, Mention query builder quries too

338. 2026-10-16 16:49
in this readme. you didn't mention hospital timezone, it should be denver. add that

339. 2026-10-16 16:58
lets add a section about explaning the app.

1. What are the pages, where the table matches with pages and tabs, which tabs shows all data, which tabs shows paginated data, and lets begin all those things with seeded data. and mention how many seeded records we will have roughly.

And also mention how to add/edit/delete data.

best to do this as a table. Like columns of
page | tab | mathing database table | sees what / how many records per once | how many seeded records | how to add / edit / delete |

2. Database itself doesn't need to explain. Reviewer newer deals with the codebase, So we are using models. but reviewer only deal with .env file. So no need to mention about model to databse table mathcing

3. Add short feature tour.

4. Add what to do with taken port. 8000 might not available on their machine. And this app might needed ssl certificate to run. I'm not sure. But better to have. Herd users can get that by one click. But linux users might need certbot. IDK, thats why I do on my vps anyways. Maybe local setup are different. Add the intruction to get ssl certificate if their needed it to run the applicaion.

5. add instruction to how to remove the project.

6. Add github link. This repo will be public after finishing. So, you can add the link now. It is fine

340. 2026-10-16 16:59
to get details of the app. you may fan out sub agents

341. 2026-10-16 22:50
open pr to main

342. 2026-10-16 22:56
I merged the pr. Now new branch from main to work on Appoinments. Seeded appointments should be spread over years. Be mind that. nothing hard on that one. And end time is normally fixed. So we can make it not null in database. Usually appointments have a defined period of time. If it is not enough there is always room to extend by editing appointment. So, make it that way. Page is clinial -> appointments tab. Preffered to be the first tab of clinical page

343. 2026-10-16 23:06
we need physician filter in there

344. 2026-10-16 23:12
Now in patients profile we need card and table for appointments.

and for physician profile, we need those too

345. 2026-10-16 23:16
Open pr to main

346. 2026-10-16 23:31
what is mysql latest version. 26.7.0?

347. 2026-10-16 23:33
we need to modify our test, invent test matrix for mysql versions. run two mysql version tests concurrently

348. 2026-10-16 23:34

MySQL 26.7.0, MySQL's newest "Innovation" release. Thats i need. I'll tell you why. because I just setup oracle mysql database. Which allows only MySQL 26.7.0, MySQL's newest "Innovation" release for free. So i need that

349. 2026-10-16 23:38
update pr. the same pr

350. 2026-10-16 23:40
lint analyze failed.

351. 2026-10-16 23:42
set clockwork disable on tests. we don't need clockwork on tests anyways.

352. 2026-10-17 00:52
I merged the pr. Now I need to do some modifications. I need to see clockwork on production application. so, you need to move clockwork to production depedency, not a dev dependency anymore. And I need database seeder on production too. so, faker should be production too. Then I can run comp install --no-dev while deploying.

353. 2026-10-17 00:55
now set clockwork configuraitons to database on env.example.

354. 2026-10-17 00:55
and it is okay to keep only 1 hour records for clockwork

355. 2026-10-17 01:05
Now I have installed oracle cli on my mac. And authenticated. I have setup las-palmas server to hold this application. The deployment will happen in github action. also storage/app/private/oracle has neccasary keys for deployments. I already save requried keys as repository secrets. you can list and see those using gh. and that server has configured too. Which allows only execute deploy.sh using that key.

so, i want you to do followings.

make deploy.yml. Which should run tests before deployment. and only tests are passing, then run deployment. which menas execute deploy.sh on server.

that file should do following.

git fehct --prune --prune-tags --force
checkout github commit sha -> deployemnt is not always on main branch. It is only by workflow dispatch. i'll choose what should be deployed. either branch or tag.
composer install --no-dev -> see laravel official website to see what are the actuall deployement scripts. I don't remember all. It includes cache too.
rm -rf node modules -> since vue is compiled. we run minified files. We don't need vendor files for nodejs
php artisan migrate --force

356. 2026-10-17 01:14
open pr for now

357. 2026-10-17 01:39
I'm gonna use cloudflare r2 as storage for applicaiton. so install league/flysystem-aws-s3-v3

358. 2026-10-17 01:43
add

359. 2026-10-17 01:44
open pr

360. 2026-10-17 09:39
now our application is live on https://129-153-117-183.sslip.io. add that to readme.

361. 2026-10-17 09:44
or add my login credentials.
email = sureshhemal123@gmail.com

password = FSA-Md=-q2`-646

because in production application password validation rules are bit hard

362. 2026-10-17 09:44
yeah. that is fine.

363. 2026-10-17 09:47
Now the seeded application has

Table	Records
Undergoes (performed procedures)	92,156
Prescribes	47,965
Stay	30,903
Appointment	24,945
Patient	10,000
Medication	2,000
Procedure	300
Nurse	128
AffiliatedWith	94
OnCall	79
Physician	75
Room	75
Department	3

records. Add that to readme file.

364. 2026-10-17 09:48
open pr

365. 2026-10-17 10:02
I merged the pr. Now we need to design the dashbboard. I need followings.

1. Todays Sheduled procedures with physician, patient, nurse names
2. Todays appointments with names
3. List of On call nurses
4. Patients who supposed to discharde today
5. All names should be present with their phone numbers.

366. 2026-10-17 10:17
Split the top section that has cards, Left side 2x2 grid holds cards. In right side. show a clock.

367. 2026-10-17 10:19
.Make it digital

368. 2026-10-17 10:21
open pr

369. 2026-10-17 10:25
Now I want to link the repository (on sidebar) to our repo. and link documentation to readme.md viewr. We might need md viwer for this app though. Find a good one on github install it. And for Icon, default Laravel

icon is no longer good. Lets change it to something relevant. I merged the pr. so make new barnch from main

370. 2026-10-17 11:17
And now Design home page too. It is default laravel page for now.

371. 2026-10-17 11:23
In readme guide. don't mention about Laravel. Say it as this project create database tables etc

372. 2026-10-17 11:23
It is built with the PHP framework [Laravel](https://laravel.com) on the server, [Vue](https://vuejs.org) with [Ine rtia](https://inertiajs.com) in the browser, and **MySQL** as the database. this line is fine. keep it

373. 2026-10-17 13:46
Add readme that hos sidebar works. the links i mean.

374. 2026-10-17 13:50
update pr

375. 2026-10-17 14:02
Read the documentation on home page should go to readme.md file link

376. 2026-10-17 14:03
it should be same repository page. not the git blob

377. 2026-10-17 14:04
I misunderstood. I want to render the same page as sidebar documentation button

378. 2026-10-17 14:05
So the route should not be guarded by auth

379. 2026-10-17 14:11
disable password reset, I'm not gonna setup SMTP on my application. so, disable it.

380. 2026-10-17 14:12
just comment the line

381. 2026-10-17 14:13
update PR

382. 2026-10-17 15:16
I merged the pr. rebase with main

383. 2026-10-17 15:20
see https://github.com/sureshhemal/dbms_1_las_palmas_project/actions/runs/39070275602/job/11750667 3934. deployment failed. you missed mport { documentation } from "@/routes"; such exports.

384. 2026-10-17 15:21
open pr to main

385. 2026-10-17 15:32
Bonus Opportunity: Creative or fun video solutions may earn bonus points!

how can I make that kind of video

386. 2026-10-17 15:41
make GenAIQuestions pdf now. i need two topics. 1. Model
2. Questions list

thats all. remove all non prompmt things from @prompts.txt

387. 2026-10-17 15:51
open pr