

Cucumber Report

May 7, 2026, 8:42:48 PM

Start : May 07, 8:42:42.883 PM

End : May 07, 8:42:47.275 PM

Duration : 4.392 s

Features




Scenarios

Steps

PASSED - 1
FAILED - 0
SKIPPED - 0


PASSED - 1
FAILED - 0
SKIPPED - 0

PASSED - 6
FAILED - 0
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Verify different GET operations using REST Assured</u>	4.392 s	1	1	0	0	6	6	0	0

Tag	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@GetUserDataDriven7may	1	1	0	0	1	1	0	0



#	Feature Name	T	P	F	S	Duration
1	<u>Verify different GET operations using REST Assured</u>	1	1	0	0	4.392 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Verify different GET operations using REST Assured</u>	<u>Run GET request for each user test case in Excel</u>	6	6	0	0	4.392 s

PASSED	<i>DURATION - 4.392 s</i>	Scenarios		Steps	
/ 8:42:42.883 PM // 8:42:47.275 PM /		Total - 1		Total - 6	
		Pass - 1		Pass - 6	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

PASSED	DURATION - 4.392 s	<table border="1"> <caption>Test Results Data</caption> <thead> <tr> <th>Step</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1.25</td> </tr> <tr> <td>2</td> <td>1.5</td> </tr> <tr> <td>3</td> <td>0</td> </tr> <tr> <td>4</td> <td>1.5</td> </tr> <tr> <td>5</td> <td>0.05</td> </tr> <tr> <td>6</td> <td>0.05</td> </tr> </tbody> </table>	Step	Value	1	1.25	2	1.5	3	0	4	1.5	5	0.05	6	0.05
Step	Value															
1	1.25															
2	1.5															
3	0															
4	1.5															
5	0.05															
6	0.05															
/ 8:42:42.883 PM // 8:42:47.275 PM /																
Verify different GET operations using REST Assured																
@GetUserDataDriven7may																
		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0														

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.DataDrivenHooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	0.010 s
	Scenario: Run GET request for each user test case in Excel		
1	Given I load test data for scenario "GetUserDataDriven"	PASSED	1.237 s
	Test data loaded Sheet: GetUserDataDriven Total rows: 4 Scenario: GetUserDataDriven Data loaded: true		
2	When I execute GET request for each test data row using endpoint "getUserEndpoint"	PASSED	1.503 s
	Processing row #1 Data: {Expected_ID=2, Expected_LastName=Weaver, Expected_FirstName=Janet, Test_Case_Name=Positive_ValidUser_1, userId=2, Status_Code=200} Executing GET: /api/users/2 Response Status: 200		
3	Then I verify the status code matches Excel expected value	PASSED	0.003 s
	? Status Code MATCH Expected: 200 Actual: 200 * Not displayable characters are replaced by '?'. 		
4	And I verify the response field "data.id" matches Excel column "Expected_ID"	PASSED	1.529 s
	? Field MATCH data.id = 2 * Not displayable characters are replaced by '?'. 		

#	Step / Hook Details	Status	Duration
5	And I verify the response field "data.first_name" matches Excel column "Expected_FirstName"	PASSED	0.030 s
	? Field MATCH data.first_name = Janet * Not displayable characters are replaced by '?'. 		
6	And I verify the response field "data.last_name" matches Excel column "Expected_LastName"	PASSED	0.024 s
	? Field MATCH data.last_name = Weaver * Not displayable characters are replaced by '?'. 		