Status	Finished
Started	Tuesday, 20 October 2026, 1:27 PM
Completed	Tuesday, 20 October 2026, 1:35 PM
Duration	7 mins 39 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

We can repeat the values of Key in Dictionary?

a. False

b. True ✓

Question **2**

Correct

Mark 1.00 out of 1.00

Only values (without keys) can be printed in dictionary?

a. True ✓

b. False

Question **3**

Correct

Mark 1.00 out of 1.00

Which of the following function create a dictionary from a sequence of key-value pairs

a. create

b. dict ✓

c. dictionary

d. convert

Question **4**

Correct

Mark 1.00 out of 1.00

Write the output of the following codes.
>>>dl={1:10,2:20,3:30,4:40, 5:50}
>>>dl.items ()

a. Error
b. [10, 20, 30, 40, 50]
c. [1, 2, 3, 4, 5]
d. [(1, 10), (2, 20), (3, 30), (4, 40), (5, 50)] ✓

Question **5**

Correct

Mark 1.00 out of 1.00

Keys of dictionary must be ____.

a. integers
b. unique ✓
c. antique
d. mutable

Question **6**

Correct

Mark 1.00 out of 1.00

Which of the following is not method of dictionary?

a. pop
b. len
c. update
d. del ✓

Question **7**

Correct

Mark 1.00 out of 1.00

Which of the following are true of Python dictionaries:

a) All the keys in a dictionary must be of the same type.

b) Items are accessed by their position in a dictionary.

c) A dictionary can contain any object type except another dictionary.

d) Dictionaries can be nested to any depth.

e) Dictionaries are mutable.

f) Dictionaries are accessed by key.

- a. b,c
- b. d,e,f ✓
- c. c,d,e
- d. a,b

Question **8**

Correct

Mark 1.00 out of 1.00

____ function returns the value corresponding to the key passed as the argument.

- a. update
- b. del
- c. values
- d. get ✓

Question **9**

Correct

Mark 1.00 out of 1.00

Which one of the following is correct?

- a. A python, a dictionary can neither have two same keys nor two same values.
- b. A dictionary can have two same keys or same values but cannot have two same key-value pair
- c. A dictionary can have two same keys with different values.
- d. A dictionary can have two same values with different keys. ✓

Question **10**

Correct

Mark 1.00 out of 1.00

The key-value pair in dictionary is called ____.

a. value
b. pair item
c. paired value
d. item ✓

Question **11**

Correct

Mark 1.00 out of 1.00

What will be the Output of the following code?
dI={1:10, 2:20, 3:30, 4:40}
d2={5:50, 6:60, 7:70}
dl.update (d2)
print (dl)

a. {1:10, 2: 20, 4: 40, 5: 50, 6: 60, 7: 70}
b. {1: 10, 2: 20, 3: 30, 4: 40, 5: 50, 6: 60, 7: 70} ✓
c. [(1, 10), (2, 20), (3, 30), (4, 40), (5, 50)]
d. [1: 10, 2: 20, 3: 30, 4: 40, 5: 50, 6: 60, 7: 70]

Question **12**

Correct

Mark 1.00 out of 1.00

1,2,3 are the ____ in the following dictionary. D = {1 : "One", 2 : "Two", 3 : "Three"}

a. Values
b. Keys ✓
c. Items
d. None of the mentioned

Question **13**

Correct

Mark 1.00 out of 1.00

Which function helps to merge dictionary 'D1' and 'D2'?

a. update ✓
b. append
c. merge
d. get

Question **14**

Correct

Mark 1.00 out of 1.00

Write a statement to retrieve the value corresponding to the key 7 in dictionary 'D1'.

a. D1.get(7) ✓
b. D1.disp(7)
c. D1.pop(7)
d. D1.values(7)

Question **15**

Correct

Mark 1.00 out of 1.00

To obtain the number of entries in dictionary which command is used?

a. d.len()
b. d.size()
c. len(d) ✓
d. size(d)