

CUT ALONG LINE TO DETACH 8 CM STRIP SEAL

CUT ALONG LINE TO DETACH 8 CM STRIP SEAL

GOVERNMENT COLLEGE CHITTUR • COLLEGE UNION ELECTION 2026 • BALLOT BOX APERTURE STRIP SEAL • SECURITY BAND • GOVERNMENT COLLEGE CHITTUR • COLLEGE UNION ELECTION 2026 • BALLOT BOX APERTURE STRIP SEAL • SECURITY BAND • GOVERNMENT COLLEGE CHITTUR • COLLEGE UNION ELECTION 2026



SL. NO.
004

GCC-CUE2026-SS-004

LEFT WING TAB

POLLING STATION RECORD

Booth No.: _____

Venue / Room: _____

Date of Poll: _____ Time of Sealing: _____

Affix firmly across the ballot drop aperture immediately at close of poll.

GOVERNMENT COLLEGE CHITTUR
COLLEGE UNION ELECTION 2026
BALLOT BOX APERTURE STRIP SEAL

ALIGN DIRECTLY
OVER BALLOT DROP
SLIT
→ → →



SECURITY APERTURE SEAL

TAMPER-EVIDENT
DO NOT PUNCTURE OR
TEAR
← ← ←

⚠ TAMPER-EVIDENT SECURITY SEAL • ANY DAMAGE OR BREACH WILL BE REPORTED TO
RETURNING OFFICER ⚠

SIGNATURES

Signature of Presiding Officer

Signatures of Polling Agents / Representatives:

1. _____ 2. _____

3. _____ 4. _____



SL. NO.
004

GCC-CUE2026-SS-004

RIGHT WING TAB

☐ VERIFIED INTACT AT
COUNTING

CUT ALONG LINE TO DETACH 8 CM STRIP SEAL



SL. NO.
005

GCC-CUE2026-SS-005

LEFT WING TAB

POLLING STATION RECORD

Booth No.: _____

Venue / Room: _____

Date of Poll: _____ Time of Sealing: _____

Affix firmly across the ballot drop aperture immediately at close of poll.

GOVERNMENT COLLEGE CHITTUR
COLLEGE UNION ELECTION 2026
BALLOT BOX APERTURE STRIP SEAL

ALIGN DIRECTLY
OVER BALLOT DROP
SLIT
→ → →



SECURITY APERTURE SEAL

TAMPER-EVIDENT
DO NOT PUNCTURE OR
TEAR
← ← ←

⚠ TAMPER-EVIDENT SECURITY SEAL • ANY DAMAGE OR BREACH WILL BE REPORTED TO
RETURNING OFFICER ⚠

SIGNATURES

Signature of Presiding Officer

Signatures of Polling Agents / Representatives:

1. _____ 2. _____

3. _____ 4. _____



SL. NO.
005

GCC-CUE2026-SS-005

RIGHT WING TAB

☐ VERIFIED INTACT AT
COUNTING

CUT ALONG LINE TO DETACH 8 CM STRIP SEAL



SL. NO.
006

GCC-CUE2026-SS-006

LEFT WING TAB

POLLING STATION RECORD

Booth No.: _____

Venue / Room: _____

Date of Poll: _____ Time of Sealing: _____

Affix firmly across the ballot drop aperture immediately at close of poll.

GOVERNMENT COLLEGE CHITTUR
COLLEGE UNION ELECTION 2026
BALLOT BOX APERTURE STRIP SEAL

ALIGN DIRECTLY
OVER BALLOT DROP
SLIT
→ → →



SECURITY APERTURE SEAL

TAMPER-EVIDENT
DO NOT PUNCTURE OR
TEAR
← ← ←

⚠ TAMPER-EVIDENT SECURITY SEAL • ANY DAMAGE OR BREACH WILL BE REPORTED TO
RETURNING OFFICER ⚠

SIGNATURES

Signature of Presiding Officer

Signatures of Polling Agents / Representatives:

1. _____ 2. _____

3. _____ 4. _____



SL. NO.
006

GCC-CUE2026-SS-006

RIGHT WING TAB

☐ VERIFIED INTACT AT
COUNTING

CUT ALONG LINE TO DETACH 8 CM STRIP SEAL



SL. NO.
007

GCC-CUE2026-SS-007

LEFT WING TAB

POLLING STATION RECORD

Booth No.: _____

Venue / Room: _____

Date of Poll: _____ Time of Sealing: _____

Affix firmly across the ballot drop aperture immediately at close of poll.

GOVERNMENT COLLEGE CHITTUR
COLLEGE UNION ELECTION 2026
BALLOT BOX APERTURE STRIP SEAL

ALIGN DIRECTLY
OVER BALLOT DROP
SLIT
→ → →



SECURITY APERTURE SEAL

TAMPER-EVIDENT
DO NOT PUNCTURE OR
TEAR
← ← ←

⚠ TAMPER-EVIDENT SECURITY SEAL • ANY DAMAGE OR BREACH WILL BE REPORTED TO
RETURNING OFFICER ⚠

SIGNATURES

Signature of Presiding Officer

Signatures of Polling Agents / Representatives:

1. _____ 2. _____

3. _____ 4. _____



SL. NO.
007

GCC-CUE2026-SS-007

RIGHT WING TAB

☐ VERIFIED INTACT AT
COUNTING

CUT ALONG LINE TO DETACH 8 CM STRIP SEAL



SL. NO.
008

GCC-CUE2026-SS-008

LEFT WING TAB

POLLING STATION RECORD

Booth No.: _____

Venue / Room: _____

Date of Poll: _____ Time of Sealing: _____

Affix firmly across the ballot drop aperture immediately at close of poll.

GOVERNMENT COLLEGE CHITTUR
COLLEGE UNION ELECTION 2026
BALLOT BOX APERTURE STRIP SEAL

ALIGN DIRECTLY
OVER BALLOT DROP
SLIT
→ → →



SECURITY APERTURE SEAL

TAMPER-EVIDENT
DO NOT PUNCTURE OR
TEAR
← ← ←

⚠ TAMPER-EVIDENT SECURITY SEAL • ANY DAMAGE OR BREACH WILL BE REPORTED TO
RETURNING OFFICER ⚠

SIGNATURES

Signature of Presiding Officer

Signatures of Polling Agents / Representatives:

1. _____ 2. _____

3. _____ 4. _____



SL. NO.
008

GCC-CUE2026-SS-008

RIGHT WING TAB

☐ VERIFIED INTACT AT
COUNTING

CUT ALONG LINE TO DETACH 8 CM STRIP SEAL



SL. NO.
009

GCC-CUE2026-SS-009

LEFT WING TAB

POLLING STATION RECORD

Booth No.: _____

Venue / Room: _____

Date of Poll: _____ Time of Sealing: _____

Affix firmly across the ballot drop aperture immediately at close of poll.

GOVERNMENT COLLEGE CHITTUR
COLLEGE UNION ELECTION 2026
BALLOT BOX APERTURE STRIP SEAL

ALIGN DIRECTLY
OVER BALLOT DROP
SLIT
→ → →



SECURITY APERTURE SEAL

TAMPER-EVIDENT
DO NOT PUNCTURE OR
TEAR
← ← ←

⚠ TAMPER-EVIDENT SECURITY SEAL • ANY DAMAGE OR BREACH WILL BE REPORTED TO
RETURNING OFFICER ⚠

SIGNATURES

Signature of Presiding Officer

Signatures of Polling Agents / Representatives:

1. _____ 2. _____

3. _____ 4. _____



SL. NO.
009

GCC-CUE2026-SS-009

RIGHT WING TAB

☐ VERIFIED INTACT AT
COUNTING

CUT ALONG LINE TO DETACH 8 CM STRIP SEAL



SL. NO.
010

GCC-CUE2026-SS-010

LEFT WING TAB

POLLING STATION RECORD

Booth No.: _____

Venue / Room: _____

Date of Poll: _____ Time of Sealing: _____

Affix firmly across the ballot drop aperture immediately at close of poll.

GOVERNMENT COLLEGE CHITTUR
COLLEGE UNION ELECTION 2026
BALLOT BOX APERTURE STRIP SEAL

ALIGN DIRECTLY
OVER BALLOT DROP
SLIT
→ → →



SECURITY APERTURE SEAL

TAMPER-EVIDENT
DO NOT PUNCTURE OR
TEAR
← ← ←

△ TAMPER-EVIDENT SECURITY SEAL • ANY DAMAGE OR BREACH WILL BE REPORTED TO
RETURNING OFFICER △

SIGNATURES

Signature of Presiding Officer

Signatures of Polling Agents / Representatives:
1. _____ 2. _____
3. _____ 4. _____



SL. NO.
010

GCC-CUE2026-SS-010

VERIFIED INTACT AT
COUNTING

RIGHT WING TAB

CUT ALONG LINE TO DETACH 8 CM STRIP SEAL



SL. NO.
011

GCC-CUE2026-SS-011

LEFT WING TAB

POLLING STATION RECORD

Booth No.: _____

Venue / Room: _____

Date of Poll: _____ Time of Sealing: _____

Affix firmly across the ballot drop aperture immediately at close of poll.

GOVERNMENT COLLEGE CHITTUR
COLLEGE UNION ELECTION 2026
BALLOT BOX APERTURE STRIP SEAL

ALIGN DIRECTLY
OVER BALLOT DROP
SLIT
→ → →



SECURITY APERTURE SEAL

TAMPER-EVIDENT
DO NOT PUNCTURE OR
TEAR
← ← ←

△ TAMPER-EVIDENT SECURITY SEAL • ANY DAMAGE OR BREACH WILL BE REPORTED TO
RETURNING OFFICER △

SIGNATURES

Signature of Presiding Officer

Signatures of Polling Agents / Representatives:
1. _____ 2. _____
3. _____ 4. _____



SL. NO.
011

GCC-CUE2026-SS-011

VERIFIED INTACT AT
COUNTING

RIGHT WING TAB

CUT ALONG LINE TO DETACH 8 CM STRIP SEAL



SL. NO.
012

GCC-CUE2026-SS-012

LEFT WING TAB

POLLING STATION RECORD

Booth No.: _____

Venue / Room: _____

Date of Poll: _____ Time of Sealing: _____

Affix firmly across the ballot drop aperture immediately at close of poll.

GOVERNMENT COLLEGE CHITTUR
COLLEGE UNION ELECTION 2026
BALLOT BOX APERTURE STRIP SEAL

ALIGN DIRECTLY
OVER BALLOT DROP
SLIT
→ → →



SECURITY APERTURE SEAL

TAMPER-EVIDENT
DO NOT PUNCTURE OR
TEAR
← ← ←

△ TAMPER-EVIDENT SECURITY SEAL • ANY DAMAGE OR BREACH WILL BE REPORTED TO
RETURNING OFFICER △

SIGNATURES

Signature of Presiding Officer

Signatures of Polling Agents / Representatives:
1. _____ 2. _____
3. _____ 4. _____



SL. NO.
012

GCC-CUE2026-SS-012

VERIFIED INTACT AT
COUNTING

RIGHT WING TAB

DIMENSIONS: 400 mm Width × 80 mm Height per Strip Seal • Material: Heavy Gummed Sticker Paper / Self-Adhesive Stock

Returning Officer Record Copy • Page 4 of 10

CUT ALONG LINE TO DETACH 8 CM STRIP SEAL

CUT ALONG LINE TO DETACH 8 CM STRIP SEAL

GOVERNMENT COLLEGE CHITTUR • COLLEGE UNION ELECTION 2026 • BALLOT BOX APERTURE STRIP SEAL • SECURITY BAND • GOVERNMENT COLLEGE CHITTUR • COLLEGE UNION ELECTION 2026 • BALLOT BOX APERTURE STRIP SEAL • SECURITY BAND • GOVERNMENT COLLEGE CHITTUR • COLLEGE UNION ELECTION 2026



SL. NO.
016

GCC-CUE2026-SS-016

LEFT WING TAB

POLLING STATION RECORD

Booth No.: _____

Venue / Room: _____

Date of Poll: _____ Time of Sealing: _____

Affix firmly across the ballot drop aperture immediately at close of poll.

GOVERNMENT COLLEGE CHITTUR
COLLEGE UNION ELECTION 2026
BALLOT BOX APERTURE STRIP SEAL

ALIGN DIRECTLY
OVER BALLOT DROP
SLIT
→ → →



SECURITY APERTURE SEAL

TAMPER-EVIDENT
DO NOT PUNCTURE OR
TEAR
← ← ←

⚠ TAMPER-EVIDENT SECURITY SEAL • ANY DAMAGE OR BREACH WILL BE REPORTED TO
RETURNING OFFICER ⚠

SIGNATURES

Signature of Presiding Officer

Signatures of Polling Agents / Representatives:
1. _____ 2. _____
3. _____ 4. _____



SL. NO.
016

GCC-CUE2026-SS-016

☐ VERIFIED INTACT AT
COUNTING

RIGHT WING TAB

CUT ALONG LINE TO DETACH 8 CM STRIP SEAL



SL. NO.
017

GCC-CUE2026-SS-017

LEFT WING TAB

POLLING STATION RECORD

Booth No.: _____

Venue / Room: _____

Date of Poll: _____ Time of Sealing: _____

Affix firmly across the ballot drop aperture immediately at close of poll.

GOVERNMENT COLLEGE CHITTUR
COLLEGE UNION ELECTION 2026
BALLOT BOX APERTURE STRIP SEAL

ALIGN DIRECTLY
OVER BALLOT DROP
SLIT
→ → →



SECURITY APERTURE SEAL

TAMPER-EVIDENT
DO NOT PUNCTURE OR
TEAR
← ← ←

⚠ TAMPER-EVIDENT SECURITY SEAL • ANY DAMAGE OR BREACH WILL BE REPORTED TO
RETURNING OFFICER ⚠

SIGNATURES

Signature of Presiding Officer

Signatures of Polling Agents / Representatives:
1. _____ 2. _____
3. _____ 4. _____



SL. NO.
017

GCC-CUE2026-SS-017

☐ VERIFIED INTACT AT
COUNTING

RIGHT WING TAB

CUT ALONG LINE TO DETACH 8 CM STRIP SEAL



SL. NO.
018

GCC-CUE2026-SS-018

LEFT WING TAB

POLLING STATION RECORD

Booth No.: _____

Venue / Room: _____

Date of Poll: _____ Time of Sealing: _____

Affix firmly across the ballot drop aperture immediately at close of poll.

GOVERNMENT COLLEGE CHITTUR
COLLEGE UNION ELECTION 2026
BALLOT BOX APERTURE STRIP SEAL

ALIGN DIRECTLY
OVER BALLOT DROP
SLIT
→ → →



SECURITY APERTURE SEAL

TAMPER-EVIDENT
DO NOT PUNCTURE OR
TEAR
← ← ←

⚠ TAMPER-EVIDENT SECURITY SEAL • ANY DAMAGE OR BREACH WILL BE REPORTED TO
RETURNING OFFICER ⚠

SIGNATURES

Signature of Presiding Officer

Signatures of Polling Agents / Representatives:
1. _____ 2. _____
3. _____ 4. _____



SL. NO.
018

GCC-CUE2026-SS-018

☐ VERIFIED INTACT AT
COUNTING

RIGHT WING TAB

DIMENSIONS: 400 mm Width × 80 mm Height per Strip Seal • Material: Heavy Gummed Sticker Paper / Self-Adhesive Stock

Returning Officer Record Copy • Page 6 of 10



SL. NO.
019

GCC-CUE2026-SS-019

LEFT WING TAB

POLLING STATION RECORD

Booth No.: _____

Venue / Room: _____

Date of Poll: _____ Time of Sealing: _____

Affix firmly across the ballot drop aperture immediately at close of poll.

GOVERNMENT COLLEGE CHITTUR
COLLEGE UNION ELECTION 2026
BALLOT BOX APERTURE STRIP SEAL

ALIGN DIRECTLY
OVER BALLOT DROP
SLIT
→ → →



SECURITY APERTURE SEAL

TAMPER-EVIDENT
DO NOT PUNCTURE OR
TEAR
← ← ←

△ TAMPER-EVIDENT SECURITY SEAL • ANY DAMAGE OR BREACH WILL BE REPORTED TO
RETURNING OFFICER △

SIGNATURES

Signature of Presiding Officer

Signatures of Polling Agents / Representatives:
1. _____ 2. _____
3. _____ 4. _____



SL. NO.
019

GCC-CUE2026-SS-019

VERIFIED INTACT AT
COUNTING

RIGHT WING TAB

CUT ALONG LINE TO DETACH 8 CM STRIP SEAL



SL. NO.
020

GCC-CUE2026-SS-020

LEFT WING TAB

POLLING STATION RECORD

Booth No.: _____

Venue / Room: _____

Date of Poll: _____ Time of Sealing: _____

Affix firmly across the ballot drop aperture immediately at close of poll.

GOVERNMENT COLLEGE CHITTUR
COLLEGE UNION ELECTION 2026
BALLOT BOX APERTURE STRIP SEAL

ALIGN DIRECTLY
OVER BALLOT DROP
SLIT
→ → →



SECURITY APERTURE SEAL

TAMPER-EVIDENT
DO NOT PUNCTURE OR
TEAR
← ← ←

△ TAMPER-EVIDENT SECURITY SEAL • ANY DAMAGE OR BREACH WILL BE REPORTED TO
RETURNING OFFICER △

SIGNATURES

Signature of Presiding Officer

Signatures of Polling Agents / Representatives:
1. _____ 2. _____
3. _____ 4. _____



SL. NO.
020

GCC-CUE2026-SS-020

VERIFIED INTACT AT
COUNTING

RIGHT WING TAB

CUT ALONG LINE TO DETACH 8 CM STRIP SEAL



SL. NO.
021

GCC-CUE2026-SS-021

LEFT WING TAB

POLLING STATION RECORD

Booth No.: _____

Venue / Room: _____

Date of Poll: _____ Time of Sealing: _____

Affix firmly across the ballot drop aperture immediately at close of poll.

GOVERNMENT COLLEGE CHITTUR
COLLEGE UNION ELECTION 2026
BALLOT BOX APERTURE STRIP SEAL

ALIGN DIRECTLY
OVER BALLOT DROP
SLIT
→ → →



SECURITY APERTURE SEAL

TAMPER-EVIDENT
DO NOT PUNCTURE OR
TEAR
← ← ←

△ TAMPER-EVIDENT SECURITY SEAL • ANY DAMAGE OR BREACH WILL BE REPORTED TO
RETURNING OFFICER △

SIGNATURES

Signature of Presiding Officer

Signatures of Polling Agents / Representatives:
1. _____ 2. _____
3. _____ 4. _____



SL. NO.
021

GCC-CUE2026-SS-021

VERIFIED INTACT AT
COUNTING

RIGHT WING TAB

DIMENSIONS: 400 mm Width × 80 mm Height per Strip Seal • Material: Heavy Gummed Sticker Paper / Self-Adhesive Stock

Returning Officer Record Copy • Page 7 of 10



SL. NO.
022

GCC-CUE2026-SS-022

LEFT WING TAB

POLLING STATION RECORD

Booth No.: _____

Venue / Room: _____

Date of Poll: _____ Time of Sealing: _____

Affix firmly across the ballot drop aperture immediately at close of poll.

GOVERNMENT COLLEGE CHITTUR
COLLEGE UNION ELECTION 2026
BALLOT BOX APERTURE STRIP SEAL

ALIGN DIRECTLY
OVER BALLOT DROP
SLIT
→ → →



SECURITY APERTURE SEAL

TAMPER-EVIDENT
DO NOT PUNCTURE OR
TEAR
← ← ←

⚠ TAMPER-EVIDENT SECURITY SEAL • ANY DAMAGE OR BREACH WILL BE REPORTED TO
RETURNING OFFICER ⚠

SIGNATURES

Signature of Presiding Officer

Signatures of Polling Agents / Representatives:
1. _____ 2. _____
3. _____ 4. _____



SL. NO.
022

GCC-CUE2026-SS-022

VERIFIED INTACT AT
COUNTING

RIGHT WING TAB

CUT ALONG LINE TO DETACH 8 CM STRIP SEAL



SL. NO.
023

GCC-CUE2026-SS-023

LEFT WING TAB

POLLING STATION RECORD

Booth No.: _____

Venue / Room: _____

Date of Poll: _____ Time of Sealing: _____

Affix firmly across the ballot drop aperture immediately at close of poll.

GOVERNMENT COLLEGE CHITTUR
COLLEGE UNION ELECTION 2026
BALLOT BOX APERTURE STRIP SEAL

ALIGN DIRECTLY
OVER BALLOT DROP
SLIT
→ → →



SECURITY APERTURE SEAL

TAMPER-EVIDENT
DO NOT PUNCTURE OR
TEAR
← ← ←

⚠ TAMPER-EVIDENT SECURITY SEAL • ANY DAMAGE OR BREACH WILL BE REPORTED TO
RETURNING OFFICER ⚠

SIGNATURES

Signature of Presiding Officer

Signatures of Polling Agents / Representatives:
1. _____ 2. _____
3. _____ 4. _____



SL. NO.
023

GCC-CUE2026-SS-023

VERIFIED INTACT AT
COUNTING

RIGHT WING TAB

CUT ALONG LINE TO DETACH 8 CM STRIP SEAL



SL. NO.
024

GCC-CUE2026-SS-024

LEFT WING TAB

POLLING STATION RECORD

Booth No.: _____

Venue / Room: _____

Date of Poll: _____ Time of Sealing: _____

Affix firmly across the ballot drop aperture immediately at close of poll.

GOVERNMENT COLLEGE CHITTUR
COLLEGE UNION ELECTION 2026
BALLOT BOX APERTURE STRIP SEAL

ALIGN DIRECTLY
OVER BALLOT DROP
SLIT
→ → →



SECURITY APERTURE SEAL

TAMPER-EVIDENT
DO NOT PUNCTURE OR
TEAR
← ← ←

⚠ TAMPER-EVIDENT SECURITY SEAL • ANY DAMAGE OR BREACH WILL BE REPORTED TO
RETURNING OFFICER ⚠

SIGNATURES

Signature of Presiding Officer

Signatures of Polling Agents / Representatives:
1. _____ 2. _____
3. _____ 4. _____



SL. NO.
024

GCC-CUE2026-SS-024

VERIFIED INTACT AT
COUNTING

RIGHT WING TAB

DIMENSIONS: 400 mm Width × 80 mm Height per Strip Seal • Material: Heavy Gummed Sticker Paper / Self-Adhesive Stock

Returning Officer Record Copy • Page 8 of 10



SL. NO.
025

GCC-CUE2026-SS-025

LEFT WING TAB

POLLING STATION RECORD

Booth No.: _____

Venue / Room: _____

Date of Poll: _____ Time of Sealing: _____

Affix firmly across the ballot drop aperture immediately at close of poll.

GOVERNMENT COLLEGE CHITTUR
COLLEGE UNION ELECTION 2026
BALLOT BOX APERTURE STRIP SEAL

ALIGN DIRECTLY
OVER BALLOT DROP
SLIT
→ → →



SECURITY APERTURE SEAL

TAMPER-EVIDENT
DO NOT PUNCTURE OR
TEAR
← ← ←

⚠ TAMPER-EVIDENT SECURITY SEAL • ANY DAMAGE OR BREACH WILL BE REPORTED TO
RETURNING OFFICER ⚠

SIGNATURES

Signature of Presiding Officer

Signatures of Polling Agents / Representatives:
1. _____ 2. _____
3. _____ 4. _____



SL. NO.
025

GCC-CUE2026-SS-025

VERIFIED INTACT AT
COUNTING

RIGHT WING TAB

CUT ALONG LINE TO DETACH 8 CM STRIP SEAL



SL. NO.
026

GCC-CUE2026-SS-026

LEFT WING TAB

POLLING STATION RECORD

Booth No.: _____

Venue / Room: _____

Date of Poll: _____ Time of Sealing: _____

Affix firmly across the ballot drop aperture immediately at close of poll.

GOVERNMENT COLLEGE CHITTUR
COLLEGE UNION ELECTION 2026
BALLOT BOX APERTURE STRIP SEAL

ALIGN DIRECTLY
OVER BALLOT DROP
SLIT
→ → →



SECURITY APERTURE SEAL

TAMPER-EVIDENT
DO NOT PUNCTURE OR
TEAR
← ← ←

⚠ TAMPER-EVIDENT SECURITY SEAL • ANY DAMAGE OR BREACH WILL BE REPORTED TO
RETURNING OFFICER ⚠

SIGNATURES

Signature of Presiding Officer

Signatures of Polling Agents / Representatives:
1. _____ 2. _____
3. _____ 4. _____



SL. NO.
026

GCC-CUE2026-SS-026

VERIFIED INTACT AT
COUNTING

RIGHT WING TAB

CUT ALONG LINE TO DETACH 8 CM STRIP SEAL



SL. NO.
027

GCC-CUE2026-SS-027

LEFT WING TAB

POLLING STATION RECORD

Booth No.: _____

Venue / Room: _____

Date of Poll: _____ Time of Sealing: _____

Affix firmly across the ballot drop aperture immediately at close of poll.

GOVERNMENT COLLEGE CHITTUR
COLLEGE UNION ELECTION 2026
BALLOT BOX APERTURE STRIP SEAL

ALIGN DIRECTLY
OVER BALLOT DROP
SLIT
→ → →



SECURITY APERTURE SEAL

TAMPER-EVIDENT
DO NOT PUNCTURE OR
TEAR
← ← ←

⚠ TAMPER-EVIDENT SECURITY SEAL • ANY DAMAGE OR BREACH WILL BE REPORTED TO
RETURNING OFFICER ⚠

SIGNATURES

Signature of Presiding Officer

Signatures of Polling Agents / Representatives:
1. _____ 2. _____
3. _____ 4. _____



SL. NO.
027

GCC-CUE2026-SS-027

VERIFIED INTACT AT
COUNTING

RIGHT WING TAB

DIMENSIONS: 400 mm Width × 80 mm Height per Strip Seal • Material: Heavy Gummed Sticker Paper / Self-Adhesive Stock

Returning Officer Record Copy • Page 9 of 10

CUT ALONG LINE TO DETACH 8 CM STRIP SEAL

CUT ALONG LINE TO DETACH 8 CM STRIP SEAL

GOVERNMENT COLLEGE CHITTUR • COLLEGE UNION ELECTION 2026 • BALLOT BOX APERTURE STRIP SEAL • SECURITY BAND • GOVERNMENT COLLEGE CHITTUR • COLLEGE UNION ELECTION 2026 • BALLOT BOX APERTURE STRIP SEAL • SECURITY BAND • GOVERNMENT COLLEGE CHITTUR • COLLEGE UNION ELECTION 2026