

```
<html>
<title>full stack</title>
Here's a tiny classifieds UI using HTML/CSS. This stripped-down version
has a hero section, 3 product cards, and a modal form - no JS
interactivity.
```

#### Project Structure

```
/mini-classifieds
├── index.html
└── styles.css
```

#### 1. index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>🏠 Mini Classifieds</title>
  <link rel="stylesheet" href="styles.css">
</head>
<body>
  <header>
    <h1>Used Goods 🏠</h1>
  </header>

  <section class="hero">
    <button class="cta">Post Ad</button>
  </section>

  <main class="grid">
    <div class="card">
      
      
      <h3>Books</h3>
      <p>₹1.5k</p>
    </div>
    <div class="card">
      
    <form>
      <h2>Post Ad</h2>
      <input placeholder="Title" required>
      <input placeholder="Price" type="number" required>
      <button>Submit</button>
    </form>
  </div>

  <footer>
    <p>📄 &copy; 2025</p>
  </footer>
```

```
</body>
</html>
```

## 2. styles.css

```
* {
  margin: 0;
  font-family: sans-serif;
  box-sizing: border-box;
}

header { text-align: center; padding: 1rem; background: #ff9a9e; }
.hero {
  padding: 2rem;
  text-align: center;
  background: #fad0c4;
}
.cta {
  padding: 0.5rem 1rem;
  background: #007bff;
  color: white;
  border: none;
  border-radius: 8px;
}
.grid {
  display: grid;
  grid-template-columns: repeat(auto-fit, minmax(200px, 1fr));
  gap: 1rem;
  padding: 1rem;
}
.card {
  background: #fff;
  border-radius: 8px;
  box-shadow: 0 2px 4px #0002;
  overflow: hidden;
}
.card img { width: 100%; height: 100px; object-fit: cover; }
.card h3, .card p { padding: 0.5rem; }

.modal {
  display: none; /* Show with JS if you add it */
  position: fixed;
  inset: 0;
  background: #0006;
  justify-content: center;
  align-items: center;
}
.modal form {
  background: white;
  padding: 1rem;
  border-radius: 8px;
  display: flex;
  flex-direction: column;
  gap: 0.5rem;
  width: 300px;
}
input { padding: 0.5rem; border: 1px solid #ddd; border-radius: 4px; }
button { background: #007bff; color: white; padding: 0.5rem; border:
  none; cursor: pointer; }
```

```
footer { text-align: center; padding: 1rem; background: #333; color:
white; }

</html>
```