


					t)								
F/QA/03 Mag Engineering Ouality Assurance Department							SANDHAR						
INSPECTION REPORT													
Part Number: TB21163 Customer Name: THCM									Sample Qty. : 01				
			Ængg. Chan	Ringg. Change Level:						Date: 14/03/2023			
	son for Submission	80 .	PROD.	PROTO			ber.						
Dimensional Material Appearance Specification Others													
SI. No.	Characteristic	racteristic Specification		Instrument Used 1		Observation 2 3 4			Conformand 5 OK Not C		— Remarks		
1	Desta view	26511-		264	2	3	+	5	UK V	Not OK			
2	D'm	80421	MT	205			,		1		*		
3	D(2)	653±4.0	MT	653					<u></u>				
4	Dla	H19±3.15	MT	419				100	١		:• =		
5	Dim	118±0.5	MT	118					<u></u>				
6	Dim	111 + 2.5	MT	411					レ	1			
7	Din	111 125	MT	191	4			e e	1		-		
8	Dim !	10310.5	MT	103	×				レ				
9	Dim	15±0.6	MT	15					<u></u>				
10	Du	9±0.5	MT	9.					<u></u>				
11	Angle	48°	5	Not-lea	Kildr.		* , .	• .			Frature		
12	Dim	73 +2.0	MT	72					<u></u>				
13	Jin,	11 ±1.6	MT	12					V				
14			``		7				- 1	. 11			
15			a	<u> </u>						2			
16				9.									
17			• •		1								
18		1 2	5 19					1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					
20				*									
21		-	. ".					• • •	0.0	· ·			
22			· · · · · ·	· .	7.1	4							
23										:1			
24											- **		
25										, ,	. 1		
26				<u> </u>	-			100			,		
27								- 1999					
28	,	3			7		5 No. 1			-			
29		A 4_	, i			6	-						
30			N. C.				- 1			<u> </u>			
31													
32		(8)	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1			-	-	134		-			
33		1	Tale 1				· Y		3 - 2	-			
~ . !								1000		1	I		

Inspected By

35

Approved By:



F	'QA/03		Mag Engineering Ouality Assurance Department						SANDHAR			
								411				
Par	t Number : TD	23961	INSPECTION REPORT  Customer Name: THCM							Sample Qty. : 01.		
Part Name : PIPB ,' DOOR			Engg. Change Level:						Date: 14/03/2023			
Reason for Submission PILOT			PROD. PROTO OTHERS Pour								2/223	
	Dimensional	Material	Appear	ance	Enginee Specific	ering ation	Others					
SI.	Characteristic	Instrument Observation				ation		Confo	rmance	Remarks		
No.		Specification	Used	1	2	3	4	5	ок	Not OK		
2	Drn	251 ±1,2	MT	570				-				
3	Dre	802±2.0		252 803		-			<u>ー</u>			
4	Die	172+12	4 ( 1		The to	Shook						
5	Din	476 +2.0	MT	476	77 12	-	<u> </u>					
6	De	1450±3.0		1450								
7	Dir	497 + 200		498					1			
8	Den :	545+20		Not Jean	ille. to	and	R					
9				,								
10												
11								*				
13	-			-		-						
14					7							
15												
16		1		žr o								
17								V.			· · · · · · · · · · · · · · · · · · ·	
18					r e							
19		P 7				3	1.					
20			. 10			•			,•			
21			1				٠.	··.				
22				i.		-	v	1			11,322 8	
23							<u> </u>					
25							1 + 1	-44				
26		ü						4				
27			34	- 2								
28											-	
29			100					•				
30			- 4				1		3		1	
31		1 mil 3		, T	4						1000	
32			A,E	est .				工生使	ed.			
33			100	* Delt					ST.			
34	. 17	The state of the s				.)		9 3	Ţ	·		
35		Ne we	14						E T			
nspected by:												