













BUILDING DESIGN CRITERIA EXTERNAL DIMENSIONS - 14.4m x 3.3	m ROBIN SALTER & ASSOCIATES Pt. (09) 9317 3331	FIRE LEGEND		ELECTRICAL LEGEND
Wind Load - in Accordance with AS.1170.2:2002 BEDROOM - 2.54m x 3.15m = 8.0 m ²	THE DITTY OF AND LITTY OF ANOMORIA I SO Fac (08) 9317 3337 CHARTERED CONSULTING ENGINEERS AND DESIGNERS EMAIL resperth@inet.net.au	DESCRIPTION	QTY	DESCRIPTION QTY
REGION A & B, TERRAIN CATEGORY 2 ENSUITE - 0.91 m x 3.15 m = 2.86m ²	ENGINEERS AND DESIGNERS	BREAK GLASS UNIT	1 1 -	CHICOTI ETTE CHILITEST (I CHITTOT ETTITIT)
Annual Probability of Exceedance 1:500 MAX REGIONAL WIND SPEED - V500 = 57 m/s CEILING HEIGHT	BY DATE	SMOKE DETECTOR: HARD WIRED	4 8	SWITCH: LIGHT: SINGLE 4
BCA CLASSIFICATION - CLASS 1b 2400	ROBIN SALTER B.E.(Hons), C.P. Eng., M.I.E. Aust. FRANK MARONI B.E., C.P. Eng., M.I.E. Aust.	ALARM BELL	1 8	SWITCH: LIGHT: DOUBLE 4
שאר - אויייין וויייין	PYANK MAYONI B.E., C.P. Eng., M.I.E. Aust.	○▲ FIRE EXSTINGUISHER c/w SIGNAGE	1 5	S OTHER THE PERSON OF THE OFFICE
				LIGHT: OYSTER FITTING FLURO TYPE 36W 8
			<u> </u>	LIGHT : EXTERNAL BULKHEAD : W/PROOF (YELLOW) 4
				LIGHT: BEDSIDE FLUORESCENT: DIFFUSED 4
			4	WALL MOUNTED DESK LAMP 4
	4.4400		Ğ	ISOLATOR: W/PROOF: HEIGHT SHOWN 5
0540	14400			GPO: 10 AMP DOUBLE: HEIGHT SHOWN 20 FAN: EXHAUST: WALL MOUNTED Ø250 4
2540 # 910 # 910	2540 2540	910 4 910 4 2540		
				TELEPHONE POINT 4
75 60 50 50	150	50 50 50 75	4	TELEFTIONE FOINT 4
	$\frac{3}{2}$		Dai	mps TOTAL BUILDING AMPAGE - SINGLE PHASE
[®] AC1 [®] AC1		AC1 S AC1	_ Out	
	8 7 6	——",——"	1	115
W3 Q W2 Q W2	W3 W3	W2 Q W2 W3		ř
WZ WZ		W2		
7 (11) (11) (11) (11)		(11) (11) #887	9.7	CONSTRUCT ½
		11)		THE UNITS WITH P.O.E.
		╴═╶ ╹ ╹┖╶═┈╴╟╴┌╴ ┆ ┌┌ <u>┆┶┌╓┟┼</u> ╏┞╴╢		ON THIS END
1600 — 1600		1600 1600	,	P.O.E. LOCATED ON
5 5 FW 9.4 - 9 FW		. 9. 4.9		OPP END TO PATHWAYS
P.O.E 1300 FW D2 FW D2	5 5 5 FI			3300
15	15 15	D2 1200 -	12	(E E
			$\left(\frac{2}{2}\right)$)
2 1290 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	1200 🔀 🔀 1200	1200 =		
2 0000 10 0000	2 7 2	2		
300	300 300 D1			<u> </u>
	\ 300 D1	D1 \ 300 =		ROOF
12 14	12 12 14	14 12		
W1 □ S ₂ /S ₂ S ₂ S ₂ S ₃	% / W1 □ W1 □ \ W1 □ % \ % \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	3 %	,	
13	13 6 13	7 13		NOTE
				ACCESS MAY ALSO BE ON
908	VERANDAH VERANDAH		>_	OPPOSITE END OF VERANDAH
₩	CONCRETE PATH BELOW PROVIDE ACCOUNT	2710	1500 W PATH	0 ISSUED FOR CONSTRUCTION CD 15.04.08
	INSULATION TO	SIIC	15 P	C ISSUED FOR APPROVAL POST REVIEWS Jv 15.02.08
	The state of the s	PARTY WALL (STC 50)		B ISSUED FOR CLIENT APPROVAL JV 18.01.08
<u> </u>	— — — — — — — — — — — — — — — — — — —	<u> </u>		A ISSUED FOR INTERNAL REVIEW Jy 15.01.08
EQUIPMENT LIST		<u> </u>	7	REV DESCRIPTION INIT DATE
No. DESCRIPTION	$\frac{1}{2}$	VERANDAH DETAILS		DRAWN BY: DATE: CHECKED BY: DATE: SCALE:
D1 2040h x 820w SOLID CORE TIMBER EXTERNAL DOOR - MASTER KEYED LOCK SET alw FLYWIRE DOOR	4	REFER TO DRAWINGS		K.VIJAYAN 31.12.07 Jv 14.01.08 1:50
D2 2040h x 820w HOLLOW CORE INTERNAL SLIDING DOOR (2000h x 770w OPENING)	4	SQ02909-B21-01		THIS DRAWING IS PROTECTED BY DO NOT SCALE. REFER TO
AC1 AIR CONDITIONER - SPLIT SYSTEM INVERTER REVERSE CYCLE	PLAN VIEW	Wonley E&G Project 25174-910-V34-G002-00020	5	COPYRIGHT LAWS © 2007 DIMENSIONS ONLY
W1 1150h X 800w SLIDING WINDOW C/W FLY SCREENS & CURTAINS (DAY/NIGHT) TINTED GLASS W2 400h x 400w FIXED VENTED WINDOW	scale 1:50	25174-911-V-34-G002-00020 002 Supplier Document Status Code: 1		
W3 500h x 900w SLIDING WINDOW C/W FLY SCREENS & CURTAIN (DAY/NIGHT) TINTED GLASS	4	Status Codes: 1 Work may proceed		Fleetwood
1 KING SIZE SINGLE ENSEMBLE BED	4	Work may proceed: Editorial comments need only be incorporated if revised for other purposes.		I I ICCLWOOD
2 900w x 560d x 1800h HIGH MELAMINE WARDROBE c/w HANGING SPACE & BAR FRIDGE	4 PANEL BUILDING SHORT SPECIFICATION	Revise & resubmit. Work may proceed subject to incorporation of changes Revise & resubmit. Work may NOT proceed	-	HEAD OFFICE
3 600mm TOWEL RAIL - DOUBLE	STEEL CHASSIS C/W GALV. JOISTS 75 X 40 SECTION @ MAX 400 CTRS	Review & resubert. Work may NOT proceed Review not required. Work may proceed		1240 ABERNETHY RD HIGH WYCOMBE W.A. 6057
4 COAT HOOKS @ 300mm CTRS	22mm T&G AQUATITE TERMITE TREATED PARTICLE BOARD CAPPET (SCOTCH GUARR) FINISH TO REPROCEED.	Cancelled / Superinedad Permission to proceed does not controlled acceptance or approval of dauge death, calculations, analysis, that methods or invalidate forwarding or uniformly by SELLER, and dates not nelless analysis, that methods or invalidate forwarding or uniformly by SELLER, and dates not nelless analysis.		PH: (08) 9281 7500 FAX: (08) 9281 7580 EMAIL: info@fleetwood.com.au INTERNET: www.fleetwood.com.au
5 WRITING TABLE c/w LOCKABLE DRAWER, PADDED STEEL CHAIR & CORK BOARD 600x600 6 FIRE EXTINGUISHER c/w SIGNAGE	CARPET (SCOTCH GUARD) FINISH TO BEDROOMS 2.0mm SLIP RESISTANT VINYL FLOOR FINISH c/w 100 HIGH COVING TO VINYL FLOOR FINISH C/w 100 HIGH	DILIER Non MI complanous with ordering displants. Responsible Person. Responsible Person. Responsible Reviewer Rossworth Scott		INTERSTATE BRANCHES: 555 WATERLOO CNR RD , BURTON S.A. 5110 PH: 8280 5500 FAX: 8280 5511
7 CORNER TV SHELF @1000h FROM FLOOR of DVD SHELF 150 BELOW	2.0mm SLIP RESISTANT VINYL FLOOR FINISH c/w 100 HIGH COVING TO 1 WALLS EXT 75mm PANEL c/w 0.4mm C/BOND FACINGS - REFER COLOUF	Sch Completion Date 3/06/2008 00:00:00		DALGETY RD ALICE SPRINGS N.T. 0870 58 McKINNON RD , BERRIMAH, DARWIN
8 ELECTRIC HOT WATER SYSTEM - (OPTIONAL 5 STAR RATED)	WALLS INT 50mm PANEL c/w 0.4mm C/BOND FACINGS - REFER COLOUR	DOR Number 3,01:		PH: 8952 1699 FAX: 8952 1177 N.T. 0820 PH: 8932 4900 FAX: 8932 4888
9 WALL MOUNTED HAND BASIN c/w 500x400 MIRROR WITH SHELF	R1.8 POLYESTER INSULATION BETWEEN CEILING JOISTS WITH THERM.	ALBREAK - Facility Code: 910		WORSLEY E & G PROJECT
10 900w x 900d SHOWER CUBICLE c/w CURTAIN, RAIL, CADDIES & FOOT REST	4 TOTAL ROOF RATING R3.6	Client Doc Number D-910-L-40010		LOCATION:
11 STANDARD PAN c/w WALL MOUNTED DUAL FLUSH CISTERN & PAPER HOLDER 13 130 PAR EDIDGE	GALV. STEEL CEILING / ROOF FRAME WITH ZINCALUME ROOF DECKING DEE EINISHED BLYWOOD CEILINGS ON ALLIMIN CORNICE	REFER ALSO TO SEPARATE:		Lot 3052 Cnr Mornington & Gastaldo Roads, Collie
12	 PRE-FINISHED PLYWOOD CEILINGS c/w ALUMIN. CORNICE COLORBOND ROOF FLASHINGS & CORNER TRIMS - REFER COLOUR St 			TITLE: CTAFF OLIADTEDS: 14 4m × 2 2m DLAN VIEW
14 EVACUATION & NO SMOKING SIGNAGE	4 COLORBOND ROOF FLASHINGS & CORNER TRIMS - REFER COLOUR SO METAL EXTERNAL DOOR FRAME - POWDERCOATED - REFER COLOUR SO	MATERIAL ORFOLESOA PLOM OLIFETT		STAFF QUARTERS - 14.4m x 3.3m - PLAN VIEW
15 SHELF - 300 W x 750 LONG @ 750 ABOVE DESK	ALUMIN. INTERNAL DOOR FRAME - POWDERCOATED - REFER COLOUR	COLUMN CO		DWG No: SQ02909-B01-01A P4025 REV: SHEET: O A3
-	, , , ,			A VIOLENTE A VIOLENTE A VIO