




OCS INTERNATIONAL – Mornington Village Administration, Training and Maintenance Shed



SGLE GPO @ 100 A F.L.	DBLE GPO @ 1200 ABOVE F.L.	DBLE GPO @ 1700 ABOVE F.L.	WALL DAYONE LIGHT	TELEVISION POINT	BATTI	ACK
DBLE GPO @ 100 ABOVE F.L.	SGLE GPO @ 1600 ABOVE F.L.	DBLE GPO @ 1600 ABOVE F.L.	EXTERNAL BAYONET LIGHT	CIRCUIT BOARD		
SGLE GPO @ 1200 ABOVE F.L.	DBLE GPO @ 1600 ABOVE F.L.	DBLE 2 X 3.6 W FLUORESCENT	LIGHT SWITCH			



EQUIPMENT LIST

- 2040 X 820 LIETZKE EXTERNAL DOOR MASTERKEYED
- 2143 X 1810 HORIZ. SLIDING DOOR C/W FLYSCREEN C/W CURTAINS & MASTERKEYING
- 2040 X 820 INTERNAL DOOR
- 2040 X 620 INTERNAL DOOR
- 900 X 1200 HORIZ. SLIDING WINDOW C/W FLYSCREEN & CURTAINS
- 350 X 750 FIXED VENTED WINDOW
- 7926 S/S SINK INSET INTO LAM. BENCHTOP C/W CUP'DS UNDER
- S/S HANDBASIN C/W SHELF & MIRROR OVER
- W.C. C/W DUAL FLUSH CISTERN & PAPER HOLDER
- 25L ELECTRIC HOT WATER SYSTEM
- VISITORS CHAIR
- RECEPTION DESK C/W HUTCH
- CLERICAL CHAIR
- DESKS C/W 2 DRAWERS
- 4 DRAWER FILING CABINETS
- WALL MOUNTED PIGEON HOLES
- 1HP R/C AIR CONDITIONER
- 1.5HP R/C AIR CONDITIONER
- PAPER TOWEL DISPENSER & BIN
- HEAD T.V VIDEO EQUIP. (CAB. 1800h x 800 x 800)
- MDF CABINET 1200h x 500 x 200

CONSTRUCTION NOTES:

- STEEL CHASSIS C/W 22mm PARTICLE BOARD FLOORING (TERMITE TREATED) & PLYWOOD TO WET AREAS
- 2700 FLOOR TO CEILING HEIGHT
- 75mm PANELS 0.4mm C/BOND FLAT/RIBBED FACINGS
- WESTWOOLS CARPET FLOOR FINISH & VINYL TO WET AREAS
- FLUORESCENT LIGHTING
- ALL EXT. LOCKS ARE MASTERKEYED

FIRE EQUIPMENT LIST:

1 x F.I.P. INCLUDING B.G.U.

1 x 3.5Kg CO2 EXTINGUISHER

1 x AUDIBLE WARNING ALARM

4 x SMOKE DETECTORS

1 x HEAT DETECTOR

BUILDING DESIGN CRITERIA
Wind Load - in Accordance with AS.1170.2.2002
REGION A & B, TERRAIN CATEGORY 2
Annual Probability of Exceedance 1:500
MAX REGIONAL WIND SPEED - V500 = 57 m/s
Built To: BUILDING CLASS 1B

 Fleetwood HEAD OFFICE 1240 ABERNETHY RD HIGH WYCOMBE W.A. 6057 PH: (08) 9281 7600 FAX: (08) 9281 7680 EMAIL: info@fleetwood.com.au INTERNET: www.fleetwood.com.au		Sales Order No P - 0		Sales Quote No SQ02312		REF PLAN NO.		REF SECTION NO.		REF CHASSIS NO.					
		CLIENT WORSLEY ALUMINA/BECHTEL		REF ELEVATION NO.		SCALE 1: 20		DRAWN BY JAG		DATE 01.08.07					
INTERSTATE BRANCHES:		565 WATERLOO CNR RD, BURTON S.A. 6110 PH: 0830 9200 FAX: 0830 6511		LOCATION WORSLEY REFINERY (COLLIE)		TITLED 12.0 x 7.2m ADMINISTRATION		NOTE THIS DRAWING IS THE PROPERTY OF FLEETWOOD PTY LTD. PROTECTED BY COPYRIGHT LAWS. DO NOT MAKE UNAUTHORISED COPIES. DO NOT SCALE, REFER TO DIMENSIONS ONLY		SHEET A3		DWG No SQ02312-B11-01		REV A	
DALGETTY RD ALICE SPRING S.A. 5870 PH: 0852 1659 FAX: 0852 1177		58 WILKINSON RD, BERRIMAH, VIC 3646 PH: 0352 4800 FAX: 0352 4808		ISSUED FOR APPROVAL		JAG 01.08.07		REV		DESCRIPTION		REV		DATE	

YARD
8000

12600 C/A WALL GIRTS

YARD
SAND FLOOR

— YARD FENCE
1800mm HIGH CHAINWIRE
cw 3 ROWS OF BARBED WIRE

INSULATION
50mm FOIL FACED BUILDING
TO ROOF & WALLS c/w SUP

— **PROPOSED MAINTENANCE V**
STEEL FRAME & METAL CLAI

MAINTENANCE WORKSHOP (202m²)

ADJACENT
CARPORT

UNISEX TOILET
TO BE SANDWICH PANEL
CONSTRUCTION,
2400 CEILING HEIGHT

BITUMEN

BITUMEN

