

KGains / frontend Private[Code](#) [Issues](#) [Pull requests 1](#) [Actions](#) [Projects](#) [Wiki](#) [Security](#) [Insights](#)[Edit](#) [Code](#)[Jump to bottom](#)

## Fix Header flickering issue #7

[Open](#)BalramPuniya wants to merge 1 commit into [develop](#) from [feature/ResolveDependencies](#)[Conversation 0](#) [Commits 1](#) [Checks 0](#) [Files changed 12](#)[File filter](#) [Conversations](#) [Jump to](#) [Settings](#)

```
5 import * as Font from "expo-font";
6
7 import DrawerNavigation from
  "./Navigation/DrawerNavigation";
8 - //import FooterNavigation from
  "./Navigation/FooterNavigation";
9 //import StackNavigation from
  "./Navigation/StackNavigation";
10 import { enableScreens } from "react-native-screens";
11 import AsyncStorage from "@react-native-async-storage/async-
  storage";
67 <AppStack.Screen name="Authenticate" component=
  {AuthenticateScreen} />
68 <AppStack.Screen name="OTP" component=
```

```
5 import * as Font from "expo-font";
6
7 import DrawerNavigation from
  "./Navigation/DrawerNavigation";
8 + import FooterNavigation from
  "./Navigation/FooterNavigation";
9 //import StackNavigation from
  "./Navigation/StackNavigation";
10 import { enableScreens } from "react-native-screens";
11 import AsyncStorage from "@react-native-async-storage/async-
  storage";
67 <AppStack.Screen name="Authenticate" component=
  {AuthenticateScreen} />
68 <AppStack.Screen name="OTP" component=
```

```

{EnterOTPScreen} />
69       <AppStack.Screen name="UserType" component=
{UserTypeScreen} />
70 -     <AppStack.Screen name="App" component=
{DrawerNavigation} />
71       </AppStack.Navigator>
72     </NavigationContainer>
73   );
74   } else {
75     return (
76       <NavigationContainer>
77 -     <DrawerNavigation />
78     </NavigationContainer>

```

✓ 6 App.js

```

{EnterOTPScreen} />
69       <AppStack.Screen name="UserType" component=
{UserTypeScreen} />
70 +     <AppStack.Screen name="App" component=
{FooterNavigation} />
71       </AppStack.Navigator>
72     </NavigationContainer>
73   );
74   } else {
75     return (
76       <NavigationContainer>
77 +     <FooterNavigation />
78     </NavigationContainer>

```

```

...   @@ -1,32 +1,27 @@
1     import React from "react";
2     import { createBottomTabNavigator } from "@react-
navigation/bottom-tabs";
3 - import { Image, StyleSheet, View, Text } from "react-
native";
4     import {
5       Ionicons,
6       Entypo,
7       MaterialIcons,
8       FontAwesome,
9     } from "@expo/vector-icons";
10 - import { HeaderButtons, Item } from "react-navigation-
header-buttons";
11 - import HeaderButton from "../components/HeaderButton";
12     import GLOBAL from "../constants/CONSTANTS";

```

```

1     import React from "react";
2     import { createBottomTabNavigator } from "@react-
navigation/bottom-tabs";
3 + import { StyleSheet, View, Text } from "react-native";
4     import {
5       Ionicons,
6       Entypo,
7       MaterialIcons,
8       FontAwesome,
9     } from "@expo/vector-icons";
10     import GLOBAL from "../constants/CONSTANTS";

```

```
13
14 import HomeScreen from "../Screens/Home";
15 import MandiPriceScreen from "../Screens/MandiPrice";
16 import MarketScreen from "../Screens/Market";
17 import SupportScreen from "../Screens/Support";
18 import HistoryScreen from "../Screens/History";
19 - import logo from "../assets/images/KG_LOGO.png";
20 - import commonUtils from "../utilities/commonUtils";
21 -
22 const Tab = createBottomTabNavigator();
23
24 const FooterNavigator = () => {
25   return (
26     <Tab.Navigator
27       initialRouteName="Home"
28       screenOptions={({ route }) => ({
29 -       headerShown: true,
30       tabBarStyle: {
31         position: "absolute",
32       },
75       backgroundColor: GLOBAL.COLORS.white,
76     },
77   ],
78 -
79 -   //Header options starts from here
80 -   headerTitle: "",
81 -   headerStyle: {
82 -     backgroundColor: GLOBAL.COLORS.cyan,
83 -   },
84 -   headerLeft: () => (
85 -     <HeaderButtons HeaderButtonComponent=
86     {HeaderButton}>
87 -     <Item
88 -       title="Option"
89 -       iconName="options"
```

```
11
12 import HomeScreen from "../Screens/Home";
13 import MandiPriceScreen from "../Screens/MandiPrice";
14 import MarketScreen from "../Screens/Market";
15 import SupportScreen from "../Screens/Support";
16 import HistoryScreen from "../Screens/History";
17
18 const Tab = createBottomTabNavigator();
19
20 const FooterNavigator = () => {
21   return (
22     <Tab.Navigator
23       initialRouteName="Home"
24       screenOptions={({ route }) => ({
25 +       headerShown: false,
26       tabBarStyle: {
27         position: "absolute",
28       },
70       backgroundColor: GLOBAL.COLORS.white,
71     },
72   ],
```

```
89 -         buttonStyle={styles.headerItemsLeft}
90 -         comp={Icons}
91 -         onPress={() => {}}
92 -     />
93 -     <Image source={logo} style={styles.logo}
      resizeMode="center" />
94 -   </HeaderButtons>
95 - ),
96 -   headerRight: () => (
97 -     <HeaderButtons HeaderButtonComponent=
      {HeaderButton}>
98 -       <Item
99 -         title="Voice"
100 -         iconName="keyboard-voice"
101 -         buttonStyle={styles.headerItemsRight}
102 -         comp={MaterialIcons}
103 -         onPress={() => {}}
104 -       />
105 -       <Item
106 -         title="Call"
107 -         iconName="ios-call-sharp"
108 -         buttonStyle={styles.headerItemsRight}
109 -         comp={Icons}
110 -         onPress={() => {
111 -           commonUtils.dialCall(GLOBAL.CONTACT_US.phoneNumber);
112 -         }}
113 -       />
114 -       <Item
115 -         title="Search"
116 -         iconName="search"
117 -         buttonStyle={styles.headerItemsRight}
118 -         comp={Icons}
119 -         onPress={() => {}}
120 -       />
```

```

121 -         </HeaderButtons>
122 -     ),
123     )))

```

```

73     )))

```

✓  54      Navigation/FooterNavigation.js 

```

...   @@ -1,9 +1,14 @@
1 - import React from 'react';
2 - import { View, StyleSheet, Text } from 'react-native';
3   import GLOBAL from "../constants/CONSTANTS";
4
5   const StartHistoryScreen = (props) => {
6 -   return <View style={styles.screen}></View>;
7
7   };
8
9   const styles = StyleSheet.create({
13     },
14   });

```

✓  13      Screens/History.js 

```

1 + import React from "react";
2 + import { View, StyleSheet, Text } from "react-native";
3   import GLOBAL from "../constants/CONSTANTS";
4 + import CustomHeader from "../components/CustomHeader";
5
6   const StartHistoryScreen = (props) => {
7 +   return (
8 +     <View style={styles.screen}>
9 +       <CustomHeader />
10 +     </View>
11 +   );
12   };
13
14   const styles = StyleSheet.create({
18     },
19   });

```

```

...   @@ -1,9 +1,14 @@
1   import React from "react";
2   import { View, StyleSheet, Text } from "react-native";

```

```

1   import React from "react";
2   import { View, StyleSheet, Text } from "react-native";

```

```

3   import GLOBAL from "../constants/CONSTANTS";
4
5   const StartHomeScreen = (props) => {
6 -   return <View style={styles.screen}></View>;

```

```

7   \.

```

✓ 7 ■■■■■ Screens/Home.js 

```

3 + import CustomHeader from "../components/CustomHeader";
4   import GLOBAL from "../constants/CONSTANTS";
5
6   const StartHomeScreen = (props) => {
7 +   return (
8 +     <View style={styles.screen}>
9 +       <CustomHeader />
10 +     </View>
11 +   );
12   \.

```

```

...   @@ -1,19 +1,22 @@
1 - import React, { useEffect,useState } from "react";
2   import { View, StyleSheet, Text } from "react-native";
3   import { Ionicons } from "@expo/vector-icons";
4   import GLOBAL from "../constants/CONSTANTS";
5   import PickerStrip from "../components/PickerStrip";
6   import MandiPriceItems from
   "../components/MandiPriceItemList";
7
8   const StartMandiPriceScreen = (props) => {
9     const [isLoading, setLoading] = useState(true);
10 -   const [filterData,setFilterData] = useState([]);
11     const [MItems, setMItems] = useState([]);
12
13     useEffect(() => {
14       debugger;
15 -   fetch('https://app-backend-
   220110230624.azurewebsites.net/mandi/price?

```

```

1 + import React, { useEffect,useState } from "react";
2   import { View, StyleSheet, Text } from "react-native";
3   import { Ionicons } from "@expo/vector-icons";
4   import GLOBAL from "../constants/CONSTANTS";
5   import PickerStrip from "../components/PickerStrip";
6   import MandiPriceItems from
   "../components/MandiPriceItemList";
7 + import CustomHeader from "../components/CustomHeader";
8
9   const StartMandiPriceScreen = (props) => {
10     const [isLoading, setLoading] = useState(true);
11 +   const [filterData, setFilterData] = useState([]);
12     const [MItems, setMItems] = useState([]);
13
14     useEffect(() => {
15       debugger;
16 +   fetch(

```

```

offset=0&limit=30')
16 - //fetch('https://app-backend-
220110230624.azurewebsites.net/mandi/price?
offset=0&limit=300')

17 .then((response) => response.json())
18 .then((json) => setMItems(json?.records))
19 .catch((error) => console.error(error))
22 });
23 }, []);
24
25 - if(isLoading){
26 //console.log("MItems ",MItems);
27 return (
28 <View style={styles.Container}>
29 - <PickerStrip itemList=[["Crops", "State",
"District", "Market"]] filterValues={MItems}>

30 <Ionicons name="caret-down-outline" />
31 </PickerStrip>
32 <View style={styles.items}>
33 - <MandiPriceItems MItems={MItems}/>
34 </View>
35 </View>
36 );
37 - }else{
38 - return (
39 - <View style={styles.Container}>

```

```

17 + "https://app-backend-
220110230624.azurewebsites.net/mandi/price?
offset=0&limit=30"
18 + )
19 + //fetch('https://app-backend-
220110230624.azurewebsites.net/mandi/price?
offset=0&limit=300')
20 .then((response) => response.json())
21 .then((json) => setMItems(json?.records))
22 .catch((error) => console.error(error))
25 });
26 }, []);
27
28 + if_(isLoading)_{
29 //console.log("MItems ",MItems);
30 return (
31 <View style={styles.Container}>
32 + <CustomHeader />

33 + <PickerStrip
34 + itemList=[["Crops", "State", "District",
"Market"]]
35 + filterValues={MItems}
36 + >
37 <Ionicons name="caret-down-outline" />
38 </PickerStrip>
39 <View style={styles.items}>
40 + <MandiPriceItems MItems={MItems}_/>
41 </View>
42 </View>
43 );
44 + } else {
45 + return <View style={styles.Container}></View>;

```

```

40 -
41 -     </View>
42 -   );
43 - }
44 -
45 -

```

✓ ↕ 30 ████ Screens/MandiPrice.js

```

46 }
47

```

```

4 import { Ionicons } from "@expo/vector-icons";
5 import PickerStrip from "../components/PickerStrip";
6 import MarketPriceItems from
  "../components/MarketPriceItemList";
7
8 const StartMarketScreen = (props) => {
9   return (
10     <View style={styles.screen}>
11       <PickerStrip

```

✓ ↕ 2 ████ Screens/Market.js

```

4 import { Ionicons } from "@expo/vector-icons";
5 import PickerStrip from "../components/PickerStrip";
6 import MarketPriceItems from
  "../components/MarketPriceItemList";
7 + import CustomHeader from "../components/CustomHeader";
8
9 const StartMarketScreen = (props) => {
10   return (
11     <View style={styles.screen}>
12 +     <CustomHeader />
13     <PickerStrip

```

```

... @@ -1,9 +1,14 @@
1 - import React from 'react';
2 - import { View, StyleSheet, Text } from 'react-native';
3   import GLOBAL from "../constants/CONSTANTS";
4

```

```

1 + import React from "react";
2 + import { View, StyleSheet, Text } from "react-native";
3   import GLOBAL from "../constants/CONSTANTS";
4 + import CustomHeader from "../components/CustomHeader";
5

```




```
5   const StartSupportScreen = (props) => {  
6   -   return <View style={styles.screen}></View>;  
  
7   };  
8  
9   const styles = StyleSheet.create({  
13     },  
14     {});
```

✓ ↕ 13 ■■■■ Screens/Support.js


```
6   const StartSupportScreen = (props) => {  
7   +   return (  
8   +     <View style={styles.screen}>  
9   +       <CustomHeader />  
10  +     </View>  
11  +   );  
12  };  
13  
14  const styles = StyleSheet.create({  
18    },  
19    {});
```

Deleted



W: 619px | H: 605px

Added



W: 315px | H: 315px

✓ BIN -16.2 KB (68%) assets/images/KG\_LOGO.png

... @@ -0,0 +1,96 @@

```
1 + import React from "react";
2 + import GLOBAL from "../constants/CONSTANTS";
3 + import commonUtils from "../utilities/commonUtils";
4 + import { Image, StyleSheet, View, Text } from "react-native";
5 + import { Ionicons, MaterialIcons } from "@expo/vector-
```

```
icons";
6 + import { SafeAreaView } from "react-native-safe-area-
  context";
7 + import { TouchableOpacity } from "react-native-gesture-
  handler";
8 +
9 + const CustomHeader = (props) => {
10 +   return (
11 +     <View style={styles.container}>
12 +       <View style={styles.leftHeader}>
13 +         <TouchableOpacity onPress={() => {}}>
14 +           <Ionicons
15 +             name="options"
16 +             size={35 * GLOBAL.SCREEN.scale}
17 +             color={GLOBAL.COLORS.black}
18 +           />
19 +         </TouchableOpacity>
20 +         <Image
21 +           source={require("../assets/images/KG_LOGO.png")}
22 +           style={styles.logo}
23 +         />
24 +       </View>
25 +
26 +       <View style={styles.headerRight}>
27 +         <TouchableOpacity
28 +           style={{
29 +             marginHorizontal: "2%",
30 +             alignItems: "center",
31 +           }}
32 +           onPress={() => {}}
33 +         >
34 +           <MaterialIcons
35 +             name="keyboard-voice"
36 +             size={40 * GLOBAL.SCREEN.scale}
37 +           />
```

```
38 +         </TouchableOpacity>
39 +
40 +         <TouchableOpacity
41 +             style={{
42 +                 marginHorizontal: "2%",
43 +                 alignItems: "center",
44 +             }}
45 +             onPress={() => {
46 +
47 +                 commonUtils.dialCall(GLOBAL.CONTACT_US.phoneNumber);
48 +             }}
49 +             >
50 +             <Ionicons name="ios-call-sharp" size={35 *
51 +                 GLOBAL.SCREEN.scale} />
52 +         </TouchableOpacity>
53 +
54 +         <TouchableOpacity
55 +             style={{
56 +                 marginRight: "10%",
57 +                 alignItems: "center",
58 +             }}
59 +             onPress={() => {}}
60 +             >
61 +             <Ionicons name="search" size={35 *
62 +                 GLOBAL.SCREEN.scale} />
63 +         </TouchableOpacity>
64 +     </View>
65 + </View>
66 + );
67 + };
68 +
69 + const styles = StyleSheet.create({
70 +     container: {
71 +         height: "12%",
72 +         flexDirection: "row",
```

```
70 +   backgroundColor: GLOBAL.COLORS.cyan,
71 +   alignItems: "center",
72 +   // marginHorizontal: "4%",
73 + },
74 + logo: {
```

▼ 96 ■■■■■ components/CustomHeader.js

```
77 +   aspectRatio: 1,
78 +   marginLeft: "4%",
79 + },
80 + leftHeader: {
81 +   flexDirection: "row",
82 +   alignItems: "center",
83 +   flex: 1,
84 +   marginTop: "7%",
85 +   marginHorizontal: "4%",
86 + },
87 + headerRight: {
88 +   flex: 1,
89 +   flexDirection: "row",
90 +   justifyContent: "flex-end",
91 +   alignItems: "flex-end",
92 +   marginTop: "7%",
93 + },
94 + });
95 +
96 + export default CustomHeader;
```

▼ 15 ■■■■■ components/HeaderButton.js

Load diff

Load diff

This file was deleted.

▼ 21  package-lock.json

Load diff

▼  1  package.json

35	"react-native-svg": "12.1.1",	35	"react-native-svg": "12.1.1",
36	"react-native-web": "~0.17.5",	36	"react-native-web": "~0.17.5",
37	"react-navigation": "^4.4.4",	37	"react-navigation": "^4.4.4",
38	- "react-navigation-header-buttons": "^9.0.1",		
39	"react-navigation-stack": "^2.10.4",	38	"react-navigation-stack": "^2.10.4",
40	"resolve-url": "^0.2.1",	39	"resolve-url": "^0.2.1",
41	"urix": "^0.1.0"	40	"urix": "^0.1.0"

https://github.com/KGains/frontend/pull/7/files#submit-review

14/14