MEDLINE- acetaminophen tablet
Medline Industries, LP

---

604 Acetaminophen 500MG Tablet for Adults

Active ingredient (in each tablet)

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
- the common cold
- backache
- toothache
- premenstrual and menstrual cramps
- headache
- minor pain of arthritis
- muscular aches
- temporarily reduces fever

Warnings

Liver warning: this product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using the product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If skin reaction occurs, stop use and seek medical helps right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have

liver disease.

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a healthcare professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed (see overdose warning)**

adults and children 12 years and older	• take 2 tablets every 6 hours while symptoms last • do not take more than 6 tablets in 24 hours, unless directed by a doctor • do not use more than 10 days unless directed by a doctor
children under 12 years	• ask a doctor

Other information

- store between 20-25ºC (68-77ºF)
- protect from freezing, avoid excessive heat

Inactive ingredients

povidone, pregelatinized starch, sodium starch glycolate, stearic acid

Questions or comments?

call **1-800-MEDLINE (633-5463)** Monday - Friday, 7 a.m. to 7 p.m. CST

Manufacturing information

www.medline.com

©2026 Medline

Manufactured for: Medline Industries, LP, Three Lakes Drive,

Northfield, IL 60093 USA


1-800-MEDLINE

**this product is not manufactured

or distributed by Johnson & Johnson Consumer Inc.,

distributor of Tylenol® Extra Strength Tablets

Package Label



MEDLINE

acetaminophen tablet

Product Information			
Product Type	HUMAN OTC DRUG	**Item Code (Source)**	NDC:53329-604
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	**Basis of Strength**	**Strength**
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients	
Ingredient Name	**Strength**
POVIDONE (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A (UNII: H8AV0SQX4D)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
STARCH, CORN (UNII: O8232NY3SJ)	

Product Characteristics			
Color	white	**Score**	no score
Shape	ROUND	**Size**	12mm
Flavor		**Imprint Code**	M2A457344
Contains			

Packaging				
#	**Item Code**	**Package Description**	**Marketing Start Date**	**Marketing End Date**
1	NDC:53329-604-30	100 in 1 BOTTLE; Type 0: Not a Combination Product	07/20/2026	

Marketing Information			
Marketing Category	**Application Number or Monograph Citation**	**Marketing Start Date**	**Marketing End Date**
OTC Monograph Drug	M013	07/20/2026	

Labeler - Medline Industries, LP (025460908)

Registrant - Medline Industries, LP (025460908)

Revised: 7/2026 Medline Industries, LP