

Lab web - Vue.js

Adolfo Centeno Tellez

February 27, 2018

Table of contents

1 Docker

- Update nodejs
- Vue HelloWorld
- Vue HelloWorld
- Install vue-cli
- Install nuxt - Pokemon
- Pokemon project
- Pokemon - Docker

Vue.js

Activities:

- 1 Update nodejs, install yarn
- 2 vue - Hello world
- 3 vuecli - Hello world
- 4 nuxt - HelloWorld
- 5 Pokemon project
- 6 Pokemon on Docker

Update Nodejs

Update nodejs

```
$ curl -sL https://deb.nodesource.com/setup_8.x | sudo -E bash -  
$ sudo apt-get update  
$ sudo apt-get install -y nodejs
```

install yarn

```
$ curl -sS https://dl.yarnpkg.com/debian/pubkey.gpg | sudo apt-key add -  
$ echo "deb https://dl.yarnpkg.com/debian/ stable main" | sudo tee  
  /etc/apt/sources.list.d/yarn.list  
$ sudo apt-get update && sudo apt-get install yarn
```

Vue.js - HelloWorld

`https://vuejs.org/`



Vue.js - HelloWorld

Code Time !

Vue HelloWorld

```
$ cd w6/hello-vue  
$ nano package.json  
$ yarn install  
$ more app.js  
$ more index.html  
$ yarn run dev
```

Watch WHY VUE.JS ? in <https://vuejs.org/> and code !

Docker

Update nodejs
Vue HelloWorld
Vue HelloWorld
Install vue-cli
Install nuxt - Pokemon
Pokemon project
Pokemon - Docker

HelloWorld

vue-cli - HelloWorld

```
$ sudo yarn global add @vue/cli  
$ vue create HelloWorld  
$ cd HelloWorld  
$ yarn serve
```

Install nuxt & SSR



NUXT

Universal Vue.js Applications

<https://nuxtjs.org/>

nuxt & SSR

```
$ sudo yarn global add create-nuxt-app  
$ create-nuxt-app Nuxt-HelloWorld  
$ cd Nuxt-HelloWorld  
$ yarn run dev
```

To build & start **for** production:

```
$ yarn run build  
$ yarn start
```


Pokemon project

Client for Pokemon REST API

nuxt

```
$ git clone https://github.com/RN3r1/nuxtPokemonExample.git
$ cd nuxtPokemonExample
# install dependencies
$ yarn install

# serve with hot reload at localhost:3000
$ yarn run dev

# build for production and launch server
$ yarn run build
$ yarn start

# generate static project
$ yarn run generate
```

Pokemon - Docker

Pokemon project running on Docker

Running container

```
$ git clone https://github.com/RN3r1/DockerNuxtPokemonExample.git
# install dependencies
$ yarn install

# serve with hot reload at localhost:3000
$ yarn run dev

# build for production and launch server
$ yarn run build
$ yarn start

# generate static project
$ yarn run generate

# generate Docker image
$ sudo docker build . -t <USER.HUB.DOCKER>/pokemon

# run Docker image
$ sudo docker run -p 80:3000 --name pokemon--container <USER.HUB.DOCKER>/pokemon
```

Pokemon - Cloud Docker

Push to Hub Docker & more ...

```
# start container
$ sudo docker start pokemon-container

# list containers
$ sudo docker container ls -a

# inspect the container
$ sudo docker inspect pokemon-container

# connect to container
$ sudo docker exec -it pokemon-container bash

# stop the container
$ sudo docker stop pokemon-container

$ sudo docker login

# push your image to Docker Cloud
$ sudo docker push <USER_HUB.DOCKER>/pokemon

# remove container
$ sudo docker rm <USER_HUB.DOCKER>/pokemon
```