Store Maximum

lm :- left max height

rm = right max height



lm = 1
rm = 3
ans = 1
water = 1 - 0
= 1

lm = 2
rm = 3
ans = 2
water = 2 - 1
= 1

lm = 2
rm = 3
ans = 2
water = 1

lm = 3
rm = 2
ans = 2
water = 0

lm = 3
rm = 2
ans = 2
water = 2 - 2
= 0

lm = 0
rm = 3
ans = 0
water = 0

lm = 1
rm = 3
ans = 1
water = 0

lm = 2
rm = 3
ans = 2
water = 2 - 2
= 0

lm = 2
rm = 3
ans = 2
water = 2

lm = 3
rm = 3
ans = 3
water = 0

lm = 3
rm = 2
ans = 2
water = 2 - 1
= 1

lm = 3
rm = 1
ans = 1
water = 1 - 1
= 0

ans = 0 + 1 + 1 + 2 + 1 + 1
= 6

for each index

- ✓ left max (including itself)
- ✓ right max
- ✓ ans = min(lm, rm)
- ✓ water = ans - arr[i]



psudo code

1) traverse from 0 to n

1.1) traverse from 0 to i and find max. value (left max)

1.2) traverse from i to (n-1) and find max. value (right max)

1.3) ans = min (left max, right max)

1.4) water = ans - arr[i]

current ele.

1.5) result += water



for each index
↳ left max including itself
↳ right max " "
↳ ans = min (lm, rm)
↳ water = ans − arr[i]

ans = 0 + 7 + 7 + 7 + 3 + 7 + 7 + 2

Code

```java
public static void main(String[] args) {
    Scanner scn = new Scanner(System.in);
    int n = scn.nextInt();
    int[] arr = new int[n];
    for (int i = 0; i < n; i++) {
        arr[i] = scn.nextInt();
    }
    System.out.println(trappingRainWater(arr, n));
}
public static int trappingRainWater(int[] arr, int n) {
    int result = 0;
    for (int i = 0; i < n; i++) {
        int leftMax = Integer.MIN_VALUE;
        for (int j = 0; j <= i; j++) { // including itself
            if ( arr[j] > leftMax ) {
                leftMax = arr[j];
            }
        }
        int rightMax = Integer.MIN_VALUE;
        for (int j = i; j < n; j++) {
            if ( arr[j] > rightMax ) {
                rightMax = arr[j];
            }
        }
        int ans = Math.min( leftMax, rightMax );
        int water = ans - arr[i];
        result += water;
    }
    return result;
}
```

⇒ Time Complexity (TC) (total time consumed by a program to get executed)

M. Imp :- TC can only be calcuted using no. of operations performed.

Ex :-

```
main ( ) {
    Syso ("Hello");    // 1 operation
    Syso ("World");    // 1 operation
}
```

→ T.C notation

T.C = O(1)

$O(200) \cong O(1)$

(constant)

Ex1

```
main ( ) {
    int n = scn.nextInt();
    for( int i = 0; i<n; i++ ){
        Syso("Hi");
    }
}
```

i/p	operation
1	1
5	5
100	100
⋮	⋮
n	n

operations :- n

$T.C = O(n)$

Big O of n

$T.C \propto n$

Type of operations

- linear
- quadratic
- cubic
- logerithmic
- constant

Input	no. of operation
n	n
n	n^2
n	n^3
n	$\log(n)$
n	1