

H5P Group Accessibility Conformance Report

WCAG Edition

(Based on VPAT® Version 2.5)

Name of Product/Version: H5P.com

Report Date: April 7th 2025

Product Description: Platform for creating and sharing interactive content

Contact Information: accessibility@h5p.group

Notes: Applies to content created on H5P.com using the default content types

Evaluation Methods Used: Internal and external testing for WCAG 2.2 AA

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0	Level A (Yes) Level AA (Yes) Level AAA (No)
Web Content Accessibility Guidelines 2.1	Level A (Yes) Level AA (Yes) Level AAA (No)
Web Content Accessibility Guidelines 2.2	Level A (Yes) Level AA (Yes) Level AAA (No)

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can only be used in WCAG Level AAA criteria.

WCAG 2.x Report

Note: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.0 Conformance Requirements](#).

Table 1: Success Criteria, Level A

Notes:

Criteria	Conformance Level	Remarks and Explanations
1.1.1 Non-text Content (Level A)	Supports	Example: All images that aren't strictly background images have an input field where authors may provide alternative texts. These alt texts are then added as "alt" property on the img tag. Authors may instead mark them as decorative, if the image is irrelevant to screen reader users (like a background image)
1.2.1 Audio-only and Video-only (Prerecorded) (Level A)	Supports	Example: H5P allows the author to add transcripts. The video or audio may for instance be added to a column with the transcript below it.
1.2.2 Captions (Prerecorded) (Level A)	Supports	Example: H5P supports captions in the Web Video Text Track (.vtt) format.
1.2.3 Audio Description or Media Alternative (Prerecorded) (Level A)	Supports	Example: H5P allows the author to for instance add screenplays as images and texts. The screenplay may be added below a video or as a link below the video using a column or interactive book content type.
1.3.1 Info and Relationships (Level A)	Supports	H5P uses a lot of aria attributes and other techniques to describe relationships between elements. For instance, in course presentation, the navigation bar follows the tabs pattern, and i.a. connects tabpanels and tabs with aria-labelledby and aria-controls.
1.3.2 Meaningful Sequence (Level A)	Supports	Example: In the header of the interactive book all navigation options are first in the DOM followed by the page number and page name. In the view the order is different. This is done intentionally to provide the user with the navigation options first if they use for instance a screen reader. In the view we wanted the menu button on the left as the menu is on the left and the next and previous page buttons to the right and the page title in the middle.
1.3.3 Sensory Characteristics (Level A)	Supports	Example: We use check buttons in most question types and they all have a recognizable icon, but we also have a visible "check" label on the button.
1.4.1 Use of Color (Level A)	Supports	There are lots of examples of this. One is within Interactive Video. The focus effect for the buttons that

Criteria	Conformance Level	Remarks and Explanations
		appear in the video changes the colors of the button but also the shape by adding a new circle around the button.
1.4.2 Audio Control (Level A)	Supports	Example: The content type “The Chase” has built in background music and sound effects. There is a volume control button for this audio.
2.1.1 Keyboard (Level A)	Supports	Example: Drag the words support dragging and dropping alternatives into drop zones using the mouse. Alternatives may also be focused using up and down arrow keys, selected using the space key, drop zones gets focus automatically and are focused using the up and down arrow keys and a second space button push will move the chosen alternative to the chosen drop zone.
2.1.2 No Keyboard Trap (Level A)	Supports	All content types are tested for keyboard traps. There is a special focus on making sure modal windows are easy to close using keyboard only. In interactive video for instance when a modal window is open the close button for the modal window is one of the few things you may focus on (it also allow you to shift focus to the next thing on the page of course, but all Interactive video navigation buttons are disabled until the modal is closed)
2.1.4 Character Key Shortcuts (Level A 2.1 and 2.2)	Supports	Example: In Course Presentation arrow right may be used to go to the next slide, but it only works when focus is on the entire Course Presentation including the navigation. It ill for instance not work if focus is on something inside the course presentation.
2.2.1 Timing Adjustable (Level A)	Supports	We try to avoid this type of timing altogether. Some places they are essential (ref the essential exception) like in The Chase, other places there are timers that can be toggled. In single choice set for instance in one mode the user controls when feedback on her answer is displayed and when the next question appears, in another mode the feedback is displayed for a few seconds and then the next question automatically appears. To conform with 2.2.1 the author should use the first mode without timing.

Criteria	Conformance Level	Remarks and Explanations
2.2.2 Pause, Stop, Hide (Level A)	Supports	We avoid this type of moving, autoupdating etc. information.
2.3.1 Three Flashes or Below Threshold (Level A)	Supports	We avoid this type of flashing in all content types.
2.4.1 Bypass Blocks (Level A)	Supports	Example: In Interactive Book content is divided up into pages and there is a menu in the beginning of the resource allowing the user to jump directly to a page and also navigate within different sections of the page. Most sections also starts with headings (H tags)
2.4.2 Page Titled (Level A)	Supports	Example: When H5Ps are embedded the embedded page will have a title provided by the author of the content.
2.4.3 Focus Order (Level A)	Supports	Focus order receives a lot of attention. Example: In Interactive Book the chapter menu is placed after the button that toggles it in the focus order.
2.4.4 Link Purpose (In Context) (Level A)	Supports	Example: In Course Presentation the progress bar has clickable elements implemented as <a> tags. They have long hidden texts for screen readers as well as shorter textual versions implemented as tool tips.
2.5.1 Pointer Gestures (Level A 2.1 and 2.2)	Supports	Example: Seeking in Interactive Video may be done by dragging the progress bar handle, but also by clicking directly on the place in the progress bar you want to jump to.
2.5.2 Pointer Cancellation (Level A 2.1 and 2.2)	Supports	Example: The play pause button in Interactive Video does not trigger if you press the mouse down on it. You have to press down and release (a click event)
2.5.3 Label in Name (Level A 2.1 and 2.2)	Supports	Example: In Multiple Choice the button for checking your answers has the visual label “Check” and the accessible name is “Check the answers. The responses will be marked as correct, incorrect, or unanswered.”
2.5.4 Motion Actuation (Level A 2.1 and 2.2)	Not applicable	There are no motion actuation on H5P.com.
3.1.1 Language of Page (Level A)	Supports	Example: We use the language (lang) attribute on the HTML element to specify the language on H5Ps embedded from H5P.com.
3.2.1 On Focus (Level A)	Supports	Example: In Interactive Book the chapter menu does not open when the button for toggling it receives focus, it opens when that button is clicked (using for instance the space key)

Criteria	Conformance Level	Remarks and Explanations
3.2.2 On Input (Level A)	Supports	Example: Multiple Choice does not evaluate the user's answers until the "Check" button is clicked.
3.2.6 Consistent Help (Level A 2.2 only)	Not applicable	We do not offer help or contact info to students. This is typically provided by our customers above or below the H5P content.
3.3.1 Error Identification (Level A)	Not applicable	It is not possible for learners to have input errors
3.3.2 Labels or Instructions (Level A)	Supports	Example: In Documentation tool authors may input the labels for each form element the student is to complete.
3.3.7 Redundant Entry (Level A 2.2 only)	Supports	There are no redundant entries.
4.1.1 Parsing (Level A) WCAG 2.0 and 2.1 – Always answer 'Supports' WCAG 2.2 (obsolete and removed) - Does not apply	Not applicable	For WCAG 2.2 this criteria is obsolete and removed.
4.1.2 Name, Role, Value (Level A)	Supports	Example: The play button in Interactive Video has the role "button" and aria label "Play" when it is paused and "Pause" when the video is playing.

Table 2: Success Criteria, Level AA

Notes:

Criteria	Conformance Level	Remarks and Explanations
1.2.4 Captions (Live) (Level AA)	Not applicable	We do not support live (real time) captions
1.2.5 Audio Description (Prerecorded) (Level AA)	Supports	We support Video Text Tracks (.vtt)
1.3.4 Orientation (Level AA 2.1 and 2.2)	Supports	H5P content is responsive. For example on some devices Interactive Video will display poster content as posters in landscape mode. In Portrait mode poster content may be too small and will automatically be turned into button content that will use the full screen.
1.3.5 Identify Input Purpose (Level AA 2.1 and 2.2)	Not applicable	There are no input fields collecting data about the user.
1.4.3 Contrast (Minimum) (Level AA)	Supports	All contrasts are checked.
1.4.4 Resize text (Level AA)	Partially supports	All our supported user agents supports zoom and all H5P content may be zoomed. Most H5P features will also work with text size changes, but there are some places where authors define the size of the text areas. Drag and drop for instance allow the author to create draggable

Criteria	Conformance Level	Remarks and Explanations
		boxes with texts and the size of the box has to be defined by the author. In such content types authors rarely allow for the size of the text to grow 200 %.
1.4.5 Images of Text (Level AA)	Supports	H5P does not use images of text.
1.4.10 Reflow (Level AA 2.1 and 2.2)	Supports	All H5P content is responsive and adjusts to the available height and width.
1.4.11 Non-text Contrast (Level AA 2.1 and 2.2)	Supports	All contrasts are checked in all parts of H5P.
1.4.12 Text Spacing (Level AA 2.1 and 2.2)	Partially supports	Most H5P features will work with text spacing changes, but there are some places where authors define the size of the text areas. Course Presentation for instance allows the author to create boxes with texts and the size of the box has to be defined by the author. In such content types authors rarely allow for the size of the text to grow much. It is possible to avoid these issues by either not using such content types or making sure boxes are big enough for the text to grow inside it.
1.4.13 Content on Hover or Focus (Level AA 2.1 and 2.2)	Supports	Example: In Course Presentation the fullscreen button has a custom tooltip that is hoverable, persistent and does not obscure other content.
2.4.5 Multiple Ways (Level AA)	Supports	This is less relevant for H5P as H5P mostly provides content items for web sites, but in Course Presentation for instance there is the progress bar, previous and next buttons, an optional menu and also you can create custom links to navigate between the slides.
2.4.6 Headings and Labels (Level AA)	Supports	Example: In Interactive Book the button that takes you to the summary page where you can also submit your answers is labeled "Summary & submit"
2.4.7 Focus Visible (Level AA)	Supports	Example: In Interactive Video the buttons that appear on the video gets an extra circle around them when they receive focus. The circle has a color with significant contrast compared to the rest of the button and the extra circle normally is not there ensuring that it is both a change of shape and color when the button receives focus.
2.4.11 Focus Not Obscured (Minimum) (Level AA 2.2 only)	Supports	We ensure that authors are not able to place anything on top of the content types' controls.

Criteria	Conformance Level	Remarks and Explanations
2.5.7 Dragging Movements (Level AA 2.2 only)	Supports	Example: You may click instead of dragging in both Drag and Drop and Drag the Words.
2.5.8 Target Size (Minimum) (Level AA 2.2 only)	Supports	We ensure all targets are at least 24 by 24 CSS pixels
3.1.2 Language of Parts (Level AA)	Supports	You set the main language for H5P content and in addition the H5P rich text editor supports mixed languages allowing you to define the language for sections of text. Mixed language support is off by default per author and the author may enable it in their user settings. When enabled the language selector appears in their rich text editor. The reason it is disabled by default is that most authors does not need mixed language support and we don't want to clutter the rich text editor for everyone. (Similarly math support and support for programming languages are also off by default and may be toggled on for those teaching mathematics or programming)
3.2.3 Consistent Navigation (Level AA)	Supports	Example: Toggling the left menu, navigating backwards, navigating forwards and toggling fullscreen is presented in this same order on the top of every page of the interactive book.
3.2.4 Consistent Identification (Level AA)	Supports	Example: The button that checks the user's answers is labeled "Check" in all H5P content types.
3.3.3 Error Suggestion (Level AA)	Supports	Example: If a field is required in Documentation Tool in order to export the documentation created the export page will list the pages that has required fields that are empty and it will say "The following pages contain required fields that need to be filled in order to review or submit this document". The fields will be indicated on the pages as well and the message with the error suggestion is also customizable should the author want to provide feedback more specific to the content they have created.
3.3.4 Error Prevention (Legal, Financial, Data) (Level AA)	Supports	Example: In Documentation tool we validate that required fields are filled in before we allow the student to submit their answer.
3.3.8 Accessible Authentication (Minimum) (Level AA 2.2 only)	Not applicable	We only support LTI authentication for students.

Criteria	Conformance Level	Remarks and Explanations
4.1.3 Status Messages (Level AA 2.1 and 2.2)	Partially supports	Example: We use aria-live="polite" for the status messages informing the user about their submitted scores per H5P. We are also now adding role="status" to this message to fully comply with this criterion.

Table 3: Success Criteria, Level AAA

Notes:

Criteria	Conformance Level	Remarks and Explanations
1.2.6 Sign Language (Prerecorded) (Level AAA)	Not evaluated	
1.2.7 Extended Audio Description (Prerecorded) (Level AAA)	Not evaluated	
1.2.8 Media Alternative (Prerecorded) (Level AAA)	Not evaluated	
1.2.9 Audio-only (Live) (Level AAA)	Not evaluated	
1.3.6 Identify Purpose (Level AAA 2.1 and 2.2)	Not evaluated	
1.4.6 Contrast (Enhanced) (Level AAA)	Not evaluated	
1.4.7 Low or No Background Audio (Level AAA)	Not evaluated	
1.4.8 Visual Presentation (Level AAA)	Not evaluated	
1.4.9 Images of Text (No Exception) (Level AAA)	Not evaluated	
2.1.3 Keyboard (No Exception) (Level AAA)	Not evaluated	
2.2.3 No Timing (Level AAA)	Not evaluated	
2.2.4 Interruptions (Level AAA)	Not evaluated	
2.2.5 Re-authenticating (Level AAA)	Not evaluated	
2.2.6 Timeouts (Level AAA 2.1 and 2.2)	Not evaluated	
2.3.2 Three Flashes (Level AAA)	Not evaluated	
2.3.3 Animation from Interactions (Level AAA 2.1 and 2.2)	Not evaluated	
2.4.8 Location (Level AAA)	Not evaluated	
2.4.9 Link Purpose (Link Only) (Level AAA)	Not evaluated	
2.4.10 Section Headings (Level AAA)	Not evaluated	
2.4.12 Focus Not Obscured (Enhanced) (Level AAA 2.2 only)	Not evaluated	
2.4.13 Focus Appearance (Level AAA 2.2 only)	Not evaluated	
2.5.5 Target Size (Level AAA 2.1 and 2.2)	Not evaluated	
2.5.6 Concurrent Input Mechanisms (Level AAA 2.1 and 2.2)	Not evaluated	

Criteria	Conformance Level	Remarks and Explanations
3.1.3 Unusual Words (Level AAA)	Not evaluated	
3.1.4 Abbreviations (Level AAA)	Not evaluated	
3.1.5 Reading Level (Level AAA)	Not evaluated	
3.1.6 Pronunciation (Level AAA)	Not evaluated	
3.2.5 Change on Request (Level AAA)	Not evaluated	
3.3.5 Help (Level AAA)	Not evaluated	
3.3.6 Error Prevention (All) (Level AAA)	Not evaluated	
3.3.9 Accessible Authentication (Enhanced) (Level AAA 2.2 only)	Not evaluated	

Legal Disclaimer (Company)

H5P is an open source project. H5P Group does not warrant or accept liability for any errors in the information provided but will without unnecessary delay repair any issues identified on H5P.com that is not in line with the information provided in this document.