C1M6L2_Final_Project_V3

February 23, 2022

1 Final Project - Word Cloud

For this project, you'll create a "word cloud" from a text by writing a script. This script needs to process the text, remove punctuation, ignore case and words that do not contain all alphabets, count the frequencies, and ignore uninteresting or irrelevant words. A dictionary is the output of the calculate_frequencies function. The wordcloud module will then generate the image from your dictionary.

For the input text of your script, you will need to provide a file that contains text only. For the text itself, you can copy and paste the contents of a website you like. Or you can use a site like Project Gutenberg to find books that are available online. You could see what word clouds you can get from famous books, like a Shakespeare play or a novel by Jane Austen. Save this as a .txt file somewhere on your computer. Now you will need to upload your input file here so that your script will be able to process it. To do the upload, you will need an uploader widget. Run the following cell to perform all the installs and imports for your word cloud script and uploader widget. It may take a minute for all of this to run and there will be a lot of output messages. But, be patient. Once you get the following final line of output, the code is done executing. Then you can continue on with the rest of the instructions for this notebook. Enabling notebook extension fileupload/extension... - Validating: OK

In [1]: # Here are all the installs and imports you will need for your word cloud script and u

```
!pip install wordcloud
!pip install fileupload
!pip install ipywidgets
!jupyter nbextension install --py --user fileupload
!jupyter nbextension enable --py fileupload
import wordcloud
import numpy as np
from matplotlib import pyplot as plt
from IPyth IPython.display on.display import display
import fileupload
import io
import sys
```

Collecting wordcloud

Downloading https://files.pythonhosted.org/packages/05/e7/52e4bef8e2e3499f6e96cc8ff7e0902a40

100% || 368kB 39.1MB/s ta 0:00:01

Requirement already satisfied: pillow in /opt/conda/lib/python3.6/site-packages (from wordclour Requirement already satisfied: matplotlib in /opt/conda/lib/python3.6/site-packages (from wordclour Requirement already satisfied: numpy>=1.6.1 in /opt/conda/lib/python3.6/site-packages (from wordclour Requirement already satisfied: cycler>=0.10 in /opt/conda/lib/python3.6/site-packages (from material Requirement already satisfied: kiwisolver>=1.0.1 in /opt/conda/lib/python3.6/site-packages (from Requirement already satisfied: pyparsing!=2.0.4,!=2.1.2,!=2.1.6,>=2.0.1 in /opt/conda/lib/python3.6/site-packages Requirement already satisfied: python-dateutil>=2.1 in /opt/conda/lib/python3.6/site-packages (from cycler>=0.10 Requirement already satisfied: setuptools in /opt/conda/lib/python3.6/site-packages (from kiwisolurement already satisfied: setuptools in /opt/conda/lib/python3.6/site-packages (from kiwisolur collected packages: wordcloud Successfully installed wordcloud-1.8.1 Collecting fileupload

Downloading https://files.pythonhosted.org/packages/43/19/014a32d2f435d29a5fb43a487d42a9afa2 Requirement already satisfied: traitlets>=4.2 in /opt/conda/lib/python3.6/site-packages (from s Requirement already satisfied: notebook>=4.2 in /opt/conda/lib/python3.6/site-packages (from f Requirement already satisfied: ipywidgets>=5.1 in /opt/conda/lib/python3.6/site-packages (from Requirement already satisfied: ipython_genutils in /opt/conda/lib/python3.6/site-packages (from Requirement already satisfied: six in /opt/conda/lib/python3.6/site-packages (from traitlets>= Requirement already satisfied: decorator in /opt/conda/lib/python3.6/site-packages (from trait Requirement already satisfied: Send2Trash in /opt/conda/lib/python3.6/site-packages (from note Requirement already satisfied: jupyter-core>=4.4.0 in /opt/conda/lib/python3.6/site-packages (Requirement already satisfied: tornado<7,>=4.1 in /opt/conda/lib/python3.6/site-packages (from Requirement already satisfied: jupyter-client>=5.2.0 in /opt/conda/lib/python3.6/site-packages Requirement already satisfied: nbformat in /opt/conda/lib/python3.6/site-packages (from notebook Requirement already satisfied: nbconvert in /opt/conda/lib/python3.6/site-packages (from noteb Requirement already satisfied: ipykernel in /opt/conda/lib/python3.6/site-packages (from noteb Requirement already satisfied: pyzmq>=17 in /opt/conda/lib/python3.6/site-packages (from noteb Requirement already satisfied: terminado>=0.8.1 in /opt/conda/lib/python3.6/site-packages (from Requirement already satisfied: jinja2 in /opt/conda/lib/python3.6/site-packages (from notebook Requirement already satisfied: prometheus-client in /opt/conda/lib/python3.6/site-packages (from the conda not be a second not Requirement already satisfied: ipython>=4.0.0; python_version >= "3.3" in /opt/conda/lib/pytho: Requirement already satisfied: widgetsnbextension~=3.4.0 in /opt/conda/lib/python3.6/site-pack Requirement already satisfied: python-dateutil>=2.1 in /opt/conda/lib/python3.6/site-packages Requirement already satisfied: jsonschema!=2.5.0,>=2.4 in /opt/conda/lib/python3.6/site-package Requirement already satisfied: mistune>=0.8.1 in /opt/conda/lib/python3.6/site-packages (from : Requirement already satisfied: pygments in /opt/conda/lib/python3.6/site-packages (from nbconve Requirement already satisfied: entrypoints>=0.2.2 in /opt/conda/lib/python3.6/site-packages (f. Requirement already satisfied: bleach in /opt/conda/lib/python3.6/site-packages (from nbconver Requirement already satisfied: pandocfilters>=1.4.1 in /opt/conda/lib/python3.6/site-packages Requirement already satisfied: testpath in /opt/conda/lib/python3.6/site-packages (from nbconve Requirement already satisfied: defusedxml in /opt/conda/lib/python3.6/site-packages (from nbco Requirement already satisfied: MarkupSafe>=0.23 in /opt/conda/lib/python3.6/site-packages (from Requirement already satisfied: setuptools>=18.5 in /opt/conda/lib/python3.6/site-packages (from Requirement already satisfied: jedi>=0.10 in /opt/conda/lib/python3.6/site-packages (from ipython3.6/site-packages) Requirement already satisfied: pickleshare in /opt/conda/lib/python3.6/site-packages (from ipy

Requirement already satisfied: prompt_toolkit<2.1.0,>=2.0.0 in /opt/conda/lib/python3.6/site-packages (from ipython3.6/site-packages)

```
Requirement already satisfied: pexpect in /opt/conda/lib/python3.6/site-packages (from ipython)
Requirement already satisfied: attrs>=17.4.0 in /opt/conda/lib/python3.6/site-packages (from j
Requirement already satisfied: pyrsistent>=0.14.0 in /opt/conda/lib/python3.6/site-packages (fi
Requirement already satisfied: webencodings in /opt/conda/lib/python3.6/site-packages (from bloom bloom)
Requirement already satisfied: parso>=0.3.0 in /opt/conda/lib/python3.6/site-packages (from jet
Requirement already satisfied: wcwidth in /opt/conda/lib/python3.6/site-packages (from prompt_
Requirement already satisfied: ptyprocess>=0.5 in /opt/conda/lib/python3.6/site-packages (from
Installing collected packages: fileupload
Successfully installed fileupload-0.1.5
Requirement already satisfied: ipywidgets in /opt/conda/lib/python3.6/site-packages (7.4.2)
Requirement already satisfied: ipykernel>=4.5.1 in /opt/conda/lib/python3.6/site-packages (from
Requirement already satisfied: nbformat>=4.2.0 in /opt/conda/lib/python3.6/site-packages (from
Requirement already satisfied: widgetsnbextension~=3.4.0 in /opt/conda/lib/python3.6/site-pack
Requirement already satisfied: ipython>=4.0.0; python_version >= "3.3" in /opt/conda/lib/python
Requirement already satisfied: traitlets>=4.3.1 in /opt/conda/lib/python3.6/site-packages (from
Requirement already satisfied: jupyter-client in /opt/conda/lib/python3.6/site-packages (from
Requirement already satisfied: tornado>=4.2 in /opt/conda/lib/python3.6/site-packages (from ip
Requirement already satisfied: ipython_genutils in /opt/conda/lib/python3.6/site-packages (from
Requirement already satisfied: jsonschema!=2.5.0,>=2.4 in /opt/conda/lib/python3.6/site-package
Requirement already satisfied: jupyter_core in /opt/conda/lib/python3.6/site-packages (from nb
Requirement already satisfied: notebook>=4.4.1 in /opt/conda/lib/python3.6/site-packages (from
Requirement already satisfied: setuptools>=18.5 in /opt/conda/lib/python3.6/site-packages (from
Requirement already satisfied: jedi>=0.10 in /opt/conda/lib/python3.6/site-packages (from ipython3.6/site-packages)
Requirement already satisfied: decorator in /opt/conda/lib/python3.6/site-packages (from ipyth-
Requirement already satisfied: pickleshare in /opt/conda/lib/python3.6/site-packages (from ipy
Requirement already satisfied: prompt_toolkit<2.1.0,>=2.0.0 in /opt/conda/lib/python3.6/site-page 1.0.0 in /op
Requirement already satisfied: pygments in /opt/conda/lib/python3.6/site-packages (from ipythog
Requirement already satisfied: backcall in /opt/conda/lib/python3.6/site-packages (from ipython
Requirement already satisfied: pexpect in /opt/conda/lib/python3.6/site-packages (from ipython3.6/site-packages)
Requirement already satisfied: six in /opt/conda/lib/python3.6/site-packages (from traitlets>=
Requirement already satisfied: pyzmq>=13 in /opt/conda/lib/python3.6/site-packages (from jupython3.6/site-packages)
Requirement already satisfied: python-dateutil>=2.1 in /opt/conda/lib/python3.6/site-packages
Requirement already satisfied: attrs>=17.4.0 in /opt/conda/lib/python3.6/site-packages (from j
Requirement already satisfied: pyrsistent>=0.14.0 in /opt/conda/lib/python3.6/site-packages (fi
Requirement already satisfied: terminado>=0.8.1 in /opt/conda/lib/python3.6/site-packages (from
Requirement already satisfied: prometheus-client in /opt/conda/lib/python3.6/site-packages (from the conda/lib/python3.6/site-packages)
Requirement already satisfied: Send2Trash in /opt/conda/lib/python3.6/site-packages (from note
Requirement already satisfied: nbconvert in /opt/conda/lib/python3.6/site-packages (from noteb
Requirement already satisfied: jinja2 in /opt/conda/lib/python3.6/site-packages (from notebook
Requirement already satisfied: parso>=0.3.0 in /opt/conda/lib/python3.6/site-packages (from jet
Requirement already satisfied: wcwidth in /opt/conda/lib/python3.6/site-packages (from prompt_
Requirement already satisfied: ptyprocess>=0.5 in /opt/conda/lib/python3.6/site-packages (from
Requirement already satisfied: mistune>=0.8.1 in /opt/conda/lib/python3.6/site-packages (from s
Requirement already satisfied: entrypoints>=0.2.2 in /opt/conda/lib/python3.6/site-packages (factor)
Requirement already satisfied: bleach in /opt/conda/lib/python3.6/site-packages (from nbconver
Requirement already satisfied: pandocfilters>=1.4.1 in /opt/conda/lib/python3.6/site-packages
Requirement already satisfied: testpath in /opt/conda/lib/python3.6/site-packages (from nbconve
Requirement already satisfied: defusedxml in /opt/conda/lib/python3.6/site-packages (from nbco
```

```
Requirement already satisfied: MarkupSafe>=0.23 in /opt/conda/lib/python3.6/site-packages (from Requirement already satisfied: webencodings in /opt/conda/lib/python3.6/site-packages (from blue Installing /opt/conda/lib/python3.6/site-packages/fileupload/static -> fileupload

Making directory: /home/jovyan/.local/share/jupyter/nbextensions/fileupload/

Copying: /opt/conda/lib/python3.6/site-packages/fileupload/static/widget.js -> /home/jovyan/.local/share/jupyter/nbextensions/fileupload/static/extension.js -> /home/jovyan/

Making directory: /home/jovyan/.local/share/jupyter/nbextensions/fileupload/fileupload

Copying: /opt/conda/lib/python3.6/site-packages/fileupload/static/fileupload/widget.js -> /home-
- Validating: OK

To initialize this nbextension in the browser every time the notebook (or other app) loads

jupyter nbextension enable fileupload --user --py

Enabling notebook extension fileupload/extension...

- Validating: OK
```

Whew! That was a lot. All of the installs and imports for your word cloud script and uploader widget have been completed. **IMPORTANT!** If this was your first time running the above cell containing the installs and imports, you will need save this notebook now. Then under the File menu above, select Close and Halt. When the notebook has completely shut down, reopen it. This is the only way the necessary changes will take affect. To upload your text file, run the following cell that contains all the code for a custom uploader widget. Once you run this cell, a "Browse" button should appear below it. Click this button and navigate the window to locate your saved text file.

```
In [9]: # This is the uploader widget

def _upload():
    _upload_widget = fileupload.FileUploadWidget()

def _cb(change):
    global file_contents
    decoded = io.StringIO(change['owner'].data.decode('utf-8'))
    filename = change['owner'].filename
    print('Uploaded `{}` ({:.2f} kB)'.format(
        filename, len(decoded.read()) / 2 **10))
    file_contents = decoded.getvalue()

    _upload_widget.observe(_cb, names='data')
    display(_upload_widget)

_upload()

FileUploadWidget(label='Browse', _dom_classes=('widget_item', 'btn-group'))
```

The uploader widget saved the contents of your uploaded file into a string object named *file_contents* that your word cloud script can process. This was a lot of preliminary work, but you are now ready to begin your script.


Write a function in the cell below that iterates through the words in *file_contents*, removes punctuation, and counts the frequency of each word. Oh, and be sure to make it ignore word case, words that do not contain all alphabets and boring words like "and" or "the". Then use it in the generate_from_frequencies function to generate your very own word cloud! **Hint:** Try storing the results of your iteration in a dictionary before passing them into wordcloud via the generate_from_frequencies function.

```
In [16]: def calculate_frequencies(file_contents):
             # Here is a list of punctuations and uninteresting words you can use to process y
             punctuations = '''!()-[]{};:'"\,<>./?@#$%^&*_~'''
             uninteresting_words = ["the", "a", "to", "if", "is", "it", "of", "and", "or", "an
             "we", "our", "ours", "you", "your", "yours", "he", "she", "him", "his", "her", "h
             "their", "what", "which", "who", "whom", "this", "that", "am", "are", "was", "were
             "have", "has", "had", "do", "does", "did", "but", "at", "by", "with", "from", "he
             "all", "any", "both", "each", "few", "more", "some", "such", "no", "nor", "too",
             # LEARNER CODE START HERE
             file_contents = file_contents.lower()
             new_file = ""
             for char in file_contents:
                 if char not in punctuations:
                     new_file = new_file + char
             word_list = new_file.split()
             dict = \{\}
             for word in word_list:
                 dict[word] = word_list.count(word)
             #wordcloud
             cloud = wordcloud.WordCloud()
             cloud.generate_from_frequencies(dict)
             return cloud.to_array()
```

If you have done everything correctly, your word cloud image should appear after running the cell below. Fingers crossed!

```
In [21]: # Display your wordcloud image

myimage = calculate_frequencies("The SyntaxError: EOL while scanning string literal explt.imshow(myimage, interpolation = 'nearest')
    plt.axis('off')
    plt.show()
```



If your word cloud image did not appear, go back and rework your calculate_frequencies function until you get the desired output. Definitely check that you passed your frequecy count dictionary into the generate_from_frequencies function of wordcloud. Once you have correctly displayed your word cloud image, you are all done with this project. Nice work!