
EfficientNet-B6 model-based transfer learning for the classification of brain tumors

Surajit Das^{a,*}, Rajat Subhra Goswami^b, Lavanya G^c, Binoy Sasmal^d, Sangem Jaya Prakash^e

^{a,c,e} B V Raju Institute of Technology, Narsapur, 502313, India
^{b,d} National Institute of Technology, Arunachal Pradesh, Jote, 791123, India

Abstract

One of the leading causes of death worldwide is brain tumor (BT). It is difficult to classify BTs using medical image processing. When abnormal brain growth occurs, it can have a negative impact on the functioning of the brain. Early diagnosis can help improve the prognosis and enable faster recovery for patients. A computer system that can help radiologists identify and categorise BTs using MRI scans can be beneficial. Unfortunately, manual classification techniques can lead to inaccurate and incomplete diagnoses. This is because the similarities and variations between normal tissues and tumors can affect the accuracy of the diagnosis. In recent studies, deep learning (DL) techniques have shown promising results when it comes to improving the accuracy of detecting and classifying BTs using MRI. The algorithm presented in this paper, uses Convolutional Neural Networks (CNN) in combination with transfer learning. This work utilized EfficientNet-B6, a transfer learning architecture, that achieved train accuracy, validation accuracy, test accuracy, precision, recall, and F1-score values of 100%, 99.34%, 99.61%, 100%, 99% and 100% on the MRI-large dataset. The proposed method is significantly better than current research literature, demonstrating that it can be utilized to accurately categorize brain tumors.

Keywords- Brain tumor, Deep learning techniques, EfficientNet-B6

© 2023 – Authors

1. Introduction

The brain is regarded as one of the most intricate organs in the body, as it controls the nervous system and billions of cells (Louis, David N., Arie Perry, etc.). Apart from its primary functions, it also controls various other regulatory actions within the body, such as vision, emotion, and memory. When a cell divides uncontrollably, it creates an abnormal region of the brain. The presence of this group of cells can disrupt the functioning of healthy brain cells. When certain types of tumors grow in the brain, they can make it problematic for the brain to work. The primary tumor is located in the brain tissue. On the other hand, the secondary tumor can spread to other parts of the body through the bloodstream (Mohsen, Heba, etc.). Some of the most common symptoms of BTs are memory loss, headaches, and poor concentration. The size and shape of BTs can vary. The diagnosis of such tumor's using MRI has become a vital part of the field of medicine (Kumar, Sanjeev, etc.). Recent studies have revealed that this treatment could lead to the development of new and more effective cancer therapies. A computerized system that can accurately identify and classify a BT is needed for early detection. This method can help save the lives of patients and improve their quality of life. To

make use of the system, researchers need to search for various techniques that can help distinguish the presence of BT from other types of cancer. The developments in deep learning in Artificial intelligence (AI) have made a huge impact in medicine, as they allow doctors to diagnose illnesses much earlier. CNNs are a widely used component of computer-aided diagnosis. These techniques require a lot of data in order to improve their accuracy, and finding and obtaining this information can be a challenge for medical professionals.




Fig. 1. MRI image of BTs (a) Meningioma, (b) Glioma, (c) Pituitary, (d) No Tumor

This problem can be solved by developing an automatic Computer-aided diagnosis (CAD) system that can detect dangerous diseases such as cancer (Deepak, S., and P. M. Ameer). The paper proposes a method using a DL system to analyse and improve the performance of MRI scans on the brain. A new DL system that utilizes state-of-the-art frameworks like EfficientNet-B6 is proposed here. It is based on a transfer learning approach that uses MRI scans of BTs.

2. Related work

Although CNN is widely used in various applications, its performance in imaging is still good. Over the past few years, various methods for detecting the presence of BT have been developed using DL. Most of these focus on the binary classification of the tumors. Table 1 summarizes the various DL methods that were utilized by researchers in the past.

Table 1. A list of DL Methods to find and classify BTs.

year	References	Approach	Accuracy
2016	Liu, Renhao,etc.	pretrained deep neural networks	95.45%
2019	Das, Sunanda,etc.	CNN model	94.39%
2020	Joshi, Ranjana,etc.	VGG-19	99.30%
2021	Mantha, Tejakrishna, and B. Eswara Reddy	EfficientNet-B3	99.35%
2021	Saleh, Abdulrazak Yahya,etc.	ResNet	94%
2021	Hossain, Md Farhad,etc.	CNN	96.90 %
2021	Arbane, Mohamed,etc.	CNN	98.24%
2022	Çınar, Necip,etc	VGG19	97.2%.
2022	Ahmad, S. and Choudhury	VGG19	99.39%
2022	Shah, Hasnain Ali,etc.	EfficientNet-B0	98.87%
2022	Mishra, Shailendra Kumar,etc.	EfficientNet	98.78%
2022	Behera, Tanmay Kumar,etc	Supapixel-Based Deep Transfer Learning	98.33%
2022	Bandagale, Ajinkya,etc.	CNN model	98.70%
2022	Sheergojri, Aadil Rashid,etc.	Hybrid CNN-ELM Algorithm	97.14%
2022	Iahmood HAMEED, Fakhri,etc.	CNN	92.78
2022	S. Nidaan Khofiya, Y. Nur Fu'adah,etc.	AlexNet	93%
2023	Sankaranarayanan, R., M. Senthil Kumar,etc.	VGG16 model	92%
2023	Pillai, Rudresh,etc.	VGG16	91.58%
2023	Cobilla, Ramil,etc.	Xception Model.	96%
2023	Mathur, Parimal,etc.	DenseNet-121	97.47%

3. Proposed Work

The implementation of the suggested work and materials is covered in this section. Section 3.1 provides an overview of the MR image data sets that are utilized in the training and testing of the proposed methods. Section 3.2 explores CNN's proposed structure. Finally, Section 3.3 explores the setup and validation procedures.

3.1. Dataset:

The training model developed by using MRI scans of the brain taken from Kaggle (Masoud Nickparvar), (A. Hamada) which had 7023 slices. The four types of tumors featured in the images are pituitary, glioma, meningioma, and no tumor. In total, there were 7023 images of BT. 5712 images were utilized to fix the training set's misbalance. These were limited to 1311 images because the minimum set for these 4 classes was observed in the training set. The resolution of the images was initially 512x512 pixels. The resolution of the image has been reduced to 224 x 224 pixels, which makes it very convenient to use. The dataset's details are presented in the following Figure 2, which shows the splitting of the data. The training, validation and test sets are made from the entire dataset. About 90% of the collected data is used for training, 5% for validation, and 5% for testing.




Fig. 2. Dataset splitting in graphical form.

3.2. Proposed approach:

The EfficientNet framework is a set of image classification tools that are designed to provide high-quality and accurate image classification. They are also smaller and faster than previous models (Tan, Mingxing, and Quoc Le). While other frameworks focus on computational efficiency, EfficientNet considers both performance and efficiency. The **Softmax activation** method is used in the frameworks. The EfficientNet-B6 framework is a case study that considers transfer learning. In Figure 3, you can see how the suggested model is put together. It introduces some new layers and freezes the top ones. Fine-tuning then takes place, and batch **normalization** and **dropout layers** are introduced to minimize overfitting. Figure 4 shows the flow of the layers during the batch normalization process. In the first dense layer, 256 neurons are used, and **ReLU** is the activation function. In the final layer, which is the **dense layer**, and the top layer that predicts output, the activation function is SoftMax. These tumors are classified into four groups: meningioma, glioma, pituitary, and no-tumor. The training processes for the suggested model have been carried out over 40 epochs. It yielded the best results.

3.3. Validation processes for the experimental setup:

Validation of the model was carried out using images that weren't used in the initial training sessions. The results of the evaluation were then used to generate a confusion matrix. The activation factor used is ReLU. The last dense layer is the top layer that predicts output. This is where SoftMax is used to classify the various types of tumors. The training of the model was carried out over 40 epochs. It produced the best results. However, after three changes in the learning rate, the training was stopped at epoch 28. The elapsed time of the training was 6 hours, 53 minutes.

4. Experimental Results

The experiments are performed on an Anaconda Navigator with 12th-generation (8-MT/4-ST) Intel Core i7 processors. Each epoch, 115 steps used, and the batch size was 40. It is then decreased to a lower learning rate through the Reduce LR On-Plate-au technique. The suggested model able to achieve an overall test accuracy of 99.61% when compared to a training batch and accuracy graphs in the study.




Fig. 3. The suggested model's structure




Fig. 4. The suggested layers' flow.

The training, validation, and testing accuracy percentages of the MR image dataset shown in Table 2. Figures 5 show the training and validation graphs for the promoted CNN model on a training dataset. Below are the metric formulas that can be figured out from the confusion matrix shown in the figure 7 for the proposed CNN model on a training dataset.




Fig. 5. (a) Training & Validation Loss and Training & (b) Validation Accuracy graphs

Table 2. The accuracy of training, testing, and validation

Training	Validation	Testing
100%	99.34%	99.61%

Table 3 summarizes the comparative analysis of the literature survey's findings and the proposed model. It shows that the latter provides high accuracy and is better than the frameworks used in previous studies. Figure 6 represents the comparison between the proposed system and already established systems. The results of the evaluation indicate that the proposed architecture is more accurate when it comes to classifying BTs.





Fig. 6. Comparison graph of our model with some existing models.

Fig. 7. Confusion Matrix

Table 3. New techniques are often compared with established ones.

year	References	Approach	Accuracy
2019	Das, Sunanda,etc.	CNN model	94.39%
2020	Joshi, Ranjana,etc.	VGG-19	99.30%
2021	Saleh, Abdulrazak Yahya,etc.	ResNet	94%
2023	Mathur, Parimal,etc.	DenseNet-121	97.47%
Proposed	approach	EfficientNet-B6	99.61%

5. Conclusion and Future Work

DL has helped solve various problems that previously impossible to accomplish, such as image classification. In this paper, a framework for improving the classification of BTs is proposed. The proposed method is based on the EfficientNet-B6 architecture, and it can be trained on MRI scans. The model able to achieve a 99.61% accuracy rate, a 99% recall rate, a 99% precision rate, and a 99% f1 score. It can also classify a given image class. This method can help improve the efficiency of BT diagnosis and reduce the time spent performing image analysis. The suggested method may be applied to other challenging biomedical problems.

References

- A. Hamada. (2020). Br35H: Brain Tumor Detection 2020, Version 5. [Online]. Available: <https://www.kaggle.com/ahmedhamada0/braintumor-detection>
- Ahmad, S. and Choudhury, P.K., 2022. On the Performance of Deep Transfer Learning Networks for Brain Tumor Detection Using MR Images. *IEEE Access*, 10, pp.59099-59114.
- Arbane, Mohamed, Rachid Benlamri, Youcef Brik, and Mohamed Djerioui. "Transfer learning for automatic brain tumor classification using MRI images." In 2020 2nd International Workshop on Human-Centric Smart Environments for Health and Well-being (IHSH), pp. 210-214. IEEE, 2021.
- Bandagale, Ajinkya, Nita Patil, Vipul Chaudhari, and Virendra Agale. "Classification of Brain Tumor Into Four Categories Using Convolutional Neural Network." In 2022 2nd International Conference on Intelligent Technologies (CONIT), pp. 1-8. IEEE, 2022.
- Behera, Tanmay Kumar, Muhammad Attique Khan, and Sambit Bakshi. "Brain MR Image Classification Using Superpixel-Based Deep Transfer Learning." *IEEE Journal of Biomedical and Health Informatics* (2022).
- Çınar, Necip, Buket Kaya, and Mehmet Kaya. "Comparison of deep learning models for brain tumor classification using MRI images." In 2022 International Conference on Decision Aid Sciences and Applications (DASA), pp. 1382-1385. IEEE, 2022.
- Cobilla, Ramil, Jhon Carlo Dichoso, Alexandre Benedict Miñon, April Kate Pascual, Mideth Abisado, Shekinah Lor Huyo-a, and Gabriel Avelino Sampedro. "Classification of the Type of Brain Tumor in MRI Using Xception Model." In 2023 International Conference on Electronics, Information, and Communication (ICEIC), pp. 1-4. IEEE, 2023.
- Das, Sunanda, OFM Riaz Rahman Aranya, and Nishat Nayla Labiba. "Brain tumor classification using convolutional neural network." In 2019 1st International Conference on Advances in Science, Engineering and Robotics Technology (ICASERT), pp. 1-5. IEEE, 2019.
- Deepak, S., and P. M. Ameer. "Brain tumor classification using deep CNN features via transfer learning." *Computers in biology and medicine* 111 (2019): 103345.
- Hossain, Md Farhad, Md Ariful Islam, Syed Naimatullah Hussain, Debprosod Das, Ruhul Amin, and Mohammad Saydul Alam. "Brain Tumor Classification from MRI Images Using Convolutional Neural Network." In 2021 IEEE International Conference on Artificial Intelligence in Engineering and Technology (IICAET), pp. 1-6. IEEE, 2021.
- lahmood HAMEED, Fakhri, and Omar DAKKAK. "Brain Tumor Detection and Classification Using Convolutional Neural Network (CNN)." In 2022 International Congress on Human-Computer Interaction, Optimization and Robotic Applications (HORA), pp. 1-7. IEEE, 2022.
- Joshi, Ranjana, Munesh C. Trivedi, Vishal Goyal, and Deepak Kumar Singh. "Role of Transfer Learning in Glioma Grading." In *Ambient Communications and Computer Systems: Proceedings of RACCCS 2021*, pp. 15-22. Singapore: Springer Nature Singapore, 2022.
- Kumar, Sanjeev, Chetna Dabas, and Sunila Godara. "Classification of brain MRI tumor images: a hybrid approach." *Procedia computer science* 122 (2017): 510-517.
- Liu, Renhao, Lawrence O. Hall, Dmitry B. Goldgof, Mu Zhou, Robert A. Gatenby, and Kaoutar B. Ahmed. "Exploring deep features from brain tumor magnetic resonance images via transfer learning." In 2016 International Joint Conference on Neural Networks (IJCNN), pp. 235-242. IEEE, 2016.
- Louis, David N., Arie Perry, Guido Reifenberger, Andreas Von Deimling, Dominique Figarella-Branger, Webster K. Cavenee, Hiroko Ohgaki, Otmar D. Wiestler, Paul Kleihues, and David W. Ellison. "The 2016 World Health Organization classification of tumors of the central nervous system: a summary." *Acta neuropathologica* 131 (2016): 803-820.
- Mantha, Tejakrishna, and B. Eswara Reddy. "A Transfer Learning method for Brain Tumor Classification using EfficientNet-B3 model." In 2021 IEEE International Conference on Computation System and Information Technology for Sustainable Solutions (CSITSS), pp. 1-6. IEEE, 2021.
- Masoud Nickparvar. (2021). Brain Tumor MRI Dataset 2020, Version 5. [Online]. Available: <https://www.kaggle.com/datasets/masoudnickparvar/brain-tumor-mri-dataset>
- Mathur, Parimal, A. S. Raghuvanshi, Ayushi Kumari, and Anjali Chandra. "Computer-Aided Diagnosis System for Brain Tumor Classification and Segmentation." In 2023 10th International Conference on Signal Processing and Integrated Networks (SPIN), pp. 547-552. IEEE, 2023.
- Mishra, Shailendra Kumar, Dheeraj Kumar, Gaurav Kumar, and Sujeet Kumar. "Multi-Classification of Brain MRI Using EFFICIENTNET." In 2022 International Conference for Advancement in Technology (ICONAT), pp. 1-6. IEEE, 2022.
- Mohsen, Heba, El-Sayed A. El-Dahshan, El-Sayed M. El-Horbaty, and Abdel-Badeeh M. Salem. "Classification using deep learning neural networks for brain tumors." *Future Computing and Informatics Journal* 3, no. 1 (2018): 68-71.
- Pillai, Rudresh, Avinash Sharma, Neha Sharma, and Rupesh Gupta. "Brain Tumor Classification using VGG 16, ResNet50, and Inception V3 Transfer Learning Models." In 2023 2nd International Conference for Innovation in Technology (INOCON), pp. 1-5. IEEE, 2023.
- Saleh, Abdulrazak Yahya, and Sashwini AP S. Thiagaraju. "Brain Tumour Classification using Deep Learning with Residual Attention Network: A Comparative Study." In 2021 International Congress of Advanced Technology and Engineering (ICOTEN), pp. 1-5. IEEE, 2021.
- Sankaranarayanan, R., M. Senthil Kumar, B. Chidhambararajan, and P. Sireenjeevi. "Brain tumor detection and Classification using VGG 16." In 2023 International Conference on Artificial Intelligence and Knowledge Discovery in Concurrent Engineering (ICECONF), pp. 1-5. IEEE, 2023.

Shah, Hasnain Ali, Faisal Saeed, Sangseok Yun, Jun-Hyun Park, Anand Paul, and Jae-Mo Kang. "A Robust Approach for Brain Tumor Detection in Magnetic Resonance Images Using Finetuned EfficientNet." IEEE Access 10 (2022): 65426-65438.

Sheergojri, Aadil Rashid, and Pervaiz Iqbal. "MRI Brain Tumor Classification and Uncertainty Estimation using Hybrid CNN-ELM Model." In 2022 3rd International Conference on Smart Electronics and Communication (ICOSEC), pp. 978-983. IEEE, 2022.

Tan, Mingxing, and Quoc Le. "Efficientnet: Rethinking model scaling for convolutional neural networks." In International conference on machine learning, pp. 6105-6114. PMLR, 2019.

Author's biography:



Surajit Das is pursuing his Part-time Ph.D. in Computer Science and Engineering from NIT Arunachal Pradesh and he is an Assistant Professor at B.V. Raju Institute of Technology in Telangana. He has experience as a faculty in Sikkim govt. college. He also worked as a Computer Faculty and IT Trainer in Assam and Arunachal Pradesh. Surajit has completed online courses on IoT, Machine Learning, and Python for Data Science.



Dr. Rajat Subhra Goswami is an Associate Professor and the Head of the Department of Computer Science & Engineering at National Institute of Technology, Arunachal Pradesh. He obtained his Ph.D. in Computer Science & Engineering in 2015 from the National Institute of Technology, Arunachal Pradesh. Goswami specializes in information security, cryptography, image processing, big data, and network traffic classification. He actively contributes to research and academia in these fields.



Binoy Sasmal is an experienced Assistant professor at an Engineering College under MAKAUT, West Bengal as well as a senior Android developer. He is pursuing his Ph.D. in Computer Science and Engineering from NIT Arunachal Pradesh. He is expertise in integrating Android applications with APIs, creating Mongo database structures, optimizing Gradle build processes, and working with RESTful APIs. Binoy Sasmal has teaching experience in IT subjects and has served as a department coordinator. He has industrial as well as academic experience.



Lavanya G is an Assistant Professor at BVRITN (BV Raju Institute of Technology and Narsapur) specializing in Computer Science with a focus on Data Mining. She holds a postgraduate degree in Computer Science and Engineering from JNTUH. Lavanya G has published papers on various topics, including graphical substance allocation, privacy, and cyber security using blockchain. With four years of teaching experience, she is a lifetime member of ISTE (Indian Society for Technical Education) and has actively participated in workshops and training programs. Additionally, she is the author of a book on Linux Programming.



Sangem Jaya Prakash, a passionate 2nd-year B. Tech student at BV Raju Institute of Technology, is focused on specializing in Artificial Intelligence and Data Science. Driven by an insatiable curiosity for emerging technologies, Jaya tirelessly explores the realms of AI, machine learning, and data analytics. Renowned for meticulous problem-solving, Jaya consistently demonstrates a strong aptitude for research and development. Complementing academic pursuits, Jaya actively engages in coding competitions and hackathons to sharpen practical skills. With an unwavering commitment to advancing AI, Jaya aspires to leave a profound impact through innovative solutions and discoveries.