Cucumber Report

| *Start : Jun 02, 10:03:43.088 AM*	*End : Jun 02, 10:04:45.583 AM*	*Duration : 1 m 2.495 s*
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 3 FAILED - 2 SKIPPED - 0	PASSED - 18 FAILED - 2 SKIPPED - 1

Features: 1 — 0 %

Scenarios: 5 — 60 %

Steps: 21 — 85 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
We can orderToBuy a product by using a limeRoad ecommerce web application	*1 m 2.495 s*	*5*	*3*	*2*	*0*	*21*	*18*	*2*	*1*

#	Feature Name	T	P	F	S	Duration
1	We can orderToBuy a product by using a limeRoad ecommerce web application	5	3	2	0	1 m 2.495 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	We can orderToBuy a product by using a limeRoad ecommerce web application	User to search a prodcut for men	2	2	0	0	1.865 s
2	We can orderToBuy a product by using a limeRoad ecommerce web application	User login the account by using the login functionality	6	5	1	0	36.611 s
3	We can orderToBuy a product by using a limeRoad ecommerce web application	User wants to buy a jean	4	2	1	1	23.929 s
4	We can orderToBuy a product by using a limeRoad ecommerce web application	User wants to buy a footWear	4	4	0	0	0.008 s
5	We can orderToBuy a product by using a limeRoad ecommerce web application	User wants to buy a kids product	5	5	0	0	0.007 s

# We can orderToBuy a product by using a limeRoad ecommerce web application

FAILED	DURATION - 1 m 2.495 s	Scenarios Total - 5 Pass - 3 Fail - 2 Skip - 0		Steps Total - 21 Pass - 18 Fail - 2 Skip - 1	
/ 10:03:43.088 AM // 10:04:45.583 AM /					

User to search a prodcut for men

PASSED	DURATION - 1.865 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 10:03:43.094 AM // 10:03:44.959 AM /				
We can orderToBuy a product by using a limeRoad ecommerce web application				

#	Step / Hook Details	Status	Duration
1	Given User launch the url "https://www.limeroad.com/"	PASSED	0.566 s
2	When User click the shopMen button and navigateTo homePage	PASSED	1.265 s

User login the account by using the login functionality

FAILED	DURATION - 36.611 s		Steps Total - 6 Pass - 5 Fail - 1 Skip - 0	
/ 10:03:44.979 AM // 10:04:21.590 AM /				
We can orderToBuy a product by using a limeRoad ecommerce web application				

#	Step / Hook Details	Status	Duration
1	When User moveTo profile field	PASSED	1.689 s

#	Step / Hook Details	Status	Duration
2	And User click the login button and user navigateTo signIn page	PASSED	0.574 s
3	And User enter the mobileNo on the mobileNo field	PASSED	0.724 s
4	And User click the next button	PASSED	0.195 s
5	And User enter the otp on otp field	PASSED	12.049 s
6	Then User click the verify button and user navigateTo the home page	FAILED	21.367 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//input[@type="submit"])[2]"} (Session info: chrome=114.0.5735.90) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'SURYAGOBI', ip: '192.168.159.228', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_281' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.90, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\krrds\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:62406}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e30dac2e81c66d4f0621a215f204cf2 *** Element info: {Using=xpath, value=(//input[@type="submit"])[2]}
	    at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source)
	    at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source)
	    at java.lang.reflect.Constructor.newInstance(Unknown Source)
	    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
	    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
	    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428)
	    at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at com.sun.proxy.$Proxy18.click(Unknown Source)
	    at com.baseClass.BaseClass.click(BaseClass.java:148)
	    at com.stepDefinition.StepDefinition.user_click_the_verify_button_and_user_navigate_to_the_home_page(StepDefinition.java:78)
	    at ?.User click the verify button and user navigateTo the home page(file:///C:/Users/krrds/eclipse-workspace/IPT-Cucumber/src/test/java/com/featureFile/limeRoad.feature:14)
	* Not displayable characters are replaced by '?'.		

User wants to buy a jean

FAILED	DURATION - 23.929 s

/ 10:04:21.613 AM // 10:04:45.542 AM /

We can orderToBuy a product by using a limeRoad ecommerce web application

Steps

Total - 4

Pass - 2

Fail - 1

Skip - 1

#	Step / Hook Details	Status	Duration
1	When User moveTo click the jean product and navigateTo jean list field	PASSED	1.184 s
2	And User choose to click the Denim Jeans product	PASSED	2.663 s
3	And User prefer to click the jean size	FAILED	20.074 s

org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'SURYAGOBI', ip: '192.168.159.228', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_281' Driver info: driver.version: RemoteWebDriver

    at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:332)

    at org.openqa.selenium.json.JsonOutput.lambdanew16(JsonOutput.java:155)

    at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264)

    at org.openqa.selenium.json.JsonOutput.lambda$null$21(JsonOutput.java:168)

    at java.util.LinkedHashMap$LinkedValues.forEach(Unknown Source)

    at org.openqa.selenium.json.JsonOutput.lambdanew22(JsonOutput.java:168)

    at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264)

    at org.openqa.selenium.json.JsonOutput.lambda$null$23(JsonOutput.java:177)

    at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:65)

    at org.openqa.selenium.json.JsonOutput.lambdanew24(JsonOutput.java:176)

    at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264)

    at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:255)

    at org.openqa.selenium.json.Json.toJson(Json.java:42)

    at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:227)

    at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:117)

    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152)

    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)

    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)

    at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:618)

    at org.openqa.selenium.interactions.Actions$BuiltAction.perform(Actions.java:639)

    at org.openqa.selenium.interactions.Actions.perform(Actions.java:595)

    at com.baseClass.BaseClass.actionsMethod(BaseClass.java:307)

| #	Step / Hook Details	Status	Duration
	at com.stepDefinition.StepDefinition.user_prefer_to_click_the_jean_size(StepDefinition.java:103)		
	at ?.User prefer to click the jean size(file:///C:/Users/krrds/eclipse-workspace/IPT-Cucumber/src/test/java/com/featureFile/limeRoad. feature:20)		
	Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'SURYAGOBI', ip: '192.168.159.228', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_281' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput. close(JsonOutput.java:279) at org.openqa.selenium.json.Json.toJson(Json.java:44) at org.openqa.selenium.remote.http. AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:227) at org.openqa.selenium.remote.http. AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:117) at org.openqa.selenium.remote.HttpCommandExecutor. execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor. execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:618) at org.openqa.selenium.interactions. Actions$BuiltAction.perform(Actions.java:639) at org.openqa.selenium.interactions.Actions.perform(Actions.java:595) at com. baseClass.BaseClass.actionsMethod(BaseClass.java:307) at com.stepDefinition.StepDefinition. user_prefer_to_click_the_jean_size(StepDefinition.java:103) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source) at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source) at java.lang.reflect.Method.invoke(Unknown Source) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java. Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io. cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition. execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep. executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner. PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber. core.runner.Runner.runPickle(Runner.java:73) at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:151) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner. java:27) at org.junit.runners.ParentRunner$3.run(ParentRunner.java:238) at org.junit.runners. ParentRunner$1.schedule(ParentRunner.java:63) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236) at org.junit. runners.ParentRunner.access$000(ParentRunner.java:53) at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:229) at org.junit.runners.ParentRunner.run(ParentRunner.java:309) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200) at io. cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner$3.run(ParentRunner.java:238) at org.junit. runners.ParentRunner$1.schedule(ParentRunner.java:63) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236) at org.junit.runners.ParentRunner.access$000(ParentRunner.java:53) at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:229) at io.cucumber.junit.Cucumber$RunCucumber.evaluate(Cucumber.java:235) at org.junit.internal.runners.statements.RunBefores. evaluate(RunBefores.java:26) at org.junit.runners.ParentRunner.run(ParentRunner.java:309) at org.eclipse.jdt.internal.junit4.runner. JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner. RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner. run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: java.lang.reflect.InvocationTargetException		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)		
	at java.lang.reflect.Method.invoke(Unknown Source)		
	at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:328)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.json.JsonOutput.lambdanew16(JsonOutput.java:155)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264)		
	at org.openqa.selenium.json.JsonOutput.lambda$null$21(JsonOutput.java:168)		
	at java.util.LinkedHashMap$LinkedValues.forEach(Unknown Source)		
	at org.openqa.selenium.json.JsonOutput.lambdanew22(JsonOutput.java:168)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264)		
	at org.openqa.selenium.json.JsonOutput.lambda$null$23(JsonOutput.java:177)		
	at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:65)		
	at org.openqa.selenium.json.JsonOutput.lambdanew24(JsonOutput.java:176)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:255)		
	at org.openqa.selenium.json.Json.toJson(Json.java:42)		
	at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:227)		
	at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:117)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)		
	at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:618)		
	at org.openqa.selenium.interactions.Actions$BuiltAction.perform(Actions.java:639)		
	at org.openqa.selenium.interactions.Actions.perform(Actions.java:595)		
	at com.baseClass.BaseClass.actionsMethod(BaseClass.java:307)		
	at com.stepDefinition.StepDefinition.user_prefer_to_click_the_jean_size(StepDefinition.java:103)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)		
	at java.lang.reflect.Method.invoke(Unknown Source)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:73)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:151)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)		

#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner$3.run(ParentRunner.java:238)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:63)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)		
	at org.junit.runners.ParentRunner.access$000(ParentRunner.java:53)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:229)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:309)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)		
	at org.junit.runners.ParentRunner$3.run(ParentRunner.java:238)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:63)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)		
	at org.junit.runners.ParentRunner.access$000(ParentRunner.java:53)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:229)		
	at io.cucumber.junit.Cucumber$RunCucumber.evaluate(Cucumber.java:235)		
	at org.junit.internal.runners.statements.RunBefores.evaluate(RunBefores.java:26)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:309)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#size_33116320"} (Session info: chrome=114.0.5735.90) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'SURYAGOBI', ip: '192.168.159.228', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_281' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.90, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\krrds\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:62406}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e30dac2e81c66d4f0621a215f204cf2 *** Element info: {Using=id, value=size_33116320}		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source)		
	at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source)		
	at java.lang.reflect.Constructor.newInstance(Unknown Source)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementById(RemoteWebDriver.java:372) at org.openqa.selenium.By$ById.findElement(By.java:188) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.$Proxy18.getWrappedElement(Unknown Source) at org.openqa.selenium.interactions.PointerInput$Origin.asArg(PointerInput.java:204) at org.openqa.selenium.interactions.PointerInput$Move.encode(PointerInput.java:155) at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:75) at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:84) * Not displayable characters are replaced by '?'.		
4	And User wants to click the jean AddToCart button	SKIPPED	0.002 s

User wants to buy a footWear

PASSED	DURATION - 0.008 s
/ 10:04:45.557 AM // 10:04:45.565 AM /	
We can orderToBuy a product by using a limeRoad ecommerce web application	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
1	When User moveTo click the footWear product and navigateTo footwear list field	PASSED	0.001 s
2	And User choose to click the Easy Meets Cool product	PASSED	0.001 s
3	And User prefer to click the footWear size	PASSED	0.002 s
4	And User wants to click the footwear AddToCart button	PASSED	0.001 s

User wants to buy a kids product

PASSED	DURATION - 0.007 s

/ 10:04:45.576 AM // 10:04:45.583 AM /

We can orderToBuy a product by using a limeRoad ecommerce web application

Steps

Total - 5

Pass - 5

Fail - 0

Skip - 0

5

#	Step / Hook Details	Status	Duration
1	When User moveTo click the kids product and navigateTo kids list field	PASSED	0.001 s
2	And User choose to click the Wedding Special Edit product	PASSED	0.001 s
3	And User prefer to click the kid dress size	PASSED	0.001 s
4	And User wants to click the kids product AddToCart button	PASSED	0.001 s
5	And close thr browser	PASSED	0.001 s