CONTENT

S.NO	DATE	TITLE OF THE PROGRAM	PAGE NO	SIGNATURE
1.		Managing Virtual Private Cloud		
2.		Creating and Configuring Internet Gateways		
3.		Configuring Routing Tables		
4.		Working with Amazon Elastic Cloud Compute (EC2)		
5.		Connecting EC2 Linux instance using PuTTY, Gitbash and Console		
6.		Recovering and connecting EC2 instance if the SSH key is lost		
7.		Creating and Configuring Elastic Load Balancer		
8.		Scheduling Auto Snapshot of volumes		
9.		Configuring Centralized Log Management using Cloud Watch Log		
10.		Connecting OpenVPN server		

1. Managing Virtual Private Cloud






Search
[Alt+S]
Asia Pacific (Mumbai)
DYC EDUWORKS (103625405975)
DYC EDUWORKS
VPC > Your VPCs > vpc-00d1fa7ec15457eb6
You successfully created vpc-00d1fa7ec15457eb6 / sa-lab
vpc-00d1fa7ec15457eb6 / sa-lab
Actions
Details Info
VPC ID
vpc-00d1fa7ec15457eb6
State
Available
Block Public Access
Off
DNS hostnames
Disabled
DNS resolution
Enabled
Tenancy
default
DHCP option set
dopt-06b24967e4177973c
Main route table
rtb-0edf9d8531dda2b00
Main network ACL
acl-09d82998dc671c93d
Default VPC
No
IPv4 CIDR
10.0.0.0/16
IPv6 pool
–
IPv6 CIDR (Network border group)
–
Network Address Usage metrics
Disabled
Route 53 Resolver DNS Firewall rule groups
–
Owner ID
103625405975
Encryption control ID
–
Encryption control mode
–
Resource map
CIDRs
Flow logs
Tags
Related resources
Integrations
Resource map Info
Show all details
VPC
Your AWS virtual network
sa-lab
Subnets (0)
Subnets within this VPC
Route tables (1)
Route network traffic to resources
rtb-0edf9d8531dda2b00
Network Connections (0)
Connections to other networks
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Search
[Alt+S]
Asia Pacific (Mumbai)
DYC EDUWORKS (103625405975)
DYC EDUWORKS
VPC > Your VPCs
Your VPCs
VPCs
VPC encryption controls
Your VPCs (1/1) Info
Last updated
1 minute ago
Actions
Create VPC
Find VPCs by attribute or tag
Name
VPC ID
State
Encryption c...
Encryption control ...
Block Public...
IPv4 CIDR
IPv6 CIDR
sa-lab
vpc-00d1fa7ec15457eb6
Available
Off
10.0.0.0/16
vpc-00d1fa7ec15457eb6 / sa-lab
Details
Resource map
CIDRs
Flow logs
Tags
Related resources
Integrations
Details
VPC ID
vpc-00d1fa7ec15457eb6
State
Available
Block Public Access
Off
DNS hostnames
Disabled
DNS resolution
Enabled
Tenancy
default
DHCP option set
dopt-06b24967e4177973c
Main route table
rtb-0edf9d8531dda2b00
Main network ACL
acl-09d82998dc671c93d
Default VPC
No
IPv4 CIDR
10.0.0.0/16
IPv6 pool
–
IPv6 CIDR (Network border group)
–
Network Address Usage metrics
Disabled
Route 53 Resolver DNS Firewall rule groups
–
Owner ID
103625405975
Encryption control ID
–
Encryption control mode
–
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences

2. Creating and Configuring Internet Gateways






Search
[Alt+S]
Asia Pacific (Mumbai)
DYC EDUWORKS (103625405975)
DYC EDUWORKS
VPC > Subnets
VPC dashboard
Filter by VPC
AWS Global View
Virtual private cloud
Your VPCs
Subnets
Route tables
Internet gateways
Egress-only internet gateways
DHCP option sets
Elastic IPs
Managed prefix lists
NAT gateways
Peering connections
Route servers
Security
Network ACLs
Security groups
PrivateLink and Lattice
You have successfully created 2 subnets: subnet-0bbd4c7185219619b, subnet-03e146d176ec9910f
Subnets (2) Info
Last updated less than a minute ago
Actions
Create subnet
Find subnets by attribute or tag
Subnet ID : subnet-0bbd4c7185219619b
Subnet ID : subnet-03e146d176ec9910f
Clear filters
Name
Subnet ID
State
VPC
Block Public...
public-sub
subnet-0bbd4c7185219619b
Available
vpc-00d1fa7ec15457eb6 | sa-lab
Off
private-sub
subnet-03e146d176ec9910f
Available
vpc-00d1fa7ec15457eb6 | sa-lab
Off
Select a subnet
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Search
[Alt+S]
Asia Pacific (Mumbai)
DYC EDUWORKS (103625405975)
DYC EDUWORKS
VPC > Subnets > subnet-0bbd4c7185219619b
VPC dashboard
Filter by VPC
AWS Global View
Virtual private cloud
Your VPCs
Subnets
Route tables
Internet gateways
Egress-only internet gateways
DHCP option sets
Elastic IPs
Managed prefix lists
NAT gateways
Peering connections
Route servers
Security
Network ACLs
Security groups
PrivateLink and Lattice
subnet-0bbd4c7185219619b / public-sub
Actions
Create flow log
Edit subnet settings
Edit IPv6 CIDRs
Edit network ACL association
Edit route table association
Edit CIDR reservations
Share subnet
Manage tags
Delete
Details
Subnet ID
subnet-0bbd4c7185219619b
IPv4 CIDR
10.0.1.0/24
Availability Zone
aps1-az1 (ap-south-1a)
Network ACL
-
Auto-assign customer-owned IPv4 address
No
IPv6 CIDR reservations
-
Resource name DNS AAAA record
Disabled
Subnet ARN
arn:aws:ec2:ap-south-1:103625405975:subnet/subnet-0bbd4c7185219619b
Available IPv4 addresses
251
Network border group
ap-south-1
Default subnet
No
Customer-owned IPv4 pool
-
IPv6-only
No
DNS64
Disabled
State
Available
IPv6 CIDR
-
VPC
vpc-00d1fa7ec15457eb6 | sa-lab
Auto-assign public IPv4 address
No
Outpost ID
-
Hostname type
IP name
Owner
103625405975
IPv4 CIDR reservations
-
Resource name DNS A record
Disabled
Flow logs
Route table
Network ACL
CIDR reservations
Sharing
Tags
Related resources
Flow logs
Actions
Create flow log
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Search
[Alt+S]
Asia Pacific (Mumbai)
DYC EDUWORKS (103625405975)
DYC EDUWORKS
VPC > Subnets > subnet-0bbd4c7185219619b > Edit subnet settings
Edit subnet settings Info
Subnet
Subnet ID
subnet-0bbd4c7185219619b
Name
public-sub
Auto-assign IP settings Info
Enable AWS to automatically assign a public IPv4 or IPv6 address to a new primary network interface for an instance in this subnet.
Enable auto-assign public IPv4 address Info
Enable auto-assign customer-owned IPv4 address Info
Option disabled because no customer owned pools found.
Resource-based name (RBN) settings Info
Specify the hostname type for EC2 instances in this subnet and optional RBN DNS query settings.
Enable resource name DNS A record on launch Info
Enable resource name DNS AAAA record on launch Info
Hostname type Info
Resource name
IP name
DNS64 settings
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Search
[Alt+S]
Asia Pacific (Mumbai)
DYC EDUWORKS (103625405975)
DYC EDUWORKS
VPC > Internet gateways > Create internet gateway
Create internet gateway Info
An internet gateway is a virtual router that connects a VPC to the internet. To create a new internet gateway specify the name for the gateway below.
Internet gateway settings
Name tag
Creates a tag with a key of 'Name' and a value that you specify.
sa-lab-igw
Tags - optional
A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.
Key
Name
Value - optional
sa-lab-igw
Remove
Add new tag
You can add 49 more tags.
Cancel
Create internet gateway
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences

•


Search [Alt+S]
Asia Pacific (Mumbai)
DYC EDUWORKS (103625405975)
DYC EDUWORKS
VPC > Internet gateways > igw-08eb5c664ed4d6ea3
VPC dashboard
Filter by VPC
AWS Global View
Virtual private cloud
Your VPCs
Subnets
Route tables
Internet gateways
Egress-only internet gateways
DHCP option sets
Elastic IPs
Managed prefix lists
NAT gateways
Peering connections
Route servers
Security
Network ACLs
Security groups
PrivateLink and Lattice
igw-08eb5c664ed4d6ea3 / sa-lab-igw
Actions
Attach to VPC
Detach from VPC
Manage tags
Delete
Details Info
Internet gateway ID
igw-08eb5c664ed4d6ea3
State
Detached
VPC ID
Owner
Tags (1)
Manage tags
Search tags
Key
Value
Name
sa-lab-igw
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Search [Alt+S]
Asia Pacific (Mumbai)
DYC EDUWORKS (103625405975)
DYC EDUWORKS
VPC > Internet gateways > Attach to VPC (igw-08eb5c664ed4d6ea3)
Attach to VPC (igw-08eb5c664ed4d6ea3) Info
VPC
Attach an internet gateway to a VPC to enable the VPC to communicate with the internet. Specify the VPC to attach below.
Available VPCs
Attach the internet gateway to this VPC.
vpc-00d1fa7ec15457eb6
AWS Command Line Interface command
Cancel
Attach internet gateway


Search [Alt+S]
Asia Pacific (Mumbai)
DYC EDUWORKS (103625405975)
DYC EDUWORKS
VPC > Internet gateways > igw-08eb5c664ed4d6ea3
Internet gateway igw-08eb5c664ed4d6ea3 successfully attached to vpc-00d1fa7ec15457eb6
VPC dashboard
Filter by VPC
AWS Global View
Virtual private cloud
Your VPCs
Subnets
Route tables
Internet gateways
Egress-only internet gateways
DHCP option sets
Elastic IPs
Managed prefix lists
igw-08eb5c664ed4d6ea3 / sa-lab-igw
Actions
Details Info
Internet gateway ID
igw-08eb5c664ed4d6ea3
State
Attached
VPC ID
vpc-00d1fa7ec15457eb6 | sa-lab
Owner
103625405975
Tags (1)
Manage tags
Search tags
Key
Value
Name
sa-lab-igw

3. Configuring Routing Tables








Search [Alt+S]
Asia Pacific (Mumbai)
DYC EDUWORKS (103625405975)
DYC EDUWORKS
VPC > Route tables > rtb-0d07710634d33d674 > Edit routes
Edit routes: rtb-0d07710634d33d674 / sa-lab-rtb
Destination
Target
Status
Propagated
Route Origin
10.0.0.0/16
local
Active
No
CreateRouteTable
local
0.0.0.0/0
Internet Gateway
–
No
CreateRoute
Remove
igw-08eb5c664ed4d6ea3
Add route
Cancel
Preview
Save changes


Search [Alt+S]
Asia Pacific (Mumbai)
DYC EDUWORKS (103625405975)
DYC EDUWORKS
VPC > Route tables > rtb-0d07710634d33d674
VPC dashboard
Filter by VPC
AWS Global View
Virtual private cloud
Your VPCs
Subnets
Route tables
Internet gateways
Egress-only internet gateways
Updated routes for rtb-0d07710634d33d674 / sa-lab-rtb successfully
Details
rtb-0d07710634d33d674 / sa-lab-rtb
Actions
Set main route table
Edit subnet associations
Edit edge associations
Edit route propagation
Edit routes
Manage tags
Delete
Details Info
Route table ID
rtb-0d07710634d33d674
Main
No
Explicit subnet associations
–
VPC
vpc-00d1fa7ec15457eb6 | sa-lab
Owner ID
103625405975
Routes
Subnet associations
Edge associations
Route propagation
Tags
Related resources


Search [Alt+S]
Asia Pacific (Mumbai)
DYC EDUWORKS (103625405975)
DYC EDUWORKS
VPC > Route tables > rtb-0d07710634d33d674 > Edit subnet associations
Edit subnet associations
Change which subnets are associated with this route table.
Available subnets (1/2)
Filter subnet associations
Name
Subnet ID
IPv4 CIDR
IPv6 CIDR
Route table ID
public-sub
subnet-0bbd4c7185219...
10.0.1.0/24
–
Main (rtb-0edf9d8531dda2b00)
private-sub
subnet-03e146d176ec9...
10.0.2.0/24
–
Main (rtb-0edf9d8531dda2b00)
Selected subnets
subnet-0bbd4c7185219619b / public-sub
Cancel
Save associations


Search
[Alt+S]
Asia Pacific (Mumbai)
DYC EDUWORKS (103625405975)
DYC EDUWORKS
VPC
Your VPCs
VPC dashboard
Filter by VPC
AWS Global View
Virtual private cloud
Your VPCs
Subnets
Route tables
Internet gateways
Egress-only internet gateways
DHCP option sets
Elastic IPs
Managed prefix lists
NAT gateways
Peering connections
Route servers
Security
Network ACLs
Security groups
PrivateLink and Lattice
Getting started
Endpoints
Endpoint services
Service networks
Lattice services
Resource configurations
Resource gateways
Target groups
Domain verifications
New
DNS firewall
Rule groups
Domain lists
Your VPCs
VPCs
VPC encryption controls
Your VPCs (1/1) Info
Find VPCs by attribute or tag
VPC ID : vpc-00d1fa7ec15457eb6
Clear filters
Last updated 5 minutes ago
Actions
Create VPC
Name
VPC ID
State
Encryption c...
Encryption control ...
Block Public...
IPv4 CIDR
IPv6 CIDR
DHCP option se
sa-lab
vpc-00d1fa7ec15457eb6
Available
Off
10.0.0.0/16
dopt-06b24967
vpc-00d1fa7ec15457eb6 / sa-lab
Details
Resource map
CIDRs
Flow logs
Tags
Related resources
Integrations
Resource map Info
Show all details
VPC
Your AWS virtual network
sa-lab
10.0.0.0/16
No IPv6
Subnets (2)
Subnets within this VPC
ap-south-1a
private-sub
10.0.2.0/24
No IPv6
public-sub
10.0.1.0/24
No IPv6
Route tables (2)
Route network traffic to resources
sa-lab-rtb
2 subnet associations
2 routes including local
rtb-0edf9d8531dda2b00
No subnet associations
1 route including local
Network Connections (1)
Connections to other networks
sa-lab-igw
Internet routes to 2 public subnets
0 private subnets route to the Internet
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences

4. Working with Amazon Elastic Cloud Compute (EC2)






Search
[Alt+S]
Asia Pacific (Mumbai)
DYC EDUWORKS
EC2 > Instances > Launch an instance
Instance type
Key pair (login)
Network settings
Summary
Number of instances
Software Image (AMI)
Virtual server type (instance type)
Firewall (security group)
Storage (volumes)
Cancel
Launch instance
Preview code
Create key pair
Key pair name
Key pairs allow you to connect to your instance securely.
sa-lab-key
The name can include up to 255 ASCII characters. It can't include leading or trailing spaces.
Key pair type
RSA
RSA encrypted private and public key pair
ED25519
ED25519 encrypted private and public key pair
Private key file format
.pem
For use with OpenSSH
.ppk
For use with PuTTY
When prompted, store the private key in a secure and accessible location on your computer. You will need it later to connect to your instance. Learn more
Cancel
Create key pair
Create security group
Select existing security group
We'll create a new security group called 'launch-wizard-12' with the following rules:
Allow SSH traffic from
Anywhere
0.0.0.0/0
Allow HTTPS traffic from the internet
Allow HTTP traffic from the internet
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Search
[Alt+S]
Asia Pacific (Mumbai)
DYC EDUWORKS
EC2 > Instances > Launch an instance
Network settings
Edit
Network
vpc-0b4268a78ab5c6b07 | sa-lab
Subnet
No preference (Default subnet in any availability zone)
Auto-assign public IP
Enable
Firewall (security groups)
A security group is a set of firewall rules that control the traffic for your instance. Add rules to allow specific traffic to reach your instance.
Create security group
Select existing security group
We'll create a new security group called 'launch-wizard-12' with the following rules:
Allow SSH traffic from
Helps you connect to your instance
Anywhere
0.0.0.0/0
Allow HTTPS traffic from the internet
To set up an endpoint, for example when creating a web server
Allow HTTP traffic from the internet
To set up an endpoint, for example when creating a web server
Rules with source of 0.0.0.0/0 allow all IP addresses to access your instance. We recommend setting security group rules to allow access from known IP addresses only.
Configure storage
Advanced
1x
8
GiB
gp3
Root volume, 3000 IOPS, Not encrypted
Add new volume
Click refresh to view backup information
The tags that you assign determine whether the instance will be backed up by any Data Lifecycle Manager policies.
File systems
S3 Files - new
EFS
FSx
None
Summary
Number of instances
Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-08188a5a4dfdbd573
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Search [Alt+S]
Asia Pacific (Mumbai)
DYC EDUWORKS (103625405975)
DYC EDUWORKS
EC2 > Instances
EC2
Dashboard
AWS Global View
Events
Instances
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Network & Security
Security Groups
Elastic IPs
Placement Groups
Key Pairs
Network Interfaces
Load Balancing
Load Balancers
Target Groups
Trust Stores
Auto Scaling
Instances (1/4) Info
Last updated 1 minute ago
Connect
Instance state
Actions
Launch instances
Saved filter sets
Choose filter set
Filter Instance by attribute or tag (case-sensitive)
Name
Instance ID
Instance state
Instance type
Status check
Availability Zone
Public IPv4 DNS
server2 i-0062d94f0bf2b6cbf Stopped t3.micro – ap-south-1b –
server1 i-0b9f7d2f2062d59d6 Stopped t3.micro – ap-south-1b –
sa-lab-ec2 i-0d7d5149f8d131fb5 Running t3.micro Initializing ap-south-1b ec2-3-108-235-63.ap-s...
dyc-host i-014ceb6086f02f375 Stopped t3.micro – ap-south-1a –
i-0d7d5149f8d131fb5 (sa-lab-ec2)
Details
Status and alarms
Monitoring
Security
Networking
Storage
Tags
Instance summary Info
Instance ID
i-0d7d5149f8d131fb5
Public IPv4 address
3.108.235.63 | open address
Private IPv4 addresses
172.31.2.74
IPv6 address
–
Instance state
Running
Public DNS
ec2-3-108-235-63.ap-south-1.compute.amazonaws.com | open address
Hostname type
IP name: ip-172-31-2-74.ap-south-1.compute.internal
Private IP DNS name (IPv4 only)
ip-172-31-2-74.ap-south-1.compute.internal
Answer private resource DNS name
Instance type
Elastic IP addresses
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Search [Alt+S]
Asia Pacific (Mumbai)
DYC EDUWORKS (103625405975)
DYC EDUWORKS
EC2 > Instances > i-0d7d5149f8d131fb5 > Connect to instance
Connect to Linux instance Info
Connect to an instance to test, troubleshoot, deploy code, update software etc. You can use browser based methods or an SSH client.
Instance info
Instance
i-0d7d5149f8d131fb5 (sa-lab-ec2)
State: Running
Status: 3/3 checks passed
VPC
vpc-0b4268a78ab5c6b07
Subnet
subnet-069c7ce682677ab0b
Security groups
sg-0e87dad36babc5285 (launch-wizard-12)
In web browser
In SSH client
SSH info
Connect assist
SSH key pair assigned at launch
sa-lab-key
Public DNS
ec2-3-108-235-63.ap-south-1.compute.amazonaws.com
Username
ec2-user
How to connect
1. Open an SSH client
2. Locate or download your private key file
3. Ensure your key is not publicly viewable
chmod 400 "sa-lab-key.pem"
Copied command
4. Connect to your instance using its Public DNS
ssh -i "sa-lab-key.pem" ec2-user@ec2-3-108-235-63.ap-south-1.compute.amazonaws.com
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


sa
This PC
Local Disk (C:)
Users
SAM B
Downloads
sa
Search sa
New
Sort
View
Preview
Name
Date modified
Type
Size
Today
sa-lab-key.pem
9/14/2026 1:08 PM
PEM File
2 KB
ec2-user@ip-172-31-2-74:~
Microsoft Windows [Version 10.0.26200.9168]
(c) Microsoft Corporation. All rights reserved.
C:\Users\SAM B\Downloads\sa>ssh -i "sa-lab-key.pem" ec2-user@ec2-3-108-235-63.ap-south-1.compute.amazonaws.com
The authenticity of host 'ec2-3-108-235-63.ap-south-1.compute.amazonaws.com (3.108.235.63)' can't be established.
ED25519 key fingerprint is SHA256:GDqOylwLYAVy5Ig13+4iN2wxDOZ11weCcHqcE+/gdpI.
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added 'ec2-3-108-235-63.ap-south-1.compute.amazonaws.com' (ED25519) to the list of known hosts.
Amazon Linux 2023
https://aws.amazon.com/linux/amazon-linux-2023
[ec2-user@ip-172-31-2-74 ~]$
1 item

5. Connecting EC2 Linux instance using PuTTY, Gitbash and Console






Search
[Alt+S]
Asia Pacific (Mumbai)
DYC EDUWORKS (103625405975)
DYC EDUWORKS
EC2 > Instances > Launch an instance
Description
Amazon Linux 2023 (kernel-6.18) is a modern, general
optimized for AWS and designed to provide a secure,
cloud applications.
Amazon Linux 2023 AMI 2023.12.20260909.0 x86_64
Architecture
64-bit (x86)
Boot mode
uefi-preferred
AMI ID
Verified provider
Summary
Launch instance
Preview code
Instance type
Info | Get advice
Instance type
t3.micro
Family: t3 2 vCPU 1 GiB Memory
On-Demand Linux base pricing: 0.0112 USD per Hour
On-Demand SUSE base pricing: 0.0112 USD per Hour
On-Demand Windows base pricing: 0.0204 USD per Hour
On-Demand Ubuntu Pro base pricing: 0.0147 USD per Hour
On-Demand RHEL base pricing: 0.04 USD per Hour
Additional costs apply for AMIs with pre-installed software
Create key pair
Key pair name
Key pairs allow you to connect to your instance securely.
putty-key
The name can include up to 255 ASCII characters. It can't include leading or trailing spaces.
Key pair type
RSA
RSA encrypted private and public key pair
ED25519
ED25519 encrypted private and public key pair
Private key file format
.pem
For use with OpenSSH
.ppk
For use with PuTTY
When prompted, store the private key in a secure and accessible location on your computer. You will need it later to connect to your instance. Learn more
Cancel
Create key pair
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Search
[Alt+S]
Asia Pacific (Mumbai)
DYC EDUWORKS (103625405975)
DYC EDUWORKS
EC2 > Instances > i-07026515b5e797d14
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Network & Security
Security Groups
Elastic IPs
Instance summary for i-07026515b5e797d14 (putty-connection) Info
Connect
Instance state
Actions
Updated less than a minute ago
Instance ID
i-07026515b5e797d14
Public IPv4 address
65.2.57.221 | open address
Private IPv4 addresses
172.31.6.182
IPv6 address
–
Instance state
Running
Public DNS
ec2-65-2-57-221.ap-south-1.compute.amazonaws.com | open address
Hostname type
IP name: ip-172-31-6-182.ap-south-1.compute.internal
Private IP DNS name (IPv4 only)
ip-172-31-6-182.ap-south-1.compute.internal
Answer private resource DNS name
IPv4 (A)
Instance type
t3.micro
Elastic IP addresses
–
Auto-assigned IP address
65.2.57.221 [Public IP]
VPC ID
vpc-0b4268a78ab5c6b07 (sa-lab)
AWS Compute Optimizer finding
Opt-in to AWS Compute Optimizer for recommendations.
Learn more
IAM role
–
Subnet ID
subnet-069c7ce682677ab0b
Auto Scaling Group name
–
IMDSv2
Required
Instance ARN
arn:aws:ec2:ap-south-1:103625405975:instance/i-07026515b5e797d14
Managed
false
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Search [Alt+S]
Asia Pacific (Mumbai)
DYC EDUWORKS (103625405975)
DYC EDUWORKS
EC2 > Instances > i-07026515b5e797d14 > Connect to instance
State: Running
Status: 0/2 checks passed
In web browser
In SSH client
SSH info
Connect assist
SSH key pair assigned at launch
putty-key
Public DNS
ec2-65-2-57-221.ap-south-1.compute.amazonaws.com
Username
ec2-user
How to connect
1. Open an SSH client
2. Locate or download your private key file
3. Ensure your key is not publicly viewable
chmod 400 "putty-key.pem"
4. Connect to your instance using its Public DNS
ssh -i "putty-key.pem" ec2-user@ec2-65-2-57-221.ap-south-1.compute.amazonaws.com
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Search [Alt+S]
Asia Pacific (Mumbai)
DYC EDUWORKS (103625405975)
DYC EDUWORKS
EC2 > Instances > i-07026515b5e797d14 > Connect to instance
State: Running
Status: 3/3 checks passed
In web browser
In SSH client
SSH info
SSH key pair assigned at launch
putty-key
Public DNS
ec2-65-2-57-221.ap-south-1.compute.amazonaws.com
How to connect
1. Open an SSH client
2. Locate or download your private key file
3. Ensure your key is not publicly viewable
chmod 400 "putty-key.pem"
4. Connect to your instance using its Public DNS
ssh -i "putty-key.pem" ec2-user@ec2-65-2-57-221.ap-south-1.compute.amazonaws.com
PuTTY Configuration
Category:
Session
Logging
Terminal
Keyboard
Bell
Features
Window
Appearance
Behaviour
Translation
Selection
Colours
Connection
Data
Proxy
SSH
Serial
Telnet
Rlogin
SUPDUP
Basic options for your PuTTY session
Specify the destination you want to connect to
Host Name (or IP address)
Port
21.ap-south-1.compute.amazonaws.com
22
Connection type:
SSH
Serial
Other:
Telnet
Load, save or delete a stored session
Saved Sessions
Default Settings
Load
Save
Delete
Close window on exit:
Always
Never
Only on clean exit
About
Help
Open
Cancel


Search
[Alt+S]
Asia Pacific (Mumbai)
DYC EDUWORKS (103625405975)
DYC EDUWORKS
EC2 > Instances > i-07026515b5e797d14 > Connect to instance
Connect to Linux instance Info
Connect to an instance to test, troubleshoot, deploy code, update software etc. You can use browser based methods or an SSH client.
Instance info
Instance
i-07026515b5e797d14 (putty-connection)
State: Running
Status: 3/3 checks passed
VPC
vpc-0b4268a78ab5c6b07
Subnet
subnet-069c7
In web browser
In SSH client
SSH info
SSH key pair assigned at launch
putty-key
Public DNS
How to connect
1. Open an SSH client
2. Locate or download your private key file
3. Ensure your key is not publicly viewable
PuTTY Configuration
Category:
Keyboard
Bell
Features
Window
Appearance
Behaviour
Translation
Selection
Colours
Connection
Data
Proxy
SSH
Kex
Host keys
Cipher
Auth
GSSAPI
TTY
X11
Credentials to authenticate with
Public-key authentication
Private key file for authentication:
C:\Users\SAM B\Downloads\putty-key.p
Browse...
Certificate to use with the private key (optional):
Plugin to provide authentication responses
Plugin command to run
About
Help
Open
Cancel


ec2-65-2-57-221.ap-south-1.compute.amazonaws.com - PuTTY
login as: ec2-user


ec2-user@ip-172-31-6-182:~
login as: ec2-user
Authenticating with public key "putty-key"
Amazon Linux 2023
https://aws.amazon.com/linux/amazon-linux-2023
Last login: Mon Sep 14 11:23:09 2026 from 106.222.116.192
[ec2-user@ip-172-31-6-182 ~]$

6. Recovering and connecting EC2 instance if the SSH key is lost






Free Cloud Computing Services
Instance details | EC2 | ap-south-1
Volumes | EC2 | ap-south-1
SA Lab.pdf
Ask Gemini
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#InstanceDetails:instanceId=i-0a1a9e4f43e3871e4
Search
[Alt+S]
Asia Pacific (Mumbai)
DYC EDUWORKS (103625405975)
DYC EDUWORKS
EC2 > Instances > i-0a1a9e4f43e3871e4
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
IMDSv2
Required
Instance ARN
arn:aws:ec2:ap-south-1:103625405975:instance/i-0a1a9e4f43e3871e4
Managed
false
Operator
Details
Status and alarms
Monitoring
Security
Networking
Storage
Tags
Root device details
Root device name
/dev/xvda
Root device type
EBS
EBS optimization
enabled
Block devices
Filter block devices
Volume ID
Device name
Volume size (GiB)
Volume State
Attachment status
EBS card index
Attachment time
vol-0ffd1d2d9e19476f4
/dev/xvda
It is taking a ...
It is taking a bit lo...
It is taking a bi...
It is taking ...
It is taking a bit longer th...
Volume monitoring (1)
It is taking a bit longer than usual to fetch your data
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Free Cloud Computing Services
Volumes | EC2 | ap-south-1
Volumes | EC2 | ap-south-1
SA Lab.pdf
Ask Gemini
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#Volumes:volumeId=vol-0ffd1d2d9e19476f4;sort=desc:createTime
Search
[Alt+S]
Asia Pacific (Mumbai)
DYC EDUWORKS (103625405975)
DYC EDUWORKS
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Volumes (1) Info
Last updated less than a minute ago
Recycle Bin
Actions
Create volume
Saved filter sets
Choose filter set
Search
Volume ID = vol-0ffd1d2d9e19476f4
Clear filters
Name
Volume ID
Type
Size
IOPS
Throughput
Snapshot ID
Source volume ID
Created
main-ec2-volu...
vol-0ffd1d2d9e19476f4
gp3
8 GiB
3000
125
snap-0e350fd...
-
2026/07/22 22:30 GMT+5:...
Fault tolerance for all volumes in this Region
Snapshot summary
Last updated on Wed, Jul 22, 2026, 10:52:27 PM (GMT+05:30)
Snapshots to back up volumes can be manually created, or created through automation such as Amazon Data Lifecycle Manager, AWS Backup, custom scripts, or third-party tools.
Volumes backed up in the last 24 hours / Total # volumes
0 / 6
Data Lifecycle Manager default policy for EBS Snapshots status
No default policy set up | Create policy
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Volumes (1/1) Info
Recycle Bin
Actions
Create volume
Modify volume
Create snapshot
Create snapshot lifecycle policy
Delete volume
Attach volume
Detach volume
Force detach volume
Manage auto-enabled I/O
Copy volume - new
Manage tags
Resilience testing
Volume ID: vol-0ffd1d2d9e19476f4 (main-ec2-volume)
Details
Status checks
Monitoring
Tags


Launch an instance Info
Name and tags Info
new-ec2
Add additional tags
Application and OS Images (Amazon Machine Image) Info
Quick Start
Summary
Number of instances
Software Image (AMI)
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Launch instance
Preview code


Create key pair
Key pair name
new-ec2
Key pair type
RSA
ED25519
Private key file format
.pem
.ppk
Cancel
Create key pair


Free Cloud Computing Services
Instances | EC2 | ap-south-1
Volumes | EC2 | ap-south-1
SA Lab.pdf
Ask Gemini
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#Instances:
Search
[Alt+S]
Asia Pacific (Mumbai)
DYC EDUWORKS (103625405975)
DYC EDUWORKS
EC2 > Instances
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Instances (2/7) Info
Last updated less than a minute ago
Connect
Instance state
Actions
Launch instances
Saved filter sets
Choose filter set
Find instance by attribute or tag (case-sensitive)
Name
Instance ID
Instance state
Instance type
Status check
Availability Zone
Public IPv4 DNS
Public IPv4 ...
dyc-webserver i-0a2086c2bf5b83dd2 Stopped t3.micro - ap-south-1b - -
main i-0c49427668042615f Terminated t3.micro - ap-south-1b - -
temp i-05c77bf4b484a0a46 Terminated t3.micro - ap-south-1b - -
main-ec2 i-0a1a9e4f43e3871e4 Stopped t3.micro - ap-south-1b - -
new-ec2 i-07d3036091d6a1428 Running t3.micro Initializing ap-south-1b ec2-13-201-76-33.ap-s... 13.201.76.33
2 instances selected
Monitoring
Alarm recommendations
Investigate with AI - new
1h 3h 12h 1d 3d 1w Custom
UTC timezone
Explore related
CPU utilization (%)
Percent
0.26%
0.13%
0%
Network in (bytes)
Bytes
649
324.5
0
Network out (bytes)
Bytes
583
291.5
0
Network packets in (count)
Count
9
4.5
0
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Free Cloud Computing Services
Instance details | EC2 | ap-south
Volumes | EC2 | ap-south-1
SA Lab.pdf
Ask Gemini
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#InstanceDetails:instanceId=i-07d3036091d6a1428
Search
[Alt+S]
Asia Pacific (Mumbai)
DYC EDUWORKS (103625405975)
DYC EDUWORKS
EC2 > Instances > i-07d3036091d6a1428
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Instance summary for i-07d3036091d6a1428 (new-ec2) Info
Updated less than a minute ago
Connect
Instance state
Actions
Instance diagnostics
Instance settings
Networking
Security
Image and templates
Storage
Monitor and troubleshoot
Attach volume
Detach volume
Replace root volume
Instance ID
i-07d3036091d6a1428
IPv6 address
-
Hostname type
IP name: ip-172-31-10-207.ap-south-1.compute.internal
Answer private resource DNS name
IPv4 (A)
Auto-assigned IP address
13.201.76.33 [Public IP]
IAM role
-
IMDSv2
Required
Operator
-
Public IPv4 address
13.201.76.33 | open address
Instance state
Running
Private IP DNS name (IPv4 only)
ip-172-31-10-207.ap-south-1.compute.internal
Instance type
t3.micro
VPC ID
vpc-0b4268a78ab5c6b07
Subnet ID
subnet-069c7ce682677ab0b
Instance ARN
arn:aws:ec2:ap-south-1:103625405975:instance/i-07d3036091d6a1428
Private IPv4 addresses
172.31.10.207
Public DNS
Elastic IP addresses
-
AWS Compute Optimizer finding
Opt-in to AWS Compute Optimizer for recommendations.
Learn more
Auto Scaling Group name
-
Managed
false
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Free Cloud Computing Services
Attach volume | EC2 | ap-south-1
Volumes | EC2 | ap-south-1
SA Lab.pdf
Ask Gemini
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#AttachVolumeFromInstance:instanceId=i-07d3036091d6a1428
Search
[Alt+S]
Ask Amazon Q
Asia Pacific (Mumbai)
DYC EDUWORKS (103625405975)
DYC EDUWORKS
EC2 > Instances > i-07d3036091d6a1428 > Attach volume
Attach volume Info
You can create and configure EBS volumes in your account and then attach them to EC2 instances in your VPC.
Instance ID
i-07d3036091d6a1428 (new-ec2)
Availability Zone
ap-south-1b
Currently attached volumes (1)
Volume Info
vol-0ffd1d2d9e19476f4 (main-ec2-volume)
Create new volume
Device name Info
/dev/sdf
Recommended device names for Linux: /dev/xvda for root volume. /dev/sd[f-p] for data volumes.
Cancel
Attach volume
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Free Cloud Computing Services
Instances | EC2 | ap-south-1
Volumes | EC2 | ap-south-1
SA Lab.pdf
Ask Gemini
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#Instances:
Search
[Alt+S]
Ask Amazon Q
Asia Pacific (Mumbai)
DYC EDUWORKS (103625405975)
DYC EDUWORKS
EC2 > Instances
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Successfully attached volume vol-0ffd1d2d9e19476f4 to instance i-07d3036091d6a1428.
Instances (1/7) Info
Last updated 2 minutes ago
Connect
Instance state
Actions
Launch instances
Saved filter sets
Choose filter set
Find instance by attribute or tag (case-sensitive)
Name
Instance ID
Instance state
Instance type
Status check
Availability Zone
Public IPv4 DNS
dyc-webserver
i-0a2086c2bf5b83dd2
Stopped
t3.micro
ap-south-1b
main
i-0c49427668042615f
Terminated
t3.micro
ap-south-1b
temp
i-05c77bf4b484a0a46
Terminated
t3.micro
ap-south-1b
i-07d3036091d6a1428 (new-ec2)
Volume ID
Device name
Volume size (GiB)
Volume State
Attachment status
EBS card index
Attachment time
vol-0a747b1ae05347997
/dev/xvda
8
In-use
Attached
0
2026/07/22 22:54 GMT+5:30
No
vol-0ffd1d2d9e19476f4
/dev/sdf
8
In-use
Attached
0
2026/07/22 22:55 GMT+5:30
No
Volume monitoring (2)
Alarm recommendations
Investigate with AI - new
1h
3h
12h
1d
3d
1w
Custom
UTC timezone
Explore related
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Free Cloud Computing Services
Connect to instance | EC2 | ap-
Volumes | EC2 | ap-south-1
SA Lab.pdf
Ask Gemini
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#ConnectToInstance:instanceId=i-07d3036091d6a1428
Search
[Alt+S]
Ask Amazon Q
Asia Pacific (Mumbai)
DYC EDUWORKS (103625405975)
DYC EDUWORKS
EC2 > Instances > i-07d3036091d6a1428 > Connect to instance
Connect Info
Connect to an instance using the browser-based client.
Instance ID
i-07d3036091d6a1428 (new-ec2)
VPC ID
vpc-0b4268a78ab5c6b07
Security groups
sg-08ea1948aeaa3ce47 (launch-wizard-9)
IAM role
-
EC2 Instance Connect
SSM Session Manager
SSH client
EC2 serial console
Instance ID
i-07d3036091d6a1428 (new-ec2)
1. Open an SSH client.
2. Locate your private key file. The key used to launch this instance is new-ec2.pem
3. Run this command, if necessary, to ensure your key is not publicly viewable.
chmod 400 "new-ec2.pem"
4. Connect to your instance using its Public DNS:
ec2-13-201-76-33.ap-south-1.compute.amazonaws.com
Example:
ssh -i "new-ec2.pem" ec2-user@ec2-13-201-76-33.ap-south-1.compute.amazonaws.com
Note: In most cases, the guessed username is correct. However, read your AMI usage instructions to check if the AMI owner has changed the default AMI username.
Cancel
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


ec2-user@ip-172-31-10-207:~
Microsoft Windows [Version 10.0.26200.8875]
(c) Microsoft Corporation. All rights reserved.
C:\Users\SAM B\Downloads\ec2>ssh -i "new-ec2.pem" ec2-user@ec2-13-201-76-33.ap-south-1.compute.amazonaws.com
The authenticity of host 'ec2-13-201-76-33.ap-south-1.compute.amazonaws.com (64:ff9b::dc9:4c21)' can't be established.
ED25519 key fingerprint is SHA256:92/0RF1TKHU4gR166VITzUlqosmvSPUqRuCvxVF2V9Y.
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added 'ec2-13-201-76-33.ap-south-1.compute.amazonaws.com' (ED25519) to the list of known hosts.
Amazon Linux 2023
https://aws.amazon.com/linux/amazon-linux-2023
[ec2-user@ip-172-31-10-207 ~]$


C:\Windows\System32\cmd.e
[ec2-user@ip-172-31-10-207 ~]$ sudo mkdir /mnt/recovery
[ec2-user@ip-172-31-10-207 ~]$ lsblk
NAME MAJ:MIN RM SIZE RO TYPE MOUNTPOINTS
nvme0n1 259:0 0 8G 0 disk
├─nvme0n1p1 259:1 0 8G 0 part /
├─nvme0n1p127 259:2 0 1M 0 part
└─nvme0n1p128 259:3 0 10M 0 part /boot/efi
nvme1n1 259:4 0 8G 0 disk
├─nvme1n1p1 259:5 0 8G 0 part
├─nvme1n1p127 259:6 0 1M 0 part
└─nvme1n1p128 259:7 0 10M 0 part
[ec2-user@ip-172-31-10-207 ~]$ sudo mount -o nouuid /dev/nvme1n1p1 /mnt/recovery
[ec2-user@ip-172-31-10-207 ~]$ cat /home/ec2-user/.ssh/authorized_keys >> /mnt/recovery/home/ec2-user/.ssh/authorized_keys
[ec2-user@ip-172-31-10-207 ~]$ sudo umount -l /mnt/recovery
[ec2-user@ip-172-31-10-207 ~]$ exit
logout
Connection to ec2-13-201-76-33.ap-south-1.compute.amazonaws.com closed.
C:\Users\SAM B\Downloads\ec2>


Free Cloud Computing Services
Instances | EC2 | ap-south-1
Volumes | EC2 | ap-south-1
SA Lab.pdf
Ask Gemini
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#Instances:
Search
[Alt+S]
Ask Amazon Q
Asia Pacific (Mumbai)
DYC EDUWORKS (103625405975)
DYC EDUWORKS
EC2 > Instances
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Instances (1/7) Info
Last updated 13 minutes ago
Connect
Instance state
Actions
Launch instances
Saved filter sets
Choose filter set
Find instance by attribute or tag (case-sensitive)
Stop instance
Start instance
Reboot instance
Hibernate instance
Terminate (delete) instance
Name
Instance ID
Instance state
Instance type
Status check
Availability
Public IPv4 ...
dyc-webserver
i-0a2086c2bf5b83dd2
Stopped
t3.micro
main
i-0c49427668042615f
Terminated
t3.micro
temp
i-05c77bf4b484a0a46
Terminated
t3.micro
ap-south-1b
main-ec2
i-0a1a9e4f43e3871e4
Stopped
t3.micro
ap-south-1b
new-ec2
i-07d3036091d6a1428
Running
t3.micro
Initializing
ap-south-1b
ec2-13-201-76-33.ap-s...
13.201.76.33
i-07d3036091d6a1428 (new-ec2)
Details
Status and alarms
Monitoring
Security
Networking
Storage
Tags
Instance summary Info
Instance ID
i-07d3036091d6a1428
Public IPv4 address
13.201.76.33 | open address
Private IPv4 addresses
172.31.10.207
IPv6 address
Instance state
Running
Public DNS
ec2-13-201-76-33.ap-south-1.compute.amazonaws.com | open address
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Free Cloud Computing Services
Volumes | EC2 | ap-south-1
Volumes | EC2 | ap-south-1
SA Lab.pdf
Ask Gemini
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#Volumes:volumeId=vol-0ffd1d2d9e19476f4:sort=desc:createTime
Search
[Alt+S]
Asia Pacific (Mumbai)
DYC EDUWORKS (103625405975)
DYC EDUWORKS
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Volumes (1/1) Info
Last updated less than a minute ago
Recycle Bin
Actions
Create volume
Saved filter sets
Choose filter set
Search
Volume ID = vol-0ffd1d2d9e19476f4
Clear filters
Modify volume
Create snapshot
Create snapshot lifecycle policy
Delete volume
Attach volume
Detach volume
Force detach volume
Manage auto-enabled I/O
Copy volume + new
Manage tags
Resilience testing
Previously fault injection
Name
Volume ID
Type
Size
IOPS
Throughput
Snapshot ID
main-ec2-volu...
vol-0ffd1d2d9e19476f4
gp3
8 GiB
3000
125
snap-0e350fd...
Volume ID: vol-0ffd1d2d9e19476f4 (main-ec2-volume)
Details
Status checks
Monitoring
Tags
Volume ID
vol-0ffd1d2d9e19476f4 (main-ec2-volume)
Size
8 GiB
Type
gp3
Status check
Okay
AWS Compute Optimizer finding
Opt-in to AWS Compute Optimizer for recommendations. | Learn more
Volume state
In-use
IOPS
3000
Throughput
125
Fast snapshot restored
No
Availability Zone
aps1-az3 (ap-south-1b)
Created
Wed Jul 22 2026 22:30:55 GMT+0530
Multi-Attach enabled
No
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Free Cloud Computing Services
Instance details | EC2 | ap-south-1
Volumes | EC2 | ap-south-1
SA Lab.pdf
Ask Gemini
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#InstanceDetails:instanceId=i-0a1a9e4f43e3871e4
Search
[Alt+S]
Asia Pacific (Mumbai)
DYC EDUWORKS (103625405975)
DYC EDUWORKS
EC2 > Instances > i-0a1a9e4f43e3871e4
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Instance summary for i-0a1a9e4f43e3871e4 (main-ec2) Info
Updated less than a minute ago
Connect
Instance state
Actions
Instance ID
i-0a1a9e4f43e3871e4
IPv6 address
Hostname type
IP name: ip-172-31-5-11.ap-south-1.compute.internal
Answer private resource DNS name
IPv4 (A)
Auto-assigned IP address
IAM role
IMDSv2
Required
Operator
Public IPv4 address
Instance state
Stopped
Private IP DNS name (IPv4 only)
ip-172-31-5-11.ap-south-1.compute.internal
Instance type
t3.micro
VPC ID
vpc-0b4268a78ab5c6b07
Subnet ID
subnet-069c7ce682677ab0b
Instance ARN
arn:aws:ec2:ap-south-1:103625405975:instance/i-0a1a9e4f43e3871e4
Private IPv4 addresses
172.31.5.11
Public DNS
Instance diagnostics
Instance settings
Networking
Security
Image and templates
Storage
Monitor and troubleshoot
Attach volume
Detach volume
Replace root volume
AWS Compute Optimizer finding
Opt-in to AWS Compute Optimizer for recommendations.
Learn more
Auto Scaling Group name
Managed
false
Details
Status and alarms
Monitoring
Security
Networking
Storage
Tags
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Free Cloud Computing Services
Attach volume | EC2 | ap-south-1
Volumes | EC2 | ap-south-1
SA Lab.pdf
Ask Gemini
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#AttachVolumeFromInstance:instanceId=i-0a1a9e4f43e3871e4
Search
[Alt+S]
Asia Pacific (Mumbai)
DYC EDUWORKS (103625405975)
DYC EDUWORKS
EC2 > Instances > i-0a1a9e4f43e3871e4 > Attach volume
Attach volume Info
You can create and configure EBS volumes in your account and then attach them to EC2 instances in your VPC.
Instance ID
i-0a1a9e4f43e3871e4 (main-ec2)
Availability Zone
ap-south-1b
Currently attached volumes (0)
Volume Info
vol-0ffd1d2d9e19476f4 (main-ec2-volume)
Create new volume
Device name Info
/dev/xvda
Recommended device names for Linux: /dev/xvda for root volume. /dev/sd[f-p] for data volumes.
Cancel
Attach volume
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Free Cloud Computing Services
Instances | EC2 | ap-south-1
Volumes | EC2 | ap-south-1
SA Lab.pdf
Ask Gemini
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#Instances:
Search
[Alt+S]
Asia Pacific (Mumbai)
DYC EDUWORKS (103625405975)
DYC EDUWORKS
EC2 > Instances
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Successfully attached volume vol-0ffd1d2d9e19476f4 to instance i-0a1a9e4f43e3871e4.
Instances (1/5) Info
Connect
Instance state
Actions
Launch instances
Saved filter sets
Choose filter set
Find instance by attribute or tag (case-sensitive)
Stop instance
Start instance
Reboot instance
Hibernate instance
Terminate (delete) instance
Name
Instance ID
Instance state
Instance type
Status check
Availability
Public IPv4 ...
dyc-webserver
i-0a2086c2bf5b83dd2
Stopped
t3.micro
ap-south-1
main-ec2
i-0a1a9e4f43e3871e4
Stopped
t3.micro
ap-south-1
new-ec2
i-07d3036091d6a1428
Stopped
t3.micro
ap-south-1b
dyc-host
i-014ceb6086f02f375
Stopped
t3.micro
ap-south-1a
i-0a1a9e4f43e3871e4 (main-ec2)
Details
Status and alarms
Monitoring
Security
Networking
Storage
Tags
Instance summary Info
Instance ID
i-0a1a9e4f43e3871e4
Public IPv4 address
-
Private IPv4 addresses
172.31.5.11
IPv6 address
-
Instance state
Stopped
Public DNS
-
Hostname type
IP name: ip-172-31-5-11.ap-south-1.compute.internal
Private IP DNS name (IPv4 only)
ip-172-31-5-11.ap-south-1.compute.internal
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Free Cloud Computing Services
Connect to instance | EC2 | ap-
Volumes | EC2 | ap-south-1
SA Lab.pdf
Ask Gemini
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#ConnectToInstance:instanceId=i-0a1a9e4f43e3871e4
Search
[Alt+S]
Asia Pacific (Mumbai)
DYC EDUWORKS (103625405975)
DYC EDUWORKS
EC2 > Instances > i-0a1a9e4f43e3871e4 > Connect to instance
Connect Info
Connect to an instance using the browser-based client.
Instance ID
i-0a1a9e4f43e3871e4 (main-ec2)
VPC ID
vpc-0b4268a78ab5c6b07
Security groups
sg-0f66323337b2db2ca (launch-wizard-8)
IAM role
-
EC2 Instance Connect
SSM Session Manager
SSH client
EC2 serial console
Instance ID
i-0a1a9e4f43e3871e4 (main-ec2)
1. Open an SSH client.
2. Locate your private key file. The key used to launch this instance is main-ec2.pem
3. Run this command, if necessary, to ensure your key is not publicly viewable.
chmod 400 "main-ec2.pem"
4. Connect to your instance using its Public DNS:
ec2-13-203-86-137.ap-south-1.compute.amazonaws.com
Example:
ssh -i "main-ec2.pem" ec2-user@ec2-13-203-86-137.ap-south-1.compute.amazonaws.com
Note: In most cases, the guessed username is correct. However, read your AMI usage instructions to check if the AMI owner has changed the default AMI username.
Cancel
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


ec2
Downloads
ec2
Search ec2
New
Sort
View
Details
Home
Gallery
OneDrive
Desktop
Downloads
Documents
Pictures
Music
Videos
public
Screenshots
audio-test
This PC
Local Disk (C:)
New Volume (
Name
Date modified
Type
Size
Today
new-ec2.pem
7/22/2026 10:54 PM
PEM File
2 KB
C:\Windows\System32\cmd.e
Microsoft Windows [Version 10.0.26200.8875]
(c) Microsoft Corporation. All rights reserved.
C:\Users\SAM B\Downloads\ec2>ssh -i "new-ec2.pem" ec2-user@ec2-13-203-86-137.ap-south-1.compute.amazonaws.com
1 item


ec2
Downloads
ec2
Search ec2
New
Sort
View
Details
Home
Gallery
OneDrive
Desktop
Downloads
Documents
Pictures
Music
Videos
public
Screenshots
audio-test
This PC
Local Disk (C:)
New Volume (
Name
Date modified
Type
Size
Today
new-ec2.pem
7/22/2026 10:54 PM
PEM File
2 KB
ec2-user@ip-172-31-5-11:~
Microsoft Windows [Version 10.0.26200.8875]
(c) Microsoft Corporation. All rights reserved.
C:\Users\SAM B\Downloads\ec2>ssh -i "new-ec2.pem" ec2-user@ec2-13-203-86-137.ap-south-1.compute.amazonaws.com
The authenticity of host 'ec2-13-203-86-137.ap-south-1.compute.amazonaws.com (64:ff9b::dcb:5689)' can't be established.
ED25519 key fingerprint is SHA256:QTgGI0/SbqeaEmxzzt++WFpiaTEzczHM1Gc6+nVizsI.
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added 'ec2-13-203-86-137.ap-south-1.compute.amazonaws.com' (ED25519) to the list of known hosts.
Amazon Linux 2023
https://aws.amazon.com/linux/amazon-linux-2023
[ec2-user@ip-172-31-5-11 ~]$
1 item

7. Creating and Configuring Elastic Load Balancer






Free Cloud Computing Services
AWS Management Console
Launch an instance | EC2 | ap-s
Support | Global
Ask Gemini
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#LaunchInstances:
Action required
Search
[Alt+S]
Asia Pacific (Mumbai)
Sarath369 (239928724985)
Sarath369
EC2 > Instances > Launch an instance
Key pair (login) Info
You can use a key pair to securely connect to your in
the instance.
Key pair name - required
Select
Network settings Info
Network Info
vpc-0d172faa392ba443e
Subnet Info
No preference (Default subnet in any availability zon
Auto-assign public IP Info
Enable
Firewall (security groups) Info
A security group is a set of firewall rules that control the tra
Create key pair
Key pair name
Key pairs allow you to connect to your instance securely.
new1
The name can include up to 255 ASCII characters. It can't include leading or trailing spaces.
Key pair type
RSA
RSA encrypted private and public key pair
ED25519
ED25519 encrypted private and public key pair
Private key file format
.pem
For use with OpenSSH
.ppk
For use with PuTTY
When prompted, store the private key in a secure and accessible location on
Cancel
Create key pair
ummary
er of instances Info
are Image (AMI)
on Linux 2023 AMI 2023.12....read more
5827357e3c7e810
al server type (instance type)
ro
all (security group)
ecurity group
ge (volumes)
me(s) - 8 GiB
ncel
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Free Cloud Computing Services
AWS Management Console
Launch an instance | EC2 | ap-s
Support | Global
Ask Gemini
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#LaunchInstances:
Action required
Search
[Alt+S]
Asia Pacific (Mumbai)
Sarath369 (239928724985)
Sarath369
EC2 > Instances > Launch an instance
vpc-0d172faa392ba443e
Subnet Info
No preference (Default subnet in any availability zone)
Auto-assign public IP Info
Enable
Firewall (security groups) Info
A security group is a set of firewall rules that control the traffic for your instance. Add rules to allow specific traffic to reach your instance.
Create security group
Select existing security group
We'll create a new security group called 'launch-wizard-5' with the following rules:
Allow SSH traffic from
Helps you connect to your instance
Anywhere
0.0.0.0/0
Allow HTTPS traffic from the internet
To set up an endpoint, for example when creating a web server
Allow HTTP traffic from the internet
To set up an endpoint, for example when creating a web server
Rules with source of 0.0.0.0/0 allow all IP addresses to access your instance. We recommend setting security group rules to allow access from known IP addresses only.
Summary
Number of instances Info
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-035827357e3c7e810
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Free Cloud Computing Services
AWS Management Console
Launch an instance | EC2 | ap-s
Support | Global
Ask Gemini
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#LaunchInstances:
Action required
Search
[Alt+S]
Asia Pacific (Mumbai)
Sarath369 (239928724985)
Sarath369
EC2 > Instances > Launch an instance
User data - optional | Info
Upload a file with your user data or enter it in the field.
Choose file
Update the instance and install Apache web server
yum update -y
Install Apache
yum install -y httpd
Start Apache service
systemctl start httpd
Enable Apache to start on boot
systemctl enable httpd
Create a simple web page
echo "<h1>Welcome to my website from $(hostname -f)</h1>" >
/var/www/html/index.html
User data has already been base64 encoded
Number of instances | Info
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-035827357e3c7e810
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Free Cloud Computing Services
AWS Management Console
Launch an instance | EC2 | ap-s
Support | Global
Ask Gemini
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#LaunchInstances:
Action required
Search
[Alt+S]
Asia Pacific (Mumbai)
Sarath369 (239928724985)
Sarath369
EC2 > Instances > Launch an instance
Success
Successfully initiated launch of instance (i-095dcab3e286bdda4)
Launch log
Next Steps
What would you like to do next with this instance, for example "create alarm" or "create backup"
1 2 3 4 5 6
Create billing usage alerts
To manage costs and avoid surprise bills, set up email notifications for billing usage thresholds.
Create billing alerts
Connect to your instance
Once your instance is running, log into it from your local computer.
Connect to instance
Learn more
Connect an RDS database
Configure the connection between an EC2 instance and a database to allow traffic flow between them.
Connect an RDS database
Create a new RDS database
Create EBS snapshot policy
Create a policy that automates the creation, retention, and deletion of EBS snapshots
Create EBS snapshot policy
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Free Cloud Computing Services
AWS Management Console
Instances | EC2 | ap-south-1
Support | Global
Ask Gemini
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#LaunchInstances:
Action required
Search
[Alt+S]
Asia Pacific (Mumbai)
Sarath369 (239928724985)
Sarath369
EC2 > Instances
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
Capacity Manager New
Images
AMIs
Instances (1/3) Info
Last updated less than a minute ago
Connect
Instance state
Actions
Launch instances
Saved filter sets
Choose filter set
Find Instance by attribute or tag (case-sensitive)
Name
Instance ID
Instance state
Instance type
Status check
Availability Zone
recover-ins
i-0902ebb89dfade77e
Stopped
t3.micro
ap-south-1b
new instance
i-0e883d876a1c46df1
Stopped
t3.micro
ap-south-1b
my_webserver_1
i-095dcab3e286bdda4
Running
t3.micro
Initializing
ap-south-1b
ec2-1
i-0e883d876a1c46df1 (new instance)
Details
Status and alarms
Monitoring
Security
Networking
Storage
Tags
Instance summary Info
Instance ID
i-0e883d876a1c46df1
Public IPv4 address
Private IPv4 addresses
172.31.6.210
IPv6 address
Instance state
Public DNS
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Free Cloud Computing Services
AWS Management Console
Launch an instance | EC2 | ap-s
Support | Global
Ask Gemini
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#LaunchInstances:
Action required
Search
[Alt+S]
Asia Pacific (Mumbai)
Sarath369 (239928724985)
Sarath369
EC2 > Instances > Launch an instance
Launch an instance Info
Amazon EC2 allows you to create virtual machines, or instances, that run on the AWS Cloud. Quickly get started by following the simple steps below.
Name and tags Info
Name
my_webserver_2
Add additional tags
Application and OS Images (Amazon Machine Image) Info
An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose Browse more AMIs.
Search our full catalog including 1000s of application and OS images
Recents
Quick Start
Amazon
macOS
Ubuntu
Windows
Red Hat
SUSE Linux
Del
Summary
Number of instances Info
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-035827357e3c7e810
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Free Cloud Computing Services
AWS Management Console
Launch an instance | EC2 | ap-s
Support | Global
Ask Gemini
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#LaunchInstances:
Action required
Search
[Alt+S]
Asia Pacific (Mumbai)
Sarath369 (239928724985)
Sarath369
EC2 > Instances > Launch an instance
Key pair (login) Info
You can use a key pair to securely connect to your in
the instance.
Key pair name - required
Select
Network settings Info
Network Info
vpc-0d172faa392ba443e
Subnet Info
No preference (Default subnet in any availability zon
Auto-assign public IP Info
Enable
Firewall (security groups) Info
A security group is a set of firewall rules that control the tra
Create security group
Create key pair
Key pair name
Key pairs allow you to connect to your instance securely.
new2
The name can include up to 255 ASCII characters. It can't include leading or trailing spaces.
Key pair type
RSA
RSA encrypted private and public key pair
ED25519
ED25519 encrypted private and public key pair
Private key file format
.pem
For use with OpenSSH
.ppk
For use with PuTTY
When prompted, store the private key in a secure and accessible location on
Cancel
Create key pair
ummary
er of instances Info
are Image (AMI)
on Linux 2023 AMI 2023.12....read more
5827357e3c7e810
al server type (instance type)
cro
all (security group)
ecurity group
ge (volumes)
me(s) - 8 GiB
ncel
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Free Cloud Computing Services
AWS Management Console
Launch an instance | EC2 | ap-s
Support | Global
Ask Gemini
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#LaunchInstances:
Action required
Search
[Alt+S]
Asia Pacific (Mumbai)
Sarath369 (239928724985)
Sarath369
EC2 > Instances > Launch an instance
Enable
Firewall (security groups) Info
A security group is a set of firewall rules that control the traffic for your instance. Add rules to allow specific traffic to reach your instance.
Create security group
Select existing security group
Common security groups Info
Select security groups
Compare security group rules
default sg-0c393a45168274a33
VPC: vpc-0d172faa392ba443e
Security groups that you add or remove here will be added to or removed from all your network interfaces.
Configure storage Info
Advanced
1x 8 GiB gp3 Root volume, 3000 IOPS, Not encrypted
Add new volume
Summary
Number of instances Info
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-035827357e3c7e810
Virtual server type (instance type)
t3.micro
Firewall (security group)
default
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Free Cloud Computing Services
AWS Management Console
Launch an instance | EC2 | ap-s
Support | Global
Ask Gemini
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#LaunchInstances:
Action required
Search
[Alt+S]
Asia Pacific (Mumbai)
Sarath369 (239928724985)
Sarath369
EC2 > Instances > Launch an instance
User data - optional | Info
Upload a file with your user data or enter it in the field.
Choose file
Update the instance and install Apache web server
yum update -y
Install Apache
yum install -y httpd
Start Apache service
systemctl start httpd
Enable Apache to start on boot
systemctl enable httpd
Create a simple web page
echo "<h1>Welcome to my website from $(hostname -f)</h1>" >
/var/www/html/index.html
User data has already been base64 encoded
Number of instances | Info
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-035827357e3c7e810
Virtual server type (instance type)
t3.micro
Firewall (security group)
default
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Free Cloud Computing Services
AWS Management Console
Launch an instance | EC2 | ap-s
Support | Global
Ask Gemini
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#LaunchInstances:
Action required
Search
[Alt+S]
Asia Pacific (Mumbai)
Sarath369 (239928724985)
Sarath369
EC2 > Instances > Launch an instance
Success
Successfully initiated launch of instance (i-0aac3c84cd0cba926)
Launch log
Next Steps
What would you like to do next with this instance, for example "create alarm" or "create backup"
1 2 3 4 5 6
Create billing usage alerts
To manage costs and avoid surprise bills, set up email notifications for billing usage thresholds.
Create billing alerts
Connect to your instance
Once your instance is running, log into it from your local computer.
Connect to instance
Learn more
Connect an RDS database
Configure the connection between an EC2 instance and a database to allow traffic flow between them.
Connect an RDS database
Create a new RDS database
Create EBS snapshot policy
Create a policy that automates the creation, retention, and deletion of EBS snapshots
Create EBS snapshot policy
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Free Cloud Computing Services
AWS Management Console
Instances | EC2 | ap-south-1
Support | Global
Ask Gemini
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#Instances:
Action required
Search
[Alt+S]
Asia Pacific (Mumbai)
Sarath369 (239928724985)
Sarath369
EC2 > Instances
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
Capacity Manager New
Images
AMIs
Instances (1/4) Info
Last updated 1 minute ago
Connect
Instance state
Actions
Launch instances
Saved filter sets
Choose filter set
Find Instance by attribute or tag (case-sensitive)
Name
Instance ID
Instance state
Instance type
Status check
Availability Zone
new instance
i-0e883d876a1c46df1
Stopped
t3.micro
ap-south-1b
my_webserver_2
i-0aac3c84cd0cba926
Running
t3.micro
Initializing
ap-south-1b
ec2-1
i-095dcab3e286bdda4 (my_webserver_1)
Details
Status and alarms
Monitoring
Security
Networking
Storage
Tags
Public IPv4 address copied
Instance summary Info
Instance ID
i-095dcab3e286bdda4
15.206.179.234 | open address
Private IPv4 addresses
172.31.8.1
IPv6 address
Instance state
Running
Public DNS
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Free Cloud Computing Services
AWS Management Console
Instances | EC2 | ap-south-1
15.206.179.234
Ask Gemini
Not secure
15.206.179.234
Action required
Welcome to my website from ip-172-31-8-1.ap-south-1.compute.internal


Free Cloud Computing Services
AWS Management Console
Instances | EC2 | ap-south-1
15.206.179.234
Ask Gemini
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#Instances:
Action required
Search
[Alt+S]
Asia Pacific (Mumbai)
Sarath369 (239928724985)
Sarath369
EC2 > Instances
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
Capacity Manager New
Images
AMIs
Instances (1/4) Info
Last updated 1 minute ago
Connect
Instance state
Actions
Launch instances
Saved filter sets
Choose filter set
Find Instance by attribute or tag (case-sensitive)
Name
Instance ID
Instance state
Instance type
Status check
Availability Zone
recover-ins
new instance
i-0e883d876a1c46df1
Stopped
t3.micro
ap-south-1b
my_webserver_2
i-0aac3c84cd0cba926
Running
t3.micro
Initializing
ap-south-1b
i-0aac3c84cd0cba926 (my_webserver_2)
Details
Status and alarms
Monitoring
Security
Networking
Storage
Tags
Public IPv4 address copied
Instance summary Info
Instance ID
i-0aac3c84cd0cba926
13.201.222.249 | open address
Private IPv4 addresses
172.31.11.97
IPv6 address
Instance state
Running
Public DNS
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Free Cloud Computing
AWS Management Con
Instances | EC2 | ap-so
15.206.179.234
13.235.81.22
Ask Gemini
Not secure
13.235.81.22
Action required
Welcome to my website from ip-172-31-5-161.ap-south-1.compute.internal


Free Cloud Computing
AWS Management Con
Instances | EC2 | ap-so
15.206.179.234
13.235.81.22
Ask Gemini
Not secure 13.235.81.22
Action required
Welcome to my website from ip-172-31-5-161.ap-south-1.compute.internal


Free Cloud Computing
AWS Management Con
Step 1 Create target gr
15.206.179.234
13.235.81.22
Ask Gemini
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#CreateTargetGroup:
Action required
Search [Alt+S]
Asia Pacific (Mumbai)
Sarath369 (239928724985)
Sarath369
EC2 > Target groups > Create target group
Step 1
Create target group
Step 2 - recommended
Register targets
Step 3
Review and create
Create target group
A target group can be made up of one or more targets. Your load balancer routes requests to the targets in a target group and performs health checks on the targets.
Settings - immutable
Choose a target type and the load balancer and listener will route traffic to your target. These settings can't be modified after target group creation.",
Target type
Indicate what resource type you want to target. Only the selected resource type can be registered to this target group.
Instances
Supports load balancing to instances in a VPC. Integrate with Auto Scaling Groups or ECS services for automatic management.
Suitable for: ALB NLB GWLB
IP addresses
Supports load balancing to VPC and on-premises resources. Facilitates routing to IP addresses and network interfaces on the same instance. Supports IPv6 targets.
Suitable for: ALB NLB GWLB
Lambda function
Supports load balancing to a single Lambda function. ALB required as traffic source.
Suitable for: ALB
Application Load Balancer
Allows use of static IP addresses and PrivateLink with an Application Load Balancer. NLB required as traffic source.
Suitable for: NLB
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Free Cloud Computing
AWS Management Con
Step 1 Create target gr
15.206.179.234
13.235.81.22
Ask Gemini
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#CreateTargetGroup:
Action required
Search
[Alt+S]
Asia Pacific (Mumbai)
Sarath369 (239928724985)
Sarath369
EC2 > Target groups > Create target group
Suitable for: ALB NLB GWLB
Suitable for: ALB NLB GWLB
Lambda function
Supports load balancing to a single Lambda function. ALB required as traffic source.
Suitable for: ALB
Application Load Balancer
Allows use of static IP addresses and PrivateLink with an Application Load Balancer. NLB required as traffic source.
Suitable for: NLB
Target group name
Name must be unique per Region per AWS account.
my-web-server
Accepts: a-z, A-Z, 0-9, and hyphen (-). Can't begin or end with hyphen. 1-32 total characters; Count: 13/32
Protocol
Protocol for communication between the load balancer and targets.
HTTP
Port
Port number where targets receive traffic. Can be overridden for individual targets during registration.
80
1-65535
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Free Cloud Computing
AWS Management Con
Step 1 Create target gr
15.206.179.234
13.235.81.22
Ask Gemini
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#CreateTargetGroup:
Action required
Search
[Alt+S]
Asia Pacific (Mumbai)
Sarath369 (239928724985)
Sarath369
EC2 > Target groups > Create target group
Protocol version
HTTP1
Send requests to targets using HTTP/1.1. Supported when the request protocol is HTTP/1.1 or HTTP/2.
HTTP2
Send requests to targets using HTTP/2. Supported when the request protocol is HTTP/2 or gRPC, but gRPC-specific features are not available.
gRPC
Send requests to targets using gRPC. Supported when the request protocol is gRPC.
Health checks
The associated load balancer periodically sends requests, per the settings below, to the registered targets to test their status.
Health check protocol
HTTP
Health check path
Use the default path of "/" to perform health checks on the root, or specify a custom path if preferred.
/
Up to 1024 characters allowed.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Free Cloud Computing
AWS Management Con
Step 1 Create target gr
15.206.179.234
13.235.81.22
Ask Gemini
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#CreateTargetGroup:
Action required
Search
[Alt+S]
Asia Pacific (Mumbai)
Sarath369 (239928724985)
Sarath369
EC2 > Target groups > Create target group
or inference.
Target optimizer
Off - Default
Use standard load balancing.
On
Enforce a maximum number of concurrent requests on a target. Requires targets to have target optimizer agent installed.
Attributes
Certain default attributes will be applied to your target group. You can view and edit them after creating the target group.
Tags - optional
Consider adding tags to your target group. Tags enable you to categorize your AWS resources so you can more easily manage them.
Cancel
Next


Free Cloud Computing
AWS Management Con
Step 2 Create target gr
15.206.179.234
13.235.81.22
Ask Gemini
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#CreateTargetGroup:
Action required
Search
[Alt+S]
Asia Pacific (Mumbai)
Sarath369 (239928724985)
Sarath369
EC2 > Target groups > Create target group
Step 1
Create target group
Step 2 - recommended
Register targets
Step 3
Review and create
Register targets - recommended
This is an optional step to create a target group. However, to ensure that your load balancer routes traffic to this target group you must register your targets.
Available instances (2/2)
Filter instances
1
Instance ID
Name
State
Security groups
i-00ddf5963ad09c966
my_web_server_2
Running
default
i-095dcab3e286bdda4
my_webserver_1
Running
launch-wizard-5
2 selected
Ports for the selected instances
Ports for routing traffic to the selected instances.
80
1-65535 (separate multiple ports with commas)
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Free Cloud Computing
AWS Management Con
Step 2 Create target gr
15.206.179.234
13.235.81.22
Ask Gemini
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#CreateTargetGroup:
Action required
Search
[Alt+S]
Asia Pacific (Mumbai)
Sarath369 (239928724985)
Sarath369
EC2 > Target groups > Create target group
Include as pending below
2 selections are now pending below. Include more or register targets when ready.
Review targets
Targets (2)
Remove all pending
Filter targets
Show only pending
1
Instance ID
Name
Port
State
Security groups
Zone
Private IPv4 addre
i-00ddf5963ad09c966
my_web_server_2
80
Running
default
ap-south-1b
172.31.5.161
i-095dcab3e286bdda4
my_webserver_1
80
Running
launch-wizard-5
ap-south-1b
172.31.8.1
2 pending
Cancel
Previous
Next
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Free Cloud Computing
AWS Management Con
Step 3 Create target gr
15.206.179.234
13.235.81.22
Ask Gemini
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#CreateTargetGroup:
Action required
Search
[Alt+S]
Asia Pacific (Mumbai)
Sarath369 (239928724985)
Sarath369
EC2 > Target groups > Create target group
Timeout
5 seconds
Healthy threshold
5
Unhealthy threshold
2
Success codes
200
Step 2: Register targets
Edit
Targets (2)
Instance ID
Name
Port
Zone
i-00ddf5963ad09c966
my_web_server_2
80
ap-south-1b
i-095dcab3e286bdda4
my_webserver_1
80
ap-south-1b
Server-side tasks and status
After completing and submitting the above steps, all server-side tasks and their statuses become available for monitoring.
Cancel
Previous
Create target group


Free Cloud Computing
AWS Management Con
Target group details | E
15.206.179.234
13.235.81.22
Ask Gemini
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#TargetGroup:targetGroupArn=arn:aws:elasticloadbalancing:ap-south-1:239928724...
Action required
Search
[Alt+S]
Asia Pacific (Mumbai)
Sarath369 (239928724985)
Sarath369
EC2 > Target groups > my-web-server
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
Capacity Manager New
Images
AMIs
my-web-server
Actions
Details
arn:aws:elasticloadbalancing:ap-south-1:239928724985:targetgroup/my-web-server/f6456e65856b0808
Target type
Instance
Protocol : Port
HTTP: 80
Protocol version
HTTP1
VPC
vpc-0d172faa392ba443e
IP address type
IPv4
Load balancer
None associated
2
Total targets
0
Healthy
0 Anomalous
0
Unhealthy
2
Unused
0
Initial
0
Draining
Distribution of targets by Availability Zone (AZ)
Select values in this table to see corresponding filters applied to the Registered targets table below.
Targets
Monitoring
Health checks
Attributes
Tags
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Free Cloud Computing
AWS Management Con
Compare and select lo
15.206.179.234
13.235.81.22
Ask Gemini
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#SelectCreateELBWizard:
Action required
Search
[Alt+S]
Asia Pacific (Mumbai)
Sarath369 (239928724985)
Sarath369
EC2 > Load balancers > Compare and select load balancer type
ALB
HTTP
HTTPS
Choose an Application Load Balancer when you need a flexible feature set for your applications with HTTP and HTTPS traffic. Operating at the request level, Application Load Balancers provide advanced routing and visibility features targeted at application architectures, including microservices and containers.
Create
VPC
NLB
TCP
UDP
TLS
ALB
Choose a Network Load Balancer when you need ultra-high performance, TLS offloading at scale, centralized certificate deployment, support for UDP, and static IP addresses for your applications. Operating at the connection level, Network Load Balancers are capable of handling millions of requests per second securely while maintaining ultra-low latencies.
Create
GWLB
Choose a Gateway Load Balancer when you need to deploy and manage a fleet of third-party virtual appliances that support GENEVE. These appliances enable you to improve security, compliance, and policy controls.
Create
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Free Cloud Computing
AWS Management Con
Create application load
15.206.179.234
13.235.81.22
Ask Gemini
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#CreateALBWizard:
Action required
Search
[Alt+S]
Asia Pacific (Mumbai)
Sarath369 (239928724985)
Sarath369
EC2 > Load balancers > Create Application Load Balancer
Basic configuration
Load balancer name
Name must be unique within your AWS account and can't be changed after the load balancer is created.
my-web-load-balancer
A maximum of 32 alphanumeric characters including hyphens are allowed, but the name must not begin or end with a hyphen.
Scheme | Info
Scheme can't be changed after the load balancer is created.
Internet-facing
Serves internet-facing traffic.
Has public IP addresses.
DNS name resolves to public IPs.
Requires a public subnet.
Internal
Serves internal traffic.
Has private IP addresses.
DNS name resolves to private IPs.
Compatible with the IPv4 and Dualstack IP address types.
Load balancer IP address type | Info
Select the front-end IP address type to assign to the load balancer. The VPC and subnets mapped to this load balancer must include the selected IP address types. Public IPv4 addresses have an additional cost.
IPv4
Includes only IPv4 addresses.
Dualstack
Includes IPv4 and IPv6 addresses.
Dualstack without public IPv4
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Free Cloud Computing
AWS Management Con
Create application load
15.206.179.234
13.235.81.22
Ask Gemini
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#CreateALBWizard:
Action required
Search
[Alt+S]
Asia Pacific (Mumbai)
Sarath369 (239928724985)
Sarath369
EC2 > Load balancers > Create Application Load Balancer
Basic configuration
Load balancer name
Name must be unique within your AWS account and can't be changed after the load balancer is created.
my-web-load-balancer
A maximum of 32 alphanumeric characters including hyphens are allowed, but the name must not begin or end with a hyphen.
Scheme | Info
Scheme can't be changed after the load balancer is created.
Internet-facing
Serves internet-facing traffic.
Has public IP addresses.
DNS name resolves to public IPs.
Requires a public subnet.
Internal
Serves internal traffic.
Has private IP addresses.
DNS name resolves to private IPs.
Compatible with the IPv4 and Dualstack IP address types.
Load balancer IP address type | Info
Select the front-end IP address type to assign to the load balancer. The VPC and subnets mapped to this load balancer must include the selected IP address types. Public IPv4 addresses have an additional cost.
IPv4
Includes only IPv4 addresses.
Dualstack
Includes IPv4 and IPv6 addresses.
Dualstack without public IPv4
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Free Cloud Computing
AWS Management Con
Create application load
15.206.179.234
13.235.81.22
Ask Gemini
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#CreateALBWizard:
Action required
Search
[Alt+S]
Asia Pacific (Mumbai)
Sarath369 (239928724985)
Sarath369
EC2 > Load balancers > Create Application Load Balancer
The load balancer will exist and scale within the selected VPC. The selected VPC is also where the load balancer targets must be hosted unless routing to Lambda or on-premises targets, or if using VPC peering. To confirm the VPC for your targets, view target groups.
vpc-0d172faa392ba443e
172.31.0.0/16
(default)
Create VPC
IP pools Info
You can optionally choose to configure an IPAM pool as the preferred source for your load balancers IP addresses. Create or view Pools in the Amazon VPC IP Address Manager console.
Use IPAM pool for public IPv4 addresses
The IPAM pool you choose will be the preferred source of public IPv4 addresses. If the pool is depleted IPv4 addresses will be assigned by AWS.
Availability Zones and subnets Info
Select at least two Availability Zones and a subnet for each zone. A load balancer node will be placed in each selected zone and will automatically scale in response to traffic. The load balancer routes traffic to targets in the selected Availability Zones only.
ap-south-1b (aps1-az3)
Subnet
Only CIDR blocks corresponding to the load balancer IP address type are used. At least 8 available IP addresses are required for your load balancer to scale efficiently. Selected subnets must have Network ACL inbound and outbound ALLOW rules, and internet gateway (IGW) routes configured to allow traffic.
subnet-0217012d2f2023a2e
172.31.0.0/20
Network ACL ALLOW rules: Inbound (1) Outbound (1) | Route table: IGW (✓)
Security groups Info
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Free Cloud Computing
AWS Management Con
Create application load
15.206.179.234
13.235.81.22
Ask Gemini
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#CreateALBWizard:
Action required
Search
[Alt+S]
Asia Pacific (Mumbai)
Sarath369 (239928724985)
Sarath369
EC2 > Load balancers > Create Application Load Balancer
Listener HTTP:80
Remove
Protocol
HTTP
Port
80
1-65535
Default action Info
The default action is used if no other rules apply. Choose the default action for traffic on this listener.
Routing action
Forward to target groups
Redirect to URL
Return fixed response
Forward to target group Info
Choose a target group and specify routing weight or create target group.
Target group
my-web-server
HTTP
Target type: Instance, IPv4 | Target stickiness: Off
Weight
1
0-999
Percent
100%
Add target group
You can add up to 4 more target groups.
Target group stickiness Info
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#CreateALBWizard:
subnet
Ask Amazon Q
Asia Pacific (Mumbai)
Sarath369
EC2 > Load balancers > Create Application Load Balancer
subnet-0217012d2f2023a2e
Service integrations Edit
Amazon CloudFront + AWS Web Application Firewall (WAF): -
AWS WAF: -
AWS Global Accelerator: -
Tags Edit
-
Attributes
Certain default attributes will be applied to your load balancer. You can view and edit them after creating the load balancer.
Creation workflow and status
Server-side tasks and status
After completing and submitting the above steps, all server-side tasks and their statuses become available for monitoring.
Cancel
Create load balancer
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#LoadBalancers:
subnet
Ask Amazon Q
Asia Pacific (Mumbai)
Sarath369
EC2 > Load balancers
Snapshots
Lifecycle Manager
Network & Security
Security Groups
Elastic IPs
Placement Groups
Key Pairs
Network Interfaces
Load Balancing
Load Balancers
Target Groups
Trust Stores
Auto Scaling
Auto Scaling Groups
Settings
Load balancers (1/1) What's new?
Actions
Create load balancer
Elastic Load Balancing scales your load balancer capacity automatically in response to changes in incoming traffic.
Filter load balancers
Name
State
Type
Scheme
IP address type
VPC ID
my-web-load-balancer
Provisioning..
application
Internet-facing
IPv4
vpc-0d172faa392ba443e
Load balancer: my-web-load-balancer
ap-south-1b (aps1-az3)
subnet-04d4d28411bb260d2
DNS name copied
Load balancer ARN
arn:aws:elasticloadbalancing:ap-south-1:239928724985:loadbalancer/app/my-web-load-balancer/de3e9cd1dcd31d6d
my-web-load-balancer-1127155616.ap-south-1.elb.amazonaws.com (A Record)
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences





Welcome to my website from ip-172-31-5-161.ap-south-1.compute.internal


Ask Gemini
Not secure
my-web-load-balancer-1127155616.ap-south-1.elb.amazonaws.com
Action required
Welcome to my website from ip-172-31-5-161.ap-south-1.compute.internal

8. Scheduling Auto Snapshot Of Volumes






Lifecycle Manager | EC2 | ap-so
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#Lifecycle:visibility=all-policies
Ask Gemini
Action required
Search
[Alt+S]
Asia Pacific (Mumbai)
Sarath369 (239928724985)
Sarath369
Reserved Instances
Dedicated Hosts
Capacity Reservations
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Network & Security
Security Groups
Elastic IPs
Placement Groups
Key Pairs
Network Interfaces
Compute
Amazon Data Lifecycle Manager
Automate the creation, retention, copy and deletion of snapshots and AMIs
Amazon Data Lifecycle Manager provides a simple, automated way to back up data stored on Amazon EBS volumes.
Create new lifecycle policy
Create custom or default policy
Custom policy
Default policy
Policy type
EBS snapshot policy
Next step
Benefits and features
Pricing
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Create lifecycle policy | EC2 | ap
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#CreateLifecyclePolicy:policyType=EBS_SNAPSHOT_MANAGEMENT
Ask Gemini
Action required
Search
[Alt+S]
Asia Pacific (Mumbai)
Sarath369 (239928724985)
Sarath369
EC2 > Lifecycle Manager > Select policy type > Create lifecycle policy
Step 1
Specify settings
Step 2
Configure schedule 1 - Schedule 1
Step 3
Review and create
Specify settings
Target resources Info
Specify the resources that are to be targeted by this policy.
Target resource types
Select the type of resources that are to be targeted.
Volume
Instance
Target resource tags
All resources of the selected type that have at least one of these tags will be targeted by the policy.
Name
my_webserver_1
Add
45 tags remaining of 45.
Description
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Create lifecycle policy | EC2 | ap
Ask Gemini
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#CreateLifecyclePolicy:policyType=EBS_SNAPSHOT_MANAGEMENT
Action required
Search
[Alt+S]
Asia Pacific (Mumbai)
Sarath369 (239928724985)
Sarath369
EC2 > Lifecycle Manager > Select policy type > Create lifecycle policy
Add
45 tags remaining of 45.
Description
Policy description
daily data backup
IAM role Info
This policy must be associated with an IAM role that has the appropriate permissions. If you choose to create a new role, you must grant relevant role permissions and set up trust relationships correctly. If you are unsure of what role to use, choose Default role.
Default role
If the default role already exists, Amazon Data Lifecycle Manager will use that role. If it does not exist yet, it will be automatically created with all the required permissions.
View default role permissions
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Create lifecycle policy | EC2 | ap
Ask Gemini
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#CreateLifecyclePolicy:policyType=EBS_SNAPSHOT_MANAGEMENT
Action required
Search
[Alt+S]
Asia Pacific (Mumbai)
Sarath369 (239928724985)
Sarath369
EC2 > Lifecycle Manager > Select policy type > Create lifecycle policy
Tags - optional Info
Assign custom tags to the policy to help you identify, organize, and secure your lifecycle policies. Each tag consists of a key and an optional value.
No tags associated with the resource.
Add new tag
You can add up to 50 tags.
Policy status
Specify whether to enable the policy immediately after creation or modification. If you do not enable the policy now, then it will not begin creating snapshots or AMIs until you manually set its activation status to enabled.
Enabled
Not enabled
Cancel
Next
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Create lifecycle policy | EC2 | ap
Ask Gemini
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#CreateLifecyclePolicy:policyType=EBS_SNAPSHOT_MANAGEMENT
Action required
Search
[Alt+S]
Asia Pacific (Mumbai)
Sarath369 (239928724985)
Sarath369
EC2 > Lifecycle Manager > Select policy type > Create lifecycle policy
Review and create
Schedule details Info
Remove schedule
Add another schedule
You can add 3 more schedules to this policy.
Schedule name
Schedule 1
Frequency
Daily
Every
12 hours
Starting at
09:00
UTC
Retention type
Count
Keep
snapshots in standard tier
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Create lifecycle policy | EC2 | ap
Ask Gemini
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#CreateLifecyclePolicy:policyType=EBS_SNAPSHOT_MANAGEMENT
Action required
Search
[Alt+S]
Asia Pacific (Mumbai)
Sarath369 (239928724985)
Sarath369
EC2 > Lifecycle Manager > Select policy type > Create lifecycle policy
Snapshot archiving Info
Enable snapshot archiving to automatically move snapshots created by this schedule from the standard storage tier to the archive storage tier.
Fast snapshot restore Info
Enable fast snapshot restore to ensure that volumes created from snapshots created by this schedule instantly deliver all of their provisioned performance.
Cross-Region copy Info
Enable cross-Region copy to copy snapshots created by this schedule to up to three additional Regions.
Cross-account sharing Info
Enable cross-account sharing to share the snapshots created by this schedule with other AWS accounts.
Cancel
Previous
Review policy
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences

9. Configuring Centralized Log Management using Cloud Watch Log






Dashboards | CloudWatch | ap-
Ask Gemini
ap-south-1.console.aws.amazon.com/cloudwatch/home?region=ap-south-1#dashboards/
Action required
Search
[Alt+S]
Asia Pacific (Mumbai)
Sarath369 (239928724985)
Sarath369
CloudWatch > Dashboards
CloudWatch
Favorites and recents
Ingestion
Dashboards
Alarms 0 0 0
AI Operations
Overview
Investigations
Configuration
GenAI Observability
Application Signals (APM)
Infrastructure Monitoring
Container Insights
Custom Dashboards
Automatic dashboards
Custom Dashboards (1) Info
Share dashboard
Delete
Create dashboard
Filter dashboards
Name
Sharing
Favorite
Last update (UTC)
webserver
2026-08-05 12:15
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Create new dashboard
Dashboard name
myserver-1
Valid characters in dashboard names include "0-9A-Za-z-_".
Tags - New
A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.
No tags associated with the resource.
Add new tag
You can add up to 50 tags.
Cancel
Create dashboard


Dashboards | myserver-1 | Clou
Ask Gemini
ap-south-1.console.aws.amazon.com/cloudwatch/home?region=ap-south-1#dashboards/dashboard/myserver-1
Action required
Search
[Alt+S]
Asia Pacific (Mumbai)
Sarath369
CloudWatch > Dashboards > myserver-1
myserver-1
Autosave: Off
Save
Add widget
Data sources types
Cloudwatch
Other content types
Create data sources
Compare metrics over time
Compare metrics values over time in a table
Number
Instantly see the latest value for a metric
75 %
Gauge
See the latest value of a metric within a range
Stacked area
Compare the total over time
Bar
Compare categories of data
Pie
Show percentage or proportional data
Explorer
A single widget with multiple tag-based graphs
Cancel
Next
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


CloudWatch | ap-south-1
Ask Gemini
ap-south-1.console.aws.amazon.com/cloudwatch/home?region=ap-south-1#dashboards/dashboard/myserver-1
Action required
Add metric graph
Untitled graph
1h
3h
12h
1d
3d
1w
Custom
UTC timezone
Line
Your CloudWatch graph is empty.
1
0.5
0
11:15
11:30
11:45
12:00
12:15
12:30
12:45
13:00
13:15
13:30
13:45
14:00
Browse (774)
Multi source query
Graphed metrics
Options
Source
Add math
Add query
Mumbai
Alarm recommendations
Graph with SQL
Graph search
Filter by any metric, dimension, resource id or account id
ApplicationELB 58
Bedrock/DataAutomation 5
EBS 125
EC2 150
Logs 3
SNS 2
States 4
Usage 427
Cancel
Create widget


CloudWatch | ap-south-1
Ask Gemini
ap-south-1.console.aws.amazon.com/cloudwatch/home?region=ap-south-1#dashboards/dashboard/myserver-1
Action required
Add metric graph
Untitled graph
1h 3h 12h 1d 3d 1w Custom
UTC timezone
Line
Your CloudWatch graph is empty.
1
0.5
0
11:15 11:30 11:45 12:00 12:15 12:30 12:45 13:00 13:15 13:30 13:45 14:00
Browse (150)
Multi source query
Graphed metrics
Options
Source
Add math
Add query
All > EC2
Alarm recommendations
Graph with SQL
Graph search
Mumbai
Filter by any metric, dimension, resource id or account id
Per-Instance Metrics 150
Cancel
Create widget


Dashboards | myserver-1 | Clou
Ask Gemini
ap-south-1.console.aws.amazon.com/cloudwatch/home?region=ap-south-1#dashboards/dashboard/myserver-1
Action required
Add metric graph
Untitled graph
1h 3h 12h 1d 3d 1w Custom
UTC timezone
Line
Your CloudWatch graph is empty.
1
0.5
0
11:15 11:30 11:45 12:00 12:15 12:30 12:45 13:00 13:15 13:30 13:45 14:00
Browse (150)
Multi source query
Graphed metrics
Options
Source
Add math
Add query
All > EC2 > Per-Instance Metrics
Alarm recommendations
Graph with SQL
Graph search
Mumbai
i-095dcab3e286bdda4
Use: "i-095dcab3e286bdda4"
Values
1 2
tanceId
Metric name
Alarms
-0b234943a8126...
StatusCheckFailed_AttachedEBS
No alarms
No name specified
i-08e2382272162...
EBSReadOps
No alarms
Cancel
Create widget


Dashboards | myserver-1 | Clou
Ask Gemini
ap-south-1.console.aws.amazon.com/cloudwatch/home?region=ap-south-1#dashboards/dashboard/myserver-1
Action required
Add metric graph
CPUUtilization
Persist time range
1h 3h 12h 1d 3d 1w Custom
UTC timezone
Line
Percent
0.482%
0.422%
0.362%
11:15 11:30 11:45 12:00 12:15 12:30 12:45 13:00 13:15 13:30 13:45 14:00
Browse (22)
Multi source query
Graphed metrics (1)
Options
Source
Add math
Add query
my_webserver_1 i-095dcab3e286b... EBSIOBalance% No alarms
my_webserver_1 i-095dcab3e286b... InstanceEBSIOPSExceededCheck No alarms
my_webserver_1 i-095dcab3e286b... InstanceEBSThroughputExceededCheck No alarms
my_webserver_1 i-095dcab3e286b... CPUUtilization No alarms
my_webserver_1 i-095dcab3e286b... MetadataNoToken No alarms
Cancel
Create widget


Dashboards | myserver-1 | Clou
Ask Gemini
ap-south-1.console.aws.amazon.com/cloudwatch/home?region=ap-south-1#dashboards/dashboard/myserver-1
Action required
Search [Alt+S]
Asia Pacific (Mumbai)
Sarath369 (239928724985)
Sarath369
CloudWatch > Dashboards > myserver-1
Autosave: Off
myserver-1
1h 3h 12h 1d 3d 1w Custom
UTC timezone
Actions
Save
CPUUtilization
Percent
0.482%
0.422%
0.362%
12:00 13:00 14:00
CPUUtilization


Dashboards | CloudWatch | ap-
Ask Gemini
ap-south-1.console.aws.amazon.com/cloudwatch/home?region=ap-south-1#dashboards/
Action required
Search
[Alt+S]
Asia Pacific (Mumbai)
Sarath369 (239928724985)
Sarath369
CloudWatch > Dashboards
CloudWatch
Favorites and recents
Ingestion
Dashboards
myserver-1
Alarms
AI Operations
Overview
Investigations
Configuration
GenAI Observability
Application Signals (APM)
Infrastructure Monitoring
Custom Dashboards
Automatic dashboards
Custom Dashboards (2) Info
Share dashboard
Delete
Create dashboard
Filter dashboards
Name
Sharing
Favorite
Last update (UTC)
myserver-1
2026-08-05 14:08
webserver
2026-08-05 12:15
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Alarms | CloudWatch | ap-south
Ask Gemini
ap-south-1.console.aws.amazon.com/cloudwatch/home?region=ap-south-1#alarmsV2:
Action required
Search
[Alt+S]
Asia Pacific (Mumbai)
Sarath369 (239928724985)
Sarath369
CloudWatch > Alarms
CloudWatch
Favorites and recents
Ingestion
Dashboards
myserver-1
Alarms
AI Operations
Overview
Investigations
Configuration
GenAI Observability
Application Signals (APM)
Infrastructure Monitoring
Alarms
Mute rules - new
Alarms (0)
Clear selection
Create composite alarm
Actions
Create alarm
Filter alarms
Quick filters
Name
State
Actions
Actions muted - new
Last state update (UTC)
No alarms
No alarms to display
Read more about Alarms
Create alarm
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Alarms | CloudWatch | ap-south
Ask Gemini
ap-south-1.console.aws.amazon.com/cloudwatch/home?region=ap-south-1#alarmsV2:
Action required
Search
[Alt+S]
Asia Pacific (Mumbai)
Sarath369 (239928724985)
Sarath369
CloudWatch > Alarms
CloudWatch
Favorites and recents
Ingestion
Dashboards
myserver-1
Alarms 0 0 0
AI Operations
Overview
Investigations
Configuration
GenAI Observability
Application Signals (APM)
Infrastructure Monitoring
Alarms
Mute rules - new
Alarms (0)
Clear selection
Create composite alarm
Actions
Create alarm
Filter alarms
Quick filters
1
Name
State
Actions
Actions muted - new
Last state update (UTC)
No alarms
No alarms to display
Read more about Alarms
Create alarm
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Select metric | Alarms | CloudW
Ask Gemini
ap-south-1.console.aws.amazon.com/cloudwatch/home?region=ap-south-1#alarmsV2:create?~(Page~'MetricSelection~metricType~'classic~AlarmType~'Met...
Action required
Select metric
CPUUtilization
1h
3h
12h
1d
3d
1w
Custom
UTC timezone
Line
1
0.5
0
Your CloudWatch graph is empty.
11:15
11:30
11:45
12:00
12:15
12:30
12:45
13:00
13:15
13:30
13:45
14:00
Browse (774)
Multi source query
Graphed metrics
Options
Source
Add math
Add query
Alarm recommendations
Graph with SQL
Graph search
Filter by any metric, dimension, resource id or account id
ApplicationELB 58
Bedrock/DataAutomation 5
EBS 125
EC 150
Logs 3
SNS 2
States 4
Usage 427
Cancel
Select a single metric to continue


Select metric | Alarms | CloudW
Ask Gemini
ap-south-1.console.aws.amazon.com/cloudwatch/home?region=ap-south-1#alarmsV2:create?~(Page~'MetricSelection~metricType~'classic~AlarmType~'Met...
Action required
Select metric
CPUUtilization
1h 3h 12h 1d 3d 1w Custom
UTC timezone
Line
Your CloudWatch graph is empty.
1
0.5
0
11:15 11:30 11:45 12:00 12:15 12:30 12:45 13:00 13:15 13:30 13:45 14:00
Browse (774)
Multi source query
Graphed metrics
Options
Source
Add math
Add query
Alarm recommendations
Graph with SQL
Graph search
Filter by any metric, dimension, resource id or account id
ApplicationELB 58
Bedrock/DataAutomation 5
EBS 125
EC 150
Logs 3
SNS 2
States 4
Usage 427
Cancel
Select a single metric to continue


Select metric | Alarms | CloudW
Ask Gemini
ap-south-1.console.aws.amazon.com/cloudwatch/home?region=ap-south-1#alarmsV2:create?~(Page~'MetricSelection~metricType~'classic~AlarmType~'Met...
Action required
Select metric
CPUUtilization
1h 3h 12h 1d 3d 1w Custom
UTC timezone
Line
Your CloudWatch graph is empty.
1
0.5
0
11:15 11:30 11:45 12:00 12:15 12:30 12:45 13:00 13:15 13:30 13:45 14:00
Browse (150)
Multi source query
Graphed metrics
Options
Source
Add math
Add query
All > EC2 > Per-Instance Metrics
Alarm recommendations
Graph with SQL
Graph search
i-095dcab3e286bdda4
Use: "i-095dcab3e286bdda4"
Values
InstanceId = i-095dcab3e286bdda4
1 2
tanceId
Metric name
Alarms
i-0b234943a8126...
StatusCheckFailed_AttachedEBS
No alarms
i-08e2382272162...
EBSReadOps
No alarms
No name specified
i-0b234943a8126...
EBSReadBytes
No alarms
Cancel
Select a single metric to continue


Select metric | Alarms | CloudW
Ask Gemini
ap-south-1.console.aws.amazon.com/cloudwatch/home?region=ap-south-1#alarmsV2:create?~(Page~'MetricSelection~metricType~'classic~AlarmType~'Met...
Action required
Select metric
CPUUtilization
1h 3h 12h 1d 3d 1w Custom
UTC timezone
Line
Percent
0.482%
0.422%
0.362%
11:15 11:30 11:45 12:00 12:15 12:30 12:45 13:00 13:15 13:30 13:45 14:00
Browse (22)
Multi source query
Graphed metrics (1)
Options
Source
Add math
Add query
my_webserver_1 i-095dcab3e286b... InstanceEBSThroughputExceededCheck No alarms
my_webserver_1 i-095dcab3e286b... CPUUtilization No alarms
my_webserver_1 i-095dcab3e286b... MetadataNoToken No alarms
my_webserver_1 i-095dcab3e286b... NetworkPacketsIn No alarms
my_webserver_1 i-095dcab3e286b... NetworkPacketsOut No alarms
my_webserver_1 i-095dcab3e286b... NetworkOut No alarms
Cancel
Select metric


Create alarm | Alarms | CloudW
Ask Gemini
ap-south-1.console.aws.amazon.com/cloudwatch/home?region=ap-south-1#alarmsV2:create?~(Page~'MetricSelection~metricType~'classic~AlarmType~'Met...
Action required
Search [Alt+S]
Asia Pacific (Mumbai)
Sarath369 (239928724985)
Sarath369
CloudWatch > Alarms > Create alarm
Threshold type
Static
Use a value as a threshold
Anomaly detection
Use a band as a threshold
Whenever CPUUtilization is...
Define the alarm condition.
Greater
> threshold
Greater/Equal
>= threshold
Lower/Equal
<= threshold
Lower
< threshold
than...
Define the threshold value.
80
Must be a number.
Additional configuration
Cancel
Next
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Create alarm | Alarms | CloudW
Ask Gemini
ap-south-1.console.aws.amazon.com/cloudwatch/home?region=ap-south-1#alarmsV2:create?~(Page~'Actions~metricType~'classic~AlarmType~'MetricAlar...
Action required
Search
[Alt+S]
Asia Pacific (Mumbai)
Sarath369 (239928724985)
Sarath369
CloudWatch > Alarms > Create alarm
Step 3
Add alarm details
Step 4
Preview and create
Alarm state trigger
Define the alarm state that will trigger this action.
Remove
In alarm
The metric or expression is outside of the defined threshold.
OK
The metric or expression is within the defined threshold.
Insufficient data
The alarm has just started or not enough data is available.
Send a notification to the following SNS topic
Define the SNS (Simple Notification Service) topic that will receive the notification.
Select an existing SNS topic
Create new topic
Use topic ARN to notify other accounts
Create a new topic...
The topic name must be unique.
my_alaram
SNS topic names can contain only alphanumeric characters, hyphens (-) and underscores (_).
Email endpoints that will receive the notification...
Add a comma-separated list of email addresses. Each address will be added as a subscription to the topic above.
sarath6805@gmail.com
user1@example.com, user2@example.com
Create topic
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Create alarm | Alarms | CloudW
Ask Gemini
ap-south-1.console.aws.amazon.com/cloudwatch/home?region=ap-south-1#alarmsV2:create?~(Page~'Actions~metricType~'classic~AlarmType~'MetricAlar...
Action required
Search
[Alt+S]
Asia Pacific (Mumbai)
Sarath369 (239928724985)
Sarath369
CloudWatch > Alarms > Create alarm
EC2 action
Add EC2 action
Systems Manager action
Learn more
This action will create an Incident or OpsItem in Systems Manager when the alarm is In alarm state.
Add Systems Manager action
Investigation action - new
Info
This action will create an Investigation when the alarm is In alarm state.
Add investigation action
Cancel
Previous
Next
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Create alarm | Alarms | CloudW
Ask Gemini
ap-south-1.console.aws.amazon.com/cloudwatch/home?region=ap-south-1#alarmsV2:create?~(Page~'Details~metricType~'classic~AlarmType~'MetricAlarm...
Action required
Search
[Alt+S]
Asia Pacific (Mumbai)
Sarath369 (239928724985)
Sarath369
CloudWatch > Alarms > Create alarm
Specify metric and conditions
Step 2
Configure actions
Step 3
Add alarm details
Step 4
Preview and create
Name and description
Alarm name
my_alaram
Alarm description - optional View formatting guidelines
Edit
Preview
This is an H1
double asterisks will produce strong character
This is [an example](https://example.com/) inline link.
Up to 1024 characters (0/1024).
Markdown formatting is only applied when viewing your alarm in the console. The description will remain in plain text in the alarm notifications.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Create alarm | Alarms | CloudW
Ask Gemini
ap-south-1.console.aws.amazon.com/cloudwatch/home?region=ap-south-1#alarmsV2:create?~(Page~'Details~metricType~'classic~AlarmType~'MetricAlarm...
Action required
Search
[Alt+S]
Asia Pacific (Mumbai)
Sarath369 (239928724985)
Sarath369
CloudWatch > Alarms > Create alarm
This is an H1
double asterisks will produce strong character
This is [an example](https://example.com/) inline link.
Up to 1024 characters (0/1024).
Markdown formatting is only applied when viewing your alarm in the console. The description will remain in plain text in the alarm notifications.
Tags - optional Info
No tags associated with the resource.
Add new tag
You can add up to 50 tags.
Cancel
Previous
Next
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Create alarm | Alarms | CloudW
Ask Gemini
ap-south-1.console.aws.amazon.com/cloudwatch/home?region=ap-south-1#alarmsV2:create?~(Page~'Preview~metricType~'classic~AlarmType~'MetricAlar...
Action required
Search
[Alt+S]
Asia Pacific (Mumbai)
Sarath369 (239928724985)
Sarath369
CloudWatch > Alarms > Create alarm
Actions
Notification
When In alarm, send a notification to "my_alaram"
Step 3: Add alarm details
Edit
Alarm details
Name
my_alarms
Description
-
Tags (0)
Cancel
Previous
Create alarm
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Alarms | CloudWatch | ap-south
New Tab
Ask Gemini
ap-south-1.console.aws.amazon.com/cloudwatch/home?region=ap-south-1#alarmsV2:
Action required
Search
[Alt+S]
Asia Pacific (Mumbai)
Sarath369 (239928724985)
Sarath369
CloudWatch > Alarms
CloudWatch
Favorites and recents
Ingestion
Dashboards
Alarms 0 1 0
AI Operations
Overview
Investigations
Configuration
GenAI Observability
Application Signals (APM)
Infrastructure Monitoring
Container Insights
Alarms
Mute rules - new
Alarms (1)
Clear selection
Create composite alarm
Actions
Create alarm
Filter alarms
Quick filters
1
Name
State
Actions
Actions muted - new
Last state update (UTC)
my_alarms
OK
Actions enabled
-
2026-08-05 14:12:51
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences

10. SOURCE CODE: (Connecting OpenVPN server)






EC2 | ap-southeast-1
OpenVPN SSO
Access Server Portal
ap-southeast-1.console.aws.amazon.com/ec2/home?region=ap-southeast-1#LaunchInstances:
Gmail
Maps
YouTube
News
Translate
aws
Services
Search
[Alt+S]
Singapore
elan innovatix Labs
openvpn
Quickstart AMIs (0)
Commonly used AMIs
My AMIs (0)
Created by me
AWS Marketplace AMIs (64)
AWS & trusted third-party AMIs
Community AMIs (31)
Published by anyone
Infrastructure Software (64)
IoT (22)
DevOps (12)
Industries (2)
Business Applications (1)
Publisher
Askforcloud LLC (10)
OpenVPN Inc. (8)
Tidal Media Inc (7)
ADEO Imaging (7)
TrueStack (4)
Cohesive Networks (4)
Voleatech GmbH (2)
VyOS Inc (2)
Decyphertek (2)
OPENVPN
OpenVPN Access Server
By OpenVPN Inc. | Ver 2.11.3
48 AWS reviews | 32 external reviews
OpenVPN Access Server, the OpenVPN self-hosted solution, simplifies the rapid deployment of a secure remote access solution with a web-based graphic user interface and OpenVPN Connect client installers. We also offer OpenVPN Cloud for small, medium, and enterprise businesses that prefer full cloud...
Select
OPENVPN
OpenVPN Access Server (10 Connected Devices)
By OpenVPN Inc. | Ver 2.11.3
4 AWS reviews | 32 external reviews
Starting from $0.12/hr or from $840.00/yr (22% savings) for software + AWS usage fees
OpenVPN Access Server, the OpenVPN self-hosted solution, simplifies the rapid
Select
CloudShell
Feedback
© 2023, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Top events
Event brief
Search
12:15
02/11/2023


EC2 | ap-southeast-1
OpenVPN SSO
Access Server Portal
ap-southeast-1.console.aws.amazon.com/ec2/home?region=ap-southeast-1#LaunchInstances:
Gmail
Maps
YouTube
News
Translate
aws
Services
Search
[Alt+S]
Singapore
elan innovatix Labs
OpenVPN Access Server
OPENVPN
OpenVPN Inc.
48 AWS reviews | 32 external reviews
Bring Your Own License | Free Tier
Overview
Product details
Pricing
Usage
Support
OpenVPN Access Server is a self-hosted enterprise-grade business software VPN solution that provides a securely encrypted connection to networks like on AWS.
Typical total price
$0.023/Hr
Total pricing per instance for services hosted on t2.small in us-east-1.
See additional pricing information.
Latest version
2.11.3
Delivery methods
Amazon Machine Image
Operating systems
Ubuntu 22.04.1 LTS
Ubuntu 18 LTS
Categories
Security
Network Infrastructure
Device Connectivity
Continue
CloudShell
Feedback
© 2023, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Top events
Event brief
Search
12:15
02/11/2023


EC2 | ap-southeast-1
OpenVPN SSO
Access Server Portal
ap-southeast-1.console.aws.amazon.com/ec2/home?region=ap-southeast-1#LaunchInstances:
Gmail
Maps
YouTube
News
Translate
aws
Services
Search
[Alt+S]
Singapore
elan innovatix Labs
Application and OS Images (Amazon Machine Image) Info
An AMI is a template that contains the software configuration (operating system, application server, and applications) required to launch your instance. Search or Browse for AMIs if you don't see what you are looking for below
openvpn
AMI from catalog
Quick Start
Amazon Machine Image (AMI)
OpenVPN Access Server QA Image-fe8020db-5343-4c43-9e65-5ed4a825c931
ami-07a19a0c938d5f577
Verified provider
Browse more AMIs
Including AMIs from AWS, Marketplace and the Community
Catalog
Published
Architecture
Virtualization
Root device type
ENA Enabled
AWS Marketplace AMIs
2023-03-08T14:21:35.00 0Z
x86_64
hvm
ebs
Yes
Summary
Number of instances Info
1
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Free tier: In your first year includes 750 hours of t2.micro (or t3.micro in the Regions in which t2.micro is unavailable) instance usage on free tier AMIs per month, 30 GiB of EBS storage, 2
Cancel
Launch instance
Review commands
CloudShell
Feedback
© 2023, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Top events
Event brief
Search
12:16
02/11/2023


EC2 | ap-southeast-1
OpenVPN SSO
Access Server Portal
ap-southeast-1.console.aws.amazon.com/ec2/home?region=ap-southeast-1#LaunchInstances:
Gmail
Maps
YouTube
News
Translate
aws
Services
Search
[Alt+S]
Singapore
elan innovatix Labs
Instance type
t2.micro
Family: t2 1 vCPU 1 GiB Memory Current generation: true
Free tier eligible
All generations
Compare instance types
The AMI vendor recommends using a t2.small instance (or larger) for the best experience with this product.
Key pair (login) Info
You can use a key pair to securely connect to your instance. Ensure that you have access to the selected key pair before you launch the instance.
Key pair name - required
Proceed without a key pair (Not recommended)
Default value
Create new key pair
Network settings Info
Edit
Network Info
vpc-0a2ca30f5c4f4413d
Summary
Number of instances Info
1
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Free tier: In your first year includes 750 hours of t2.micro (or t3.micro in the Regions in which t2.micro is unavailable) instance usage on free tier AMIs per month, 30 GiB of EBS storage, 2
Cancel
Launch instance
Review commands
CloudShell
Feedback
© 2023, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Top events
Event brief
Search
12:16
02/11/2023


Instances | EC2 | ap-southeast-1
OpenVPN SSO
Access Server Portal
ap-southeast-1.console.aws.amazon.com/ec2/home?region=ap-southeast-1#Instances:
Gmail
Maps
YouTube
News
Translate
Services
Search
[Alt+S]
Singapore
elan innovatix Labs
EC2 Dashboard
EC2 Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
New
Images
AMIs
AMI Catalog
Instances (1) Info
Connect
Instance state
Actions
Launch instances
Find Instance by attribute or tag (case-sensitive)
Name
Instance ID
Instance state
Instance type
Status check
Alarm status
Availability Zone
OpenVPN
i-021da3a8267308c5e
Running
t2.micro
Initializing
No alarms
ap-southeast-1a
Select an instance
CloudShell
Feedback
© 2023, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Top events
Event brief
Search
12:17
02/11/2023


Connect to instance | EC2 | ap-s
OpenVPN SSO
Access Server Portal
ap-southeast-1.console.aws.amazon.com/ec2/home?region=ap-southeast-1#ConnectToInstance:instanceId=i-021da3a8267308c5e
Gmail
Maps
YouTube
News
Translate
Services
Search
[Alt+S]
Singapore
elan innovatix Labs
Connect to instance Info
Connect to your instance i-021da3a8267308c5e (OpenVPN) using any of these options
EC2 Instance Connect
Session Manager
SSH client
EC2 serial console
Instance ID
i-021da3a8267308c5e (OpenVPN)
Connection Type
Connect using EC2 Instance Connect
Connect using the EC2 Instance Connect browser-based client, with a public IPv4 address.
Connect using EC2 Instance Connect Endpoint
Connect using the EC2 Instance Connect browser-based client, with a private IPv4 address and a VPC endpoint.
Public IP address
18.143.183.29
User name
Enter the user name defined in the AMI used to launch the instance. If you didn't define a custom user name, use the default user name, root.
root
Note: In most cases, the default user name, root, is correct. However, read your AMI usage instructions to check if the AMI owner has changed the default AMI user name.
Cancel
Connect
CloudShell
Feedback
© 2023, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Top events
Event brief
Search
12:18
02/11/2023


Instance details | EC2 | ap-south
EC2 Instance Connect | ap-south
OpenVPN SSO
Access Server Portal
ap-southeast-1.console.aws.amazon.com/ec2-instance-connect/ssh?connType=standard&instanceId=i-021da3a8267308c5e&osUser=root&region=ap-south...
Gmail
Maps
YouTube
News
Translate
aws
Services
Search
[Alt+S]
Singapore
elan innovatix Labs
software maintenance costs and terms are subject to change after your
initial purchase without notice. In case of price decreases or special
promotions, OpenVPN Inc. will not retrospectively apply credits or price
adjustments toward any licenses that have already been issued. Furthermore,
no discounts will be given for license maintenance renewals unless this is
specified in your contract with OpenVPN Inc.
Please enter 'yes' to indicate your agreement [no]: yes
Once you provide a few initial configuration settings,
OpenVPN Access Server can be configured by accessing
its Admin Web UI using your Web browser.
Will this be the primary Access Server node?
(enter 'no' to configure as a backup or standby node)
> Press ENTER for default [yes]:
Please specify the network interface and IP address to be
used by the Admin Web UI:
(1) all interfaces: 0.0.0.0
(2) eth0: 172.31.36.207
Please enter the option number from the list above (1- 2).
> Press Enter for default [1]:
i-021da3a8267308c5e (OpenVPN)
PublicIPs: 18.143.183.29 PrivateIPs: 172.31.36.207
CloudShell
Feedback
© 2023, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Top events
Event brief
Search
12:22
02/11/2023


Instance details | EC2 | ap-south
EC2 Instance Connect | ap-south
OpenVPN SSO
Access Server Portal
ap-southeast-1.console.aws.amazon.com/ec2-instance-connect/ssh?connType=standard&instanceId=i-021da3a8267308c5e&osUser=root&region=ap-south...
Gmail
Maps
YouTube
News
Translate
aws
Services
Search
[Alt+S]
Singapore
elan innovatix Labs
To initially login to the Admin Web UI, you must use a
username and password that successfully authenticates you
with the host UNIX system (you can later modify the settings
so that RADIUS or LDAP is used for authentication instead).
You can login to the Admin Web UI as "openvpn" or specify
a different user account to use for this purpose.
Do you wish to login to the Admin UI as "openvpn"?
> Press ENTER for default [yes]:
Type a password for the 'openvpn' account (if left blank, a random password will be generated):
Error: New Password must be at least 8 characters.
Type a password for the 'openvpn' account (if left blank, a random password will be generated):
Confirm the password for the 'openvpn' account:
> Please specify your Activation key (or leave blank to specify later):
Initializing OpenVPN...
Removing Cluster Admin user login...
userdel "admin_c"
i-021da3a8267308c5e (OpenVPN)
PublicIPs: 18.143.183.29 PrivateIPs: 172.31.36.207
CloudShell
Feedback
© 2023, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Top events
Event brief
Search
12:23
02/11/2023


Instance details | EC2 | ap-south
EC2 Instance Connect | ap-south
OpenVPN SSO
Access Server Portal
ap-southeast-1.console.aws.amazon.com/ec2-instance-connect/ssh?connType=standard&instanceId=i-021da3a8267308c5e&osUser=root&region=ap-south...
Gmail
Maps
YouTube
News
Translate
aws
Services
Search
[Alt+S]
Singapore
elan innovatix Labs
Created symlink /etc/systemd/system/multi-user.target.wants/openvpnas.service → /lib/systemd/system/openvpnas.service.
Starting openvpnas...
NOTE: Your system clock must be correct for OpenVPN Access Server
to perform correctly. Please ensure that your time and date
are correct on this system.
Initial Configuration Complete!
You can now continue configuring OpenVPN Access Server by
directing your Web browser to this URL:
https://18.143.183.29:943/admin
During normal operation, OpenVPN AS can be accessed via these URLs:
Admin UI: https://18.143.183.29:943/admin
Client UI: https://18.143.183.29:943/
To login please use the "openvpn" account with the password you specified during the setup.
See the Release Notes for this release at:
https://openvpn.net/vpn-server-resources/release-notes/
root@ip-172-31-36-207:~#
i-021da3a8267308c5e (OpenVPN)
PublicIPs: 18.143.183.29 PrivateIPs: 172.31.36.207
CloudShell
Feedback
© 2023, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Top events
Event brief
Search
12:23
02/11/2023


Instance details | EC2 | ap-s
EC2 Instance Connect | ap-s
OpenVPN SSO
Access Server Portal
Privacy error
Not secure
https://18.143.183.29:943/admin
Gmail
Maps
YouTube
News
Translate
Your connection is not private
Attackers might be trying to steal your information from 18.143.183.29 (for example, passwords, messages or credit cards). Learn more
NET::ERR_CERT_AUTHORITY_INVALID
Hide advanced
Back to safety
This server could not prove that it is 18.143.183.29; its security certificate is not trusted by your computer's operating system. This may be caused by a misconfiguration or an attacker intercepting your connection.
Proceed to 18.143.183.29 (unsafe)
chrome-error://chromewebdata/#
Top events
Event brief
Search
12:23
02/11/2023


Instance details | EC2 | ap-south
EC2 Instance Connect | ap-south
OpenVPN Login
Not secure
https://18.143.183.29:943/admin/
Gmail
Maps
YouTube
News
Translate
OPENVPN
Access Server
Admin Login
openvpn
Sign In
POWERED BY OPENVPN © 2009-2022 OpenVPN Inc. All Rights Reserved
Top events
Event brief
Search
12:25
02/11/2023


Instance details | EC2 | ap-south
EC2 Instance Connect | ap-south
AS: ip-172-31-36-207
Not secure
https://18.143.183.29:943/admin/activation
Gmail
Maps
YouTube
News
Translate
OPENVPN
Access Server
v2.11.3
STATUS
CONFIGURATION
Activation
Cluster
TLS Settings
Network Settings
VPN Settings
Advanced VPN
Web Server
CWS Settings
Failover
CA Management
USER MANAGEMENT
Activation Manager
Get Activation Key
Enter Activation Key here
Activate
2 VPN connections allowed
Offline Activation
https://18.143.183.29:943/admin/vpn_settings
Top events
Event brief
Search
12:25
02/11/2023


Instance details | EC2 | ap-south
EC2 Instance Connect | ap-south
AS: ip-172-31-36-207
Not secure
https://18.143.183.29:943/admin/vpn_settings
Gmail
Maps
YouTube
News
Translate
OPENVPN
Access Server
v2.11.3
STATUS
CONFIGURATION
Activation
Cluster
TLS Settings
Network Settings
VPN Settings
Advanced VPN
Web Server
CWS Settings
Failover
CA Management
USER MANAGEMENT
VPN Settings
VPN IP Network
Specify the addresses and netmasks for the virtual networks created for VPN clients
Dynamic IP Address Network
When a user does not have a specific VPN IP address configured on the User Permissions page, the user's VPN client is assigned an address from this network.
Network Address
172.27.224.0
# of Netmask bits
/ 20
Static IP Address Network (Optional)
Any static VPN IP addresses specified for particular users on the User Permissions page must be within this network
Network Address
# of Netmask bits
/ CIDR netmask bits
Group Default IP Address Network (Optional)
When a group does not have a specific Dynamic IP Address pool setting, the dynamic IP address pool for the group will be allocated from this list of subnets.
172.27.240.0/20
Top events
Event brief
Search
12:26
02/11/2023


Instance details | EC2 | ap-south
EC2 Instance Connect | ap-south
AS: ip-172-31-36-207
Not secure
https://18.143.183.29:943/admin/vpn_settings
Gmail
Maps
YouTube
News
Translate
USER MANAGEMENT
AUTHENTICATION
TOOLS
DOCUMENTATION
SUPPORT
Logout
POWERED BY OPENVPN
© 2009-2023 OpenVPN Inc.
All Rights Reserved
When a group does not have a specific Dynamic IP Address pool setting, the dynamic IP address pool for the group will be allocated from this list of subnets.
172.27.240.0/20
Routing
Should VPN clients have access to private subnets (non-public networks on the server side)?
No
Yes, using NAT
Yes, using Routing
Specify the private subnets to which all clients should be given access (one per line):
172.31.0.0/16
Should client Internet traffic be routed through the VPN?
Yes
Should clients be allowed to access network services on the VPN gateway IP address?
Yes
DNS Settings
Pushing DNS servers to clients is optional, unless clients' Internet traffic is to be routed through the VPN
Do not alter clients' DNS server settings
Yes
Top events
Event brief
Search
12:26
02/11/2023


Instance details | EC2 | ap-south
EC2 Instance Connect | ap-south
AS: ip-172-31-36-207
Not secure
https://18.143.183.29:943/admin/vpn_settings
Gmail
Maps
YouTube
News
Translate
All Rights Reserved
DNS Settings
Pushing DNS servers to clients is optional, unless clients' Internet traffic is to be routed through the VPN
Do not alter clients' DNS server settings
No
Have clients use the same DNS servers as the Access Server host
No
Have clients use specific DNS servers
Yes
Primary DNS Server
8.8.8.8
To use a DNS server running on the Access Server host, use '127.0.0.1'
Secondary DNS Server
8.8.4.4
DNS resolution zones (optional)
For split tunnels that only route private traffic (not internet traffic), specify a comma-separated list of internal domains that clients will resolve through the AS-pushed DNS server(s). Note that some clients (such as Windows) may only respect the first domain given.
DNS zones
Top events
Event brief
Search
12:28
02/11/2023


Instance details | EC2 | ap-south
EC2 Instance Connect | ap-south
AS: ip-172-31-36-207
Not secure
https://18.143.183.29:943/admin/vpn_settings
Gmail
Maps
YouTube
News
Translate
OPENVPN
Access Server
v2.11.3
STATUS
CONFIGURATION
Activation
Cluster
TLS Settings
Network Settings
VPN Settings
Advanced VPN
Web Server
CWS Settings
Failover
CA Management
USER MANAGEMENT
Settings Changed
The active profile 'Default' has been modified and saved.
Press the button below to propagate the changes to the running server.
Update Running Server
VPN Settings
VPN IP Network
Specify the addresses and netmasks for the virtual networks created for VPN clients
Dynamic IP Address Network
When a user does not have a specific VPN IP address configured on the User Permissions page, the user's VPN client is assigned an address from this network.
Network Address
172.27.224.0
# of Netmask bits
/ 20
Static IP Address Network (Optional)
Top events
Event brief
Search
12:28
02/11/2023


openvpn.net/client/client-connect-vpn-for-windows/
NEW 8 Haunting Cybersecurity Facts for Halloween
Search Support Log In
OPENVPN Products Solutions Pricing Resources Partners Community
Request a Demo Get Started
OpenVPN Connect for Windows
This is the official OpenVPN Connect client software for Windows workstation platforms developed and maintained by OpenVPN Inc. This is the recommended client program for the OpenVPN Access Server to enable VPN for Windows. The latest version of OpenVPN for Windows is available on our website.
Download OpenVPN Connect v3
For Windows 7, 8, 10, and 11.
A 32 bits version is also available:
Download OpenVPN Connect v3 for 32 bits
Help
https://openvpn.net/downloads/openvpn-connect-v3-windows.msi


ap-southeast-1.console.aws.amazon.com/ec2-instance-connect/ssh?connType=standard&instanceId=i-021da3a8267308c5e&osUser=root&region=ap-s...
Created symlink /etc/systemd/system/multi-user.target.wants/openvpnas.service → /lib/systemd/system/openvpnas.service.
Starting openvpnas...
NOTE: Your system clock must be correct for OpenVPN Access Server
to perform correctly. Please ensure that your time and date
are correct on this system.
Initial Configuration Complete!
You can now continue configuring OpenVPN Access Server by
directing your Web browser to this URL:
https://18.143.183.29:943/admin
During normal operation, OpenVPN AS can be accessed via these URLs:
Admin UI: https://18.143.183.29:943/admin
Client UI: https://18.143.183.29:943/
To login please use the "openvpn" account with the password you specified during the setup.
See the Release Notes for this release at:
https://openvpn.net/vpn-server-resources/release-notes/
root@ip-172-31-36-207:~#
i-021da3a8267308c5e (OpenVPN)
PublicIPs: 18.143.183.29 PrivateIPs: 172.31.36.207
CloudShell Feedback
© 2023, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences


OpenVPN Connect
Import Profile
VIA URL
UPLOAD FILE
URL
https://18.143.183.29:943/
Please note that you can only import profile using URL if it is supported by your VPN provider
NEXT
Created symlink /etc/systemd/system/multi-user.target.
Starting openvpnas...
NOTE: Your system clock must be correct for OpenVPN Ac
to perform correctly. Please ensure that your time ar
are correct on this system.
Initial Configuration Complete!
You can now continue configuring OpenVPN Access Server
directing your Web browser to this URL:
https://18.143.183.29:943/admin
During normal operation, OpenVPN AS can be accessed vi
Admin UI: https://18.143.183.29:943/admin
Client UI: https://18.143.183.29:943/
To login please use the "openvpn" account with the pa
See the Release Notes for this release at:
https://openvpn.net/vpn-server-resources/release-no
root@ip-172-31-36-207:~#
i-021da3a8267308c5e (OpenVPN)
PublicIPs: 18.143.183.29 PrivateIPs: 172.31.36.207


OpenVPN Connect
Import Profile
Username
openvpn
Password
Profile Name
Singapore
Port (optional)
943
Import autologin profile
Connect after import
IMPORT
Created symlink /etc/systemd/system/multi-user.target.
Starting openvpnas...
NOTE: Your system clock must be correct for OpenVPN Ac
to perform correctly. Please ensure that your time ar
are correct on this system.
Initial Configuration Complete!
You can now continue configuring OpenVPN Access Server
directing your Web browser to this URL:
https://18.143.183.29:943/admin
During normal operation, OpenVPN AS can be accessed vi
Admin UI: https://18.143.183.29:943/admin
Client UI: https://18.143.183.29:943/
To login please use the "openvpn" account with the pa
See the Release Notes for this release at:
https://openvpn.net/vpn-server-resources/release-no
root@ip-172-31-36-207:~#
i-021da3a8267308c5e (OpenVPN)
PublicIPs: 18.143.183.29 PrivateIPs: 172.31.36.207


OpenVPN Connect
Profiles
DISCONNECTED
OpenVPN Profile
Singapore
Enter password
Profile: Singapore
Password
OK
CANCEL
Created symlink /etc/systemd/system/multi-user.target.
Starting openvpnas...
NOTE: Your system clock must be correct for OpenVPN Ac
to perform correctly. Please ensure that your time an
are correct on this system.
Initial Configuration Complete!
You can now continue configuring OpenVPN Access Server
directing your Web browser to this URL:
https://18.143.183.29:943/admin
During normal operation, OpenVPN AS can be accessed vi
Admin UI: https://18.143.183.29:943/admin
Client UI: https://18.143.183.29:943/
To login please use the "openvpn" account with the pa
See the Release Notes for this release at:
https://openvpn.net/vpn-server-resources/release-no
root@ip-172-31-36-207:~#
i-021da3a8267308c5e (OpenVPN)
PublicIPs: 18.143.183.29 PrivateIPs: 172.31.36.207


OpenVPN Connect
Profiles
CONNECTED
OpenVPN Profile
Singapore
CONNECTION STATS
4.1KB/s
0B/s
BYTES IN
634 B/S
BYTES OUT
223 B/S
DURATION
00:00:11
PACKET RECEIVED
8 sec ago
YOU
openvpn
Created symlink /etc/systemd/system/multi-user.target.
Starting openvpnas...
NOTE: Your system clock must be correct for OpenVPN Ac
to perform correctly. Please ensure that your time an
are correct on this system.
Initial Configuration Complete!
You can now continue configuring OpenVPN Access Server
directing your Web browser to this URL:
https://18.143.183.29:943/admin
During normal operation, OpenVPN AS can be accessed vi
Admin UI: https://18.143.183.29:943/admin
Client UI: https://18.143.183.29:943/
To login please use the "openvpn" account with the pa
See the Release Notes for this release at:
https://openvpn.net/vpn-server-resources/release-no
root@ip-172-31-36-207:~#
i-021da3a8267308c5e (OpenVPN)
PublicIPs: 18.143.183.29 PrivateIPs: 172.31.36.207


whatismyipaddress.com/ip/18.143.183.29
WhatIs MyIPAddress
Enter Keywords or IP Address...
Search
ABOUT PRESS BLOG SUPPORT
MY IP IP LOOKUP HIDE MY IP VPNS TOOLS LEARN
IP Details For: 18.143.183.29
Decimal: 311408413
Hostname: ec2-18-143-183-29.ap-southeast-1.compute.amazonaws.com
ASN: 16509
ISP: Amazon Data Services Singapore
Services: Datacenter
Assignment: Likely Static IP
Country: Singapore
State/Region: Singapore
City: Singapore
Latitude: 1.2900 (1° 17′ 23.95″ N)
Longitude: 103.8503 (103° 51′ 1.01″ E)
CLICK TO CHECK BLACKLIST STATUS
Latitude and Longitude are often near the center of population. These values are not precise enough to be used to
Waiting for id.hadron.ad.gt...


Instances | EC2 | ap-southeast-1
ap-southeast-1.console.aws.amazon.com/ec2/home?region=ap-southeast-1#Instances:v=3;$case=tags:true%5C,client:false;$regex=tags:false%5C,c...
aws Services Search [Alt+S] Singapore elan innovatix Labs
EC2 Dashboard
EC2 Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
New
Images
AMIs
AMI Catalog
Stop instance?
Instance IDs
i-021da3a8267308c5e (OpenVPN)
To confirm that you want to stop the instance, choose the Stop button below.
Cancel
Stop
CloudShell Feedback
© 2023, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences