


# My Session ?

Actions ▼

 Reset Session SaveSort most recent firstView Statements and ResultsStatement **83**

```
select *from student1 order by names asc,age desc
```

NAMES	AGE
erm	21
kiran	19
koushik	18
sus	17
tej	20

[Download CSV](#)

5 rows selected.

Statement **82**



```
select *from student order by names asc,age desc
```

NAMES	AGE	GENDER	PHONE	EMAIL	ADDRESS
kiran	18	male	983452123	kgorapal@gitam.in	vu21csen0101012
koushik	17	NA	983452123	kgorapal@gitam.in	vu21csen0101012

[Download CSV](#)

2 rows selected.

# My Session

Actions  Reset Session Save

Statement 80



```
select *from student1 order by age desc
```

NAMES	AGE
erm	21
tej	20
kiran	19
koushik	18
sus	17

[Download CSV](#)

5 rows selected.

Statement 79



```
elect *from student1 order by age desc;
```

Invalid statement

Statement 78



```
select *from student1 order by age
```

NAMES	AGE
sus	17
koushik	18

# My Session

Actions  Reset Session SaveStatement **77**

```
insert into student1 values ('sus',17)
```

1 row(s) inserted.

Statement **76**

```
insert into student values ('sus',17)
```

ORA-00947: not enough values

Statement **75**

```
insert into student1 values('erm',21)
```

1 row(s) inserted.

Statement **74**

```
insert into student values ('sus',17)
```

ORA-00947: not enough values

Statement **73**

```
insert into student1 values('erm',21)
```

# My Session

Actions  Reset Session Save

Statement 72



```
insert into student values ('sus',17)
```

ORA-00947: not enough values

Statement 71



```
insert into student1 values('erm',21
```

ORA-00917: missing comma

Statement 70



```
insert into student1 values('tej',20)
```

1 row(s) inserted.

Statement 69




```
insert into student values ('sus',17)
```

ORA-00947: not enough values

Statement 68

# My Session

Actions  Reset Session Save[Download CSV](#)  
2 rows selected.Statement **67**

select \*from student1 where age=18 and age=19

no data found

Statement **66**

select \*from student1 where age=18 or age=19

NAMES	AGE
koushik	18
kiran	19


[Download CSV](#)  
2 rows selected.Statement **65**

select \*from student1 where age=18 or age=19

NAMES	AGE
koushik	18
kiran	19

[Download CSV](#)

# My Session

Actions  Reset Session Save

koushik	18
kiran	19

[Download CSV](#)  
2 rows selected.

Statement 63



```
select names from student1
```

NAMES
kiran
koushik

[Download CSV](#)  
2 rows selected.

Statement 62



```
select name from student1
```

ORA-00904: "NAME": invalid identifier



Statement 61



```
insert into student1 values('kiran',19)
```

1 row(s) inserted.

# My Session

Actions  Reset Session Save

Statement 59



```
insert into student1 values('kiran',19):
```

ORA-00933: SQL command not properly ended

Statement 58



```
insert into student1 values('koushik',18)
```

1 row(s) inserted.

Statement 57



```
create table student1(names char(32) primary key,age number(10))
```

ORA-00955: name is already used by an existing object

Statement 56



```
create table student1(names char(32) primary key,age number(10))
```

Table created.

# My Session

Actions

Reset Session

Save

EMAIL	ADDRESS
kgorapal@gitam.in	vu21csen0101012

[Download CSV](#)

Statement 54

select names,age,gender from student

NAMES	AGE	GENDER
kiran	18	male
koushik	17	NA

[Download CSV](#)

2 rows selected.

Statement 53

insert into student values ('koushik',17,'NA',0983452123,'kgorapal@gitam.in','vu21csen0101012')

1 row(s) inserted.

Statement 52

insert into student values ('kiran',18,'male',0983452123,'kgorapal@gitam.in','vu21csen0101012')

1 row(s) inserted.

Statement 51

create table student(names char(32),age number(10),gender char(5),phone number(10),email varchar(20),address varchar(20))



# My Session



Actions  Reset Session Save

Table dropped.

Statement 49



drop student

ORA-00950: invalid DROP option

Statement 48



select names,age,gender from student

NAMES	AGE	GENDER
surya kiran	18	male
surya kiran	18	male
surya kiran	18	male
surya kiran	18	male

[Download CSV](#)

4 rows selected.

Statement 47



update student set names='surya kiran' where age=18

4 row(s) updated.

# My Session

Actions  Reset Session Save

Statement 45



```
select count(distinct names) from student
```

COUNT(DISTINCTNAMES)
1

[Download CSV](#)

Statement 44



```
select distinct names,age,gender from student
```

NAMES	AGE	GENDER
kiran	18	male

[Download CSV](#)

Statement 43



```
create table student(names char(32),age number(10),gender char(5),phone number(10),email varchar(20),address varchar(20))
```


ORA-00955: name is already used by an existing object

Statement 42



```
select distinct names,age,gender from student
```

# My Session

Actions  Reset Session Save

Statement 37



```
create table student(names char(32),age number(10),gender char(5),phone numbers varchar(10),email varchar(20),address varchar(20))
```

ORA-00907: missing right parenthesis

Statement 40



```
select distinct names,age,gender from student
```

NAMES	AGE	GENDER
kiran	18	male

[Download CSV](#)

Statement 39



```
create table student(names char(32),age number(10),gender char(5),phone number varchar(10),email varchar(20),address varchar(20))
```

ORA-00907: missing right parenthesis

Statement 38



```
select distinct names,age,gender from student
```

NAMES	AGE	GENDER
kiran	18	male

# My Session

Actions  Reset Session Save

;orapal@gitam.in','vu21csen0101012')

ORA-00921: unexpected end of SQL command

Statement 36



select names,age,gender from student

NAMES	AGE	GENDER
kiran	18	male
kiran	18	male
kiran	18	male
kiran	18	male

[Download CSV](#)

4 rows selected.

Statement 35



insert into student values ('kiran',18,'male',0983452123,'kgorapal@gitam.in','vu21csen0101012')

1 row(s) inserted.

Statement 34



insert into student values ('kiran',18,'male',0983452123,'kgorapal@gitam.in','vu21csen0101012')

# My Session ?

Actions ▼

 Reset Session Save

NAMES	AGE
kiran	18
kiran	18

[Download CSV](#)  
2 rows selected.

Statement 32



```
select *from student
```

NAMES	AGE	GENDER	PHONE	EMAIL	ADDRESS
kiran	18	male	983452123	kgorapal@gitam.in	vu21csen0101012
kiran	18	male	983452123	kgorapal@gitam.in	vu21csen0101012

[Download CSV](#)  
2 rows selected.

Statement 31



```
insert into student values ('kiran',18,'male',0983452123,'kgorapal@gitam.in','vu21csen0101012')
```

1 row(s) inserted.

Statement 30



```
create table student (names char(32),age number(2),gender char(5),phone number(10),email varchar(20),address varchar(20))
```

# My Session

Actions



Reset Session

Save

'apal@gitam.in', 'vu21csen0101012')

	1 row(s) inserted.					
Statement 28 <div><div></div><div></div><div></div></div>	<pre>create table student (names char(32),age number(2),gender char(5),phone number(10),email varchar(20),address varchar(20))</pre> <p>Table created.</p>					
Statement 27 <div><div></div><div></div><div></div></div>	<pre>drop table student</pre> <p>Table dropped.</p>					
Statement 26 <div><div></div><div></div><div></div></div>	<pre>drop student</pre> <p>ORA-00950: invalid DROP option</p>					
Statement 25 <div><div></div><div></div><div></div></div>	<pre>select * from student</pre> <table><tr><th>NAMES</th><th>AGE</th><th>GENDER</th><th>PHONE</th><th>EMAIL</th></tr></table>	NAMES	AGE	GENDER	PHONE	EMAIL
NAMES	AGE	GENDER	PHONE	EMAIL		

# My Session

Actions  Reset Session Save

ORA-00904: "ADDRESS": invalid identifier

Statement 23



insert into student values ('main',14,'male',0983452123,'rapal@gitam.in','vu21cs01012')

ORA-00913: too many values

Statement 22



insert into student values ('koushik',15,'male',0983452123,'pal@gitam.in','vu21csen101012')

ORA-00913: too many values

Statement 21



insert into student values ('kiran',18,'male',0983452123,'kgorapal@gitam.in','vu21csen0101012')

ORA-00913: too many values

Statement 20



select \*from student

# My Session

Actions  Reset Session Save

```
^(5),phone number(10),email varchar(20),address varchar(20))
```

ORA-00955: name is already used by an existing object

Statement 18



```
insert into student values ('main',14,'male',0983452123,'rapal@gitam.in','vu21cs01012')  
  
select address from student
```

ORA-00933: SQL command not properly ended

Statement 17



```
insert into student values ('koushik',15,'male',0983452123,'pal@gitam.in','vu21csen101012')
```

ORA-00913: too many values

Statement 16



```
insert into student values ('kiran',18,'male',0983452123,'kgorapal@gitam.in','vu21csen0101012')
```

ORA-00913: too many values



# My Session

Actions  Reset Session Save

EMAIL

kgorapal@gitam.in

[Download CSV](#)

Statement 14



```
create table student(names char (32),age number(2),gender char(5),phone number(10),email varchar(20),address varchar(20))
```

ORA-00955: name is already used by an existing object

Statement 13



```
insert into student values ('kiran',18,'male',0983452123,'kgorapal@gitam.in','vu21csen0101012')
```

```
select address from student
```

ORA-00933: SQL command not properly ended

Statement 12



```
select *from student
```


NAMES	AGE	GENDER	PHONE	EMAIL
kiran	18	male	983452123	kgorapal@gitam.in




[Download CSV](#)

Statement 11

```
create table student(names char (32),age number(2),gender char(5),phone number(10),email varchar(20),address varchar(20))
```

# My Session

Actions  Reset Session Save

Statement 10  
  

```
insert into student values ('kiran',18,'male',0983452123,'kgorapal@gitam.in','vu21csen0101012')
```

```
select *from student
```

ORA-00933: SQL command not properly ended

Statement 9

```
select *from student
```

NAMES	AGE	GENDER	PHONE	EMAIL
kiran	18	male	983452123	kgorapal@gitam.in

[Download CSV](#)

Statement 8

```
create table student(names char (32),age number(2),gender char(5),phone number(10),email varchar(20),address varchar(20))
```

ORA-00955: name is already used by an existing object

Statement 7

```
insert into student values ('kiran',18,'male',0983452123,'kgorapal@gitam.in')
```

1 row(s) inserted.

# My Session ?

Actions ▼

 Reset Session Save

Statement 5



```
create table student(names char (32),age number(2),gender char(5),phone number(10),email varchar(20),address varchar(20))
```

ORA-00955: name is already used by an existing object

Statement 4



```
select *from student
```

no data found

Statement 3



```
create table student(names char (32),age number(2),gender char(5),phone number(10),email varchar(20))
```

Table created.

Statement 2




```
create table student(names char (32),age int(2),gender char(5),phone num(10),email varchar(20))
```

ORA-00907: missing right parenthesis

Live SQL

[Feedback](#) [Help](#) [kgorapal@gitam.in](#) 

# My Session

Actions  Reset Session Save

© 2022 Oracle · Live SQL 22.2.2, running Oracle Database 19c Enterprise Edition - 19.14.0.0.0 · [Database Documentation](#) · [Ask Tom](#) · [Dev Gym](#)

Built with  using [Oracle APEX](#) · [Privacy](#) · [Terms of Use](#)

