

Cucumber Report

31-Dec-2024, 10:18:24 AM

Start : Dec 31, 10:17:39.145 AM

End : Dec 31, 10:18:20.567 AM

Duration : 41.422 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 14
SKIPPED - 0

PASSED - 3
FAILED - 14
SKIPPED - 103




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Cirque Healthcare! Application it has managing the patients treatment process</u>	41.422 s	14	0	14	0	120	3	14	103

Tag	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@login	1	0	1	0	1	0	1	0
@Add	7	0	7	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>Cirque Healthcare! Application it has managing the patients treatment process</u>	14	0	14	0	41.422 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Cirque Healthcare! Application it has managing the patients treatment *</u>	<u>User was login into the Application</u>	7	3	1	3	17.995 s
2	<u>Cirque Healthcare! Application it has managing the patients treatment *</u>	<u>User Navigated to Account Manager Menu and Add New Account Manager</u>	8	0	1	7	0.189 s
3	<u>Cirque Healthcare! Application it has managing the patients treatment *</u>	<u>Edit Account Manager Information</u>	6	0	1	5	0.085 s
4	<u>Cirque Healthcare! Application it has managing the patients treatment *</u>	<u>User Navigated to Service Location Menu and Add Service Location</u>	13	0	1	12	0.025 s
5	<u>Cirque Healthcare! Application it has managing the patients treatment *</u>	<u>Edit Service Location Information in Service Location Menu</u>	4	0	1	3	2.024 s
6	<u>Cirque Healthcare! Application it has managing the patients treatment *</u>	<u>User can able to assign the form to service location in Manage Form Menu</u>	5	0	1	4	2.046 s
7	<u>Cirque Healthcare! Application it has managing the patients treatment *</u>	<u>User Can add new provider in Manage Providers Menu</u>	10	0	1	9	2.528 s

* The feature name and/or scenario name has been cropped to fit in the available space.



#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>Cirque Healthcare! Application it has managing the patients treatment *</u>	<u>Edit Provider Information in Manage Providers Menu</u>	4	0	1	3	3.077 s
9	<u>Cirque Healthcare! Application it has managing the patients treatment *</u>	<u>User can able to send Patient Registration Invite Link in Manage Patient Menu</u>	13	0	1	12	0.018 s
10	<u>Cirque Healthcare! Application it has managing the patients treatment *</u>	<u>Patient was Login into Patient Registration Portal</u>	5	0	1	4	3.044 s
11	<u>Cirque Healthcare! Application it has managing the patients treatment *</u>	<u>Patient was entering the Patient Information details</u>	17	0	1	16	2.031 s
12	<u>Cirque Healthcare! Application it has managing the patients treatment *</u>	<u>Admin Login the Application to verify the Patient payment transaction was succeeded</u>	9	0	1	8	1.535 s
13	<u>Cirque Healthcare! Application it has managing the patients treatment *</u>	<u>User Check the Patient Census Lists in Census List Menu</u>	8	0	1	7	3.039 s



* The feature name and/or scenario name has been cropped to fit in the available space.





#	Feature Name	Scenario Name	T	P	F	S	Duration
14	<u>Cirque Healthcare! Application it has managing the patients treatment *</u>	<u>User can change the Password by themselves</u>	11	0	1	10	3.050 s

* The feature name and/or scenario name has been cropped to fit in the available space.

Cirque Healthcare! Application it has managing the patients treatment process

FAILED	DURATION - 41.422 s	Scenarios Total - 14 Pass - 0 Fail - 14 Skip - 0		Steps Total - 120 Pass - 3 Fail - 14 Skip - 103	
/ 10:17:39.145 AM // 10:18:20.567 AM /					



User was login into the Application

<div>FAILED</div> <div>DURATION - 17.995 s</div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
<div>/ 10:17:39.148 AM // 10:17:57.143 AM /</div>				
<div>Cirque Healthcare! Application it has managing the patients treatment process</div>				
<div>@login</div>				

#	Step / Hook Details	Status	Duration
1	Given User launch the URL "https://cirque.sgssys.info/login"	PASSED	9.885 s
2	When Verify the User has been navigated to Application login page	PASSED	0.008 s
3	And User enter the Username name into Username field	PASSED	6.646 s
4	And Enter Invalid Username and Valid Password	FAILED	1.237 s
	org.openqa.selenium.NoSuchElementException: Cannot locate an element using xpath=//button[.="Sign In"] For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'MPI-CPU-037', ip: '192.168.10.143', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.20' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:327) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy20.click(Unknown Source) at com.cirqueBaseClass.BaseClass.click(BaseClass.java:131) at com.stepDefinition.StepDefinition.click_on_the_login_button(StepDefinition.java:142)		

#	Step / Hook Details	Status	Duration
	at com.stepDefinition.StepDefinition.enter_invalid_username_and_valid_password(StepDefinition.java:76) at ?.Enter Invalid Username and Valid Password(file:///C:/Users/surya/eclipse-workspace/Cirque/src/test/java/com/featureFile/Cirque.feature:7) * Not displayable characters are replaced by '?'.		
5	And Enter Valid Username and Invalid Password	SKIPPED	0.002 s
6	And Click on the login Button	SKIPPED	0.001 s
7	Then Employer navigated to Employer Dashboard page	SKIPPED	0.000 s



User Navigated to Account Manager Menu and Add New Account Manager

FAILED DURATION - 0.189 s / 10:17:57.665 AM // 10:17:57.854 AM / Cirque Healthcare! Application it has managing the patients treatment process @Add		Steps Total - 8 Pass - 0 Fail - 1 Skip - 7	
--	--	--	---

#	Step / Hook Details	Status	Duration
1	Given User Click the Account Manager Menu org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.205) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'MPI-CPU-037', ip: '192.168.10.143', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.20' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.205, chrome: {chromedriverVersion: 131.0.6778.204 (52183f9e99a..., userDataDir: C:\Users\surya\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61778}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e04973d5170cdc33a858ce581cc976e2 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)	FAILED	0.182 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609) at org.openqa.selenium.remote.RemoteWebDriver.getCurrentUrl(RemoteWebDriver.java:287) at com.cirqueBaseClass.BaseClass.getCurrentURL(BaseClass.java:97) at com.stepDefinition.StepDefinition.user_click_the_account_manager_menu(StepDefinition.java:167) at ?.User Click the Account Manager Menu(file:///C:/Users/surya/eclipse-workspace/Cirque/src/test/java/com/featureFile/Cirque.feature:14) * Not displayable characters are replaced by '?'. </pre>		
2	When User click the Add Account Manager button	SKIPPED	0.001 s
3	And User enter input into the Last and First Name fields	SKIPPED	0.000 s
4	And User enter input into the Phone Number and Email address fields	SKIPPED	0.001 s
5	And User Choose the Commission Type	SKIPPED	0.000 s
6	And User Click the close Icon to get the Confirmation Popup	SKIPPED	0.000 s
7	And Enter the Account Manager details	SKIPPED	0.000 s
8	And Click the Add button to create the Account Manager	SKIPPED	0.000 s



Edit Account Manager Information

FAILED		DURATION - 0.085 s			<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	
/ 10:17:57.891 AM // 10:17:57.976 AM /						
Cirque Healthcare! Application it has managing the patients treatment process						
@Add						

#	Step / Hook Details	Status	Duration
1	And Download the Excel and PDF files <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.205) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'MPI-CPU-037', ip: '192.168.10.143', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.20' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.205, chrome: {chromedriverVersion: 131.0.6778.204 (52183f9e99a..., userDataDir: C:\Users\surya\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61778}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: </pre>	FAILED	0.062 s

#	Step / Hook Details	Status	Duration
	<pre> true} Session ID: e04973d5170cdc33a858ce581cc976e2 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteNavigation.refresh(RemoteWebDriver.java:865) at com.cirqueBaseClass.BaseClass.navigateRefresh(BaseClass.java:116) at com.stepDefinition.StepDefinition.download_the_excel_and_pdf_files(StepDefinition.java:259) at ?.Download the Excel and PDF files(file:///C:/Users/surya/eclipse-workspace/Cirque/src/test/java/com/featureFile/Cirque.feature:25) * Not displayable characters are replaced by '?'. </pre>		
2	And Search the added Account Manager listed in the resultant Grid	SKIPPED	0.000 s
3	And User click the Edit the Account Manager Details	SKIPPED	0.000 s
4	And User Click the close Icon to getting the Confirmation popup	SKIPPED	0.001 s
5	And User again Click Edit icon to change the Account Manager informations	SKIPPED	0.000 s
6	Then User Update the Account Manager Details	SKIPPED	0.000 s



User Navigated to Service Location Menu and Add Service Location

FAILED	DURATION - 0.025 s		<div>Steps</div> <div>Total - 13</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 12</div>	
/ 10:17:57.994 AM // 10:17:58.019 AM /				
Cirque Healthcare! Application it has managing the patients treatment process				
@Add				

#	Step / Hook Details	Status	Duration
1	Given User click the Service Location Menu	FAILED	0.015 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.205) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host:		

#	Step / Hook Details	Status	Duration
	<p>'MPI-CPU-037', ip: '192.168.10.143', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.20' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.205, chrome: {chromedriverVersion: 131.0.6778.204 (52183f9e99a..., userDataDir: C:\Users\surya\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61778}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e04973d5170cdc33a858ce581cc976e2</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609) at org.openqa.selenium.remote.RemoteWebDriver.getCurrentUrl(RemoteWebDriver.java:287) at com.cirqueBaseClass.BaseClass.getCurrentURL(BaseClass.java:97) at com.stepDefinition.StepDefinition.user_click_the_service_location_menu(StepDefinition.java:364) at ?.User click the Service Location Menu(file:///C:/Users/surya/eclipse-workspace/Cirque/src/test/java/com/featureFile/Cirque.feature:34)</p> <p>* Not displayable characters are replaced by '?'. </p>		
2	When User click the Add New Service Location button	SKIPPED	0.001 s
3	And User enter location input into Location Name field	SKIPPED	0.000 s
4	And User enter the Location Address1 and Address2	SKIPPED	0.001 s
5	And User enter the input into City field	SKIPPED	0.000 s
6	And User Select the value from State dropdown	SKIPPED	0.000 s
7	And User enter the input into zip code and Phone number fields	SKIPPED	0.000 s
8	And User enter the input into email and Website URL fields	SKIPPED	0.000 s
9	And User select the Account Manager and Procedures value from the dropdown	SKIPPED	0.000 s
10	And User choose the Service logo	SKIPPED	0.001 s
11	And User Click to close the Add Service location popup	SKIPPED	0.000 s
12	And User again Enter the Service Location details	SKIPPED	0.000 s
13	And Click the Add button to create the Service Location	SKIPPED	0.002 s



Edit Service Location Information in Service Location Menu

<div>FAILED</div>	<div>DURATION - 2.024 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
<div>/ 10:17:58.032 AM // 10:18:00.056 AM /</div>				
<div>Cirque Healthcare! Application it has managing the patients treatment process</div>				
<div>@Add</div>				

#	Step / Hook Details	Status	Duration
1	And Download the service location Excel and PDF files org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.205) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'MPI-CPU-037', ip: '192.168.10.143', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.20' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.205, chrome: {chromedriverVersion: 131.0.6778.204 (52183f9e99a..., userDataDir: C:\Users\surya\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61778}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e04973d5170cdc33a858ce581cc976e2 *** Element info: {Using=xpath, value=//*[@.="PDF"]} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy20.click(Unknown Source) at com.cirqueBaseClass.BaseClass.click(BaseClass.java:131) at com.stepDefinition.StepDefinition.download_the_service_location_excel_and_pdf_files(StepDefinition.java:595) at ?.Download the service location Excel and PDF files(file:///C:/Users/surya/eclipse-workspace/Cirque/src/test/java/com/featureFile/Cirque.	FAILED	2.021 s

#	Step / Hook Details	Status	Duration
	feature:50) * Not displayable characters are replaced by '?'. 2 And User click the Edit the Service Location Details		
2	And User click the Edit the Service Location Details	SKIPPED	0.001 s
3	And User again Click Edit icon to change the Service Location informations	SKIPPED	0.001 s
4	Then User Update the Service Location Details	SKIPPED	0.000 s



User can able to assign the form to service location in Manage Form Menu

FAILED DURATION - 2.046 s / 10:18:00.070 AM // 10:18:02.116 AM / Cirque Healthcare! Application it has managing the patients treatment process @Add		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	
--	--	--	---

#	Step / Hook Details	Status	Duration
1	Given User Click to navigate Manage Form menu org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.205) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'MPI-CPU-037', ip: '192.168.10.143', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.20' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.205, chrome: {chromedriverVersion: 131.0.6778.204 (52183f9e99a..., userDataDir: C:\Users\surya\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61778}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e04973d5170cdc33a858ce581cc976e2 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)	FAILED	2.036 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteNavigation.refresh(RemoteWebDriver.java:865) at com.cirqueBaseClass.BaseClass.navigateRefresh(BaseClass.java:116) at com.stepDefinition.StepDefinition.user_click_to_navigate_manage_form_menu(StepDefinition.java:683) at ?.User Click to navigate Manage Form menu(file:///C:/Users/surya/eclipse-workspace/Cirque/src/test/java/com/featureFile/Cirque.feature:57) * Not displayable characters are replaced by '?'. </pre>		
2	When User click View Icon to view the Forms	SKIPPED	0.001 s
3	And User click to Edit the Forms	SKIPPED	0.002 s
4	And User Assign the Service Location	SKIPPED	0.000 s
5	And User Update the assigned service Location	SKIPPED	0.000 s



User Can add new provider in Manage Providers Menu

FAILED	DURATION - 2.528 s		Steps Total - 10 Pass - 0 Fail - 1 Skip - 9	
/ 10:18:02.130 AM // 10:18:04.658 AM /				
Cirque Healthcare! Application it has managing the patients treatment process				
@Add				

#	Step / Hook Details	Status	Duration
1	<p>Given User Click to navigate Manage Providers menu</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.205) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'MPI-CPU-037', ip: '192.168.10.143', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.20' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.205, chrome: {chromedriverVersion: 131.0.6778.204 (52183f9e99a..., userDataDir: C:\Users\surya\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61778}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e04973d5170cdc33a858ce581cc976e2 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) </pre>	FAILED	2.523 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteNavigation.refresh(RemoteWebDriver.java:865) at com.cirqueBaseClass.BaseClass.navigateRefresh(BaseClass.java:116) at com.stepDefinition.StepDefinition.user_click_to_navigate_manage_providers_menu(StepDefinition.java:853) at ?.User Click to navigate Manage Providers menu(file:///C:/Users/surya/eclipse-workspace/Cirque/src/test/java/com/featureFile/Cirque.feature:65) * Not displayable characters are replaced by '?'. </pre>		
2	And User click the Add Manager Providers button	SKIPPED	0.000 s
3	And User enter the provider Last Name and First Name	SKIPPED	0.000 s
4	And User select the provider suffix from the dropdown field	SKIPPED	0.000 s
5	And User enter the provider Phone Number and Email address	SKIPPED	0.000 s
6	And User select the provider State from the dropdown field.	SKIPPED	0.001 s
7	And User enter the provider Medical License Number and NPI number	SKIPPED	0.000 s
8	And User provider mapping the Account Manager from the dropdown field	SKIPPED	0.001 s
9	And User check the Cancel Confirmation popup is displayed	SKIPPED	0.000 s
10	And user Add the New Provider account	SKIPPED	0.000 s

Edit Provider Information in Manage Providers Menu

FAILED DURATION - 3.077 s / 10:18:04.672 AM // 10:18:07.749 AM / <i>Cirque Healthcare! Application it has managing the patients treatment process</i> @Add		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
--	--	---	---

#	Step / Hook Details	Status	Duration
1	Given Download to Export Providers List to Excel and PDF files	FAILED	3.053 s
	org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '3.141.59', revision: 'e82be7d358',		

#	Step / Hook Details	Status	Duration
	<p>time: '2018-11-14T08:17:03' System info: host: 'MPI-CPU-037', ip: '192.168.10.143', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.20' Driver info: driver.version: RemoteWebDriver</p> <p>at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:332) at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:155) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264) at org.openqa.selenium.json.JsonOutput.lambda\$null\$21(JsonOutput.java:168) at java.base/java.util.LinkedHashMap\$LinkedValues.forEach(LinkedHashMap.java:608) at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:168) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264) at org.openqa.selenium.json.JsonOutput.lambda\$null\$23(JsonOutput.java:177) at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:70) at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:176) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:255) at org.openqa.selenium.json.Json.toJson(Json.java:42) at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:227) at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:117) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:618) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:639) at org.openqa.selenium.interactions.Actions.perform(Actions.java:595) at com.cirqueBaseClass.BaseClass.actions(BaseClass.java:230) at com.stepDefinition.StepDefinition.download_to_export_providers_list_to_excel_and_pdf_files(StepDefinition.java:1008) at ?.Download to Export Providers List to Excel and PDF files(file:///C:/Users/surya/eclipse-workspace/Cirque/src/test/java/com/featureFile/Cirque.feature:78)</p> <p>Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'MPI-CPU-037', ip: '192.168.10.143', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.20' Driver info: driver.version: RemoteWebDriver</p> <p>at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:279) at org.openqa.selenium.json.Json.toJson(Json.java:44) at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:227) at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:117) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:618) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:639) at org.openqa.selenium.interactions.Actions.perform(Actions.java:595) at com.cirqueBaseClass.BaseClass.actions(BaseClass.java:230) at com.stepDefinition.StepDefinition.download_to_export_providers_list_to_excel_and_pdf_files(StepDefinition.java:1008) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.</p>		



#	Step / Hook Details	Status	Duration
	<p>Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:73) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:63) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:53) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229) at org.junit.runners.ParentRunner.run(ParentRunner.java:309) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:63) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:53) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:235) at org.junit.internal.runners.statements.RunBefores.evaluate(RunBefores.java:26) at org.junit.internal.runners.statements.RunAfters.evaluate(RunAfters.java:27) at org.junit.runners.ParentRunner.run(ParentRunner.java:309) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:520) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:748) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:443) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:211) Caused by: java.lang.reflect.InvocationTargetException</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:328) at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:155) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264) at org.openqa.selenium.json.JsonOutput.lambda\$new\$21(JsonOutput.java:168) at java.base/java.util.LinkedHashMap\$LinkedValues.forEach(LinkedHashMap.java:608) at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:168) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264) at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:177) at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:70) at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:176) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:255) at org.openqa.selenium.json.Json.toJson(Json.java:42) at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:227) at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:117) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)</p>		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:618) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:639) at org.openqa.selenium.interactions.Actions.perform(Actions.java:595) at com.cirqueBaseClass.BaseClass.actions(BaseClass.java:230) at com.stepDefinition.StepDefinition.download_to_export_providers_list_to_excel_and_pdf_files(StepDefinition.java:1008) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:73) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:63) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:53) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229) at org.junit.runners.ParentRunner.run(ParentRunner.java:309) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:63) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:53) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:235) at org.junit.internal.runners.statements.RunBefores.evaluate(RunBefores.java:26) at org.junit.internal.runners.statements.RunAfters.evaluate(RunAfters.java:27)		

#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner.run(ParentRunner.java:309) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:520) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:748) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:443) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:211) </pre> <p>Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.205) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'MPI-CPU-037', ip: '192.168.10.143', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.20' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.205, chrome: {chromedriverVersion: 131.0.6778.204 (52183f9e99a..., userDataDir: C:\Users\surya\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61778}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e04973d5170cdc33a858ce581cc976e2 *** Element info: {Using=xpath, value=//*[@.="PDF"]}</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy20.getWrappedElement(Unknown Source) at org.openqa.selenium.interactions.PointerInput\$Origin.asArg(PointerInput.java:204) at org.openqa.selenium.interactions.PointerInput\$Move.encode(PointerInput.java:155) at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:75) at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:84) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
2	When User click the Edit button from the provider Grid list	SKIPPED	0.016 s
3	And User again Click Edit icon to change the Provider informations	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
4	Then User Update the Provider Details	SKIPPED	0.000 s



User can able to send Patient Registration Invite Link in Manage Patient Menu

<div>FAILED</div> <div>DURATION - 0.018 s</div>		<div></div>	<div>Steps</div> <div>Total - 13</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 12</div>	<div></div>
<div>/ 10:18:07.773 AM // 10:18:07.791 AM /</div>				
<div>Cirque Healthcare! Application it has managing the patients treatment process</div>				

#	Step / Hook Details	Status	Duration
1	<p>Given User click the Manage Patients Menu to redirected to manage patient page</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.205) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'MPI-CPU-037', ip: '192.168.10.143', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.20' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.205, chrome: {chromedriverVersion: 131.0.6778.204 (52183f9e99a..., userDataDir: C:\Users\surya\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61778}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e04973d5170cdc33a858ce581cc976e2 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteNavigation.refresh(RemoteWebDriver.java:865) at com.cirqueBaseClass.BaseClass.navigateRefresh(BaseClass.java:116) at com.stepDefinition.StepDefinition.user_click_the_manage_patients_menu_to_redirected_to_manage_patient_page(StepDefinition.java:1101)</pre>	FAILED	0.011 s

#	Step / Hook Details	Status	Duration
	at ?.User click the Manage Patients Menu to redirected to manage patient page(file:///C:/Users/surya/eclipse-workspace/Cirque/src/test/java/com/featureFile/Cirque.feature:85) * Not displayable characters are replaced by '?'. 2 And User click the Add Manager patients button		
2	And User click the Add Manager patients button	SKIPPED	0.000 s
3	And User select the Service Location Name from the dropdown field	SKIPPED	0.000 s
4	And User select the Provider Name from the dropdown field	SKIPPED	0.000 s
5	And User select the Account Manager Name from the dropdown field	SKIPPED	0.000 s
6	And User enter the Patient Last Name and First Name	SKIPPED	0.001 s
7	And User select the Patient DOB from the Date picker	SKIPPED	0.000 s
8	And User enter the Patient Phone Number and Email Address	SKIPPED	0.000 s
9	And User select the Procedure Name from the dropdown field	SKIPPED	0.000 s
10	And User Select the invite sharing Preference	SKIPPED	0.000 s
11	And User Close the Add Patient Popup	SKIPPED	0.001 s
12	And User Click the Share Link button	SKIPPED	0.000 s
13	Then User Check the Invite has been received to Patient email address	SKIPPED	0.001 s



Patient was Login into Patient Registration Portal

FAILED		DURATION - 3.044 s		<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div> <div></div>
/ 10:18:07.803 AM // 10:18:10.847 AM /				
Cirque Healthcare! Application it has managing the patients treatment process				
<div></div>				

#	Step / Hook Details	Status	Duration
1	Given Patient Click the Registration Invite Link org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.205) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'MPI-CPU-037', ip: '192.168.10.143', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.20' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.205, chrome: {chromedriverVersion: 131.0.6778.204 (52183f9e99a..., userDataDir: C:\Users\surya\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61778}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,	FAILED	3.034 s

#	Step / Hook Details	Status	Duration
	webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e04973d5170cdc33a858ce581cc976e2 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteNavigation.refresh(RemoteWebDriver.java:865) at com.cirqueBaseClass.BaseClass.navigateRefresh(BaseClass.java:116) at com.stepDefinition.StepDefinition.patient_click_the_registration_invite_link(StepDefinition.java:1276) at ?.Patient Click the Registration Invite Link(file:///C:/Users/surya/eclipse-workspace/Cirque/src/test/java/com/featureFile/Cirque.feature:101) * Not displayable characters are replaced by '?'.		
2	And Patient Enter the Last Name into LastName field	SKIPPED	0.002 s
3	And Patient Enter the DOB into DOB field	SKIPPED	0.000 s
4	And Patient click to verify button	SKIPPED	0.001 s
5	Then Patient should navigate to Patient Registration Page	SKIPPED	0.000 s

Patient was entering the Patient Information details



FAILED DURATION - 2.031 s / 10:18:10.859 AM // 10:18:12.890 AM / <i>Cirque Healthcare! Application it has managing the patients treatment process</i>		Steps Total - 17 Pass - 0 Fail - 1 Skip - 16	
--	---	--	---

#	Step / Hook Details	Status	Duration
1	Given patient entering patient SSN and Address org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.205) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host:	FAILED	2.023 s

#	Step / Hook Details	Status	Duration
	<p>'MPI-CPU-037', ip: '192.168.10.143', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.20' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.205, chrome: {chromedriverVersion: 131.0.6778.204 (52183f9e99a..., userDataDir: C:\Users\surya\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61778}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e04973d5170cdc33a858ce581cc976e2 *** Element info: {Using=xpath, value=//button[.="Next"]}</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428)</p> <p>at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</p> <p>at com.sun.proxy.\$Proxy20.click(Unknown Source)</p> <p>at com.cirqueBaseClass.BaseClass.click(BaseClass.java:131)</p> <p>at com.stepDefinition.StepDefinition.patient_entering_patient_ssn_and_address(StepDefinition.java:1368)</p> <p>at ?.patient entering patient SSN and Address(file:///C:/Users/surya/eclipse-workspace/Cirque/src/test/java/com/featureFile/Cirque.feature:109)</p> <p>* Not displayable characters are replaced by '?'. </p>		
2	When Patient entering city and Select state from the dropdown	SKIPPED	0.000 s
3	And Patient entering Zipcode and Modify the Phone and Email	SKIPPED	0.001 s
4	And Select is patient a minor radio button	SKIPPED	0.000 s
5	And Patient click the same As checkbox and unchecked up the sameAs checkbox	SKIPPED	0.000 s
6	And Patient entering Parent or Legal Guardian information	SKIPPED	0.000 s
7	And Patient select the insurance information radio button	SKIPPED	0.000 s
8	And Entering Patient Insurance information details	SKIPPED	0.000 s
9	And User checkedUp the confirm this information is accurate checkbox	SKIPPED	0.000 s
10	And patient entering digital signature	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
11	And Patient moved to next form tab by clicking the next button	SKIPPED	0.001 s
12	And User Entering the Digital signature	SKIPPED	0.000 s
13	And Click the Prev button to check the Patient Informations	SKIPPED	0.000 s
14	And Click the Proceed to Pay to redirected to payment Page	SKIPPED	0.000 s
15	And User Enter payment card details	SKIPPED	0.000 s
16	And User click the Pay button	SKIPPED	0.000 s
17	Then Patient should navigate the Payment Status page	SKIPPED	0.000 s



Admin Login the Application to verify the Patient payment transaction was succeeded

FAILED DURATION - 1.535 s / 10:18:12.903 AM // 10:18:14.438 AM / Cirque Healthcare! Application it has managing the patients treatment process		Steps Total - 9 Pass - 0 Fail - 1 Skip - 8	
--	--	--	---

#	Step / Hook Details	Status	Duration
1	Given User navigated to Manage payment Menu org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.205) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'MPI-CPU-037', ip: '192.168.10.143', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.20' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.205, chrome: {chromedriverVersion: 131.0.6778.204 (52183f9e99a..., userDataDir: C:\Users\surya\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61778}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e04973d5170cdc33a858ce581cc976e2 *** Element info: {Using=xpath, value=//a[@title="Manage Payments"]}] at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)	FAILED	1.530 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy20.click(Unknown Source) at com.cirqueBaseClass.BaseClass.click(BaseClass.java:131) at com.stepDefinition.StepDefinition.user_navigated_to_manage_payment_menu(StepDefinition.java:1615) at ?.User navigated to Manage payment Menu(file:///C:/Users/surya/eclipse-workspace/Cirque/src/test/java/com/featureFile/Cirque.feature:129) * Not displayable characters are replaced by '?'. </pre>		
2	When User click the Manage Payment Menu	SKIPPED	0.001 s
3	And User pick the From date and To date from the Date Picker	SKIPPED	0.000 s
4	And User filtering the Payment list by using Date Range filter	SKIPPED	0.000 s
5	And User Click the Search button to filter the data	SKIPPED	0.000 s
6	And User Click the Reset button to get all the datas	SKIPPED	0.001 s
7	And User filtering the data by using Quick search options	SKIPPED	0.000 s
8	And User Click the Payment receipt download icon	SKIPPED	0.000 s
9	Then User Exporting the payment lists to Excel and PDF file	SKIPPED	0.000 s



User Check the Patient Census Lists in Census List Menu

<div>FAILED</div> <div>DURATION - 3.039 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 7</div>	<div></div>
/ 10:18:14.459 AM // 10:18:17.498 AM /				
Cirque Healthcare! Application it has managing the patients treatment process				

#	Step / Hook Details	Status	Duration
1	Given User click Census List Menu to redirected to Census List Page	FAILED	3.025 s

#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.205) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'MPI-CPU-037', ip: '192.168.10.143', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.20' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.205, chrome: {chromedriverVersion: 131.0.6778.204 (52183f9e99a..., userDataDir: C:\Users\surya\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61778}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e04973d5170cdc33a858ce581cc976e2 *** Element info: {Using=xpath, value=//span[.="Census List"]}</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy20.click(Unknown Source) at com.cirqueBaseClass.BaseClass.click(BaseClass.java:131) at com.stepDefinition.StepDefinition.user_click_census_list_menu_to_redirected_to_census_list_page(StepDefinition.java:1802) at ?.User click Census List Menu to redirected to Census List Page(file:///C:/Users/surya/eclipse-workspace/Cirque/src/test/java/com/featureFile/Cirque.feature:141) * Not displayable characters are replaced by '?'. </p>		
2	When User filtering the Pending Census data by using Quick search options	SKIPPED	0.001 s
3	And User click the Edit Status icon in the Grid list	SKIPPED	0.001 s
4	And User change the Patient Status From the dropdown	SKIPPED	0.001 s
5	And User click Update button to change the Patient Status	SKIPPED	0.001 s
6	And User check the Changed Patient data moved to completed Grid list	SKIPPED	0.001 s
7	And User filtering the Completed Census data by using Quick search options	SKIPPED	0.001 s
8	Then User Exporting the Census lists to Excel and PDF file	SKIPPED	0.000 s

User can change the Password by themselves

<div>FAILED</div> <div>DURATION - 3.050 s</div>			<div>Steps</div> <div>Total - 11</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 10</div>	
/ 10:18:17.517 AM // 10:18:20.567 AM /				
Cirque Healthcare! Application it has managing the patients treatment process				

#	Step / Hook Details	Status	Duration
1	<p>Given User click Settings menu to redirected to Change Password Page</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.205) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'MPI-CPU-037', ip: '192.168.10.143', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.20' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.205, chrome: {chromedriverVersion: 131.0.6778.204 (52183f9e99a..., userDataDir: C:\Users\surya\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61778}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e04973d5170cdc33a858ce581cc976e2 *** Element info: {Using=xpath, value=//a[@title='Settings']}</pre> <pre>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy20.click(Unknown Source) at com.cirqueBaseClass.BaseClass.click(BaseClass.java:131)</pre>	FAILED	3.035 s

#	Step / Hook Details	Status	Duration
	at com.stepDefinition.StepDefinition.user_click_settings_menu_to_redirected_to_change_password_page(StepDefinition.java:2001) at ?.User click Settings menu to redirected to Change Password Page(file:///C:/Users/surya/eclipse-workspace/Cirque/src/test/java/com/ featureFile/Cirque.feature:151) * Not displayable characters are replaced by '?'.		
2	When User click entering Old Password into Old Password field	SKIPPED	0.001 s
3	And User entering the New Password into New Password Field	SKIPPED	0.000 s
4	And User entering the Confirm New Password into Confirm New Password Field	SKIPPED	0.001 s
5	And User check the New and Confirm New Password field with invalid input	SKIPPED	0.000 s
6	And User check the New and Confirm New Password field with valid input	SKIPPED	0.000 s
7	And User check the Confirmation Popup is presented	SKIPPED	0.000 s
8	And User check the successfully logged out from the Application after click the ok button	SKIPPED	0.000 s
9	And User verify the Login with old password	SKIPPED	0.000 s
10	And User verify the login with newly changed Password	SKIPPED	0.000 s
11	Then User should be logged in to Application	SKIPPED	0.000 s