

Test Report

Created by:latabhax 2024-02-01 12:09:26

Board: 10.123.100.165

Report printed in folder: C:/MentorGraphics/XStep.2020.01.0.3/XStepAPI/armhf/work

Report name: C:/MentorGraphics/XStep.2020.01.0.3/XStepAPI/armhf/work/JESD204C_4Lane_1250Mbps_Tx-latabhax-2024-02-01_time_12-09-26.html and .pdf

Test Case Name:JESD204C_4Lane_1250Mbps_Tx

Test Case Description:Example Test Case: JESD204C Tx 1250Mbps 4 Lane, Tx Always on

Test Case started:2024/02/01 12:03:56

Created by:latabhax 2024-02-01 12:09:26

Report printed in folder: C:/MentorGraphics/XStep.2020.01.0.3/XStepAPI/armhf/work

Report name: C:/MentorGraphics/XStep.2020.01.0.3/XStepAPI/armhf/work/JESD204C_4Lane_1250Mbps_Tx-latabhax-2024-02-01_time_12-09-26.html and .pdf

Hit Name	Status	Description	File	Modified	Cumulative Run Time (sec)	Number
JESD204C_Test_Case_Settings	Done	0 JESD204C_Test_Case_Settings	sarokal/reference_testhits/jesd204c/jesd204c_testcase_settings.hxx	Mon Mar 16 16:53:31 2020	10.14	0
JESD204C_Program_Device	Done	1 JESD204C_Program_Device	sarokal/reference_testhits/jesd204c/jesd204c_program.hxx	Mon Mar 16 16:53:31 2020	24.72	1
COMMON_Ext_Ref_Clock_Usage	Done	2 COMMON_Ext_Ref_Clock_Usage	sarokal/reference_testhits/common/common.hxx	Mon Mar 16 16:53:31 2020	24.72	2
JESD204C_TX_Copy_Input_Files	Done	3 JESD204C_TX_Copy_Input_Files	sarokal/reference_testhits/jesd204c/jesd204c_tx_hits.hxx	Mon Mar 16 16:53:31 2020	81.68	3
JESD204C_TX_Initialize_and_Mode_Definition	Done	4 JESD204C_TX_Initialize_and_Mode_Definition	sarokal/reference_testhits/jesd204c/jesd204c_tx_hits.hxx	Mon Mar 16 16:53:31 2020	81.8	4
JESD204C_TX_Generate_Stimulus	Done	5 JESD204C_TX_Generate_Stimulus	sarokal/reference_testhits/jesd204c/jesd204c_tx_hits.hxx	Mon Mar 16 16:53:31 2020	83.8	5
JESD204C_TX_Start	Done	6 JESD204C_TX_Start	sarokal/reference_testhits/jesd204c/jesd204c_tx_hits.hxx	Mon Mar 16 16:53:31 2020	84.53	6
JESD204C_TX_Poll_State	Running	7 JESD204C_TX_Poll_State	sarokal/reference_testhits/jesd204c/jesd204c_tx_hits.hxx	Mon Mar 16 16:53:31 2020		7

Log:

Compile OK

Copy Ready

Copy DONE

Test JESD204C_4Lane_1250Mbps_Tx started: 2024/02/01 12:03:54

cd /root/XStep/work;chmod +x JESD204C_4Lane_1250Mbps_Tx;LD_LIBRARY_PATH=/root/XStep/lib ./JESD204C_4Lane_1250Mbps_Tx

#x.info 00:00:00:026 Using XSTEP DNRT4:1512012, CPU1512027, EFU1512009 , rev:.

#x.info 00:00:00:101 MAC address 70:B3:D5:FA:20:72

#log.info 00:00:00:190 Looking for xstep-runtime license..

#log.info 00:00:00:194 License xstep-runtime checked out

Reset variables in VariableForm

Test JESD204C_4Lane_1250Mbps_Tx started: 2024/02/01 12:03:56

#testcase.run 00:00:00:797 Start test case JESD204C_4Lane_1250Mbps_Tx

#testcase.info 00:00:00:798 XStepApi version: 2020.01.0.3

#testcase.info 00:00:00:798 Import XStepApi.ini settings

#testcase.info 00:00:00:799 Import JESD204C_4Lane_1250Mbps_Tx.ini settings

#testcase.info 00:00:00:799 No arguments

#testcase.run 00:00:00:799 Start test hit 0 JESD204C_Test_Case_Settings

#log.info 00:00:00:803 JESD204C selected as the working directory for this test case.

#apix.settings.workdir JESD204C

#client.copyC2X 00:00:00:808 JESD204C/jesd204c_setup_1G25_1lane_ABC_usecase_7B_31_01_24.txt to: JESD204C/jesd204c_setup_1G25_1lane_ABC_usecase_7B_31_01_24.txt

#client.copy.end ready

#log.info 00:00:10:119 Copy done

#testcase.run 00:00:10:135 Done test hit 0 JESD204C_Test_Case_Settings

#testcase.run 00:00:10:135 Start test hit 1 JESD204C_Program_Device

#apix.jesd204c.program 1G25 1

#jesd204c.info 00:00:10:136 Jesd204c program using 1G25 bitrate

#jesd204c.info 00:00:10:136 Jesd204c program 1 lane(s) configured

#program.info 00:00:10:137 Unload xilinx_emaclite kernel module

#console.info 00:00:10:141

#console.info 00:00:10:144

#clock.info 00:00:10:145 Starting to set frequency 156250000

#program.info 00:00:10:183 FPGA is empty

#program.info 00:00:11:455 CPU md5Hash = 87f65c6ed5b22e2631779274ca34a92b

#program.info 00:00:11:456 CPU Ver=C04F1015

#program.info 00:00:11:864 Programming ../bin/CPU.bit

#program.info 00:00:11:872 CPU Board programmed

#program.info 00:00:13:086 IFU md5Hash = 95a7e83456f6cac59fd85c8aac2e9f0e

#program.info 00:00:13:086 IFU Ver=E0030015

#program.info 00:00:13:087 Programming ../bin/EFU_64B66B.bit

#program.info 00:00:13:100 Programming interface card...

#program.info 00:00:24:660 Number of active links set to 1

#program.info 00:00:24:661 Number of active lanes set to 4

#program.info 00:00:24:720 Memory if - OK

#program.info 00:00:24:721 Register if - OK

#testcase.run 00:00:24:722 Done test hit 1 JESD204C_Program_Device

#testcase.run 00:00:24:722 Start test hit 2 COMMON_Ext_Ref_Clock_Usage

#log.info 00:00:24:723 External reference clock usage not selected (useExtRefClock=0)

#testcase.run 00:00:24:724 Done test hit 2 COMMON_Ext_Ref_Clock_Usage

#testcase.run 00:00:24:724 Start test hit 3 JESD204C_TX_Copy_Input_Files

#apix.jesd204c.tx.copyInputFiles jesd204c_setup_1G25_1lane_ABC_usecase_7B_31_01_24.txt

#log.info 00:00:24:742 License jesd204c-actor checked out

#client.copyC2X 00:00:24:742 JESD204C/jesd204c_setup_1G25_1lane_ABC_usecase_7B_31_01_24.txt to: JESD204C/jesd204c_setup_1G25_1lane_ABC_usecase_7B_31_01_24.txt

#client.copy.end ready

#log.info 00:00:34:393 Copy done

#client.copyC2X 00:00:34:405 JESD204C/payload0.txt to: JESD204C/payload0.txt

#client.copy.end ready

#log.info 00:00:43:318 Copy done

#client.copyC2X 00:00:43:319 JESD204C/payload1.txt to: JESD204C/payload1.txt

#client.copy.end ready

#log.info 00:00:51:858 Copy done

#client.copyC2X 00:00:51:859 JESD204C/payload2.txt to: JESD204C/payload2.txt

#client.copy.end ready

#log.info 00:01:01:578 Copy done

#client.copyC2X 00:01:01:579 JESD204C/payload3.txt to: JESD204C/payload3.txt

#client.copy.end ready

#log.info 00:01:11:679 Copy done

#client.copyC2X 00:01:11:680 JESD204C/input_command_words.txt to: JESD204C/input_command_words.txt

#client.copy.end ready

#log.info 00:01:21:678 Copy done

#testcase.run 00:01:21:679 Done test hit 3 JESD204C_TX_Copy_Input_Files

#testcase.run 00:01:21:680 Start test hit 4 JESD204C_TX_Initialize_and_Mode_Definition

#apix.jesd204c.tx.reset

#apix.jesd204c.tx.init

#testcase.run 00:01:21:804 Done test hit 4 JESD204C_TX_Initialize_and_Mode_Definition

#testcase.run 00:01:21:804 Start test hit 5 JESD204C_TX_Generate_Stimulus

#log.info 00:01:21:805 Stimulus will be generated.

#apix.jesd204c.tx.addSegment jesd204c_setup_1G25_1lane_ABC_usecase_7B_31_01_24.txt TxSegment1 0

#tx.info 00:01:21:818 Running Generator

#protocolInfo 00:01:21:819 Info: JESD204C Generator started, links 1, lanes 4

#protocolInfo 00:01:21:819 Loading JESD204C setup

#log.info 00:01:21:826 ErrorConfigFile not defined, error injection disabled.

#log.info 00:01:21:827 Load settings Jesd204cTxTriggerPulse.Payload=

#log.info 00:01:21:827 Load settings Jesd204cTxTriggerPulse.Amount=0

#log.info 00:01:21:828 Load settings Jesd204cTxTriggerPulse.Offset=0

#log.info 00:01:21:828 Load settings Jesd204cTxTriggerPulse.Length=8

#log.info 00:01:21:829 Load settings Jesd204cTxTriggerPulse.Period=10000

#log.info 00:01:21:829 Load settings Jesd204cTxTriggerPulse.Invert=0

#log.info 00:01:21:830 Load command word USER.CUSTOM mb:5 addr:0x0 data:0x7c1f23458 len:35 type:24 loop:1

#log.info 00:01:21:830 Load command word REG.WRITE mb:12 addr:0x12315 data:0x55 len:25 type:0 loop:1

#log.info 00:01:21:830 Load command word NOOP mb:14 addr:0x0 data:0x0 len:0 type:0 loop:1

#log.info 00:01:21:831 Load command word REG.STREAMING_WRITE mb:14 addr:0x0 data:0x56 len:10 type:0 loop:1

#log.info 00:01:21:831 Load command word REG.STREAMING_WRITE mb:20 addr:0x0 data:0x57 len:10 type:0 loop:1

#log.info 00:01:21:831 Load command word REG.READ_REQ mb:21 addr:0xad85 data:0x0 len:20 type:0 loop:1

#log.info 00:01:21:832 Load command word REG.READ_ACK mb:22 addr:0x85 data:0x55 len:25 type:0 loop:1

#log.info 00:01:21:832 Load command word REG.READ_ACK mb:24 addr:0x85 data:0x55 len:25 type:0 loop:1

#log.info 00:01:21:832 Load command word BUF.FULL mb:26 addr:0x0 data:0x0 len:0 type:0 loop:1

#log.info 00:01:21:833 Load command word BUF.CLEAR mb:28 addr:0x0 data:0x0 len:0 type:0 loop:1

#log.info 00:01:21:833 Load command word BUF.CLEAR mb:28 addr:0x0 data:0x0 len:0 type:0 loop:1

#log.info 00:01:21:833 Load command word BUF.CLEAR mb:28 addr:0x0 data:0x0 len:0 type:0 loop:1

#log.info 00:01:21:834 Load command word BUF.CLEAR mb:29 addr:0x0 data:0x0 len:0 type:0 loop:1

#log.info 00:01:21:834 Load command word BUF.CLEAR mb:29 addr:0x0 data:0x0 len:0 type:0 loop:1

#log.info 00:01:21:834 Load command word USER.CUSTOM mb:29 addr:0x0 data:0x23542 len:20 type:31 loop:1

#log.info 00:01:21:835 Load command word USER.CUSTOM mb:31 addr:0x0 data:0x23542 len:20 type:31 loop:1

#log.info 00:01:21:835 Load command word USER.CUSTOM mb:33 addr:0x0 data:0x23542 len:20 type:31 loop:1

#log.info 00:01:21:835 Load command word USER.CUSTOM mb:34 addr:0x0 data:0x23542 len:20 type:31 loop:1

#log.info 00:01:21:836 Load command word USER.CUSTOM mb:36 addr:0x0 data:0x23542 len:20 type:31 loop:1

#log.info 00:01:21:836 Load command word USER.CUSTOM mb:38 addr:0x0 data:0x23542 len:20 type:31 loop:1

#log.info 00:01:21:836 Load command word NOOP mb:40 addr:0x0 data:0x0 len:0 type:0 loop:1

#log.info 00:01:21:837 Load command word NOOP mb:40 addr:0x0 data:0x0 len:0 type:0 loop:1

#log.info 00:01:21:837 Load command word USER.CUSTOM mb:40 addr:0x0 data:0x1a len:5 type:28 loop:1

#log.info 00:01:21:837 Load command word USER.CUSTOM mb:41 addr:0x0 data:0x1a len:5 type:28 loop:1

#log.info 00:01:21:838 Load command word USER.CUSTOM mb:42 addr:0x0 data:0x1a len:5 type:28 loop:1

#log.info 00:01:21:838 Load command word USER.CUSTOM mb:42 addr:0x0 data:0x1a len:5 type:28 loop:1

#log.info 00:01:21:838 Load command word USER.CUSTOM mb:43 addr:0x0 data:0x1a len:5 type:28 loop:1

#log.info 00:01:21:839 Load command word USER.CUSTOM mb:44 addr:0x0 data:0x0 len:0 type:31 loop:1

#log.info 00:01:21:840 Load settings Converter0.PayloadFileName=payload0.txt

#log.info 00:01:21:840 Payload type FILE selected

#log.info 00:01:21:841 Load settings Converter0.LoopPayload=0

#log.info 00:01:21:841 Load settings Converter0.PayloadFileFormat=HEX_16

#log.info 00:01:21:842 Load settings Converter1.PayloadFileName=payload1.txt

#log.info 00:01:21:843 Payload type FILE selected

#log.info 00:01:21:843 Load settings Converter1.LoopPayload=0

#log.info 00:01:21:844 Load settings Converter1.PayloadFileFormat=HEX_16

#log.info 00:01:21:845 Load settings Converter2.PayloadFileName=payload2.txt

#log.info 00:01:21:846 Payload type FILE selected

#log.info 00:01:21:846 Load settings Converter2.LoopPayload=0

#log.info 00:01:21:847 Load settings Converter2.PayloadFileFormat=HEX_16

#log.info 00:01:21:848 Load settings Converter3.PayloadFileName=payload3.txt

#log.info 00:01:21:848 Payload type FILE selected

#log.info 00:01:21:849 Load settings Converter3.LoopPayload=0

#log.info 00:01:21:849 Load settings Converter3.PayloadFileFormat=HEX_16

#log.info 00:01:21:850 Load settings L = 1

#log.info 00:01:21:851 Load settings F = 8

#log.info 00:01:21:851 Load settings M = 4

#log.info 00:01:21:851 Load settings CS = 0

#log.info 00:01:21:852 Load settings N = 16

#log.info 00:01:21:852 Load settings N_total = 16

#log.info 00:01:21:852 Load settings S = 1

#log.info 00:01:21:853 Load settings HD = 1

#log.info 00:01:21:853 Load settings CF = 0

#log.info 00:01:21:853 Load settings E = 1

#log.info 00:01:21:854 Load settings NumberOfExtMultiblocks = 1000

#log.info 00:01:21:854 Load settings CmdChannelSingleLaneMode = 1

#log.info 00:01:21:854 Load settings ReverseReportBits = 0

#log.info 00:01:21:854 Load settings Verbose = 0

#log.info 00:01:21:855 Load settings OversamplePayloads = 1

#log.info 00:01:21:855 Load settings IdleType = PayloadLoop

#log.info 00:01:21:855 Load settings ControlChannelMode = DeviceControlChannel

#log.info 00:01:21:856 Load settings Tailbits = high

#log.info 00:01:21:856 Load settings LimitSavePayloadSize = 1

#log.info 00:01:21:856 Load settings CmdWordInputFileName = input_command_words.txt

#log.info 00:01:21:857 Load settings TxReportFileName = TX_frame_report_file.txt

#log.info 00:01:21:857 Load settings Lane0.TxFrameFileName = TX0_frame_file.txt

#log.info 00:01:21:857 Load settings BusWidthBytes = 4

#log.info 00:01:21:857 Load settings SyncWordMode = MODE_CMD_CHANNEL

#log.info 00:01:21:858 Load settings TxFrameCaptureStartTrigger = TRIGGER_EMB_START

#protocol.info 00:01:21:858

#protocol.info 00:01:21:858 JESD204C Setup done

#protocol.info 00:01:21:859 Generation of multiblocks started

#protocol.info 00:01:22:050 25600 bytes generated

#protocol.info 00:01:22:243 51200 bytes generated

#protocolInfo 00:01:22:435 76800 bytes generated

#protocolInfo 00:01:22:628 102400 bytes generated

#protocolInfo 00:01:22:820 128000 bytes generated

#protocolInfo 00:01:23:013 153600 bytes generated

#protocolInfo 00:01:23:206 179200 bytes generated

#protocolInfo 00:01:23:400 204800 bytes generated

#protocolInfo 00:01:23:597 230400 bytes generated

#protocolInfo 00:01:23:791 256000 bytes generated

#protocolInfo 00:01:23:793 JESD204C Generation completed successfully

#protocolInfo 00:01:23:794 JESD204C frames generation done

#testcase.run 00:01:23:799 Done test hit 5 JESD204C_TX_Generate_Stimulus

#testcase.run 00:01:23:799 Start test hit 6 JESD204C_TX_Start

#apix.jesd204c.tx.start

#apix.jesd204c.tx.getState

#testcase.run 00:01:24:529 Done test hit 6 JESD204C_TX_Start

#testcase.run 00:01:24:529 Start test hit 7 JESD204C_TX_Poll_State

#apix.jesd204c.tx.getState

#log.info 00:01:24:530 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:01:25:531 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:01:26:533 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:01:27:533 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:01:28:534 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:01:29:544 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:01:30:544 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:01:31:545 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:01:32:546 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:01:33:550 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:01:34:550 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:01:35:550 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:01:36:551 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:01:37:551 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:01:38:551 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:01:39:551 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:01:40:552 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:01:41:553 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:01:42:553 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:01:43:554 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:01:44:554 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:01:45:555 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:01:46:555 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:01:47:555 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:01:48:562 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:01:49:571 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:01:50:572 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:01:51:572 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:01:52:581 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:01:53:591 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:01:54:591 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:01:55:592 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:01:56:592 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:01:57:602 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:01:58:603 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:01:59:603 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:02:00:603 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:02:01:603 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:02:02:604 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:02:03:603 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:02:04:613 Tx FSM state = STREAMING in lane 0

#log.info 00:02:29:654 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:02:30:654 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:02:31:654 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:02:32:654 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:02:33:655 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:02:34:664 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:02:35:665 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:02:36:664 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:02:37:664 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:02:38:664 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:02:39:664 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:02:40:666 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:02:41:666 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:02:42:667 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:02:43:666 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:02:44:666 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:02:45:666 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:02:46:675 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:02:47:678 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:02:48:687 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:02:49:688 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:02:50:691 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:02:51:692 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:02:52:691 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:02:53:691 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:02:54:691 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:02:55:699 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:02:56:699 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:02:57:699 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:02:58:699 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:02:59:699 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:00:701 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:01:714 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:02:722 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:03:722 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:04:723 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:05:722 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:06:722 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:07:722 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:08:721 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:09:724 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:10:724 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:11:725 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:12:725 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:13:725 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:14:735 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:15:734 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:16:744 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:17:748 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:18:748 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:19:749 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:20:749 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:21:748 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:22:748 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:23:748 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:24:750 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:25:760 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:26:760 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:27:760 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:28:770 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:29:769 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:30:769 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:31:769 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:32:773 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:33:783 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:34:784 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:35:783 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:36:793 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:37:793 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:38:792 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:39:797 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:40:797 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:41:797 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:42:797 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:43:797 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:44:807 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:45:808 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:46:808 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:47:808 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:48:807 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:49:817 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:50:817 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:51:817 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:52:816 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:53:816 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:54:823 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:55:833 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:56:833 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:57:833 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:58:843 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:03:59:852 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:00:862 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:01:868 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:02:868 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:03:868 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:04:869 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:05:869 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:06:869 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:07:869 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:08:869 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:09:871 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:10:871 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:11:872 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:12:872 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:13:872 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:14:873 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:15:873 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:16:875 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:17:875 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:18:876 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:19:876 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:20:885 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:21:895 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:22:896 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:23:898 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:24:898 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:25:898 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:26:908 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:27:917 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:28:926 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:29:936 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:30:936 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:31:937 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:32:938 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:33:938 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:34:938 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:35:938 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:36:938 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:37:938 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:38:938 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:39:938 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:40:939 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:41:939 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:42:939 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:43:940 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:44:940 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:45:940 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:46:950 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:47:960 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:48:969 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:49:979 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:50:988 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:51:998 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:53:007 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:54:017 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:55:026 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:56:036 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:57:045 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:58:055 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:04:59:064 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:05:00:074 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:05:01:083 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:05:02:093 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:05:03:102 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:05:04:112 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:05:05:121 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:05:06:131 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:05:07:140 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:05:08:140 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:05:09:140 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:05:10:140 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:05:11:150 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:05:12:159 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:05:13:169 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:05:14:169 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:05:15:178 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:05:16:188 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:05:17:197 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:05:18:207 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:05:19:216 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:05:20:226 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:05:21:235 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:05:22:245 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:05:23:254 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:05:24:264 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:05:25:273 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:05:26:283 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:05:27:292 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:05:28:302 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:05:29:311 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:05:30:321 Tx FSM state = STREAMING in lane 0