

# Test Report

Created by:latabhax 2024-01-04 12:33:42

Board: 10.123.100.165

Report printed in folder: C:/MentorGraphics/XStep.2020.01.0.3/XStepAPI/armhf/work

Report name: C:/MentorGraphics/XStep.2020.01.0.3/XStepAPI/armhf/work/JESD204C\_4Lane\_1250Mbps\_Tx-latabhax-2024-01-04\_time\_12-33-42.html and .pdf

Test Case Name:JESD204C\_4Lane\_1250Mbps\_Tx

Test Case Description:Example Test Case: JESD204C Tx 1250Mbps 4 Lane, Tx Always on

Test Case started:2024/01/04 12:18:22

Created by:latabhax 2024-01-04 12:33:42

Report printed in folder: C:/MentorGraphics/XStep.2020.01.0.3/XStepAPI/armhf/work

Report name: C:/MentorGraphics/XStep.2020.01.0.3/XStepAPI/armhf/work/JESD204C\_4Lane\_1250Mbps\_Tx-latabhax-2024-01-04\_time\_12-33-42.html and .pdf

Hit Name	Status	Description	File	Modified	Cumulative Run Time (sec)	Number
JESD204C_Test_Case_Settings	Done	0 JESD204C_Test_Case_Settings	sarokal/reference_testhits/jesd204c/jesd204c_testcase_settings.hxx	Mon Mar 16 16:53:31 2020	21.7	0
JESD204C_Program_Device	Done	1 JESD204C_Program_Device	sarokal/reference_testhits/jesd204c/jesd204c_program.hxx	Mon Mar 16 16:53:31 2020	35.94	1
COMMON_Ext_Ref_Clock_Usage	Done	2 COMMON_Ext_Ref_Clock_Usage	sarokal/reference_testhits/common/common.hxx	Mon Mar 16 16:53:31 2020	35.94	2
JESD204C_TX_Copy_Input_Files	Done	3 JESD204C_TX_Copy_Input_Files	sarokal/reference_testhits/jesd204c/jesd204c_tx_hits.hxx	Mon Mar 16 16:53:31 2020	769.6	3
JESD204C_TX_Initialize_and_Mode_Definition	Done	4 JESD204C_TX_Initialize_and_Mode_Definition	sarokal/reference_testhits/jesd204c/jesd204c_tx_hits.hxx	Mon Mar 16 16:53:31 2020	769.7	4
JESD204C_TX_Generate_Stimulus	Done	5 JESD204C_TX_Generate_Stimulus	sarokal/reference_testhits/jesd204c/jesd204c_tx_hits.hxx	Mon Mar 16 16:53:31 2020	772.9	5
JESD204C_TX_Start	Done	6 JESD204C_TX_Start	sarokal/reference_testhits/jesd204c/jesd204c_tx_hits.hxx	Mon Mar 16 16:53:31 2020	773.7	6
JESD204C_TX_Poll_State	Running	7 JESD204C_TX_Poll_State	sarokal/reference_testhits/jesd204c/jesd204c_tx_hits.hxx	Mon Mar 16 16:53:31 2020		7

## Log:

Compile OK

Copy Ready

Copy DONE

Test JESD204C\_4Lane\_1250Mbps\_Tx started: 2024/01/04 12:18:21

cd /root/XStep/work;chmod +x JESD204C\_4Lane\_1250Mbps\_Tx;LD\_LIBRARY\_PATH=/root/XStep/lib ./JESD204C\_4Lane\_1250Mbps\_Tx

#x.info 00:00:00:015 Using XSTEP DNRT4:1512012, CPU1512027, EFU1512009 , rev:.

#x.info 00:00:00:043 MAC address 70:B3:D5:FA:20:72

#log.info 00:00:00:075 Looking for xstep-runtime license..

#log.info 00:00:00:334 License xstep-runtime checked out

Reset variables in VariableForm

Test JESD204C\_4Lane\_1250Mbps\_Tx started: 2024/01/04 12:18:22

#testcase.run 00:00:00:801 Start test case JESD204C\_4Lane\_1250Mbps\_Tx

#testcase.info 00:00:00:802 XStepApi version: 2020.01.0.3

#testcase.info 00:00:00:802 Import XStepApi.ini settings

#testcase.info 00:00:00:802 Import JESD204C\_4Lane\_1250Mbps\_Tx.ini settings

#testcase.info 00:00:00:803 No arguments

#testcase.run 00:00:00:803 Start test hit 0 JESD204C\_Test\_Case\_Settings

#log.info 00:00:00:807 JESD204C selected as the working directory for this test case.

#apix.settings.workdir JESD204C

#client.copyC2X 00:00:00:808 JESD204C/jesd204c\_setup\_1G25\_1lane\_ABC\_usecase\_2C\_15\_12\_23.txt to: JESD204C/jesd204c\_setup\_1G25\_1lane\_ABC\_usecase\_2C\_15\_12\_23.txt

#client.copy.end ready

#log.info 00:00:21:648 Copy done

#testcase.run 00:00:21:697 Done test hit 0 JESD204C\_Test\_Case\_Settings

#testcase.run 00:00:21:697 Start test hit 1 JESD204C\_Program\_Device

#apix.jesd204c.program 1G25 2

#jesd204c.info 00:00:21:698 Jesd204c program using 1G25 bitrate

#jesd204c.info 00:00:21:698 Jesd204c program 2 lane(s) configured

#program.info 00:00:21:699 Unload xilinx\_emaclite kernel module

#console.info 00:00:21:703

#console.info 00:00:21:706

#clock.info 00:00:21:707 Starting to set frequency 156250000

#program.info 00:00:22:826 CPU md5Hash = 87f65c6ed5b22e2631779274ca34a92b

#program.info 00:00:22:826 CPU Ver=C04F1015

#program.info 00:00:23:220 Programming ../bin/CPU.bit

#program.info 00:00:23:228 CPU Board programmed

#program.info 00:00:24:300 IFU md5Hash = 95a7e83456f6cac59fd85c8aac2e9f0e

#program.info 00:00:24:301 IFU Ver=E0030015

#program.info 00:00:24:301 Programming ../bin/EFU\_64B66B.bit

#program.info 00:00:24:314 Programming interface card...

#program.info 00:00:35:878 Number of active links set to 1

#program.info 00:00:35:879 Number of active lanes set to 4

#program.info 00:00:35:938 Memory if - OK

#program.info 00:00:35:939 Register if - OK

#testcase.run 00:00:35:940 Done test hit 1 JESD204C\_Program\_Device

#testcase.run 00:00:35:941 Start test hit 2 COMMON\_Ext\_Ref\_Clock\_Usage

#log.info 00:00:35:941 External reference clock usage not selected (useExtRefClock=0)

#testcase.run 00:00:35:942 Done test hit 2 COMMON\_Ext\_Ref\_Clock\_Usage

#testcase.run 00:00:35:942 Start test hit 3 JESD204C\_TX\_Copy\_Input\_Files

#apix.jesd204c.tx.copyInputFiles jesd204c\_setup\_1G25\_1lane\_ABC\_usecase\_2C\_15\_12\_23.txt

#log.info 00:00:36:220 License jesd204c-actor checked out

#client.copyC2X 00:00:36:221 JESD204C/jesd204c\_setup\_1G25\_1lane\_ABC\_usecase\_2C\_15\_12\_23.txt to: JESD204C/jesd204c\_setup\_1G25\_1lane\_ABC\_usecase\_2C\_15\_12\_23.txt

#client.copy.end ready

#log.info 00:00:58:068 Copy done

#client.copyC2X 00:00:58:113 JESD204C/payload0.txt to: JESD204C/payload0.txt

#client.copy.end ready

#log.info 00:01:19:938 Copy done

#client.copyC2X 00:01:19:939 JESD204C/payload1.txt to: JESD204C/payload1.txt

#client.copy.end ready

#log.info 00:01:41:157 Copy done

#client.copyC2X 00:01:41:159 JESD204C/payload2.txt to: JESD204C/payload2.txt

#client.copy.end ready

#log.info 00:02:02:678 Copy done

#client.copyC2X 00:02:02:679 JESD204C/payload3.txt to: JESD204C/payload3.txt

#client.copy.end ready

#log.info 00:02:23:658 Copy done

#client.copyC2X 00:02:23:659 JESD204C/payload4.txt to: JESD204C/payload4.txt

#client.copy.end ready

#log.info 00:02:45:878 Copy done

#client.copyC2X 00:02:45:879 JESD204C/payload5.txt to: JESD204C/payload5.txt

#client.copy.end ready

#log.info 00:03:07:623 Copy done

#client.copyC2X 00:03:07:624 JESD204C/payload6.txt to: JESD204C/payload6.txt

#client.copy.end ready

#log.info 00:03:28:637 Copy done

#client.copyC2X 00:03:28:639 JESD204C/payload7.txt to: JESD204C/payload7.txt

#client.copy.end ready

#log.info 00:03:50:567 Copy done

#client.copyC2X 00:03:50:569 JESD204C/payload8.txt to: JESD204C/payload8.txt

#client.copy.end ready

#log.info 00:04:12:117 Copy done

#client.copyC2X 00:04:12:119 JESD204C/payload9.txt to: JESD204C/payload9.txt

#client.copy.end ready

#log.info 00:04:34:117 Copy done

#client.copyC2X 00:04:34:119 JESD204C/payload10.txt to: JESD204C/payload10.txt

#client.copy.end ready

#log.info 00:04:55:517 Copy done

#client.copyC2X 00:04:55:519 JESD204C/payload11.txt to: JESD204C/payload11.txt

#client.copy.end ready

#log.info 00:05:16:458 Copy done

#client.copyC2X 00:05:16:459 JESD204C/payload12.txt to: JESD204C/payload12.txt

#client.copy.end ready

#log.info 00:05:37:398 Copy done

#client.copyC2X 00:05:37:399 JESD204C/payload13.txt to: JESD204C/payload13.txt

#client.copy.end ready

#log.info 00:05:59:428 Copy done

#client.copyC2X 00:05:59:429 JESD204C/payload14.txt to: JESD204C/payload14.txt

#client.copy.end ready

#log.info 00:06:21:157 Copy done

#client.copyC2X 00:06:21:159 JESD204C/payload15.txt to: JESD204C/payload15.txt

#client.copy.end ready

#log.info 00:06:43:357 Copy done

#client.copyC2X 00:06:43:359 JESD204C/payload16.txt to: JESD204C/payload16.txt

#client.copy.end ready

#log.info 00:07:06:068 Copy done

#client.copyC2X 00:07:06:069 JESD204C/payload17.txt to: JESD204C/payload17.txt

#client.copy.end ready

#log.info 00:07:27:246 Copy done

#client.copyC2X 00:07:27:248 JESD204C/payload18.txt to: JESD204C/payload18.txt

#client.copy.end ready

#log.info 00:07:48:619 Copy done

#client.copyC2X 00:07:48:620 JESD204C/payload19.txt to: JESD204C/payload19.txt

#client.copy.end ready

#log.info 00:08:09:582 Copy done

#client.copyC2X 00:08:09:584 JESD204C/payload20.txt to: JESD204C/payload20.txt

#client.copy.end ready

#log.info 00:08:30:527 Copy done

#client.copyC2X 00:08:30:529 JESD204C/payload21.txt to: JESD204C/payload21.txt

#client.copy.end ready

#log.info 00:08:52:028 Copy done

#client.copyC2X 00:08:52:029 JESD204C/payload22.txt to: JESD204C/payload22.txt

#client.copy.end ready

#log.info 00:09:14:282 Copy done

#client.copyC2X 00:09:14:284 JESD204C/payload23.txt to: JESD204C/payload23.txt

#client.copy.end ready

#log.info 00:09:36:298 Copy done

#client.copyC2X 00:09:36:299 JESD204C/payload24.txt to: JESD204C/payload24.txt

#client.copy.end ready

#log.info 00:09:57:797 Copy done

#client.copyC2X 00:09:57:799 JESD204C/payload25.txt to: JESD204C/payload25.txt

#client.copy.end ready

#log.info 00:10:18:667 Copy done

#client.copyC2X 00:10:18:669 JESD204C/payload26.txt to: JESD204C/payload26.txt

#client.copy.end ready

#log.info 00:10:39:677 Copy done

#client.copyC2X 00:10:39:679 JESD204C/payload27.txt to: JESD204C/payload27.txt

#client.copy.end ready

#log.info 00:11:00:847 Copy done

#client.copyC2X 00:11:00:849 JESD204C/payload28.txt to: JESD204C/payload28.txt

#client.copy.end ready

#log.info 00:11:22:312 Copy done

#client.copyC2X 00:11:22:314 JESD204C/payload29.txt to: JESD204C/payload29.txt

#client.copy.end ready

#log.info 00:11:43:767 Copy done

#client.copyC2X 00:11:43:769 JESD204C/payload30.txt to: JESD204C/payload30.txt

#client.copy.end ready

#log.info 00:12:04:757 Copy done

#client.copyC2X 00:12:04:759 JESD204C/payload31.txt to: JESD204C/payload31.txt

#client.copy.end ready

#log.info 00:12:27:017 Copy done

#client.copyC2X 00:12:27:019 JESD204C/input\_command\_words.txt to: JESD204C/input\_command\_words.txt

#client.copy.end ready

#log.info 00:12:49:567 Copy done

#testcase.run 00:12:49:568 Done test hit 3 JESD204C\_TX\_Copy\_Input\_Files

#testcase.run 00:12:49:568 Start test hit 4 JESD204C\_TX\_Initialize\_and\_Mode\_Definition

#apix.jesd204c.tx.reset

#apix.jesd204c.tx.init

#testcase.run 00:12:49:693 Done test hit 4 JESD204C\_TX\_Initialize\_and\_Mode\_Definition

#testcase.run 00:12:49:693 Start test hit 5 JESD204C\_TX\_Generate\_Stimulus

#log.info 00:12:49:694 Stimulus will be generated.

#apix.jesd204c.tx.addSegment jesd204c\_setup\_1G25\_1lane\_ABC\_usecase\_2C\_15\_12\_23.txt TxSegment1 0

#tx.info 00:12:49:738 Running Generator

#protocolinfo 00:12:49:739 Info: JESD204C Generator started, links 1, lanes 4

#protocolinfo 00:12:49:739 Loading JESD204C setup

#log.info 00:12:49:800 ErrorConfigFile not defined, error injection disabled.

#log.info 00:12:49:801 Load settings Jesd204cTxTriggerPulse.Payload=

#log.info 00:12:49:802 Load settings Jesd204cTxTriggerPulse.Amount=0

#log.info 00:12:49:803 Load settings Jesd204cTxTriggerPulse.Offset=0

#log.info 00:12:49:803 Load settings Jesd204cTxTriggerPulse.Length=8

#log.info 00:12:49:804 Load settings Jesd204cTxTriggerPulse.Period=10000

#log.info 00:12:49:805 Load settings Jesd204cTxTriggerPulse.Invert=0

#log.info 00:12:49:805 Load command word USER.CUSTOM mb:5 addr:0x0 data:0x7c1f23458 len:35 type:24 loop:1

#log.info 00:12:49:806 Load command word REG.WRITE mb:12 addr:0x12315 data:0x55 len:25 type:0 loop:1

#log.info 00:12:49:806 Load command word NOOP mb:14 addr:0x0 data:0x0 len:0 type:0 loop:1

#log.info 00:12:49:807 Load command word REG.STREAMING\_WRITE mb:14 addr:0x0 data:0x56 len:10 type:0 loop:1

#log.info 00:12:49:807 Load command word REG.STREAMING\_WRITE mb:20 addr:0x0 data:0x57 len:10 type:0 loop:1

#log.info 00:12:49:807 Load command word REG.READ\_REQ mb:21 addr:0xad85 data:0x0 len:20 type:0 loop:1

#log.info 00:12:49:808 Load command word REG.READ\_ACK mb:22 addr:0x85 data:0x55 len:25 type:0 loop:1

#log.info 00:12:49:808 Load command word REG.READ\_ACK mb:24 addr:0x85 data:0x55 len:25 type:0 loop:1

#log.info 00:12:49:808 Load command word BUF.FULL mb:26 addr:0x0 data:0x0 len:0 type:0 loop:1

#log.info 00:12:49:808 Load command word BUF.CLEAR mb:28 addr:0x0 data:0x0 len:0 type:0 loop:1

#log.info 00:12:49:809 Load command word BUF.CLEAR mb:28 addr:0x0 data:0x0 len:0 type:0 loop:1

#log.info 00:12:49:809 Load command word BUF.CLEAR mb:28 addr:0x0 data:0x0 len:0 type:0 loop:1

#log.info 00:12:49:809 Load command word BUF.CLEAR mb:29 addr:0x0 data:0x0 len:0 type:0 loop:1

#log.info 00:12:49:810 Load command word BUF.CLEAR mb:29 addr:0x0 data:0x0 len:0 type:0 loop:1

#log.info 00:12:49:810 Load command word USER.CUSTOM mb:29 addr:0x0 data:0x23542 len:20 type:31 loop:1

#log.info 00:12:49:810 Load command word USER.CUSTOM mb:31 addr:0x0 data:0x23542 len:20 type:31 loop:1

#log.info 00:12:49:811 Load command word USER.CUSTOM mb:33 addr:0x0 data:0x23542 len:20 type:31 loop:1

#log.info 00:12:49:811 Load command word USER.CUSTOM mb:34 addr:0x0 data:0x23542 len:20 type:31 loop:1

#log.info 00:12:49:811 Load command word USER.CUSTOM mb:36 addr:0x0 data:0x23542 len:20 type:31 loop:1

#log.info 00:12:49:812 Load command word USER.CUSTOM mb:38 addr:0x0 data:0x23542 len:20 type:31 loop:1

#log.info 00:12:49:812 Load command word NOOP mb:40 addr:0x0 data:0x0 len:0 type:0 loop:1

#log.info 00:12:49:812 Load command word NOOP mb:40 addr:0x0 data:0x0 len:0 type:0 loop:1

#log.info 00:12:49:813 Load command word USER.CUSTOM mb:40 addr:0x0 data:0x1a len:5 type:28 loop:1

#log.info 00:12:49:813 Load command word USER.CUSTOM mb:41 addr:0x0 data:0x1a len:5 type:28 loop:1

#log.info 00:12:49:813 Load command word USER.CUSTOM mb:42 addr:0x0 data:0x1a len:5 type:28 loop:1

#log.info 00:12:49:814 Load command word USER.CUSTOM mb:42 addr:0x0 data:0x1a len:5 type:28 loop:1

#log.info 00:12:49:814 Load command word USER.CUSTOM mb:43 addr:0x0 data:0x1a len:5 type:28 loop:1

#log.info 00:12:49:814 Load command word USER.CUSTOM mb:44 addr:0x0 data:0x0 len:0 type:31 loop:1

#log.info 00:12:49:816 Load settings Converter0.PayloadFileName=payload0.txt

#log.info 00:12:49:816 Payload type FILE selected

#log.info 00:12:49:818 Load settings Converter0.LoopPayload=0

#log.info 00:12:49:818 Load settings Converter0.PayloadFileFormat=HEX\_16

#log.info 00:12:49:820 Load settings Converter1.PayloadFileName=payload1.txt

#log.info 00:12:49:820 Payload type FILE selected

#log.info 00:12:49:822 Load settings Converter1.LoopPayload=0

#log.info 00:12:49:822 Load settings Converter1.PayloadFileFormat=HEX\_16

#log.info 00:12:49:823 Load settings Converter2.PayloadFileName=payload2.txt

#log.info 00:12:49:824 Payload type FILE selected

#log.info 00:12:49:826 Load settings Converter2.LoopPayload=0

#log.info 00:12:49:826 Load settings Converter2.PayloadFileFormat=HEX\_16

#log.info 00:12:49:827 Load settings Converter3.PayloadFileName=payload3.txt

#log.info 00:12:49:828 Payload type FILE selected

#log.info 00:12:49:829 Load settings Converter3.LoopPayload=0

#log.info 00:12:49:830 Load settings Converter3.PayloadFileFormat=HEX\_16

#log.info 00:12:49:831 Load settings Converter4.PayloadFileName=payload4.txt

#log.info 00:12:49:831 Payload type FILE selected

#log.info 00:12:49:833 Load settings Converter4.LoopPayload=0

#log.info 00:12:49:834 Load settings Converter4.PayloadFileFormat=HEX\_16

#log.info 00:12:49:835 Load settings Converter5.PayloadFileName=payload5.txt

#log.info 00:12:49:835 Payload type FILE selected

#log.info 00:12:49:837 Load settings Converter5.LoopPayload=0

#log.info 00:12:49:838 Load settings Converter5.PayloadFileFormat=HEX\_16

#log.info 00:12:49:839 Load settings Converter6.PayloadFileName=payload6.txt

#log.info 00:12:49:839 Payload type FILE selected

#log.info 00:12:49:841 Load settings Converter6.LoopPayload=0

#log.info 00:12:49:842 Load settings Converter6.PayloadFileFormat=HEX\_16

#log.info 00:12:49:843 Load settings Converter7.PayloadFileName=payload7.txt

#log.info 00:12:49:843 Payload type FILE selected

#log.info 00:12:49:845 Load settings Converter7.LoopPayload=0

#log.info 00:12:49:846 Load settings Converter7.PayloadFileFormat=HEX\_16

#log.info 00:12:49:847 Load settings Converter8.PayloadFileName=payload8.txt

#log.info 00:12:49:847 Payload type FILE selected

#log.info 00:12:49:849 Load settings Converter8.LoopPayload=0

#log.info 00:12:49:850 Load settings Converter8.PayloadFileFormat=HEX\_16

#log.info 00:12:49:851 Load settings Converter9.PayloadFileName=payload9.txt

#log.info 00:12:49:851 Payload type FILE selected

#log.info 00:12:49:853 Load settings Converter9.LoopPayload=0

#log.info 00:12:49:854 Load settings Converter9.PayloadFileFormat=HEX\_16

#log.info 00:12:49:855 Load settings Converter10.PayloadFileName=payload10.txt

#log.info 00:12:49:856 Payload type FILE selected

#log.info 00:12:49:857 Load settings Converter10.LoopPayload=0

#log.info 00:12:49:858 Load settings Converter10.PayloadFileFormat=HEX\_16

#log.info 00:12:49:859 Load settings Converter11.PayloadFileName=payload11.txt

#log.info 00:12:49:860 Payload type FILE selected

#log.info 00:12:49:862 Load settings Converter11.LoopPayload=0

#log.info 00:12:49:862 Load settings Converter11.PayloadFileFormat=HEX\_16

#log.info 00:12:49:864 Load settings Converter12.PayloadFileName=payload12.txt

#log.info 00:12:49:864 Payload type FILE selected

#log.info 00:12:49:866 Load settings Converter12.LoopPayload=0

#log.info 00:12:49:867 Load settings Converter12.PayloadFileFormat=HEX\_16

#log.info 00:12:49:868 Load settings Converter13.PayloadFileName=payload13.txt

#log.info 00:12:49:869 Payload type FILE selected

#log.info 00:12:49:871 Load settings Converter13.LoopPayload=0

#log.info 00:12:49:871 Load settings Converter13.PayloadFileFormat=HEX\_16

#log.info 00:12:49:873 Load settings Converter14.PayloadFileName=payload14.txt

#log.info 00:12:49:873 Payload type FILE selected

#log.info 00:12:49:875 Load settings Converter14.LoopPayload=0

#log.info 00:12:49:876 Load settings Converter14.PayloadFileFormat=HEX\_16

#log.info 00:12:49:877 Load settings Converter15.PayloadFileName=payload15.txt

#log.info 00:12:49:878 Payload type FILE selected

#log.info 00:12:49:880 Load settings Converter15.LoopPayload=0

#log.info 00:12:49:881 Load settings Converter15.PayloadFileFormat=HEX\_16

#log.info 00:12:49:882 Load settings Converter16.PayloadFileName=payload16.txt

#log.info 00:12:49:883 Payload type FILE selected

#log.info 00:12:49:884 Load settings Converter16.LoopPayload=0

#log.info 00:12:49:885 Load settings Converter16.PayloadFileFormat=HEX\_16

#log.info 00:12:49:887 Load settings Converter17.PayloadFileName=payload17.txt

#log.info 00:12:49:887 Payload type FILE selected

#log.info 00:12:49:889 Load settings Converter17.LoopPayload=0

#log.info 00:12:49:890 Load settings Converter17.PayloadFileFormat=HEX\_16

#log.info 00:12:49:892 Load settings Converter18.PayloadFileName=payload18.txt

#log.info 00:12:49:892 Payload type FILE selected

#log.info 00:12:49:894 Load settings Converter18.LoopPayload=0

#log.info 00:12:49:895 Load settings Converter18.PayloadFileFormat=HEX\_16

#log.info 00:12:49:896 Load settings Converter19.PayloadFileName=payload19.txt

#log.info 00:12:49:897 Payload type FILE selected

#log.info 00:12:49:899 Load settings Converter19.LoopPayload=0

#log.info 00:12:49:900 Load settings Converter19.PayloadFileFormat=HEX\_16

#log.info 00:12:49:902 Load settings Converter20.PayloadFileName=payload20.txt

#log.info 00:12:49:902 Payload type FILE selected

#log.info 00:12:49:904 Load settings Converter20.LoopPayload=0

#log.info 00:12:49:905 Load settings Converter20.PayloadFileFormat=HEX\_16

#log.info 00:12:49:907 Load settings Converter21.PayloadFileName=payload21.txt

#log.info 00:12:49:907 Payload type FILE selected

#log.info 00:12:49:909 Load settings Converter21.LoopPayload=0

#log.info 00:12:49:910 Load settings Converter21.PayloadFileFormat=HEX\_16

#log.info 00:12:49:912 Load settings Converter22.PayloadFileName=payload22.txt

#log.info 00:12:49:912 Payload type FILE selected

#log.info 00:12:49:914 Load settings Converter22.LoopPayload=0

#log.info 00:12:49:915 Load settings Converter22.PayloadFileFormat=HEX\_16

#log.info 00:12:49:917 Load settings Converter23.PayloadFileName=payload23.txt

#log.info 00:12:49:918 Payload type FILE selected

#log.info 00:12:49:919 Load settings Converter23.LoopPayload=0

#log.info 00:12:49:920 Load settings Converter23.PayloadFileFormat=HEX\_16

#log.info 00:12:49:922 Load settings Converter24.PayloadFileName=payload24.txt

#log.info 00:12:49:923 Payload type FILE selected

#log.info 00:12:49:925 Load settings Converter24.LoopPayload=0

#log.info 00:12:49:926 Load settings Converter24.PayloadFileFormat=HEX\_16

#log.info 00:12:49:928 Load settings Converter25.PayloadFileName=payload25.txt

#log.info 00:12:49:928 Payload type FILE selected

#log.info 00:12:49:930 Load settings Converter25.LoopPayload=0

#log.info 00:12:49:931 Load settings Converter25.PayloadFileFormat=HEX\_16

#log.info 00:12:49:933 Load settings Converter26.PayloadFileName=payload26.txt

#log.info 00:12:49:934 Payload type FILE selected

#log.info 00:12:49:936 Load settings Converter26.LoopPayload=0

#log.info 00:12:49:937 Load settings Converter26.PayloadFileFormat=HEX\_16

#log.info 00:12:49:939 Load settings Converter27.PayloadFileName=payload27.txt

#log.info 00:12:49:940 Payload type FILE selected

#log.info 00:12:49:941 Load settings Converter27.LoopPayload=0

#log.info 00:12:49:942 Load settings Converter27.PayloadFileFormat=HEX\_16

#log.info 00:12:49:944 Load settings Converter28.PayloadFileName=payload28.txt

#log.info 00:12:49:945 Payload type FILE selected

#log.info 00:12:49:947 Load settings Converter28.LoopPayload=0

#log.info 00:12:49:948 Load settings Converter28.PayloadFileFormat=HEX\_16

#log.info 00:12:49:950 Load settings Converter29.PayloadFileName=payload29.txt

#log.info 00:12:49:951 Payload type FILE selected

#log.info 00:12:49:953 Load settings Converter29.LoopPayload=0

#log.info 00:12:49:954 Load settings Converter29.PayloadFileFormat=HEX\_16

#log.info 00:12:49:956 Load settings Converter30.PayloadFileName=payload30.txt

#log.info 00:12:49:957 Payload type FILE selected

#log.info 00:12:49:958 Load settings Converter30.LoopPayload=0

#log.info 00:12:49:960 Load settings Converter30.PayloadFileFormat=HEX\_16

#log.info 00:12:49:962 Load settings Converter31.PayloadFileName=payload31.txt

#log.info 00:12:49:962 Payload type FILE selected

#log.info 00:12:49:964 Load settings Converter31.LoopPayload=0

#log.info 00:12:49:965 Load settings Converter31.PayloadFileFormat=HEX\_16

#log.info 00:12:49:967 Load settings L = 2

#log.info 00:12:49:967 Load settings F = 32

#log.info 00:12:49:967 Load settings M = 32

#log.info 00:12:49:968 Load settings CS = 0

#log.info 00:12:49:968 Load settings N = 16

#log.info 00:12:49:968 Load settings N\_total = 16

#log.info 00:12:49:969 Load settings S = 1

#log.info 00:12:49:969 Load settings HD = 0

#log.info 00:12:49:969 Load settings CF = 0

#log.info 00:12:49:970 Load settings E = 1

#log.info 00:12:49:970 Load settings NumberOfExtMultiblocks = 1000

#log.info 00:12:49:970 Load settings CmdChannelSingleLaneMode = 1

#log.info 00:12:49:971 Load settings ReverseReportBits = 0

#log.info 00:12:49:971 Load settings Verbose = 0

#log.info 00:12:49:971 Load settings OversamplePayloads = 1

#log.info 00:12:49:971 Load settings IdleType = PayloadLoop

#log.info 00:12:49:972 Load settings ControlChannelMode = DeviceControlChannel

#log.info 00:12:49:972 Load settings Tailbits = high

#log.info 00:12:49:972 Load settings LimitSavePayloadSize = 1

#log.info 00:12:49:973 Load settings CmdWordInputFileName = input\_command\_words.txt

#log.info 00:12:49:973 Load settings TxReportFileName = TX\_frame\_report\_file.txt

#log.info 00:12:49:973 Load settings Lane0.TxFrameFileName = TX0\_frame\_file.txt

#log.info 00:12:49:974 Load settings BusWidthBytes = 4

#log.info 00:12:49:974 Load settings SyncWordMode = MODE\_CMD\_CHANNEL

#log.info 00:12:49:974 Load settings TxFrameCaptureStartTrigger = TRIGGER\_EMB\_START

#protocol.info 00:12:49:975

#protocol.info 00:12:49:975 JESD204C Setup done

#protocol.info 00:12:49:975 Generation of multiblocks started

#protocol.info 00:12:50:269 25600 bytes generated

#protocol.info 00:12:50:564 51200 bytes generated

#protocol.info 00:12:50:857 76800 bytes generated



#protocol.info 00:12:51:155 102400 bytes generated

#protocol.info 00:12:51:448 128000 bytes generated

#protocol.info 00:12:51:743 153600 bytes generated

#protocol.info 00:12:52:038 179200 bytes generated

#protocol.info 00:12:52:333 204800 bytes generated

#protocol.info 00:12:52:629 230400 bytes generated

#protocol.info 00:12:52:923 256000 bytes generated

#protocol.info 00:12:52:926 JESD204C Generation completed successfully

#protocol.info 00:12:52:926 JESD204C frames generation done

#testcase.run 00:12:52:934 Done test hit 5 JESD204C\_TX\_Generate\_Stimulus

#testcase.run 00:12:52:934 Start test hit 6 JESD204C\_TX\_Start

#apix.jesd204c.tx.start

#apix.jesd204c.tx.getState

#apix.jesd204c.tx.getState

#testcase.run 00:12:53:665 Done test hit 6 JESD204C\_TX\_Start

#testcase.run 00:12:53:665 Start test hit 7 JESD204C\_TX\_Poll\_State

#apix.jesd204c.tx.getState

#log.info 00:12:53:666 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState

#log.info 00:12:53:666 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:12:54:676 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:12:54:676 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:12:55:676 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:12:55:676 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:12:56:686 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:12:56:687 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:12:57:686 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:12:57:687 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:12:58:687 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:12:58:687 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:12:59:697 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:12:59:697 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:00:697 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:00:698 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:01:698 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:01:699 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:02:702 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:02:703 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:03:703 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:03:703 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:04:713 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:04:713 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:05:723 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:05:723 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:06:723 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:06:724 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:07:735 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:07:736 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:08:736 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:08:736 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:09:746 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:09:746 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:10:756 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:10:756 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:11:766 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:11:767 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:12:769 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:12:769 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:13:769 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:13:770 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:14:770 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:14:770 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:15:771 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:15:771 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:16:771 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:16:772 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:17:784 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:17:785 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:18:794 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:18:795 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:19:794 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:19:795 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:20:804 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:20:805 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:21:806 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:21:806 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:22:810 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:22:811 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:23:810 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:23:811 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:24:810 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:24:811 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:25:811 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:25:812 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:26:821 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:26:822 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:27:824 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:27:825 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:28:825 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:28:825 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:29:835 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:29:835 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:30:835 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:30:836 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:31:835 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:31:836 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:32:839 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:32:839 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:33:839 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:33:840 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:34:849 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:34:850 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:35:849 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:35:850 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:36:859 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:36:860 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:37:872 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:37:872 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:38:882 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:38:882 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:39:892 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:39:892 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:40:893 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:40:894 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:41:903 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:41:904 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:42:906 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:42:907 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:43:916 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:43:917 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:44:926 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:44:927 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:45:936 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:45:937 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:46:946 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:46:947 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:47:959 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:47:960 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:48:969 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:48:970 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:49:979 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:49:980 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:50:989 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:50:990 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:51:990 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:51:990 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:52:994 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:52:995 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:53:995 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:53:995 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:54:995 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:54:996 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:55:996 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:55:996 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:57:006 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:57:006 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:58:020 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:58:021 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:59:030 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:13:59:031 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:00:031 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:00:031 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:01:032 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:01:032 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:02:032 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:02:032 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:03:035 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:03:035 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:04:035 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:04:035 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:05:045 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:05:045 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:06:055 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:06:055 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:07:065 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:07:065 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:08:075 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:08:075 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:09:085 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:09:085 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:10:095 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:10:095 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:11:105 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:11:105 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:12:115 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:12:116 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:13:116 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:13:116 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:14:117 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:14:117 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:15:127 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING





#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:28:229 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:28:230 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:29:239 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:29:240 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:30:249 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:30:250 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:31:259 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:31:260 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:32:269 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:32:270 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:33:274 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:33:275 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:34:275 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:34:275 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:35:275 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:35:275 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:36:285 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:36:286 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:37:295 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:37:296 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:38:308 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:38:308 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:39:318 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:39:318 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:40:328 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:40:328 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:41:338 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:41:338 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:42:348 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:42:348 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:43:351 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:43:352 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:44:352 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:44:352 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:45:353 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:45:353 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:46:354 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:46:354 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:47:364 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:47:364 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:48:378 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:48:378 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:49:379 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:49:380 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:50:380 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:50:380 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:51:380 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:51:381 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:52:381 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:52:382 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:53:385 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:53:385 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:54:395 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:54:395 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:55:395 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:55:396 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:56:396 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:56:396 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:57:396 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:57:397 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:58:399 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:58:400 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:59:409 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:14:59:410 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:15:00:419 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:15:00:420 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:15:01:429 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:15:01:430 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:15:02:439 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:15:02:440 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:15:03:452 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:15:03:453 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:15:04:453 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:15:04:454 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:15:05:453 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:15:05:454 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:15:06:463 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:15:06:464 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:15:07:463 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:15:07:464 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:15:08:466 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:15:08:467 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:15:09:466 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:15:09:467 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:15:10:467 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:15:10:468 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:15:11:467 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:15:11:468 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:15:12:467 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:15:12:468 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:15:13:471 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:15:13:472 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:15:14:472 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:15:14:473 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:15:15:473 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:15:15:473 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:15:16:483 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:15:16:483 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:15:17:493 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:15:17:494 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:15:18:496 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:15:18:497 Tx FSM state = STREAMING in lane 1

#apix.jesd204c.tx.getState STREAMING

#log.info 00:15:19:497 Tx FSM state = STREAMING in lane 0

#apix.jesd204c.tx.getState STREAMING

#log.info 00:15:19:497 Tx FSM state = STREAMING in lane 1