

# CDN

```
<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css">
```

```
<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js"></script>
```

```
<script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"></script>
```

# Containers

```
<div class="container">

<div class="row">
  <div class="col-md-4">.col-md-4</div>
  <div class="col-md-4">.col-md-4</div>
  <div class="col-md-4">.col-md-4</div>
</div>
<div class="row">
  <div class="col-md-6">.col-md-6</div>
  <div class="col-md-6">.col-md-6</div>
</div>

</div>
```

# Tables

## Basic Table:

```
<table class="table">

  <tr>

    <th>Sl:No</th>

    <th>Name</th>

    <th>Email</th>

  </tr>

  <tr>

    <td>1</td>

    <td>xyz</td>
```

## Infidata Technology

```
<td>xyz@gmail.com</td>
</tr>
<tr>
<td>2</td>
<td>acb</td>
<td>abc@gmail.com</td>
</tr>
<tr>
<td>3</td>
<td>asdf</td>
<td>asdf@gmail.com</td>
</tr>
</table>
```

Optional table caption.

#	First Name	Last Name	Username
1	Mark	Otto	@mdo
2	Jacob	Thornton	@fat
3	Larry	the Bird	@twitter

## Hover Table:

```
<table class="table table-hover">
<tr>
<th>Sl:No</th>
<th>Name</th>
<th>Email</th>
</tr>
<tr>
<td>1</td>
<td>xyz</td>
```

## Infidata Technology

```
<td>xyz@gmail.com</td>
</tr>
<tr>
<td>2</td>
<td>acb</td>
<td>abc@gmail.com</td>
</tr>
<tr>
<td>3</td>
<td>asdf</td>
<td>asdf@gmail.com</td>
</tr>
</table>
```

#	First Name	Last Name	Username
1	Mark	Otto	@mdo
2	Jacob	Thornton	@fat
3	Larry	the Bird	@twitter

## Striped Table:

```
<table class="table table-striped">
<tr>
<th>Sl:No</th>
<th>Name</th>
<th>Email</th>
</tr>
<tr>
<td>1</td>
<td>xyz</td>
<td>xyz@gmail.com</td>
```

## Infidata Technology

```
</tr>
<tr>
    <td>2</td>
    <td>acb</td>
    <td>abc@gmail.com</td>
</tr>
<tr>
    <td>3</td>
    <td>asdf</td>
    <td>asdf@gmail.com</td>
</tr>
</table>
```

#	First Name	Last Name	Username
1	Mark	Otto	@mdo
2	Jacob	Thornton	@fat
3	Larry	the Bird	@twitter

## Condensed Table:

```
<table class="table table-condensed">
  <tr>
    <th>Sl:No</th>
    <th>Name</th>
    <th>Email</th>
  </tr>
  <tr>
    <td>1</td>
    <td>xyz</td>
    <td>xyz@gmail.com</td>
  </tr>
```

```
<tr>

    <td>2</td>

    <td>acb</td>

    <td>abc@gmail.com</td>

</tr>

<tr>

    <td>3</td>

    <td>asdf</td>

    <td>asdf@gmail.com</td>

</tr>

</table>
```

#	First Name	Last Name	Username
1	Mark	Otto	@mdo
2	Jacob	Thornton	@fat
3	Larry the Bird		@twitter

## Contextual classes

```
<!-- On rows -->
<tr class="active">...</tr>
<tr class="success">...</tr>
<tr class="warning">...</tr>
<tr class="danger">...</tr>
<tr class="info">...</tr>

<!-- On cells (`td` or `th`) -->
<tr>
    <td class="active">...</td>
    <td class="success">...</td>
    <td class="warning">...</td>
    <td class="danger">...</td>
    <td class="info">...</td>
</tr>

<table class="table table-hover">

    <tr>
```

```
<th class="success">Sl.No</th>

<th>Name</th>

<th>Email</th>

</tr>

<tr class="active">

    <td>1</td>

    <td>xyz</td>

    <td>xyz@gmail.com</td>

</tr>

<tr>

    <td>2</td>

    <td>acb</td>

    <td>abc@gmail.com</td>

</tr>

<tr>

    <td>3</td>

    <td>asdf</td>

    <td>asdf@gmail.com</td>

</tr>

</table>
```

#	Column heading	Column heading	Column heading
1	Column content	Column content	Column content
2	Column content	Column content	Column content
3	Column content	Column content	Column content
4	Column content	Column content	Column content
5	Column content	Column content	Column content
6	Column content	Column content	Column content
7	Column content	Column content	Column content
8	Column content	Column content	Column content
9	Column content	Column content	Column content

# Forms

## Basic example

```
<form>
  <div class="form-group">
    <label for="exampleInputEmail1">Email address</label>
    <input type="email" class="form-control" id="exampleInputEmail1"
placeholder="Email">
  </div>
  <div class="form-group">
    <label for="exampleInputPassword1">Password</label>
    <input type="password" class="form-control" id="exampleInputPassword1"
placeholder="Password">
  </div>
  <div class="form-group">
    <label for="exampleInputFile">File input</label>
    <input type="file" id="exampleInputFile">
    <p class="help-block">Example block-level help text here.</p>
  </div>
  <div class="checkbox">
    <label>
      <input type="checkbox"> Check me out
    </label>
  </div>
  <button type="submit" class="btn btn-default">Submit</button>
</form>
```

### Email address

### Password

### File input

 No file selected.

Example block-level help text here.

☐ Check me out

## Inline form

```
<form class="form-inline">
  <div class="form-group">
    <label for="exampleInputName2">Name</label>
    <input type="text" class="form-control" id="exampleInputName2"
placeholder="Jane Doe">
  </div>
  <div class="form-group">
    <label for="exampleInputEmail2">Email</label>
    <input type="email" class="form-control" id="exampleInputEmail2"
placeholder="jane.doe@example.com">
  </div>
  <button type="submit" class="btn btn-default">Send invitation</button>
</form>
```

### EXAMPLE

**Name**  **Email**

## Horizontal form

```
<form class="form-horizontal">
  <div class="form-group">
    <label for="inputEmail3" class="col-sm-2 control-label">Email</label>
    <div class="col-sm-10">
      <input type="email" class="form-control" id="inputEmail3"
placeholder="Email">
    </div>
  </div>
  <div class="form-group">
    <label for="inputPassword3" class="col-sm-2 control-
label">Password</label>
    <div class="col-sm-10">
      <input type="password" class="form-control" id="inputPassword3"
placeholder="Password">
    </div>
  </div>
```



```
</div>
</div>
<div class="form-group">
  <div class="col-sm-offset-2 col-sm-10">
    <div class="checkbox">
      <label>
        <input type="checkbox"> Remember me
      </label>
    </div>
  </div>
</div>
<select class="form-control">
  <option>1</option>
  <option>2</option>
  <option>3</option>
  <option>4</option>
  <option>5</option>
</select>

  <div class="form-group">
    <div class="col-sm-offset-2 col-sm-10">
      <button type="submit" class="btn btn-default">Sign in</button>
    </div>
  </div>
</form>

<form class="form-horizontal">
  <div class="form-group has-success has-feedback">
    <label class="control-label col-sm-3" for="inputSuccess3">Input with
    success</label>
    <div class="col-sm-9">
      <input type="text" class="form-control" id="inputSuccess3" aria-
      describedby="inputSuccess3Status">
      <span class="glyphicon glyphicon-ok form-control-feedback" aria-
      hidden="true"></span>
      <span id="inputSuccess3Status" class="sr-only">(success)</span>
    </div>
  </div>
  <div class="form-group has-success has-feedback">
    <label class="control-label col-sm-3" for="inputGroupSuccess2">Input
    group with success</label>
    <div class="col-sm-9">
      <div class="input-group">
        <span class="input-group-addon">@</span>
        <input type="text" class="form-control" id="inputGroupSuccess2" aria-
        describedby="inputGroupSuccess2Status">
      </div>
      <span class="glyphicon glyphicon-ok form-control-feedback" aria-
      hidden="true"></span>
      <span id="inputGroupSuccess2Status" class="sr-only">(success)</span>
    </div>
  </div>
</form>
```

Email

Password

☐ Remember me

# Buttons

```
<!-- Standard button -->
<button type="button" class="btn btn-default">Default</button>

<!-- Provides extra visual weight and identifies the primary action in a set
of buttons -->
<button type="button" class="btn btn-primary">Primary</button>

<!-- Indicates a successful or positive action -->
<button type="button" class="btn btn-success">Success</button>

<!-- Contextual button for informational alert messages -->
<button type="button" class="btn btn-info">Info</button>

<!-- Indicates caution should be taken with this action -->
<button type="button" class="btn btn-warning">Warning</button>

<!-- Indicates a dangerous or potentially negative action -->
<button type="button" class="btn btn-danger">Danger</button>

<!-- Deemphasize a button by making it look like a link while maintaining
button behavior -->
<button type="button" class="btn btn-link">Link</button>
<p>
  <button type="button" class="btn btn-primary btn-lg">Large button</button>
  <button type="button" class="btn btn-default btn-lg">Large button</button>
</p>
```

EXAMPLE



## Responsive images

```

```

## Image shapes

```



```


# Components

## Glyphicons Icons

```
<i class='glyphicon glyphicon-eur'></i>
<i class='glyphicon glyphicon-text-color' ></i>
```

## Dropdowns


```
<div class="dropdown">
  <button class="btn btn-default dropdown-toggle" type="button"
  id="dropdownMenu1" data-toggle="dropdown" aria-haspopup="true" aria-
  expanded="true">
    Dropdown
    <span class="caret"></span>
  </button>
  <ul class="dropdown-menu" aria-labelledby="dropdownMenu1">
    <li><a href="#">Action</a></li>
    <li><a href="#">Another action</a></li>
    <li><a href="#">Something else here</a></li>
    <li role="separator" class="divider"></li>
    <li><a href="#">Separated link</a></li>
  </ul>
</div>
```



## DropUps

```
<div class="dropup">
```

```
<button class="btn btn-default dropdown-toggle" type="button"
id="dropdownMenu2" data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false">
  Dropup
  <span class="caret"></span>
</button>
<ul class="dropdown-menu" aria-labelledby="dropdownMenu2">
  <li><a href="#">Action</a></li>
  <li><a href="#">Another action</a></li>
  <li><a href="#">Something else here</a></li>
  <li role="separator" class="divider"></li>
  <li><a href="#">Separated link</a></li>
</ul>
</div>
```



## Button groups

```
<div class="btn-group" role="group" aria-label="...">
  <button type="button" class="btn btn-default">Left</button>
  <button type="button" class="btn btn-default">Middle</button>
  <button type="button" class="btn btn-default">Right</button>
</div>
```



## Button toolbar

```
<div class="btn-toolbar" role="toolbar" aria-label="...">
  <div class="btn-group" role="group" >
    <div class="btn-group" role="group" aria-label="...">
      <button type="button" class="btn btn-default">1</button>
      <button type="button" class="btn btn-default">2</button>
      <button type="button" class="btn btn-default">3</button>
      <button type="button" class="btn btn-default">4</button>
    </div>
  </div>
  <div class="btn-group" role="group" >
    <div class="btn-group" role="group" aria-label="...">
      <button type="button" class="btn btn-default">1</button>
    </div>
  </div>
</div>
```

```
        <button type="button" class="btn btn-default">2</button>
        <button type="button" class="btn btn-default">3</button>
    </div>
</div>
<div class="btn-group" role="group" >
    <div class="btn-group" role="group" aria-label="...">
        <button type="button" class="btn btn-default">1</button>
        <button type="button" class="btn btn-default">2</button>
        <button type="button" class="btn btn-default">3</button>
        <button type="button" class="btn btn-default">4</button>
    </div>
</div>
</div>
```

### EXAMPLE



## Button dropdowns

```
<!-- Single button -->
<div class="btn-group">
    <button type="button" class="btn btn-default dropdown-toggle" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false">
    Action <span class="caret"></span>
</button>
<ul class="dropdown-menu">
    <li><a href="#">Action</a></li>
    <li><a href="#">Another action</a></li>
    <li><a href="#">Something else here</a></li>
    <li role="separator" class="divider"></li>
    <li><a href="#">Separated link</a></li>
</ul>
</div>
```

### EXAMPLE



(Primary, info, success, warning, danger)

## Input groups

```
<div class="input-group">
    <span class="input-group-addon" id="basic-addon1">@</span>
```

## Infidata Technology

```
<input type="text" class="form-control" placeholder="Username" aria-
describedby="basic-addon1">
</div>

<div class="input-group">
  <input type="text" class="form-control" placeholder="Recipient's username"
  aria-describedby="basic-addon2">
  <span class="input-group-addon" id="basic-addon2">@example.com</span>
</div>

<div class="input-group">
  <span class="input-group-addon">$</span>
  <input type="text" class="form-control" aria-label="Amount (to the nearest
  dollar)">
  <span class="input-group-addon">.00</span>
</div>

<label for="basic-url">Your vanity URL</label>
<div class="input-group">
  <span class="input-group-addon" id="basic-
addon3">https://example.com/users/</span>
  <input type="text" class="form-control" id="basic-url" aria-
describedby="basic-addon3">
</div>
```

---

### EXAMPLE

@ Username

Recipient's username @example.com

\$ .00

Your vanity URL  
https://example.com/users/

---

```
<div class="row">
  <div class="col-lg-6">
    <div class="input-group">
      <span class="input-group-btn">
        <button class="btn btn-default" type="button">Go!</button>
      </span>
      <input type="text" class="form-control" placeholder="Search for...">
    </div><!-- /input-group -->
  </div><!-- /.col-lg-6 -->
  <div class="col-lg-6">
    <div class="input-group">
      <input type="text" class="form-control" placeholder="Search for...">
      <span class="input-group-btn">
        <button class="btn btn-default" type="button">Go!</button>
      </span>
    </div>
  </div>
</div>
```

```

    </span>
  </div><!-- /input-group -->
</div><!-- /.col-lg-6 -->
</div><!-- /.row -->

```

### EXAMPLE

Go!	Search for...	Search for...	Go!
-----	---------------	---------------	-----

```

<div class="row">
  <div class="col-lg-6">
    <div class="input-group">
      <div class="input-group-btn">
        <button type="button" class="btn btn-default dropdown-toggle" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false">Action <span
class="caret"></span></button>
        <ul class="dropdown-menu">
          <li><a href="#">Action</a></li>
          <li><a href="#">Another action</a></li>
          <li><a href="#">Something else here</a></li>
          <li role="separator" class="divider"></li>
          <li><a href="#">Separated link</a></li>
        </ul>
      </div><!-- /btn-group -->
      <input type="text" class="form-control" aria-label="...">
    </div><!-- /input-group -->
  </div><!-- /.col-lg-6 -->
  <div class="col-lg-6">
    <div class="input-group">
      <input type="text" class="form-control" aria-label="...">
      <div class="input-group-btn">
        <button type="button" class="btn btn-default dropdown-toggle" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false">Action <span
class="caret"></span></button>
        <ul class="dropdown-menu dropdown-menu-right">
          <li><a href="#">Action</a></li>
          <li><a href="#">Another action</a></li>
          <li><a href="#">Something else here</a></li>
          <li role="separator" class="divider"></li>
          <li><a href="#">Separated link</a></li>
        </ul>
      </div><!-- /btn-group -->
    </div><!-- /input-group -->
  </div><!-- /.col-lg-6 -->
</div><!-- /.row -->

```

### EXAMPLE

Action ▾			Action ▾
----------	--	--	----------

## Navigation

```
<ul class="nav nav-tabs">
  <li role="presentation" class="active"><a href="#">Home</a></li>
  <li role="presentation"><a href="#">Profile</a></li>
  <li role="presentation"><a href="#">Messages</a></li>
</ul>
```

### EXAMPLE



```
<ul class="nav nav-pills">
  <li role="presentation" class="active"><a href="#">Home</a></li>
  <li role="presentation"><a href="#">Profile</a></li>
  <li role="presentation"><a href="#">Messages</a></li>
</ul>
```



## Navigation Bars

```
<nav class="navbar navbar-default">
  <div class="container-fluid">
    <!-- Brand and toggle get grouped for better mobile display -->
    <div class="navbar-header">
      <button type="button" class="navbar-toggle collapsed" data-
toggle="collapse" data-target="#bs-example-navbar-collapse-1" aria-
expanded="false">
        <span class="sr-only">Toggle navigation</span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
      </button>
      <a class="navbar-brand" href="#">Brand</a>
    </div>

    <!-- Collect the nav links, forms, and other content for toggling -->
    <div class="collapse navbar-collapse" id="bs-example-navbar-collapse-1">
      <ul class="nav navbar-nav">
        <li class="active"><a href="#">Link <span class="sr-
only">(current)</span></a></li>
        <li><a href="#">Link</a></li>
        <li class="dropdown">
          <a href="#" class="dropdown-toggle" data-toggle="dropdown"
role="button" aria-haspopup="true" aria-expanded="false">Dropdown <span
class="caret"></span></a>
          <ul class="dropdown-menu">
            <li><a href="#">Action</a></li>
```



```

        <li><a href="#">Another action</a></li>
        <li><a href="#">Something else here</a></li>
        <li role="separator" class="divider"></li>
        <li><a href="#">Separated link</a></li>
        <li role="separator" class="divider"></li>
        <li><a href="#">One more separated link</a></li>
    </ul>
</li>
</ul>
<form class="navbar-form navbar-left">
    <div class="form-group">
        <input type="text" class="form-control" placeholder="Search">
    </div>
    <button type="submit" class="btn btn-default">Submit</button>
</form>
<ul class="nav navbar-nav navbar-right">
    <li><a href="#">Link</a></li>
    <li class="dropdown">
        <a href="#" class="dropdown-toggle" data-toggle="dropdown"
role="button" aria-haspopup="true" aria-expanded="false">Dropdown <span
class="caret"></span></a>
        <ul class="dropdown-menu">
            <li><a href="#">Action</a></li>
            <li><a href="#">Another action</a></li>
            <li><a href="#">Something else here</a></li>
            <li role="separator" class="divider"></li>
            <li><a href="#">Separated link</a></li>
        </ul>
    </li>
</ul>
</div><!-- /.navbar-collapse -->
</div><!-- /.container-fluid -->
</nav>

```

### EXAMPLE



```

<nav class="navbar navbar-inverse">
    <div class="container-fluid">
        <!-- Brand and toggle get grouped for better mobile display -->
        <div class="navbar-header">
            <button type="button" class="navbar-toggle collapsed" data-
toggle="collapse" data-target="#bs-example-navbar-collapse-1" aria-
expanded="false">
                <span class="sr-only">Toggle navigation</span>
                <span class="icon-bar"></span>
                <span class="icon-bar"></span>
                <span class="icon-bar"></span>
            </button>
            <a class="navbar-brand" href="#">Brand</a>
        </div>

        <!-- Collect the nav links, forms, and other content for toggling -->
    </div>

```

```

<div class="collapse navbar-collapse" id="bs-example-navbar-collapse-1">
  <ul class="nav navbar-nav">
    <li class="active"><a href="#">Link <span class="sr-
only">(current)</span></a></li>
    <li><a href="#">Link</a></li>
    <li class="dropdown">
      <a href="#" class="dropdown-toggle" data-toggle="dropdown"
role="button" aria-haspopup="true" aria-expanded="false">Dropdown <span
class="caret"></span></a>
      <ul class="dropdown-menu">
        <li><a href="#">Action</a></li>
        <li><a href="#">Another action</a></li>
        <li><a href="#">Something else here</a></li>
        <li role="separator" class="divider"></li>
        <li><a href="#">Separated link</a></li>
        <li role="separator" class="divider"></li>
        <li><a href="#">One more separated link</a></li>
      </ul>
    </li>
  </ul>
  <form class="navbar-form navbar-left">
    <div class="form-group">
      <input type="text" class="form-control" placeholder="Search">
    </div>
    <button type="submit" class="btn btn-default">Submit</button>
  </form>
  <ul class="nav navbar-nav navbar-right">
    <li><a href="#">Link</a></li>
    <li class="dropdown">
      <a href="#" class="dropdown-toggle" data-toggle="dropdown"
role="button" aria-haspopup="true" aria-expanded="false">Dropdown <span
class="caret"></span></a>
      <ul class="dropdown-menu">
        <li><a href="#">Action</a></li>
        <li><a href="#">Another action</a></li>
        <li><a href="#">Something else here</a></li>
        <li role="separator" class="divider"></li>
        <li><a href="#">Separated link</a></li>
      </ul>
    </li>
  </ul>
</div><!-- /.navbar-collapse -->
</div><!-- /.container-fluid -->
</nav>

```

### EXAMPLE



```

<nav class="navbar navbar-transparent">
  <div class="container-fluid">
    <!-- Brand and toggle get grouped for better mobile display -->
    <div class="navbar-header">


```

```
<button type="button" class="navbar-toggle collapsed" data-
toggle="collapse" data-target="#bs-example-navbar-collapse-1" aria-
expanded="false">
  <span class="sr-only">Toggle navigation</span>
  <span class="icon-bar"></span>
  <span class="icon-bar"></span>
  <span class="icon-bar"></span>
</button>
<a class="navbar-brand" href="#">Brand</a>
</div>

<!-- Collect the nav links, forms, and other content for toggling -->
<div class="collapse navbar-collapse" id="bs-example-navbar-collapse-1">
  <ul class="nav navbar-nav">
    <li class="active"><a href="#">Link <span class="sr-
only">(current)</span></a></li>
    <li><a href="#">Link</a></li>
    <li class="dropdown">
      <a href="#" class="dropdown-toggle" data-toggle="dropdown"
role="button" aria-haspopup="true" aria-expanded="false">Dropdown <span
class="caret"></span></a>
      <ul class="dropdown-menu">
        <li><a href="#">Action</a></li>
        <li><a href="#">Another action</a></li>
        <li><a href="#">Something else here</a></li>
        <li role="separator" class="divider"></li>
        <li><a href="#">Separated link</a></li>
        <li role="separator" class="divider"></li>
        <li><a href="#">One more separated link</a></li>
      </ul>
    </li>
  </ul>
  <form class="navbar-form navbar-left">
    <div class="form-group">
      <input type="text" class="form-control" placeholder="Search">
    </div>
    <button type="submit" class="btn btn-default">Submit</button>
  </form>
  <ul class="nav navbar-nav navbar-right">
    <li><a href="#">Link</a></li>
    <li class="dropdown">
      <a href="#" class="dropdown-toggle" data-toggle="dropdown"
role="button" aria-haspopup="true" aria-expanded="false">Dropdown <span
class="caret"></span></a>
      <ul class="dropdown-menu">
        <li><a href="#">Action</a></li>
        <li><a href="#">Another action</a></li>
        <li><a href="#">Something else here</a></li>
        <li role="separator" class="divider"></li>
        <li><a href="#">Separated link</a></li>
      </ul>
    </li>
  </ul>
</div><!-- /.navbar-collapse -->
</div><!-- /.container-fluid -->
</nav>
```

## Pagination

```
<nav aria-label="Page navigation">
  <ul class="pagination">
    <li>
      <a href="#" aria-label="Previous">
        <span aria-hidden="true">&laquo;</span>
      </a>
    </li>
    <li><a href="#">1</a></li>
    <li><a href="#">2</a></li>
    <li><a href="#">3</a></li>
    <li><a href="#">4</a></li>
    <li><a href="#">5</a></li>
    <li>
      <a href="#" aria-label="Next">
        <span aria-hidden="true">&raquo;</span>
      </a>
    </li>
  </ul>
</nav>
```



## Alerts

```
<div class="alert alert-success" role="alert">...</div>
<div class="alert alert-info" role="alert">...</div>
<div class="alert alert-warning" role="alert">...</div>
<div class="alert alert-danger" role="alert">...</div>
```

**Well done!** You successfully read **this important alert message**.

**Heads up!** This **alert needs your attention**, but it's not super important.

**Warning!** Better check yourself, you're **not looking too good**.

**Oh snap!** **Change a few things up** and try submitting again.

## Panel with heading

## Infidata Technology

```
<div class="panel panel-default">
  <div class="panel-heading">Panel heading without title</div>
  <div class="panel-body">
    Panel content
  </div>
</div>

<div class="panel panel-default">
  <div class="panel-heading">
    <h3 class="panel-title">Panel title</h3>
  </div>
  <div class="panel-body">
    Panel content
  </div>
</div>
```

### EXAMPLE

Panel heading without title

Panel content

Panel title

Panel content

## Responsive embed

```
<!-- 16:9 aspect ratio -->
<div class="embed-responsive embed-responsive-16by9">
  <iframe class="embed-responsive-item" src="..."></iframe>
</div>

<!-- 4:3 aspect ratio -->
<div class="embed-responsive embed-responsive-4by3">
  <iframe class="embed-responsive-item" src="..."></iframe>
</div>
```

## Carousel

```
<div id="myCarousel" class="carousel slide" data-ride="carousel">
  <!-- Indicators -->
  <ol class="carousel-indicators">
```

## Infidata Technology

```
<li data-target="#myCarousel" data-slide-to="0" class="active"></li>
<li data-target="#myCarousel" data-slide-to="1"></li>
<li data-target="#myCarousel" data-slide-to="2"></li>
</ol>

<!-- Wrapper for slides -->
<div class="carousel-inner">
  <div class="item active">
    <img src="" alt="Los Angeles">
  </div>

  <div class="item">
    <img src="" alt="Chicago">
  </div>

  <div class="item">
    <img src="" alt="New York">
  </div>
</div>

<!-- Left and right controls -->
<a class="left carousel-control" href="#myCarousel" data-slide="prev">
  <span class="glyphicon glyphicon-chevron-left"></span>
  <span class="sr-only">Previous</span>
</a>
<a class="right carousel-control" href="#myCarousel" data-slide="next">
  <span class="glyphicon glyphicon-chevron-right"></span>
  <span class="sr-only">Next</span>
</a>
</div>
```

### Carousel Example

