

ENDURASPRAY®

A Division of ENDURAMAXX

2017 SALES CATALOGUE



Think Sprayer
Think ENDURASPRAY®

Product helpline 0800 840 4030

www.enduraspray.co.uk

Think Sprayer

Think ENDURASPRAY®

Welcome to the Enduraspray 2017 catalogue. Regular customers will see that we have continued to improve and update our products in line with continuous research and user feedback.

New for this year is the impressive 12 Volt Remote Auto Rewind Hose Reel which comes in 30, 50, 100 and 150 metre hose lengths. This can be fitted to the Pro Series Skid Mounted Sprayers with Spray Marshal Pump as illustrated on page 27.

For those seeking Pressure Washer Bowser Units we are now able to supply over 230 options with either petrol or diesel engine pumps, hot or cold water and tank capacities ranging from 90 litres up to 5,000 litres. Available as skid mounted, side mounted, tank mounted, wheelbarrow mounted or trailer mounted; full details can be found on our website.

Why not subscribe online to our monthly newsletter and keep up to date with our latest special offers and product developments?



Disclaimer: Product specifications are subject to change in line with our commitment to continuous improvement. Capacities and dimensions may vary due to manufacturing process. Images used are for illustrative purposes only. Colours represented may vary due to printing process.

Contents

Push Along Sprayers	4 - 7
Spot Sprayers	8 - 11
Trailer Mounted Sprayers	12 - 21
Skid Mounted Sprayers	22 - 29
3 Point Linkage Sprayers	30 - 31
Spray Booms	32 - 37
Water Bowsers	38 - 43
Watering Units	44 - 49
Dust Suppression Units	50 - 57
Sprayer Accessories and Parts	58 - 67

Visit our online shop at www.enduraspray.co.uk
where you will find an extensive range of sprayer
accessories and parts

Push Along Sprayers



Push Along Sprayer

34 Litre

This light weight and robust sprayer is ideal for a wide variety of spraying applications.

Features

- Reliable 3.8L/min 40Psi pump
- Spray lance with adjustable nozzle for range of spraying options
- Lance clips hold spray lance securely
- Boomless nozzle sprays up to 1m width for spraying large areas of lawn
- Easily adjustable handle suits all users – max. height 1070mm
- Large wheels and tyres – 300mm diameter easily handle steps and uneven terrain
- Well balanced and easy to use
- Tow bar supplied for easy hitching to ride on mowers
- Electric on/off switch for pump
- Drain bung for easy cleaning
- Rechargeable 12 volt battery (charger included)
- Overall width 605mm
- Up to 2 hours of continuous use per charge

Code	Description	Pump
131004	34 Litre Push Along Sprayer	3.8L/min 40Psi



Push Along Sprayers

90 Litre - 12 Volt

A smaller version of our revolutionary 130 litre push along sprayer. This 90 litre sprayer is supplied fully-assembled and guaranteed to take the work out of spraying lawns, driveways, paths and gardens.

Features

- Supplied with a 8.3L/min or 11.4L/min Delavan 12 volt pump
- 5 litre hand wash tank
- 6m hose
- Hand lance
- Overall width 700mm
- Rechargeable battery and charger
- Up to 1.5 hours of continuous use per charge



13180910 shown with optional budget spray boom attached

Push Along Sprayers

130 Litre - 12 Volt

This large capacity push along sprayer has a 130 litre tank which can cover larger areas in less time without having to carry it in your hand or on your back.

With two 12 volt driven pump sizes available, this push along sprayer operates a steady and consistent spray at walking speed.

Designed for the professional groundkeeper, this high-performance sprayer will give excellent results.

Features

- Supplied with a 8.3L/min or 11.4L/min Delavan 12 volt pump
- 5 litre hand wash tank
- 6m hose and hand lance
- Overall width 800mm
- Rechargeable battery and charger
- Up to 1.5 hours of continuous use per charge

Code	Description	Pump
13181310	130 Litre Push Along Sprayer	8.3L/min
13181311	130 Litre Push Along Sprayer	11.4L/min



90 litre model
illustrated with optional spray boom

Spot Sprayers



Siver Series 12 Volt Spot Sprayers

150 Litre and 225 Litre

Also known as ATV Sprayers, cleverly thought out engineering and UK build quality ensures these machines will last even in the most demanding conditions.

Features

- Controlled spraying
- Fitted with a pressure regulator and gauge for accurate spray control
- Choose from a range of kits to adapt to trailers, pick-ups and RTVs
- Range of booms to suit your application
- 6m hose and hand lance
- Some assembly required



131032



131025

Code	Description	Pump	Dimensions (L x W x H) mm
131025	150 Litre Spot Sprayer	8.3L/min 60Psi	900 x 600 x 480
131026	150 Litre Spot Sprayer	11.4L/min 60Psi	900 x 600 x 480
131027	150 Litre Spot Sprayer	15L/min 60Psi	900 x 600 x 480
131030	225 Litre Spot Sprayer	8.3L/min 60Psi	900 x 600 x 630
131031	225 Litre Spot Sprayer	11.4L/min 60Psi	900 x 600 x 630
131032	225 Litre Spot Sprayer	15L/min 60Psi	900 x 600 x 630

ATV Pro Series 12 Volt Spot Sprayers

60 Litre

These heavy duty Spot Sprayers are a simple solution to eliminate weeds, insects or diseases that harm property, fence rows and fruit trees.

Easily mounted on the back of an ATV, these sprayers are fitted with a spray handgun that provides thorough and adjustable spray coverage.



Features

- Delavan 12 volt pump
- Pressure regulator and gauge (excluding 3.8 Litre/min unit)
- 6m hose and hand lance
- Recessed pump mount for protection
- Optional boomless nozzle and boom kits available

Code	Description	Pump	Dimensions (L x W x H) mm
131210	60 Litre ATV Pro Series Spot Sprayer	3.8L/min 40Psi	1000 x 370 x 400
131211	60 Litre ATV Pro Series Spot Sprayer	8.3L/min 60Psi	1000 x 370 x 400
131212	60 Litre ATV Pro Series Spot Sprayer	11.4L/min 60Psi	1000 x 370 x 400
131213	60 Litre ATV Pro Series Spot Sprayer	15L/min 60Psi	1000 x 370 x 400

ATV Pro Series 12 Volt Spot Sprayers 90 Litre

This ATV sprayer easily mounts onto the back of a quad bike or four wheeler. The unique design of the ATV sprayer system allows the operator controlled spraying patterns without leaving the seat. These sprayers are ideal for commercial, agricultural, or even domestic use.



Features

- Delavan 12 volt pump
- Pressure regulator and gauge (excluding 3.8 Litre/min unit)
- 6m hose and hand lance
- Recessed pump mount for protection

Code	Description	Pump	Dimensions (L x W x H) mm
131220	90 Litre ATV Pro Series Spot Sprayer	3.8L/min 40Psi	1000 x 370 x 500
131221	90 Litre ATV Pro Series Spot Sprayer	8.3L/min 60Psi	1000 x 370 x 500
131222	90 Litre ATV Pro Series Spot Sprayer	11.4L/min 60Psi	1000 x 370 x 500
131223	90 Litre ATV Pro Series Spot Sprayer	15L/min 60Psi	1000 x 370 x 500

**AVAILABLE IN
FOUR PUMP SIZES
WITH OPTIONAL
BOOMLESS
NOZZLES AND
BOOM KITS**

Trailer Mounted Sprayers



Pro Series 12 Volt Zero-Turn Sprayers

60 Litre and 90 Litre

With two tank capacities, our Zero-Turn Sprayers combined with our range of pump size, turns any zero-turn mower into a complete turf application vehicle.

Features

- Powder coated frame
- Rotationally moulded tank
- Delavan 12 volt pump
- Pressure regulator and gauge (excluding 3.8 Litre/min unit)
- 6m hose and hand lance
- Recessed pump mount for protection

Code	Description	Pump
141005	60 Litre Pro Series Zero-Turn Sprayer	3.8L/min 40Psi
141006	60 Litre Pro Series Zero-Turn Sprayer	8.3L/min 60Psi
141007	60 Litre Pro Series Zero-Turn Sprayer	11.4L/min 60Psi
141008	60 Litre Pro Series Zero-Turn Sprayer	15L/min 60Psi
141010	90 Litre Pro Series Zero-Turn Sprayer	3.8L/min 40Psi
141011	90 Litre Pro Series Zero-Turn Sprayer	8.3L/min 60Psi
141012	90 Litre Pro Series Zero-Turn Sprayer	11.4L/min 60Psi
141013	90 Litre Pro Series Zero-Turn Sprayer	15L/min 60Psi



Silver Series 12 Volt Trailer Mounted Estate Sprayers

150 Litre and 225 Litre

Our 150 litre and 225 litre 12 volt spot sprayers are suitable for being towed behind a large mower or garden tractor.



Features

- Mounted on sturdy powder coated steel frame
- Reliable 12 volt pump with regulator for spray pressure control
- 6m hose and Powerjet spray gun for spot spraying applications
- 2.4m of electrical cables with on/off switch and battery clips
- 18" x 7" - 8", 4 ply pneumatic tyres
- Supplied with clevis hitch

Code	Description	Pump
141315	150 Litre Estate Sprayer	8.3L/min 60Psi
141316	150 Litre Estate Sprayer	11.4L/min 60Psi
141322	225 Litre Estate Sprayer	8.3L/min 60Psi
141323	225 Litre Estate Sprayer	11.4L/min 60Psi

Boom Kit Options	
Code	Description
151050	2m Deflector 140° Nozzle Spray Boom
151060	3m Flat Fan 110° Nozzle Spray Boom
151065	4m Flat Fan 110° Nozzle Spray Boom

Pro Series 12 Volt Trailer Mounted Sprayers 200 Litre

Enduraspray's Pro Series Trailer Mounted Sprayers are fitted to a single axle galvanised steel chassis for durability and are designed to be towed behind an ATV, quad bike or garden tractor. The tank is constructed from chemical resistant rotationally moulded polyethylene and can also be fitted with a spray boom for time efficient ground coverage of water or chemicals.



Code	Description	Pump
141020	200 Litre ATV Trailer Sprayer	8.3L/min 60Psi
141021	200 Litre ATV Trailer Sprayer	11.4L/min 60Psi
141022	200 Litre ATV Trailer Sprayer	15L/min 60Psi
141023	200 Litre ATV Trailer Sprayer	19L/min 60Psi

Features

- Pressure regulator with gauge for accurate and controlled spraying
- 12 volt Delavan pump mounted under cover
- 6m x 10mm spray hose
- Boom mounting brackets
- Hose wrap for storage and spray lance holder
- Strong steel construction chassis, hot dip galvanised for durability
- 50mm tow hitch

Pro Series 12 Volt Trailer Mounted Sprayers

300 Litre

Enduraspray's Pro Series Trailer Mounted Sprayers are fitted to a single axle galvanised steel chassis for durability and are designed to be towed behind an ATV, quad bike or garden tractor. The tank is constructed from chemical resistant rotationally moulded polyethylene and can also be fitted with a spray boom for time efficient ground coverage of water or chemicals.



141030

Features

- Pressure regulator with gauge for accurate and controlled spraying
- 12 volt Delavan pump mounted under cover
- 6m x 10mm spray hose
- Boom mounting brackets
- Single axle fitted with 22" high flotation all terrain tyres
- Hose wrap for storage and spray lance holder
- Strong steel construction chassis, hot dip galvanised for durability
- 50mm tow hitch

Code	Description	Pump
141030	300 Litre ATV Trailer Sprayer	8.3L/min 60Psi
141031	300 Litre ATV Trailer Sprayer	11.4L/min 60Psi
141032	300 Litre ATV Trailer Sprayer	15L/min 60Psi
141033	300 Litre ATV Trailer Sprayer	19L/min 60Psi

Pro Series 12 Volt Trailer Mounted Sprayers

400 Litre

**SINGLE AXLE
FITTED WITH 22"
HIGH FLOTATION
ALL TERRAIN
TYRES**

Features

- Hinged drawbar allows flotation over uneven terrain
- Hot dip galvanised steel frame
- 6m x 10mm spray hose
- 50mm tow hitch
- Boom mounting brackets
- Hose wrap for storage and spray lance holder



Popular uses include:

- Weed and feed estate sprayer
- Herbicide, pesticide, fertiliser and fungicide sprayers
- Spot sprayer
- Ideal for grounds keepers, sports facility and landscaping applications
- Equestrian centres and golf courses
- Garden centres
- Parks and recreational facilities
- Agricultural and horticultural applications
- Moss, algae and weed control

Code	Description	Pump
141040	400 Litre Trailer Sprayer	8.3L/min 60Psi
141041	400 Litre Trailer Sprayer	11.4L/min 60Psi
141042	400 Litre Trailer Sprayer	15L/min 60Psi
141043	400 Litre Trailer Sprayer	19L/min 60Psi

Pro Series 12 Volt Trailer Mounted Sprayers

500 Litre

Enduraspray's Pro Series Trailer Mounted Sprayers are fitted to a single axle galvanised steel chassis for durability and are designed to be towed behind an ATV, quad bike or garden tractor. The tank is constructed from chemical resistant rotationally moulded polyethylene and can also be fitted with a spray boom for time efficient ground coverage of water or chemicals.



141070
700 Litre model shown

Features

- Pressure regulator with gauge for accurate and controlled spraying
- 12 volt Delavan pump mounted under cover
- 6m x 10mm spray hose
- Boom mounting brackets
- Single axle fitted with 22" high flotation all terrain tyres
- Hose wrap for storage and spray lance holder
- Strong steel construction chassis, hot dip galvanised for durability
- 50mm tow hitch

Code	Description	Pump
141050	500 Litre Trailer Sprayer	8.3L/min 60Psi
141051	500 Litre Trailer Sprayer	11.4L/min 60Psi
141052	500 Litre Trailer Sprayer	15L/min 60Psi
141053	500 Litre Trailer Sprayer	19L/min 60Psi

Pro Series 12 Volt Trailer Mounted Sprayers

700 Litre

Features

- Pressure regulator with gauge for accurate and controlled spraying
- 12 volt Delavan pump mounted under cover
- 6m x 10mm spray hose
- Boom mounting brackets
- Single axle fitted with 22" high flotation all terrain tyres
- Hose wrap for storage and spray lance holder
- Strong steel construction chassis, hot dip galvanised for durability
- 50mm tow hitch



Code	Description	Pump
141070	700 Litre Trailer Sprayer	8.3L/min 60Psi
141071	700 Litre Trailer Sprayer	11.4L/min 60Psi
141072	700 Litre Trailer Sprayer	15L/min 60Psi
141073	700 Litre Trailer Sprayer	19L/min 60Psi

Popular uses include:

- Weed and feed estate sprayer
- Spot sprayer
- Agricultural and horticultural applications
- Herbicide, pesticide, fertiliser and fungicide sprayer
- Moss, algae and weed control

Pro Series Motorised Trailer Mounted Sprayers

200 Litre and 300 Litre

Features

- Honda GX35 4 stroke engine with 3 year warranty
- 12L/min 360 Psi Spray Marshal Pump
- Single Axle
- Glycerine filled pressure gauge
- Spray gun has adjustable turbo atomiser
- Secure tank mounting system
- 50mm tow hitch

**FITTED
WITH SPRAY
MARSHAL
PUMP**

Popular uses include:

- Weed and feed estate sprayer
- Equestrian centres and golf courses
- Grounds keepers and sports facility applications
- Fruit growers and small holders
- Agricultural applications
- Herbicide, pesticide, fertiliser and fungicide sprayer



Code	Description	Hose
141120	200 Litre Trailer Sprayer	30m hose and reel
141122	200 Litre Trailer Sprayer	60m hose and reel

Code	Description	Hose
141130	300 Litre Trailer Sprayer	30m hose and reel
141132	300 Litre Trailer Sprayer	60m hose and reel

Pro Series Motorised Trailer Mounted Sprayers

400 Litre, 500 Litre
and 700 Litre



FITTED
WITH 22"
HIGH FLOTATION
ALL TERRAIN
TYRES

Features

- Honda GX35 4 stroke engine with 3 year warranty
- 12L/min 360 Psi Spray Marshal Pump
- Glycerine filled pressure gauge
- Spray gun has adjustable turbo atomiser
- Secure tank mounting system
- 50mm tow hitch

Code	Description	Hose
141140	400 Litre Trailer Sprayer	30m hose and reel
141142	400 Litre Trailer Sprayer	60m hose and reel
141150	500 Litre Trailer Sprayer	30m hose and reel
141152	500 Litre Trailer Sprayer	60m hose and reel
141170	700 Litre Trailer Sprayer	30m hose and reel
141172	700 Litre Trailer Sprayer	60m hose and reel

Skid Mounted Sprayers



Silver Series 12 Volt Skid Mounted Sprayers

150 Litre and 225 Litre

Our 150 litre and 225 litre 12 volt skid sprayers are suitable for fitting on to a ATV, RTV or pick-up.

Features

- Use for UTV spray systems
- Add boom mount kit and boom as required
- 6m hose with powerjet spray gun for spot spraying applications
- Powder coated steel frame with hose wrap facility
- Complete with 2.4m electrical cable with on/off switch and battery clips
- Easy to assemble

**ADD A
BOOM KIT FOR
YOUR COMPLETE
SPRAYING
SOLUTION**



132116

Code	Description	Pump	Dimensions (L x W x H) mm
132115	150 Litre Skid Sprayer	8.3L/min 60Psi	1040 x 650 x 635
132116	150 Litre Skid Sprayer	11.4L/min 60Psi	1040 x 650 x 635
132122	225 Litre Skid Sprayer	8.3L/min 60Psi	1040 x 650 x 700
132123	225 Litre Skid Sprayer	11.4L/min 60Psi	1040 x 650 x 700

Hose Reel Kits with Mounting Frame

Code	Description
136130	30m hose reel with 3/8" hose and fittings
136150	50m hose reel with 3/8" hose and fittings

Pro Series 12 Volt Skid Mounted Sprayers without Hose Reel

200 Litre, 300 Litre and 400 Litre

Cover large areas with our rugged Pro Series 12 volt Skid Mounted Sprayer otherwise known as a Demount Sprayer. The rotationally moulded tank is constructed from medium density polyethylene and mounted on a hot dip galvanised steel frame creating a durable and robust unit.

Code	Description	Pump	Dimensions (L x W x H) mm
132020	200 Litre Skid Sprayer	8.3L/min 60Psi	1050 x 650 x 675
132021	200 Litre Skid Sprayer	11.4L/min 60Psi	1050 x 650 x 675
132022	200 Litre Skid Sprayer	15L/min 60Psi	1050 x 650 x 675
132030	300 Litre Skid Sprayer	8.3L/min 60Psi	1000 x 790 x 830
132031	300 Litre Skid Sprayer	11.4L/min 60Psi	1000 x 790 x 830
132032	300 Litre Skid Sprayer	15L/min 60Psi	1000 x 790 x 830
132040	400 Litre Skid Sprayer	8.3L/min 60Psi	1400 x 880 x 735
132041	400 Litre Skid Sprayer	11.4L/min 60Psi	1400 x 880 x 735
132042	400 Litre Skid Sprayer	15L/min 60Psi	1400 x 880 x 735



132020

Features

- Hot dip galvanised frame
- 6 metres of hose and powerjet spray lance for spot spraying applications
- 4.5 metres of electrical cable with on/off switch and battery clips/12 volt and socket adaptor



132040

Pro Series 12 Volt Skid Mounted Sprayers with Hose Reel

200 Litre, 300 Litre and 400 Litre

Features

- Hot dip galvanised frame
- Powerjet spray lance for spot spraying applications
- 4.5 metres of electrical cable with on/off switch and battery clips/12 volt and socket adaptor

**MANUAL AND
AUTO REWIND
OPTIONS
AVAILABLE**



132025

Code	Description	Pump	Dimensions (L x W x H) mm
132025	200 Litre Skid Sprayer with 30m hose, manual rewind	11.4L/min 60Psi	1050 x 650 x 950
132025-20	200 Litre Skid Sprayer with 20m hose, auto rewind	11.4L/min 60Psi	1050 x 650 x 1120
132035	300 Litre Skid Sprayer with 30m hose, manual rewind	11.4L/min 60Psi	1000 x 790 x 1175
132035-20	300 Litre Skid Sprayer with 20m hose, auto rewind	11.4L/min 60Psi	1000 x 790 x 1345
132045	400 Litre Skid Sprayer with 30m hose, manual rewind	11.4L/min 60Psi	1400 x 880 x 1060
132045-20	400 Litre Skid Sprayer with 20m hose, auto rewind	11.4L/min 60Psi	1400 x 880 x 1195

Pro Series Motorised Skid Mounted Sprayers with Spray Marshal Pump

200 Litre, 300 Litre and 400 Litre

Features

- Genuine Honda GX35 4 stroke motor for proven reliability with a 3 year warranty
- Spray gun has adjustable turbo atomiser for full range of spray requirements
- Glycerin filled pressure gauge
- Hot dipped galvanised frame
- Secure tank mounting system

Popular uses include:

- Spot spraying
- Orchard and tree spraying
- Landscaping and groundskeeper applications
- School playing fields
- Sporting venues including golf courses, tennis courts, football and rugby pitches
- Local Authority/Highway Authority requirements for verges and central reservations etc

**GENUINE
HONDA GX35
4 STROKE
ENGINE**



132820

Code	Description	Pump	Dimensions (L x W x H) mm
132820	200 Litre Skid Sprayer with Spray Marshal Pump and 30m hose reel	12L/min 360Psi	1100 x 650 x 1055
132830	300 Litre Skid Sprayer with Spray Marshal Pump and 30m hose reel	12L/min 360Psi	1000 x 850 x 1210
132840	400 Litre Skid Sprayer with Spray Marshal Pump and 30m hose reel	12L/min 360Psi	1400 x 880 x 1115

Pro Series Motorised Skid Mounted Sprayers with Spray Marshal Pump and Remote Auto Rewind Hose Reel

200 Litre, 300 Litre, 400 Litre, 500 Litre and 700 Litre

Features

- Genuine Honda GX35 4 stroke motor for proven reliability with a 3 year warranty
- Glycerin filled pressure gauge
- Spray gun has adjustable turbo atomiser for full range of spray requirements
- Hot dipped galvanised frame
- Secure tank mounting system



132824

12 VOLT
AUTO REWIND
HOSE REEL WITH
30M, 50M, 100M
AND 150M HOSE
LENGTH
OPTIONS

Code	Description	Pump	Dimensions (L x W x H) mm
132824	200 Litre Skid Sprayer with Spray Marshal Pump and 30m hose reel	12L/min 360Psi	1050 x 650 x 1055
132834	300 Litre Skid Sprayer with Spray Marshal Pump and 30m hose reel	12L/min 360Psi	1000 x 790 x 1210
132844	400 Litre Skid Sprayer with Spray Marshal Pump and 30m hose reel	12L/min 360Psi	1400 x 880 x 1115
132854	500 Litre Skid Sprayer with Spray Marshal Pump and 30m hose reel	12L/min 360Psi	1680 x 1170 x 700
132874	700 Litre Skid Sprayer with Spray Marshal Pump and 30m hose reel	12L/min 360Psi	1680 x 1170 x 850

Pro Series Motorised Skid Mounted Sprayers

200 Litre, 300 Litre and 400 Litre

Cover large areas with our rugged Pro Series Motorised Skid Mounted Sprayer otherwise known as a Demount Sprayer. The rotationally moulded tank is constructed from medium density polyethylene and mounted on a hot dip galvanised steel frame creating a durable and robust unit.

Features

- Honda GX120 engine
- Hot dipped galvanised frame
- 6m hose and hand lance

**ADD A
BOOM KIT FOR
YOUR COMPLETE
SPRAYING
SOLUTION**



Honda GX120
Petrol Engine

Code	Description	Pump	Dimensions (L x W x H) mm
1323020	200 Litre Motorised Skid Sprayer	Comet Pump 22L/min 290Psi	1050 x 650 x 1055
1323025	200 Litre Motorised Skid Sprayer	Comet Pump 30L/min 580Psi	1050 x 650 x 1055
1323030	300 Litre Motorised Skid Sprayer	Comet Pump 22L/min 290Psi	1000 x 790 x 1185
1323035	300 Litre Motorised Skid Sprayer	Comet Pump 30L/min 580Psi	1000 x 790 x 1185
1323040	400 Litre Motorised Skid Sprayer	Comet Pump 22L/min 290Psi	1400 x 880 x 1070
1323045	400 Litre Motorised Skid Sprayer	Comet Pump 30L/min 580Psi	1400 x 880 x 1070

Pro Series Motorised Skid Mounted Sprayers

500 Litre and 700 Litre

Features

- UV stabilised and chemical resistant polyethylene tank specifically designed for spraying

Code	Description	Pump	Dimensions (L x W x H) mm
132850	500 Litre Skid Sprayer with 30m hose reel - Honda GX35 engine	Comet Pump 12L/min	1680 x 1170 x 700
1323050	500 Litre Skid Sprayer with 30m hose reel - Honda GX120 engine	Comet Pump 22L/min	1680 x 1170 x 700
1323055	500 Litre Skid Sprayer with 30m hose reel - Honda GX120 engine	Comet Pump 38L/min	1680 x 1170 x 700
1323058	500 Litre Skid Sprayer with 30m hose reel - Honda GX160 engine	Comet Pump 50L/min	1680 x 1170 x 700
1323060	500 Litre Skid Sprayer with 30m hose reel - Honda GX390 engine	Comet Pump 67L/min	1680 x 1170 x 700
132870	700 Litre Skid Sprayer with 30m hose reel - Honda GX35 engine	Comet Pump 12L/min	1680 x 1170 x 850
1323070	700 Litre Skid Sprayer with 30m hose reel - Honda GX120 engine	Comet Pump 22L/min	1680 x 1170 x 850
1323075	700 Litre Skid Sprayer with 30m hose reel - Honda GX120 engine	Comet Pump 38L/min	1680 x 1170 x 850
1323078	700 Litre Skid Sprayer with 30m hose reel - Honda GX160 engine	Comet Pump 50L/min	1680 x 1170 x 850
1323080	700 Litre Skid Sprayer with 30m hose reel - Honda GX390 engine	Comet Pump 67L/min	1680 x 1170 x 850

3 Point Linkage Sprayers



Silver Series 12 Volt 3 Point Linkage Sprayers

150 Litre and 225 Litre

Our 3 point sprayers are available in 150 litres or 225 litres. Spray large areas such as lawns and golf courses without damaging turf or plants.

Features

- Mounted on sturdy powder coated steel frame with hose wrap
- Choice of 12 volt pumps with regulator for spray pressure control available
- 6m of hose and powerjet spray gun for spot spraying applications
- 2.4m electrical cable with on/off switch and battery clips
- Easy to assemble

Code	Description	Pump
133115	150 Litre 3 Point Linkage Sprayer	8.3L/min 60Psi
133116	150 Litre 3 Point Linkage Sprayer	11.4L/min 60Psi
133117	150 Litre 3 Point Linkage Sprayer	15L/min 60Psi
133122	225 Litre 3 Point Linkage Sprayer	8.3L/min 60Psi
133123	225 Litre 3 Point Linkage Sprayer	11.4L/min 60Psi
133124	225 Litre 3 Point Linkage Sprayer	15L/min 60Psi



Spray Booms



Silver Series Boomless Nozzles

Boomless nozzles can be fitted to any sprayer with a minimum pump capacity of 7 litres per minute. They are ideal for use in areas where there are objects that need to be sprayed around but cannot be moved.



**CHOOSE
FROM
SEVEN
SIZES**

Code	Description	Coverage
151102	Boomless Nozzle Kit with minimum pump capacity 7L/min	2m
151103	Boomless Nozzle Kit with minimum pump capacity 7L/min	3m
151104	Boomless Nozzle Kit with minimum pump capacity 7L/min	4m
151107	Boomless Nozzle Kit with minimum pump capacity 7L/min	7m
151115	Boomless Nozzle Kit with minimum pump capacity 11L/min	15m
151116	Boomless Nozzle Kit with minimum pump capacity 20L/min	16m
151117	Boomless Nozzle Kit with minimum pump capacity 30L/min	17m

Features

- Use with ATV, 3PL or UTV sprayers
- Ideal for rough country spraying
- Brass boomless nozzle
- Steel mounting brackets
- On/off tap with 1/4" male BSP fitting
- Can be easily changed from one side to two side spraying 7 – 17m sizes
- Can be used as 180° swathe or 90° swathe by swapping nozzle plates on 7m 15m, 16m and 17m


Silver Series Deflector 140° Nozzle Spray Booms

These boom kits are designed to be used with any ATV sprayer that has a pump of 7.7 litres minimum or larger. Fitted with deflector nozzles at 1000mm spacing.

Features

- Fitted with deflector 140° spray nozzles at 1000mm spacings
- Arm taps fitted as standard on 3m and 4m folding booms
- 3m and 4m booms have spring loaded positive action breakaway and vertical fold capacity
- Kits come with hose and fittings

Code	Description
151050	2m Spray Boom
151060	3m Folding Spray Boom
151065	4m Folding Spray Boom
151050 ATV	2m Spray Boom with ATV Mounting Kit
151060 ATV	3m Folding Spray Boom with ATV Mounting Kit
151065 ATV	4m Folding Spray Boom with ATV Mounting Kit



Silver Series Flat Fan 110° Nozzle Spray Booms

These standard water spraying booms are considered the backbone of the industry and can be used for a multitude of applications.

Features

- Fitted with flat fan type spray nozzles at 500mm spacing with anti-drip diaphragm
- Spring loaded positive action breakaway and vertical fold capacity
- Kits come with on/off valve, hose and fittings
- Some assembly required



**NOZZLE
APPLICATION
CHART
AVAILABLE TO
DOWNLOAD**

Code	Description
152060	3m Folding Spray Boom
152065	4m Folding Spray Boom

Code	Description
152060 ATV	3m Folding Spray Boom with ATV Mounting Kit
152065 ATV	4m Folding Spray Boom with ATV Mounting Kit

Versatile Spray Boom and Mounting Kit

This boom will spray a swathe of approximately 4.5 metres and each spray nozzle can be independently switched off.

Features

- 1300mm compact boom
- Compatible with any spot sprayer with pump 6.8L/min or more
- Versatility of spraying options
- Fitted with diaphragm check valve and ball check filters
- Boom mounting brackets with U bolt clamps for attaching to vehicle/trailer
- 110° Low drift nozzles x 3
- Metal boom guards for protection of end nozzles
- On/off ball valve tap for OC end jet nozzles
- Fitted with diaphragm check valve and ball check filters



Code	Description
151015	Versatile Spray Boom
136505	Versatile Spray Boom Mounting Kit


Budget Spray Boom and Mounting Kit

Designed to fit directly to the front or rear of any ATV rack.

SUITABLE
FOR SMALLER
SPRAYING
JOBS

Features

- Height adjustable
- Pump delivery of 6.8 litres min sufficient for this boom
- Includes diaphragm check valve nozzle holders
- Outside nozzle can be independently switched off
- The boom has 3 nozzle assemblies with 50cm spacing between each nozzle
- Boom width approximately 120cm overall



Water Bowsers




Skid Mounted Water Bowsers

200 Litre, 300 Litre, 400 Litre, 500 Litre and 700 Litre

Our skid mounted water bowsers are available with an optional pump mounting plate enabling the fitting of various pump options and other add ons.

These add ons range from pressure washers and plant watering units to on demand pumps for remote and off-mains cabins, welfare units and portable catering vans.

**WRAS approved when modified
(black tank only)** ask for details.



23002012

Code	Description	Dimensions (L x W) mm
23002012	200 Litre Skid Mounted Water Bowser	1100 x 650
23003012	300 Litre Skid Mounted Water Bowser	1000 x 850
23004012	400 Litre Skid Mounted Water Bowser	1400 x 880
23005012	500 Litre Skid Mounted Water Bowser	1680 x 1170
23007012	700 Litre Skid Mounted Water Bowser	1680 x 1170

Features

- Fitted with 1.5" quarter turn valve
- 1.5m x 1.5" PVC hose
- Powder coated frame



Site Tow Trailer Mounted Water Bowsers

200 Litre, 300 Litre and 400 Litre

Our water bowser range has been designed for the compliant, safe transportation and remote supply of water. These bowsers can be modified with options of standard pumps, to include drinking (potable) water, high powered engine driven pressure washers and dust control spray units for damping down dusty sites.

WRAS approved when modified (black tank only)

ask for details.

Features

- Galvanised chassis
- 50mm tow hitch
- Fitted with 1.5" quarter turn valve
- 1.5m x 1.5" PVC hose



142020-ST

Code	Description	Dimensions (L x W) mm
142020-ST	200 Litre Site Tow Trailer Water Bowser	2160 x 1230
142030-ST	300 Litre Site Tow Trailer Water Bowser	2130 x 1380
142040-ST	400 Litre Site Tow Trailer Water Bowser	3000 x 1444



Site Tow Trailer Mounted Water Bowsers

500 Litre and 700 Litre



Features

- WRAS approved when modified, **black tank only**
- Galvanised chassis
- 50mm tow hitch
- Single Axle
- Fitted with 1.5" quarter turn valve
- 1.5m x 1.5" PVC hose



Popular uses include:

- Water bowser hire for clean water supply
- Used in construction and civil engineering environments where mains supply is not available
- Livestock watering
- Potable water use for catering vans, welfare units and off mains cabins, **black tank only**
- Remote site fire response

Code	Description	Dimensions (L x W) mm
142050-ST	500 Litre Site Tow Trailer Water Bowser	2700 x 1460
142070-ST	700 Litre Site Tow Trailer Water Bowser	2700 x 1460

Highway Tow Trailer Mounted Water Bowsers

200 Litre, 300 Litre, 400 Litre, 500 Litre and 700 Litre

Our Highway Tow WRAS approved Water Bowsers have been designed for the compliant, safe transportation and remote supply of water and other liquids. The tanks are constructed from UV stabilised, food grade polyethylene giving a robust storage tank specifically designed for the purpose. These bowsers can be modified with options of various pumps, engine driven pressure washers, dust suppression units and plant waterers.

Features

- WRAS approved, **black tank only**
- Fitted with 1.5" quarter turn valve
- Powder coated chassis
- 1.5m x 1.5" PVC hose (non-potable only)
- UK manufactured
- 50mm tow hitch



Code	Description	Dimensions (L x W) mm
142020-HT	200 Litre Highway Tow Trailer Water Bowser	2160 x 1230
142030-HT	300 Litre Highway Tow Trailer Water Bowser	3100 x 1550
142040-HT	400 Litre Highway Tow Trailer Water Bowser	3000 x 1444
142050-HT	500 Litre Highway Tow Trailer Water Bowser	2700 x 1460
142070-HT	700 Litre Highway Tow Trailer Water Bowser	2700 x 1460

Highway Tow Trailer Mounted Water Bowsers

1200 Litre, 1500 Litre and 2000 Litre

Features

- WRAS approved, **black tank only**, supplied with a Bye-law 30 kit (Bye-law 60 in Scotland)
- Fitted with 1.5" quarter turn valve
- Galvanised chassis
- Plastic mud guards
- 1.5m x 1.5" PVC hose (non- potable only)
- 50mm tow hitch

Popular uses include:

- Water bowser hire for clean water supply
- Livestock watering
- Potable water use for catering vans, welfare units and off mains cabins, **black tank only**
- Remote site fire response
- Used in construction and civil engineering environments where mains supply is not available



Code	Description	Dimensions (L x W) mm
142120-HT	1200 Litre Highway Tow Trailer Water Bowser - Single Axle	3700 x 1600
142150-HT	1500 Litre Highway Tow Trailer Water Bowser - Double Axle	3740 x 1935
142200-HT	2000 Litre Highway Tow Trailer Water Bowser - Double Axle	4342 x 2066



Watering Units



Skid Mounted Watering Units

**200 Litre, 300 Litre, 400 Litre, 500 Litre, 700 Litre,
1200 Litre, 1500 Litre, 2000 Litre, 3000 Litre,
4000 Litre and 5000 Litre**

Our range of skid mounted watering units allows the provision of a water supply where required.

Use for landscape maintenance, road verge watering, tree watering, rinsing and wash down operations or as a backup water supply tanker.

These complete all-in-one water delivery units offer easy loading and transfer from vehicle to vehicle.



132601222

Features

- Supplied mounted on a galvanised steel frame

Skid Mounted Watering Units available in the following options:

- 1** 12 volt 19L/min Pump, 10m Hose and Garden Nozzle
- 2** 12 volt 19L/min Pump, 10m Hose and 900mm Watering Lance
- 3** 12 volt 19L/min Pump, 10m Hose and 1.6m - 2.8m Telescopic Watering Lance
- 4** Honda 1" Pump, 30m Hose and Garden Nozzle
- 5** Honda 1" Pump, 30m Hose and 900mm Watering Lance
- 6** Honda 1" Pump, 30m Hose and 1.6m - 2.8m Telescopic Watering Lance
- 7** Honda 1" Pump, 30m Hose and Hose Reel and Garden Nozzle
- 8** Honda 1" Pump, 30m Hose and Hose Reel and 900mm Watering Lance
- 9** Honda 1" Pump, 30m Hose and Hose Reel and 1.6m - 2.8m Telescopic Watering Lance

Site Tow Trailer Mounted Watering Units

200 Litre, 300 Litre and 400 Litre

Our range of trailer mounted watering units allows the provision of a water supply where required.

Features

- Galvanised chassis
- 50mm tow hitch
- Single axle



**Site Tow Trailer Mounted
Watering Units available
in the following options:**

- 1** 12 volt 19L/min Pump, 10m Hose and Garden Nozzle
- 2** 12 volt 19L/min Pump, 10m Hose and 900mm Watering Lance
- 3** 12 volt 19L/min Pump, 10m Hose and 1.6m - 2.8m Telescopic Watering Lance
- 4** Honda 1" Pump, 30m Hose and Garden Nozzle
- 5** Honda 1" Pump, 30m Hose and 900mm Watering Lance
- 6** Honda 1" Pump, 30m Hose and 1.6m - 2.8m Telescopic Watering Lance
- 7** Honda 1" Pump, 30m Hose and Hose Reel and Garden Nozzle
- 8** Honda 1" Pump, 30m Hose and Hose Reel and 900mm Watering Lance
- 9** Honda 1" Pump, 30m Hose and Hose Reel and 1.6m - 2.8m Telescopic Watering Lance

Site Tow Trailer Mounted Watering Units

500 Litre and 700 Litre

Popular uses include:

- Public and private sector landscape maintenance
- Rinsing and wash down operations
- Road verge watering
- Parks, ornamental gardens and recreation, local authority watering
- Back-up water supply tanker (non-potable only)



12 volt 19L/min Delavan pump fitted to options 1, 2 and 3.
For full details see page 65.

Site Tow Trailer Mounted Watering Units available in the following options:

- 1 12 volt 19L/min Pump, 10m Hose and Garden Nozzle
- 2 12 volt 19L/min Pump, 10m Hose and 900mm Watering Lance
- 3 12 volt 19L/min Pump, 10m Hose and 1.6m - 2.8m Telescopic Watering Lance
- 4 Honda 1" Pump, 30m Hose and Garden Nozzle
- 5 Honda 1" Pump, 30m Hose and 900mm Watering Lance
- 6 Honda 1" Pump, 30m Hose and 1.6m - 2.8m Telescopic Watering Lance
- 7 Honda 1" Pump, 30m Hose and Hose Reel and Garden Nozzle
- 8 Honda 1" Pump, 30m Hose and Hose Reel and 900mm Watering Lance
- 9 Honda 1" Pump, 30m Hose and Hose Reel and 1.6m - 2.8m Telescopic Watering Lance

Highway Tow Trailer Mounted Watering Units

200 Litre, 300 Litre, 400 Litre, 500 Litre and 700 Litre

Our range of Highway Tow Trailer Mounted Watering Units allow the provision of a water supply where it is needed.



**Highway Tow Trailer Mounted
Watering Units available in
the following options:**

- 1** 12 volt 19L/min Pump, 10m Hose and Garden Nozzle
- 2** 12 volt 19L/min Pump, 10m Hose and 900mm Watering Lance
- 3** 12 volt 19L/min Pump, 10m Hose and 1.6m - 2.8m Telescopic Watering Lance
- 4** Honda 1" Pump, 30m Hose and Garden Nozzle
- 5** Honda 1" Pump, 30m Hose and 900mm Watering Lance
- 6** Honda 1" Pump, 30m Hose and 1.6m - 2.8m Telescopic Watering Lance
- 7** Honda 1" Pump, 30m Hose and Hose Reel and Garden Nozzle
- 8** Honda 1" Pump, 30m Hose and Hose Reel and 900mm Watering Lance
- 9** Honda 1" Pump, 30m Hose and Hose Reel and 1.6m - 2.8m Telescopic Watering Lance

Highway Tow Trailer Mounted Watering Units

1200 Litre, 1500 Litre and 2000 Litre

Popular uses include:

- Public and private sector landscape maintenance
- Rinsing and wash down operations
- Road verge watering
- Parks, ornamental gardens and recreation, local authority watering
- Back-up water supply tanker (non- potable only)



Highway Tow Trailer Mounted
Watering Units available in
the following options:

- 1 12 volt 19L/min Pump, 10m Hose and Garden Nozzle
- 2 12 volt 19L/min Pump, 10m Hose and 900mm Watering Lance
- 3 12 volt 19L/min Pump, 10m Hose and 1.6m - 2.8m Telescopic Watering Lance
- 4 Honda 1" Pump, 30m Hose and Garden Nozzle
- 5 Honda 1" Pump, 30m Hose and 900mm Watering Lance
- 6 Honda 1" Pump, 30m Hose and 1.6m - 2.8m Telescopic Watering Lance
- 7 Honda 1" Pump, 30m Hose and Hose Reel and Garden Nozzle
- 8 Honda 1" Pump, 30m Hose and Hose Reel and 900mm Watering Lance
- 9 Honda 1" Pump, 30m Hose and Hose Reel and 1.6m - 2.8m Telescopic Watering Lance

Dust Suppression Units



Skid Mounted Motorised Dust Suppression Units

200 Litre, 300 Litre and 400 Litre

Our extensive range of dust suppression units in sizes from 200 litres to 10,000 litres is ideally suited for nurseries and garden centres as well as the construction industry.

Features

- A choice of engine and pump options with or without hose and reel
- Galvanised steel frame

Popular uses include:

- Highway dust suppression, maintenance and construction
- Essential for demolition sites, quarries and mines
- Important for health and safety and environmental requirements and regulations



**VIEW
OUR FULL
RANGE
ONLINE**

Code	Description	Product Features
132700201	200 Litre Skid Unit	Honda GX35 engine - 1" petrol engine pump, 120L/min maximum flow, 1" electronic valve system, 1" nozzle
132700211	200 Litre Skid Unit	Honda GX35 engine - 1" petrol engine pump, 120L/min maximum flow, 1" electronic valve system, available hose option 30m x 3/4" hose 1 1/2" nozzle
132700301	300 Litre Skid Unit	Honda GX35 engine - 1" petrol engine pump, 120L/min maximum flow, 1" electronic valve system, 1" nozzle
132700311	300 Litre Skid Unit	Honda GX35 engine - 1" petrol engine pump, 120L/min maximum flow, 1" electronic valve system, available hose option 30m x 3/4" hose 1 1/2" nozzle
132700401	400 Litre Skid Unit	Honda GX35 engine - 1" petrol engine pump, 120L/min maximum flow, 1" electronic valve system, 1" nozzle
132700411	400 Litre Skid Unit	Honda GX35 engine - 1" petrol engine pump, 120L/min maximum flow, 1" electronic valve system, available hose option 30m x 3/4" hose 1 1/2" nozzle

Skid Mounted Motorised Dust Suppression Units

500 Litre, 700 Litre, 1200 Litre and 1500 Litre

The tanks of our Skid Mounted Dust Suppression Units are constructed of seamless rotationally moulded UV stabilised mid density polyethylene for strength and impact resistance. They are fitted to galvanised chemical and rust resistant frames and are suitable for installing on truck beds, trailers, vans and other vehicles.



132700712

Code	Description	Product Features
132700502	500 Litre Skid Unit	Honda GX35 engine - 1" petrol engine pump, 120L/min maximum flow, 1" nozzle, 1" electronic valve system, 30m x 1/2" hose reel and hose
132700501	500 Litre Skid Unit	Honda GX35 engine - 1" petrol engine pump, 120L/min maximum flow, 1" nozzle, 1" electronic valve system
132700702	700 Litre Skid Unit	Honda GX35 engine - 1" petrol engine pump, 120L/min maximum flow, 1" nozzle, 1" electronic valve system, 30m x 1/2" hose reel and hose
132700701	700 Litre Skid Unit	Honda GX35 engine - 1" petrol engine pump, 120L/min maximum flow, 1" nozzle, 1" electronic valve system
132701202	1200 Litre Skid Unit	Honda GX35 engine - 1" petrol engine pump, 120L/min maximum flow, 1" nozzle, 1" electronic valve system, 30m x 1/2" hose reel and hose
132701201	1200 Litre Skid Unit	Honda GX35 engine - 1" petrol engine pump, 120L/min maximum flow, 1" nozzle, 1" electronic valve system
132701502	1500 Litre Skid Unit	Honda GX35 engine - 1" petrol engine pump, 120L/min maximum flow, 1" nozzle, 1" electronic valve system, 30m x 1/2" hose reel and hose
132701501	1500 Litre Skid Unit	Honda GX35 engine - 1" petrol engine pump, 120L/min maximum flow, 1" nozzle, 1" electronic valve system

Skid Mounted Motorised Dust Suppression Units

2000 Litre, 3000 Litre, 4000 Litre, 5000 Litre, 6000 Litre, 8000 Litre and 10000 Litre

Important for health and safety and environmental requirements and regulations these units are ideal for Highway dust suppression, maintenance and construction areas and are essential for demolition sites, quarries and mines.

Features

- A choice of engine and pump options with or without hose and reel
- Galvanised steel frame



Available in the following options:

- 1 Honda GX35 Engine - 1" Petrol Engine Pump, 120L/min Maximum Flow, 1" Nozzle, 1" Electronic Valve System, 30m x 1/2" Hose Reel and Hose
- 2 Honda GX160 Engine - 1.5" Petrol Engine Pump, 450L/min Maximum Flow, 30m x 3/4" Hose Reel and Hose
- 3 Honda GX160 Engine - 1.5" Petrol Engine Pump, 450L/min Maximum Flow, 3 x 1.5" Nozzle with Tubing, 1.5" Electronic Valve System, 30m x 3/4" Hose Reel and Hose

**VIEW
OUR FULL
RANGE
ONLINE**

Site Tow Trailer Mounted Motorised Dust Suppression Units

200 Litre, 300 Litre and 400 Litre

Available in a number of tank sizes and fitted with a Honda GX35 petrol engine driving a 1" pump, our range of dust suppression units are highly functional, customisable and built to last. Creating a cleaner, dust and hazard-free environment has never been easier.

Popular uses include:

- Highway dust suppression, maintenance and road construction
- Essential for demolition sites, quarries and mines
- Important for health and safety and environmental requirements and regulations
- Used in recycling and construction industries
- Suitable for garden centres and nurseries



Honda GX35 Petrol Engine

Code	Description	Product Features
142700201-ST	200 Litre Site Tow Trailer Unit	Honda GX35 - 1" petrol engine pump, 120L/min maximum flow, 1" nozzle, 1" electronic valve system
142700302-ST	300 Litre Site Tow Trailer Unit	Honda GX35 - 1" petrol engine pump, 120L/min maximum flow, 1" nozzle, 1" electronic valve system, 30m x 1/2" hose reel and hose
142700401-ST	400 Litre Site Tow Trailer Unit	Honda GX35 - 1" petrol engine pump, 120L/min maximum flow, 1" nozzle, 1" electronic valve system
142700402-ST	400 Litre Site Tow Trailer Unit	Honda GX35 - 1" petrol engine pump, 120L/min maximum flow, 1" nozzle, 1" electronic valve system, 30m x 1/2" hose reel and hose

Site Tow Trailer Mounted Motorised Dust Suppression Units 500 Litre and 700 Litre

Available in a number of tank sizes and fitted with a Honda GX35 petrol engine driving a 1" pump, our range of dust suppression units are highly functional, customisable and built to last. Creating a cleaner, dust and hazard-free environment has never been easier.

Features

- Available with or without hose reel
- Galvanised steel frame



Code	Description	Product Features
142700501-ST	500 Litre Site Tow Trailer Unit	Honda GX35 - 1" petrol engine pump, 120L/min maximum flow, 1" nozzle, 1" electronic valve system
142700701-ST	700 Litre Site Tow Trailer Unit	Honda GX35 - 1" petrol engine pump, 120L/min maximum flow, 1" nozzle, 1" electronic valve system

Highway Tow Trailer Mounted Motorised Dust Suppression Units

200 Litre, 300 Litre, 400 Litre, 500 Litre and 700 Litre

Available in a number of tank sizes and fitted with a Honda GX35 petrol engine driving a 1" pump, our range of dust suppression units are highly functional, customisable and built to last.

Creating a cleaner, dust and hazard-free environment has never been easier.

Features

- Available with or without hose reel
- Galvanised steel frame



142700302-HT

Code	Description	Product Features
142700201-HT	200 Litre Highway Tow Unit	Honda GX35 - 1" petrol engine pump, 120L/min maximum flow, 1" nozzle, 1" electronic valve system
142700301-HT	300 Litre Highway Tow Unit	Honda GX35 - 1" petrol engine pump, 120L/min maximum flow, 1" nozzle, 1" electronic valve system
142700401-HT	400 Litre Highway Tow Unit	Honda GX35 - 1" petrol engine pump, 120L/min maximum flow, 1" nozzle, 1" electronic valve system
142700501-HT	500 Litre Highway Tow Unit	Honda GX35 - 1" petrol engine pump, 120L/min maximum flow, 1" nozzle, 1" electronic valve system
142700701-HT	700 Litre Highway Tow Unit	Honda GX35 - 1" petrol engine pump, 120L/min maximum flow, 1" nozzle, 1" electronic valve system

Highway Tow Trailer Mounted Motorised Dust Suppression Units

1200 Litre, 1500 Litre and 2000 Litre

The three largest capacity Highway Tow units are available with a Honda GX35 petrol engine driving a 1" pump with a maximum flow rate of 120L/min; or alternatively with a Honda GX160 petrol engine driving a 1.5" pump providing a maximum flow rate of 450L/min.

**VIEW
OUR FULL
RANGE
ONLINE**

Features

- Available with or without hose reel
- Galvanised steel frame



142701202-HT

Code	Description	Product Features
142701201-HT	1200 Litre Highway Tow Trailer Unit	Honda GX35 -1" petrol engine pump, 120L/min maximum flow, 1" nozzle, 1" electronic valve system
142701202-HT	1200 Litre Highway Tow Trailer Unit	Honda GX35 - 1" petrol engine pump, 120L/min maximum flow, 1" nozzle, 1" electronic valve system, 30m x 1/2" hose reel and hose
142701503-HT	1500 Litre Highway Tow Trailer Unit	Honda GX160 - 1.5" petrol engine pump, 450L/min maximum flow, 3 x 1.5" nozzle with tubing, 1.5" electronic valve system
142702004-HT	2000 Litre Highway Tow Trailer Unit	Honda GX160 - 1.5" petrol engine pump, 450L/min maximum flow, 3 x 1.5" nozzle with tubing, 1.5" electronic valve system, 30m x 3/4" hose reel and hose

Sprayer Accessories and Parts



Sprayer Parts

110° Flat Fan Nozzles

Used for broadcast application of pre and post emergent herbicides, fungicides and insecticides.

Colour	Code	Description	Pack Quantity
ORANGE	123036-PK	001 Flat Fan 110° Nozzle	10
GREEN	123038-PK	0015 Flat Fan 110° Nozzle	10
YELLOW	123040-PK	002 Flat Fan 110° Nozzle	10
PURPLE	123042-PK	0025 Flat Fan 110° Nozzle	10
BLUE	123044-PK	003 Flat Fan 110° Nozzle	10
RED	123046-PK	004 Flat Fan 110° Nozzle	10
BROWN	123048-PK	005 Flat Fan 110° Nozzle	10
GREY	123050-PK	006 Flat Fan 110° Nozzle	10
WHITE	123052-PK	008 Flat Fan 110° Nozzle	10
LIGHT BLUE	123054-PK	0010 Flat Fan 110° Nozzle	10



Features

- Precision moulded in polyacetal, a highly stable polymeric material with outstanding wear characteristics
- Colour coded (in accordance with ISO10625) for quick identification of flow rate

Sprayer Parts

Deflector 140° Nozzles

Well suited to broadcast spraying with small boom sprayers fitted to all-terrain vehicles. The wide angle allows the nozzles to be spaced at 1 metre intervals, effectively reducing the number of nozzles required.

This wide angle deflector is also suitable for use with backpack sprayers for single nozzle applications, where the wide swathe will improve productivity.

The deflector 140° is very good for pre-emergent and soil incorporated herbicides and good for post-emergence herbicides.

Colour	Code	Description	Pack Quantity
BLUE	1230015-PK	1.5 Deflector 140° Nozzle	10
RED	123002-PK	2.0 Deflector 140° Nozzle	10
BROWN	1230025-PK	2.5 Deflector 140° Nozzle	10
GREY	123003-PK	3.0 Deflector 140° Nozzle	10
WHITE	123004-PK	4.0 Deflector 140° Nozzle	10
LIGHT BLUE	123005-PK	5.0 Deflector 140° Nozzle	10
LIGHT GREEN	1230075-PK	7.5 Deflector 140° Nozzle	10



Features

- Wide spray angle of 140°
- Gives a narrow rectangular spray pattern
- Reduced potential clogging due to large round orifice
- Produces coarse droplets with reduced potential drift when operated at 1 - 2 bar
- Incorporates screwdriver slot at the front to enable nozzle to be aligned in standard caps
- Moulded in high performance colour coded (non ISO) polyacetal providing good wear and chemical compatibility

Sprayer Parts

Filters, Nozzle Caps and Nozzle Bodies

Colour	Code	Description	Pack Quantity
RED	126028-PK	Nozzle Cap with Gasket	4
BLACK	126030-PK	Nozzle Cap with Gasket	4
YELLOW	126031-PK	Nozzle Cap with Gasket	4

Colour	Code	Description	Pack Quantity
BLUE	126026-PK	Ball Check Filter (50 Mesh)	10
RED	126027-PK	Ball Check Filter (100 Mesh)	10



Code	Nozzle Bodies	Pack Quantity
126055-PK	Wet Boom Clamp Type Non-drip Nozzle Holder with Seal, Bolts and Cap – suit 1/2" Pipe	4
126022-PK	Tee Non-drip Dry Boom Nozzle Holder with Cap – 3/8" Hose Barbs	4
126020-PK	Elbow Non-drip Dry Boom Nozzle Holder with Cap – 3/8" Hose Barbs	4
126023-PK	Cross Non-drip Dry Boom Nozzle Holder – 3/8" Hose Barbs	4

Features - Dry Boom

- Polypropylene construction with quick couple cap and gasket
- EPDM diaphragm check valve opens at 0.5 Bar
- Maximum working pressure 20 Bar
- 10mm hose barbs – single, two or three



Features - Wet Boom

- Designed for clamping around 1/2" spray tubes
- 10mm inlet size – polypropylene construction with quick couple cap, gasket, seal and screws
- EPDM diaphragm check valve opens at 0.5 Bar

Sprayer Parts

Spray Lances



Code	Description
135010	Economy Spray Lance 750mm overall length
135015	Economy Telescopic Spray Lance 1500mm maximum length

Code	Description
135024	Top Gun - High pressure, long range, multi-purpose spray gun, overall length 700mm

Features

- Lightweight chromed aluminium economy spray lance
- Adjustable spray nozzle
- Filter in handle
- 10mm hose barb connection



Features

- Front handgrip allows quick spray pattern selection
- Fitted with trigger lock and 1/2" swivel inlet
- Maximum range: 25m 725 Psi
- Maximum pressure: 870Psi
- Maximum flow rate: 135L/min



Features

- One hand operation for easy pattern adjustment and on/off trigger
- Adjustable turbo atomiser
- Maximum pressure 250Psi

Code	Description
135022	Multi-purpose Spray Gun, overall length 445mm with 10mm hose tail

Sprayer Parts

Spray Lances and Connectors



Code	Description
135017	Pistol Grip Spray Gun maximum pressure 250Psi

Features

- Adjustable nozzle
- Locking spray grip
- Ergonomic fit



Code	Description
1232038	Swivel Connector maximum pressure 725Psi

Features

- No more tangled hoses
- 3/8" female threads

Sprayer Parts

Delavan 12 Volt Pumps

Code: 134010



PSI	L/min	Amps
0-3	3.7	1.5
10	3.2	1.9
20	2.7	2.1
30	2.3	2.4
40	1.5	2.6

Features

- 3.8L/min open flow 270kPa (40Psi) demand switch
- Viton valves, Santoprene diaphragm
- Self priming up to 1.2m
- 2 chamber positive displacement diaphragm pump, capable of being run dry
- 3/8" hose barb inlet/outlet part

Code: 134026



PSI	L/min	Amps
10	7.95	3.7
20	7.57	4.0
30	7.38	4.2
40	7.19	4.7
50	6.81	5.2
60	6.62	5.7

Features

- 8.3L/min open flow 400kPa (60Psi) demand switch - QA Fitting
- Viton valves, Santoprene diaphragm
- Self priming up to 4m
- 3 chamber positive displacement diaphragm pump, capable of being run dry
- Supplied with 2 pin electrical connector

Code: 134035



PSI	L/min	Amps
10	21.1	3.5
20	10.6	5.8
30	10.0	7.2
40	9.3	8.3
50	8.3	9.1
60	7.6	9.9

Features

- 11.4L/min open flow 400kPa (60Psi) demand switch - QA Fitting
- Viton valves, Santoprene diaphragm
- Self priming up to 4m
- 5 chamber positive displacement diaphragm pump, capable of being run dry
- Supplied with 2 pin electrical connector

Sprayer Parts

Delavan 12 Volt Pumps

Features

- 15.2L/min open flow 400kPa (60Psi) demand switch - QA Fitting
- Viton valves, Santoprene diaphragm
- Self priming up to 4m
- 5 chamber positive displacement diaphragm pump, capable of being run dry
- Supplied with 2 pin electrical connector



Code: 134038

PSI	L/min	Amps
10	15.2	4.8
20	14.0	6.1
30	11.7	7.7
40	10.2	9.6
50	9.5	10.0
60	9.1	10.8

Features

- 19L/min open flow 270kPa (60Psi) demand switch - QA Fitting
- Viton valves, Santoprene diaphragm
- Self priming up to 4m
- 5 chamber positive displacement diaphragm pump, capable of being run dry
- Supplied with 2 pin electrical connector



Code: 134045

PSI	L/min	Amps
10	19.0	6.0
20	17.1	9.0
30	15.5	10.0
40	14.4	1.01

Features

- 26L/min open flow 400kPa (60Psi) demand switch - QA Fitting
- Viton valves, Santoprene diaphragm
- Self priming up to 4m
- 3 chamber positive displacement diaphragm pump, capable of being run dry
- Supplied with 2 pin electrical connector



Code: 134055

PSI	L/min	Amps
10	26.4	11.0
20	25.7	12.0
40	22.5	13.0
60	18.8	17.0
80	14.9	21.0
100	9.6	21.0

Parts

Delavan Pump Spares



Code	Description
139050	Pressure Switch - 7800/5900 Series Pumps
139015	Upper Housing Assembly - 822 Pumps
139013	Upper Housing Assembly for 5900 pumps
139021	Valve Assembly - 7822 pumps



Code	Description	
139022	Valve Assembly - 5900 Pumps	3
139031	Lower Housing Assembly - 8.3L/min Pump	4
139032	Lower Housing Assembly - 11.4 and 15L/min Pump	4
139034	Lower Housing Assembly - 19L/min Pump	4
139061	Motor - 8.3L/min Pump	5
139062	Motor - 11.4, 15 and 19L/min Pumps	5

Sprayer Parts Shurflo 12 Volt Pumps

Code: 134002



Features

- 3.8L/min open flow 270kPa (40Psi) demand switch
- Viton valves, Santoprene diaphragm
- 3/8" male hose barbs

Code: 134004



Features

- 6.8L/min open flow 400kPa (60Psi) demand switch
- Viton valves, Santoprene diaphragm
- 3/8" male hose barbs



Code: 134006

Features

- 11.4L/min open flow 400kPa (60Psi) demand switch
- Viton valves, Santoprene diaphragm
- 3/8" male hose barbs

DEALER STAMP

ENDURASPRAY®

A Division of ENDURAMAXX

Enduraspray is a Registered Trading Name of Enduramaxx Limited.



www.enduraspray.co.uk