

# ENDURATANK

Part of the ENDURAMAXX Family

2016/17 SALES CATALOGUE

Think Tank  
Think ENDURATANK



Product helpline 0800 840 4030

[www.enduratank.co.uk](http://www.enduratank.co.uk)

# Think Tank

# Think ENDURATANK

## INTRODUCTION

Welcome to the new Enduratank 2016/17 catalogue where you can find innovative new products and subtle changes to existing products as a result of continuous research and development. As always our focus is value for money and uncompromising quality.

We recommend that you check our website for regular news updates and special offers. You can also keep in touch with us by subscribing online to our monthly newsletter.

We value any feedback or suggestions for improvement that you may have. You can speak directly to one of our friendly and helpful staff for product advice and support or make contact via email.



**Disclaimer:** Product specifications are subject to change in line with our commitment to continuous improvement. Capacities and dimensions may vary due to manufacturing process. Images used are for illustrative purposes only. Colours represented may vary due to printing process.

# CONTENTS

## Vertical Tanks

WRAS Approved Potable Tanks	4
Non-Potable/ Rainwater Harvesting Tanks	12
Rainwater Harvesting Kits	22
Open Top Tanks	24
Liquid Fertiliser Tanks	28
Molasses Tanks	32
LiquiLevel	36

## Slimline and Baffled Slimline Tanks

## Horizontal Tanks

Static Horizontal Tanks	42
Horizontal Transport Tanks	44
Horizontal Sump Tanks	48
Pin Mount Tanks	52
Squat Tanks	54
Applicator Tanks	56
Baffle Balls	58

## Cone Tanks and Open Top Cone Tanks

Cone Tanks	60
Open Top Cone Tanks	65

## Industrial Tanks

Industrial Storage Tanks	68
Chemical Dosing Tanks	72
Batch Tanks	74
Bunded Tanks	78
Open Top Bunded Tanks	81
Insulated Tanks	82

## Tank Modifications and Accessories

Rainwater Tank Lids and Strainers	87
Rainwater Tank Ball Valves	88
WRAS Approved Outlets and Ball Valves	89
Banjo Parts	90
Topaz and Vortex Float Valves	91

# Vertical WRAS Approved Potable Tanks

Our potable (drinking water) water storage tanks come in a choice of 25 sizes ranging from 150 litres to 30,000 litres. Constructed from food grade polyethylene ensuring durability and finished with a smooth interior to protect against bacteria growth and allow easy cleaning. All our potable tanks are WRAS (Water Regulations Advisory Scheme) approved and are available in black only.



## Water Regulations Advisory Scheme (WRAS)

The purpose of WRAS is to contribute to the protection of public health by preventing contamination of public water supplies and encouraging the efficient use of water by promoting and facilitating compliance with the Water Supply (Water Fittings) Regulations and Scottish Water Byelaws. These Regulations and Byelaws play an important role in protecting public health, safeguarding water supplies and promoting the efficient use of water within customers' premises. They are essential in setting standards for plumbing fittings and water using appliances, as well as levels of competency for installation work.

### What is a WRAS Approval?

Any water fitting, which when installed, will carry or receive water from the public mains water supply in the UK, must comply with the Water Supply (Water Fittings) Regulations or Scottish Byelaws. These require that a water fitting should not cause waste, misuse, undue consumption or contamination of the water supply and must be 'of an appropriate quality and standard'. WRAS Approval is the easiest way to demonstrate compliance as it is granted directly by representatives of the water suppliers and is therefore accepted by every water supplier in the UK.



**WRAS Product Approval:** Whole products such as valves, boilers and showers undergo mechanical and water quality testing. This type of approval demonstrates full compliance with requirements of the regulations and byelaws, provided the fitting is installed according to any conditions given with the approval.

**WRAS Material Approval:** Non-metallic materials and components, such as rubber sheet material and 'O' rings, undergo testing only for their effects on water quality. This type of approval demonstrates that the non-metallic material/component does not itself contaminate the water and therefore satisfies this particular requirement of regulations and byelaws.

For more information go to **www.wrás.co.uk** or telephone WRAS direct on **0333 207 9030**



## WRAS Approved Potable Water Tanks 150 Litre to 1250 Litre



Our WRAS approved Potable Water Tanks are constructed from mid density polyethylene granules using the latest in seamless, rotationally moulded technology which guarantees strength, impact resistance and durability. This above ground tank provides a cost effective drinking water storage tank and is UV stabilised for years of use.



Code	Description	Standard Colour	Standard Outlet	Standard Lid Size mm	Dimensions dia x H mm
172501	150 Litre WRAS Approved Potable Water Tank	Black only	1.5"	455	600 x 650
172503	300 Litre WRAS Approved Potable Water Tank	Black only	1.5"	455	600 x 1200
172505	500 Litre WRAS Approved Potable Water Tank	Black only	1.5"	455	700 x 1500
172507	720 Litre WRAS Approved Potable Water Tank	Black only	1.5"	455	700 x 2150
172205	1250 Litre WRAS Approved Potable Water Tank	Black only	1.5"	455	1200 x 1200

Please note: Tank sizes quoted are subject to a +/- 3% variation

# WRAS Approved Potable Water Tanks

## 2000 Litre to 5000 Litre



### Popular uses include:

- Bulk water storage
- Back-up emergency drinking water supply
- Food industry
- Brewing and wine making sectors
- Temporary water supply for events and festivals
- Domestic water solutions
- Civil engineering applications where mains water is unavailable



Code	Description	Standard Colour	Standard Outlet	Standard Lid Size mm	Dimensions dia x H mm
172208	2000 Litre WRAS Approved Potable Water Tank	Black only	1.5"	455	1200 x 1900
172210	2500 Litre WRAS Approved Potable Water Tank	Black only	1.5"	455	1400 x 1800
172211	3000 Litre WRAS Approved Potable Water Tank	Black only	2"	455	1400 x 2135
172212	4000 Litre WRAS Approved Potable Water Tank	Black only	2"	620	1900 x 1875
172215	5000 Litre WRAS Approved Potable Water Tank	Black only	2"	620	1900 x 2300

Please note: Tank sizes quoted are subject to a +/- 3% variation

## WRAS Approved Potable Water Tanks

### 6000 Litre to 10000 Litre



Code	Description	Standard Colour	Standard Outlet	Standard Lid Size mm	Dimensions dia x H mm
172216	6000 Litre WRAS Approved Potable Water Tank	Black only	2"	620	1900 x 2500
172214	6500 Litre WRAS Approved Potable Water Tank	Black only	2"	620	2600 x 1500
172217	7000 Litre WRAS Approved Potable Water Tank	Black only	2"	620	2400 x 1820
172218	8500 Litre WRAS Approved Potable Water Tank	Black only	2"	620	2600 x 2063
172222	10000 Litre WRAS Approved Potable Water Tank	Black only	2"	620	2400 x 2500

Please note: Tank sizes quoted are subject to a +/- 3% variation

# WRAS Approved Potable Water Tanks

## 12500 Litre to 20000 Litre

### Features

- WRAS approved, supplied with a Bye-law 30 kit (Bye-law 60 in Scotland)
- Type AB Airgap can be fitted to all WRAS approved tanks as an optional extra
- 100% rust proof
- UK manufactured
- Supplied direct from stock for fast delivery
- Guaranteed for 10 years



172229



Code	Description	Standard Colour	Standard Outlet	Standard Lid Size mm	Dimensions dia x H mm
172225	12500 Litre WRAS Approved Potable Water Tank	Black only	2"	620	2600 x 2650
172228	14000 Litre WRAS Approved Potable Water Tank	Black only	2"	620	2600 x 2900
172229	15000 Litre WRAS Approved Potable Water Tank	Black only	2"	620	2400 x 3550
172230	16800 Litre WRAS Approved Potable Water Tank	Black only	2"	620	2600 x 3410
172238	20000 Litre WRAS Approved Potable Water Tank	Black only	2"	620	2850 x 3600

Please note: Tank sizes quoted are subject to a +/- 3% variation

## WRAS Approved Potable Water Tanks

### 20800 Litre to 30000 Litre



Code	Description	Standard Colour	Standard Outlet	Standard Lid Size mm	Dimensions dia x H mm
172235	20800 Litre WRAS Approved Potable Water Tank	Black only	2"	620	2600 x 4150
172250	22000 Litre WRAS Approved Potable Water Tank	Black only	2"	620	3450 x 2600
172240	25000 Litre WRAS Approved Potable Water Tank	Black only	2"	620	2700 x 4650
172255	26000 Litre WRAS Approved Potable Water Tank	Black only	2"	620	3450 x 3200
172260	30000 Litre WRAS Approved Potable Water Tank	Black only	2"	620	3450 x 3650

Please note: Tank sizes quoted are subject to a +/- 3% variation

# Vertical Rainwater Harvesting Tanks

With both domestic and commercial sizes and capacities available, our range of Rainwater Harvesting Tanks provides the water storage element for Rainwater Harvesting Systems. Available in sizes from 150 litres to 30,000 litres our collection tanks allow rainwater to be stored and used at your convenience.



## **Capture and store rainwater run-off from your roof using Enduratank's Rainwater Harvesting System**

With the ever present spectre of global warming and the increasingly precious, scarce and expensive resource of fresh water affecting the whole planet, it is now essential that we all acknowledge the situation and strive to develop a sustainable society for not only ourselves, but also for future generations.

It is well known that much of the water we use does not have to be purified (potable/of drinking water quality). Conservative estimates indicate that in domestic applications, 55% of water used could be substituted for rainwater. This figure increases to 85% of water when considering the amount of water used for commerce, industry and agriculture.

Rainwater is free and by harvesting this resource for our own use we not only provide ourselves with an independent water supply during drought conditions or times of regional water restrictions, but also supplement the mains supply, thus saving money. Collecting rainwater can also assist in mitigating the flooding of low-lying areas.

Harvested rainwater is suitable for many applications across all sectors, including toilet flushing, wash down/pressure washing of yards and vehicles, irrigation, dust suppression, agricultural spraying and the watering of livestock.



## HOW DOES RAINWATER HARVESTING WORK?

A storage tank is fitted to your stormwater drain from your roof and falling rain enters the tank through a filter which removes leaves and other debris.

## HOW CLEAN IS THE WATER?

In order to remove particles and other matter Rainwater is filtered when entering your storage tank. It is kept in the dark and oxygenated to discourage algal growth. Inbuilt calming inlets ensure that any sediment at the bottom of the tank does not get stirred up.

Note: This water is not fit for human consumption.

## HOW MUCH RAINWATER CAN I HARVEST?

It is particularly important to ensure that your system fully meets your requirements and options. In general you should collect as much rainwater as possible. Use the following formula for an initial calculation:

**Roof area (footprint) in square metres  
x annual rainfall in cubic metres.**

**(650ml = 0.65m<sup>3</sup>), divided by 12 = average monthly rainfall capture.**

**e.g. 450m<sup>2</sup> x 750ml = 337.5 (m<sup>3</sup>), divided by 12 = 28.125m<sup>3</sup> or 28,125 litres per month average.**

We recommend storing an average of two to three months' worth of rainfall (bear in mind you may get three months') worth in your wettest month.

In the above example we would recommend two or three 30,000 litre tanks balanced with a 2" balance kit and a type B Rainwater Harvesting Kit (see page 16).

# How to get started?

Choosing the right rainwater harvesting system isn't difficult it can be done in **7 simple steps.**



**1**

## HOW MUCH RAINWATER DO YOU REQUIRE?

Decide on the amount of rainwater you will need to have stored in reserve and also the amount of water you will be able to harvest from your roof.



**2**

## CALCULATE YOUR ANNUAL USAGE

Calculate your likely annual usage. This can be done with the aid of your current water bill.



**3**

## WHAT SIZE TANK WILL YOU REQUIRE?

By using the water catchment formula on page 14 you can calculate the tank capacity you will require.



**4**

## WHERE DO YOU WANT TO PUT YOUR TANK?

Identify your preferred tank location and measure the space and height available.



**5**

## CHOOSE YOUR VERTICAL OR HORIZONTAL RAINWATER HARVESTING TANK

See pages 17 to 21.



6

## CHOOSE FROM THE THREE FILTER KITS BELOW

Kits contain: Siphon Overflow, Calmed Inlet and an Internal Pipe.

### KIT A

Will service a 200<sup>m<sup>2</sup></sup> roof area and is better suited to general use and yard wash-down. This filter should be cleaned several times a year, depending on usage. The kit is commonly used on a tank between 1,250 and 10,000 litres.

CODE 254010

### KIT B

Will service a 450<sup>m<sup>2</sup></sup> roof area and is best suited to WC flush and applications where a better quality of water filtration is required as well as general garden use, vehicle wash-down, dairy and much more. This filter should be cleaned twice a year, depending on usage. The kit is commonly used on a tank between 5,000 and 30,000 litres.

CODE 254020

### KIT C

Will service an 800<sup>m<sup>2</sup></sup> roof area and has exactly the same filter mechanism as Kit B. This filter should be cleaned twice a year, depending on usage. The kit is commonly used on a tank between 5,000 and 30,000 litres.

CODE 254030



7

## PLACE YOUR ORDER AND ARRANGE DELIVERY

## Rainwater Harvesting/Non Potable Tanks

### 150 Litre to 1250 Litre

Enduratank's Rainwater Harvesting Tanks (also known as a Rainwater Recycling Tanks/ Non Potable Water Tanks) are self-supporting vertical cylindrical tanks, constructed of UV stabilised MDPE (mid density polyethylene) with a ribbed design for added strength, giving an aesthetic appearance. They are designed to provide rainwater/ grey water storage for our Rainwater Harvesting System.



Code	Description	Standard Colours	Standard Outlet	Standard Lid Size mm	Dimensions dia x H mm
1725011	150 Litre Vertical Tank	Black/Green	1.5"	455	600 x 650
1725031	300 Litre Vertical Tank	Black/Green	1.5"	455	600 x 1200
1725051	500 Litre Vertical Tank	Black/Green	1.5"	455	700 x 1500
1725071	720 Litre Vertical Tank	Black/Green	1.5"	455	700 x 2150
172105	1250 Litre Vertical Tank	Black/Green	1.5"	455	1200 x 1200

Please note: Tank sizes quoted are subject to a +/- 3% variation

## Rainwater Harvesting/Non Potable Tanks 2000 Litre to 5000 Litre

### Popular uses include:

- Landscape watering for parks and recreational purposes
- Horticultural and Market Garden applications
- Cost effective watering systems for groundskeepers and sporting stadia
- Toilet flushing in industrial, commercial, hospital or school environments
- Equine and agricultural establishments
- Irrigation and/or wash-down facilities
- Agricultural tank and farm sprayer tank
- Civil engineering applications where mains water is unavailable
- Rainwater, being non-chlorinated, is better for plants and gardens



Code	Description	Standard Colours	Standard Outlet	Standard Lid Size mm	Dimensions dia x H mm
172108	2000 Litre Vertical Tank	Black/Green	1.5"	455	1200 x 1900
172110	2500 Litre Vertical Tank	Black/Green	1.5"	455	1400 x 1800
172111	3000 Litre Vertical Tank	Black/Green	2"	455	1400 x 2135
172112	4000 Litre Vertical Tank	Black/Green	2"	620	1900 x 1875
172155	5000 Litre Vertical Tank	Black/Green	2"	620	1900 x 2300

Please note: Tank sizes quoted are subject to a +/- 3% variation

## Rainwater Harvesting/Non Potable Tanks

### 6000 Litre to 10000 Litre

#### Features

- 100% rust proof
- UK manufactured
- 2 Year guarantee
- Supplied direct from stock for fast delivery



Code	Description	Standard Colours	Standard Outlet	Standard Lid Size mm	Dimensions dia x H mm
172116	6000 Litre Vertical Tank	Black/Green	2"	620	1900 x 2500
172114	6500 Litre Vertical Tank	Black/Green	2"	620	2600 x 1500
172117	7000 Litre Vertical Tank	Black/Green	2"	620	2400 x 1820
172118	8500 Litre Vertical Tank	Black/Green	2"	620	2600 x 2063
172122	10000 Litre Vertical Tank	Black/Green	2"	620	2400 x 2500

Please note: Tank sizes quoted are subject to a +/- 3% variation

## Rainwater Harvesting/Non Potable Tanks

12500 Litre to 20000 Litre



172125



172128



172129



Code	Description	Standard Colours	Standard Outlet	Standard Lid Size mm	Dimensions dia x H mm
172125	12500 Litre Vertical Tank	Black/Green	2"	620	2600 x 2650
172128	14000 Litre Vertical Tank	Black/Green	2"	620	2600 x 2900
172129	15000 Litre Vertical Tank	Black/Green	2"	620	2400 x 3550
172130	16800 Litre Vertical Tank	Black/Green	2"	620	2600 x 3410
172138	20000 Litre Vertical Tank	Black/Green	2"	620	2850 x 3600

Please note: Tank sizes quoted are subject to a +/- 3% variation

## Rainwater Harvesting/Non Potable Tanks 20800 Litre to 30000 Litre



172135

172150

172160

Code	Description	Standard Colours	Standard Outlet	Standard Lid Size mm	Dimensions dia x H mm
172135	20800 Litre Vertical Tank	Black/Green	2"	620	2600 x 4150
172150	22000 Litre Vertical Tank	Black/Green	2"	620	3450 x 2600
172140	25000 Litre Vertical Tank	Black/Green	2"	620	2700 x 4650
172155	26000 Litre Vertical Tank	Black/Green	2"	620	3450 x 3200
172160	30000 Litre Vertical Tank	Black/Green	2"	620	3450 x 3650

Please note: Tank sizes quoted are subject to a +/- 3% variation

# Rainwater Harvesting Kits



All our Rainwater Harvesting Kits are supplied with filters that are easily removable for cleaning and are available in a variety of filtration and connector configurations.

## Rainwater Harvesting Kits, Filters and Pipe Seals

### KIT A



Rainwater harvesting kit A - 200m<sup>2</sup> filter, calmed inlet and siphon overflow.  
CODE: 254010

### KIT B



Rainwater harvesting kit B - 450m<sup>2</sup> filter, calmed inlet and siphon overflow.  
CODE: 254020

### KIT C



Rainwater harvesting kit C - 800m<sup>2</sup> filter, calmed inlet and siphon overflow.  
CODE: 254030


Code	Description
252020	Filter collector (70m <sup>2</sup> roof)
2521201	Filter collector (70m <sup>2</sup> roof)
252010	Garden filter - 200m <sup>2</sup>



177710

Code	Description
177705	Pipe seal for 2" pipe
177710	Pipe seal for 4" pipe
177715	Pipe seal for 6" pipe
177725	Pipe seal for 10" pipe

# Open Top Vertical Tanks



Constructed from medium density UV stabilised polyethylene, our impact resistant self-supporting flat bottomed Vertical Open Top Tanks are a cost effective answer for collection systems, temporary liquid storage, or as secondary containment for vertical tanks in indoor or outdoor installations.

## Open Top Vertical Tanks

### 400 Litre to 1200 Litre

Enduratank's Open Top Vertical Tanks are available in a range of 14 sizes and are constructed so as to have a consistent wall thickness and chemical resistance. They are ideal for the blending of or containment of liquids.



Code	Description	Standard Colours	Standard Outlet	Dimensions dia x H mm
172001	400 Litre Open Top Vertical Tank	Black/Natural/Green	1.5"	880 x 1300
172002	600 Litre Open Top Vertical Tank	Black/Natural/Green	1.5"	880 x 1900
172003	800 Litre Open Top Vertical Tank	Black/Natural/Green	1.5"	1160 x 1280
172004	1000 Litre Open Top Vertical Tank	Black/Natural/Green	1.5"	1160 x 1580
172007	1200 Litre Open Top Vertical Tank	Black/Natural/Green	1.5"	1400 x 1320

Please note: Tank sizes quoted are subject to a +/- 3% variation

## Open Top Vertical Tanks

### 1500 Litre to 5000 Litre

#### Popular uses include:

- Collection tanks (rainwater harvesting)
- Agricultural, Horticultural, Industrial and Domestic applications
- Temporary liquid storage
- Aquaculture – fish holding and quarantine tanks
- Dipping tanks
- Chemical plating tanks
- Mixing tanks
- Secondary containment for vertical tanks (retro-fit bunded tanks)



172005



172020

Code	Description	Standard Colours	Standard Outlet	Dimensions dia x H mm
172008	1500 Litre Open Top Vertical Tank	Black/Natural/Green	1.5"	1400 x 1680
172005	2500 Litre Open Top Vertical Tank	Black/Natural/Green	1.5"	1400 x 1800
172011	3000 Litre Open Top Vertical Tank	Black/Natural/Green	2"	1400 x 2135
172015	4000 Litre Open Top Vertical Tank	Black/Natural/Green	2"	1900 x 1875
172020	5000 Litre Open Top Vertical Tank	Black/Natural/Green	2"	1900 x 2300

Please note: Tank sizes quoted are subject to a +/- 3% variation

## Open Top Vertical Tanks

### 5000 Litre to 12000 Litre

172060



172018



#### Features

- 100% rust proof
- UK manufactured
- 2 year guarantee
- Supplied direct from stock for fast delivery

Code	Description	Standard Colours	Standard Outlet	Dimensions dia x H mm
172014	5000 Litre Open Top Vertical Tank - <b>Low Profile</b>	Black/Natural/Green	2"	2600 x 1500
172060	6000 Litre Open Top Vertical Tank	Black/Natural/Green	2"	1900 x 2500
172018	8000 Litre Open Top Vertical Tank	Black/Natural/Green	2"	2600 x 2063
172025	12000 Litre Open Top Vertical Tank	Black/Natural/Green	2"	2600 x 2650

Please note: Tank sizes quoted are subject to a +/- 3% variation

# Liquid Fertiliser Tanks

Our Liquid Fertiliser Storage Tanks are ideal for commercial and agricultural use. The range of 21 sizes from 1250 Litres to 30,000 litres enables bulk ordering of ready mixed fertiliser, saving mixing time and ensuring your fertiliser will not settle out or need constant agitation, thereby minimising wastage.



## Liquid Fertiliser Tanks

### 1250 Litre to 4000 Litre

Enduratank's Liquid Fertiliser Tanks are heavy duty tanks manufactured with a thicker wall thereby making them suitable for the storage of products with a specific gravity up to 1.5. The tanks are rotationally moulded and UV stabilised for durability.

**VIEW  
OUR FULL  
RANGE  
ONLINE**



Code	Description	Standard Colours	Standard Outlet	Standard Lid Size mm	Dimensions dia x H mm
1722051-L	1250 Litre Liquid Fertiliser Tank	Black/Natural/Green	1.5"	455	1200 x 1200
1722081-L	2000 Litre Liquid Fertiliser Tank	Black/Natural/Green	1.5"	455	1200 x 1900
1722101-L	2500 Litre Liquid Fertiliser Tank	Black/Natural/Green	1.5"	455	1400 x 1800
1722111-L	3000 Litre Liquid Fertiliser Tank	Black/Natural/Green	2"	455	1400 x 2135
1722121-L	4000 Litre Liquid Fertiliser Tank	Black/Natural/Green	2"	620	1900 x 1875

Please note: Tank sizes quoted are subject to a +/- 3% variation

# Liquid Fertiliser Tanks

## 5000 Litre to 12500 Litre



### Popular uses include:

- Storage of liquids with a high specific gravity
- Used in the Agricultural, Industrial and Commercial sectors
- Bulk storing of ready mixed liquid fertiliser

Code	Description	Standard Colours	Standard Outlet	Standard Lid Size mm	Dimensions dia x H mm
1722151-L	5000 Litre Liquid Fertiliser Tank	Black/Natural/Green	2"	620	1900 x 2300
1722161-L	6000 Litre Liquid Fertiliser Tank	Black/Natural/Green	2"	620	1900 x 2500
1722181-L	8500 Litre Liquid Fertiliser Tank	Black/Natural/Green	2"	620	2600 x 2063
1722221-L	10000 Litre Liquid Fertiliser Tank	Black/Natural/Green	2"	620	2400 x 2500
1722251-L	12500 Litre Liquid Fertiliser Tank	Black/Natural/Green	2"	620	2600 x 2650

Please note: Tank sizes quoted are subject to a +/- 3% variation

# Liquid Fertiliser Tanks

## 15000 Litre to 30000 Litre

**VIEW  
OUR FULL  
RANGE  
ONLINE**

### Features

- 100% rust proof
- UK manufactured
- 2 year guarantee
- Supplied direct from stock for fast delivery




Code	Description	Standard Colours	Standard Outlet	Standard Lid Size mm	Dimensions dia x H mm
1722291-L	15000 Litre Liquid Fertiliser Tank	Black/Natural/Green	2"	620	2400 x 3550
1722381-L	20000 Litre Liquid Fertiliser Tank	Black/Natural/Green	2"	620	2850 x 3600
1722501-L	22000 Litre Liquid Fertiliser Tank	Black/Natural/Green	2"	620	3450 x 2600
1722551-L	26000 Litre Liquid Fertiliser Tank	Black/Natural/Green	2"	620	3450 x 3200
1722601-L	30000 Litre Liquid Fertiliser Tank	Black/Natural/Green	2"	620	3450 x 3650

Please note: Tank sizes quoted are subject to a +/- 3% variation

# Molasses Tanks

Our Molasses Storage Tanks are ideal for commercial and agricultural use. The range of 21 sizes from 1250 litres to 30,000 litres enables bulk ordering of ready mixed molasses, saving mixing time and ensuring your molasses will not settle out or need constant agitation thus minimising wastage.



## Molasses Tanks

### 1250 to 4000 Litre

Our Molasses Tanks are heavy duty tanks manufactured with a thicker wall thereby making them suitable for the storage of products with a specific gravity of up to 1.5. Molasses often have a specific gravity of 1.45. This means that 1.4 kg of molasses is 1 litre of tank capacity. This can vary and we recommend consulting your molasses supplier before deciding on the size of your tank.

**VIEW  
OUR FULL  
RANGE  
ONLINE**



Code	Description	Standard Colours	Standard Outlet	Standard Lid Size mm	Dimensions dia x H mm
1722051-M	1250 Litre Molasses Tank	Black/Natural/Green	1.5"	455	1200 x 1200
1722081-M	2000 Litre Molasses Tank	Black/Natural/Green	1.5"	455	1200 x 1900
1722101-M	2500 Litre Molasses Tank	Black/Natural/Green	1.5"	455	1400 x 1800
1722111-M	3000 Litre Molasses Tank	Black/Natural/Green	2"	455	1400 x 2135
1722121-M	4000 Litre Molasses Tank	Black/Natural/Green	2"	620	1900 x 1875

Please note: Tank sizes quoted are subject to a +/- 3% variation

## Molasses Tanks

### 5000 Litre to 12500 Litre



#### Popular uses include:

- Bulk storing of liquid animal feeds
- Storage of liquids with a high specific gravity
- Used in the Agricultural, Industrial and Commercial sectors

Code	Description	Standard Colours	Standard Outlet	Standard Lid Size mm	Dimensions dia x H mm
1722151-M	5000 Litre Molasses Tank	Black/Natural/Green	2"	620	1900 x 2300
1722161-M	6000 Litre Molasses Tank	Black/Natural/Green	2"	620	1900 x 2500
1722181-M	8500 Litre Molasses Tank	Black/Natural/Green	2"	620	2600 x 2063
1722221-M	10000 Litre Molasses Tank	Black/Natural/Green	2"	620	2400 x 2500
1722251-M	12500 Litre Molasses Tank	Black/Natural/Green	2"	620	2600 x 2650

Please note: Tank sizes quoted are subject to a +/- 3% variation

## Molasses Tanks

### 15000 Litre to 30000 Litre

VIEW  
OUR FULL  
RANGE  
ONLINE

#### Features

- 100% rust proof
- UK manufactured
- 2 year guarantee
- Supplied direct from stock for fast delivery



Code	Description	Standard Colours	Standard Outlet	Standard Lid Size mm	Dimensions dia x H mm
1722291-M	15000 Litre Molasses Tank	Black/Natural/Green	2"	620	2400 x 3550
1722381-M	20000 Litre Molasses Tank	Black/Natural/Green	2"	620	2850 x 3600
1722501-M	22000 Litre Molasses Tank	Black/Natural/Green	2"	620	3450 x 2600
1722551-M	26000 Litre Molasses Tank	Black/Natural/Green	2"	620	3450 x 3200
1722601-M	30000 Litre Molasses Tank	Black/Natural/Green	2"	620	3450 x 3650

Please note: Tank sizes quoted are subject to a +/- 3% variation

# LiquiLevel Tank Level Indicator

## EXCLUSIVE TO ENDURATANK

LiquiLevel's Tank Level Indicator is an effective mechanical method of accurately determining the level of liquid stored.



## LiquiLevel Tank Level Indicator

The Tank Level Indicator consists of a counterweight, float and level indicator all controlled by a pulley system. The float and counter weight are easily fitted into the tank and the level indicator is attached to a guide wire on the outside of the tank, simply moving up and down the wire in alignment with the level of the float inside. This gives an immediate, reliable, easy to read and accurate assessment of the content level. The LiquiLevel Tank Level Indicator can easily be fitted by anyone competent at DIY.


### Features

- Designed for tanks up to 5 metres in height
- Stainless steel mounting bracket
- Chemical and weather resistant pulleys
- Polypropylene Ball float
- Stainless steel counterweight
- Plastic level indicator and cap
- Polyester UV resistant cord
- Guide Wire Fixing kit supplied as standard
- Made in Sweden
- 3 year guarantee



# Slimline Water and Baffled Slimline Tanks

Moulded from medium density polyethylene these rectangular tanks are ideal for the commercial cleaning of bins and windows or applications requiring a water tank capable of being installed in a pickup or van. The internal baffles moulded into the tank prevent sloshing and increase stability when on the move.



## Baffled Slimline Tanks

### 400 Litre, 500 Litre

Our range of Slimline water storage tanks are designed for space restrictive water storage and are manufactured for uses throughout the agricultural, commercial, domestic, horticultural, industrial and irrigation markets. Available in both flat or horizontal profiles, our Baffled Slimline tanks are suitable for chemical storage up to a specific gravity of 1.5.

#### Features

- 100% rust proof
- UK manufactured
- 2 year guarantee
- Supplied direct from stock for fast delivery



171504

Code	Description	Standard Colours	Standard Outlet	Standard Lid Size mm	Dimensions L x W x H (mm)
171504	400 Litre Baffled Horizontal Slimline Tank	Black/Natural/Green	1.5"	255	1200 x 400 x 1050
171604	400 Litre Baffled Upright Slimline Tank	Black/Natural/Green	1.5"	255	1050 x 400 x 1200
171704	400 Litre Baffled Flat Slimline Tank	Black/Natural/Green	1.5"	255	1200 x 1050 x 400
171505	500 Litre Baffled Horizontal Slimline Tank	Black/Natural/Green	1.5"	255	1200 x 500 x 1050
171605	500 Litre Baffled Upright Slimline Tank	Black/Natural/Green	1.5"	255	1050 x 500 x 1200
171705	500 Litre Baffled Flat Slimline Tank	Black/Natural/Green	1.5"	255	1200 x 1050 x 500

Please note: Tank sizes quoted are subject to a +/- 3% variation

## Baffled Slimline Tanks

### 800 Litre, 1000 Litre

#### Popular uses include:

- Window cleaners' tanks
- Mobile pet grooming
- Sprayer tanks
- Mobile bin cleaning
- Mobile car valeters



171510

171710

Code	Description	Standard Colours	Standard Outlet	Standard Lid Size mm	Dimensions L x W x H (mm)
171508	800 Litre Baffled Horizontal Slimline Tank	Black/Natural/Green	1.5"	255	1350 x 600 x 1200
171608	800 Litre Baffled Upright Slimline Tank	Black/Natural/Green	1.5"	255	1200 x 600 x 1350
171708	800 Litre Baffled Flat Slimline Tank	Black/Natural/Green	1.5"	255	1350 x 1200 x 600
171510	1000 Litre Baffled Horizontal Slimline Tank	Black/Natural/Green	1.5"	255	1650 x 600 x 1200
171610	1000 Litre Baffled Upright Slimline Tank	Black/Natural/Green	1.5"	255	1200 x 600 x 1650
171710	1000 Litre Baffled Flat Slimline Tank	Black/Natural/Green	1.5"	255	1650 x 1200 x 600

Please note: Tank sizes quoted are subject to a +/- 3% variation

# **Slimline Water Tanks**

## **500 Litre, 1000 Litre**

Our range of slimline water storage tanks are designed for space restrictive water storage and are manufactured for uses throughout the agricultural, commercial, domestic, horticultural, industrial and irrigation markets.

### **Popular uses include:**

- Static rain water storage
- Water storage for gardens and irrigation systems
- Loft header tanks
- Storage of liquids where space is at a premium

### **Features**

- 100% rust proof
- UK manufactured
- Supplied direct from stock for fast delivery



171305

171310

Please note: Tank sizes quoted are subject to a +/- 3% variation

# Horizontal Static Tanks

Ideal for both rainwater and potable water storage. Our Horizontal Static Tanks, with their individually proven designs, are available to meet the widest possible range of uses in rainwater harvesting and management.

## **Popular uses include:**

- Potable water storage (black tank only)
- Loft/header tanks
- Rainwater harvesting tanks
- Low profile tanks
- Sprayer tank
- Process water break tank
- Backwash tank
- Balance tank
- Effluent process tank
- Ph adjustment tank



## Horizontal Static Tanks

### 500 Litre to 5000 Litre

Enduratank's Horizontal Static Tanks are designed for low profile water storage and are intended for use across all sectors.

#### Features

- WRAS approved, **black tank only**, supplied with a Bye-law 30 kit (Bye-law 60 in Scotland)
- Type AB Airgap can be fitted to all WRAS approved tanks as an optional extra
- 100% rust proof



Code	Description	Standard Colours	Standard Outlet	Standard Lid Size mm	Dimensions L x W x H (mm)
171205	500 Litre Horizontal Static Tank	Black/Natural/Green	1.5"	455	1295 x 840 x 850
171210	1000 Litre Horizontal Static Tank	Black/Natural/Green	1.5"	455	1420 x 1100 x 1020
171215	1500 Litre Horizontal Static Tank	Black/Natural/Green	1.5"	455	1875 x 1180 x 1200
171220	2000 Litre Horizontal Static Tank	Black/Natural/Green	1.5"	455	1956 x 1299 x 1300
171230	3000 Litre Horizontal Static Tank	Black/Natural/Green	2"	455	2240 x 1460 x 1470
171250	5000 Litre Horizontal Static Tank	Black/Natural/Green	2"	455	3038 x 1595 x 1550

Please note: Tank sizes quoted are subject to a +/- 3% variation

# Horizontal Transport Tanks



These heavy-duty rust proof Horizontal Transport Tanks can be used either for storage or transportation. The unique pin mounting system enables the tank to be mounted securely without the need to use steel mounting straps, which can cause fatigue.

# Horizontal Transport Tanks

## 500 Litre to 3000 Litre

### Popular uses include:

- Transportation of molasses, liquid feed and liquid fertiliser
- Mixer tank
- Water bowser hire for clean water supply for events and emergencies
- Potable water for public events (**black tank only**)
- Dust suppression
- Used in construction and civil engineering environments where mains supply is not available
- Sprayer tank for agricultural purposes
- Nurse tank
- For sprayers, plant waterers and pressure washers



Code	Description	Standard Colours	Standard Outlet	Standard Lid Size mm	Dimensions L x W x H (mm)
171005	500 Litre Horizontal Transport Tank	Black/Natural/Green	1.5"	255	1190 x 1050 x 530
171010	700 Litre Horizontal Transport Tank	Black/Natural/Green	1.5"	255	1190 x 1050 x 725
171015	1200 Litre Horizontal Transport Tank	Black/Natural/Green	2"	455	1880 x 1320 x 840
171012	1500 Litre Horizontal Transport Tank	Black/Natural/Green	2"	455	1880 x 1320 x 985
171025	2000 Litre Horizontal Transport Tank	Black/Natural/Green	2"	455	2150 x 1500 x 840
171030	3000 Litre Horizontal Transport Tank	Black/Natural/Green	2"	455	2500 x 1700 x 1090

Please note: Tank sizes quoted are subject to a +/- 3% variation

# Horizontal Transport Tanks

## 4000 Litre to 13000 Litre

### Features

- WRAS approved, **black tank only**, supplied with a Bye-law 30 kit (Bye-law 60 in Scotland)
- Type AB Airgap can be fitted to all WRAS approved tanks as an optional extra.
- 100% rust proof
- Pin mounting frame available as an optional extra
- Baffle balls available as optional extra
- UK manufactured
- Supplied direct from stock for fast delivery



Code	Description	Standard Colours	Standard Outlet	Standard Lid Size mm	Dimensions L x W x H (mm)
171035	4000 Litre Horizontal Transport Tank	Black/Natural/Green	2"	455	2500 x 1700 x 1300
171037	5000 Litre Horizontal Transport Tank	Black/Natural/Green	2"	455	2500 x 1700 x 1690
171040	6000 Litre Horizontal Transport Tank	Black/Natural/Green	2"	455	3200 x 1850 x 1550
171045	8000 Litre Horizontal Transport Tank	Black/Natural/Green	2"	455	3200 x 1850 x 2000
171050	10000 Litre Horizontal Transport Tank	Black/Natural/Green	2"	455	4200 x 1900 x 1800
171060	13000 Litre Horizontal Transport Tank	Black/Natural/Green	2"	455	4200 x 1900 x 2200

Please note: Tank sizes quoted are subject to a +/- 3% variation

## Horizontal Transport Tank Frames

<b>Code</b>	<b>Description</b>
198506	Frame for 500/700 Litre Horizontal Transport Tank
198705	Frame for 500/700 Litre Horizontal Transport Tank with pump plate
198510	Frame for 1200/1500 Litre Horizontal Transport Tank
198512	Frame for 1200/1500 Litre Horizontal Transport Tank with pump plate
198520	Frame for 2000 Litre Horizontal Transport Tank
198522	Frame for 2000 Litre Horizontal Transport Tank with pump plate
198530	Frame for 3000/4000/5000 Litre Horizontal Transport Tank
198532	Frame for 3000/4000/5000 Litre Horizontal Transport Tank with pump plate
198560	Frame for 6000/8000 Litre Horizontal Transport Tank
198562	Frame for 6000/8000 Litre Horizontal Transport Tank with pump plate
1985100	Frame for 10000/13000 Litre Horizontal Transport Tank
1985102	Frame for 10000/13000 Litre Horizontal Transport Tank with pump plate

# Horizontal Sump Tanks

Our range of Sump Tanks, known as full drain tanks are commonly used in agriculture and liquid transport industries. Already used by many of the UK leading trailer manufacturers, these heavy-duty rust proof tanks can be used either for storage or transportation of liquid. These tanks require a mounting frame to protect the sump.



## Horizontal Sump Tanks

### 500 Litres to 1200 Litres

Also known as Full Drain Tanks, our Horizontal Sump Tanks are designed as low profile tanks intended for use throughout the agricultural, construction, commercial, horticultural, industrial and irrigation sectors. The tanks are rotationally moulded as a one piece construction from UV stabilised medium density polyethylene.



173022



ALSO  
AVAILABLE  
WITHOUT  
FRAME

Also suitable for potable water (**black tank only**)

Code	Description	Standard Colours	Standard Outlet	Standard Lid Size mm	Dimensions L x W x H (mm)
173022	500 Litre Sump Tank with frame	Black/Natural/Green	1.5"	255	1190 x 1050 x 700
173027	700 Litre Sump Tank with frame	Black/Natural/Green	1.5"	255	1190 x 1050 x 850
173036	1200 Litre Sump Tank with frame	Black/Natural/Green	2"	455	2000 x 1150 x 880

Please note: Tank sizes quoted are subject to a +/- 3% variation

# Horizontal Sump Tanks

## 1500 Litres to 3000 Litres



### Popular uses include:

- Transportation of molasses, liquid feed and liquid fertiliser
- Liquid and water transport
- Water bowser hire for clean water supply
- Potable water for public events
- Dust suppression
- Used in construction and civil engineering environments where mains supply is not available
- Sprayer tank for agricultural purposes
- Nurse tank



Also suitable for potable water (**black tank only**)

Code	Description	Standard Colours	Standard Outlet	Standard Lid Size mm	Dimensions L x W x H (mm)
173039	1500 Litre Sump Tank with frame	Black/Natural/Green	2"	455	2000 x 1150 x 1020
173042	2000 Litre Sump Tank with frame	Black/Natural/Green	2"	455	2050 x 1460 x 1225
173047	3000 Litre Sump Tank with frame	Black/Natural/Green	2"	455	2500 x 1700 x 1290

Please note: Tank sizes quoted are subject to a +/- 3% variation

## Horizontal Sump Tanks

### 4000 Litres to 8000 Litres



#### Features

- WRAS approved, **black tank only** for potable (drinking water) water storage, supplied with a Bye-law 30 kit (Bye-law 60 in Scotland)
- Type AB Airgap can be fitted to all WRAS approved tanks as an optional extra
- 100% rust proof
- UK manufactured
- Supplied direct from stock for fast delivery

ALSO  
AVAILABLE  
WITHOUT  
FRAME

173054

Code	Description	Standard Colours	Standard Outlet	Standard Lid Size mm	Dimensions L x W x H (mm)
173052	4000 Litre Sump Tank with frame	Black/Natural/Green	2"	455	2500 x 1700 x 1500
173054	5000 Litre Sump Tank with frame	Black/Natural/Green	2"	455	3250 x 1900 x 1700
173056	6000 Litre Sump Tank with frame	Black/Natural/Green	2"	455	3250 x 1900 x 1775
173062	8000 Litre Sump Tank with frame	Black/Natural/Green	2"	455	3250 x 1900 x 2050

Please note: Tank sizes quoted are subject to a +/- 3% variation

# Pin Mount Tanks

Ideal for the transportation of liquids where complete drainage and cleaning is critical.

## Popular uses include:

- Sprayer tanks
- Storage and transport of liquid fertiliser
- Pressure washer tanks
- Plant watering tanks
- Agricultural, horticultural, parks and recreation, applications
- De-icing tanks
- Dust suppression tanks
- Pick-up, UTV and small tractor transportable tank



## Horizontal Pin Mount Tanks

### 200 Litre, 300 Litre, 400 Litre

#### Features


- WRAS approved, **black tank only**, for potable (drinking water) water storage, supplied with a Bye-law 30 kit (Bye-law 60 in Scotland)
- Type AB Airgap can be fitted to all WRAS approved tanks as an optional extra
- 100% rust proof
- UK manufactured
- Supplied direct from stock for fast delivery



Code	Description	Standard Colours	Standard Outlet	Standard Lid Size mm	Dimensions L x W x H (mm)
173010	200 Litre Pin Mount Tank with frame	Black/Natural/Green	1.5"	255	1100 x 650 x 650
173012	200 Litre Pin Mount Tank without frame	Black/Natural/Green	1.5"	255	900 x 640 x 500
173016	300 Litre Pin Mount Tank with frame	Black/Natural/Green	1.5"	255	1000 x 850 x 740
173013	300 Litre Pin Mount Tank without frame	Black/Natural/Green	1.5"	255	880 x 850 x 650
173022	400 Litre Pin Mount Tank with frame	Black/Natural/Green	1.5"	255	1400 x 800 x 735
173017	400 Litre Pin Mount Tank without frame	Black/Natural/Green	1.5"	255	1180 x 900 x 600

Please note: Tank sizes quoted are subject to a +/- 3% variation

# Squat Tanks



Our Horizontal Squat Tanks come in two sizes and are suitable for the storage of a wide range of liquids up to a Specific Gravity of 1.5. Frequently used in the agricultural and horticultural sectors for spraying and watering.

# Squat Tanks

## 240 Litre to 400 Litre



### Popular uses include:

- Chemical storage up to 1.5 SG
- Window cleaner tanks
- Pick-up, ATV and UTV transportable tanks
- Low profile storage of a wide range of liquids
- Mobile animal grooming
- Domestic header / loft tanks
- Caravan/camping water storage
- Sprayer tanks

### Features

- WRAS approved, **black tank only**, for potable (drinking water) water storage, supplied with a Bye-law 30 kit (Bye-law 60 in Scotland)
- Type AB Airgap can be fitted to all WRAS approved tanks as an optional extra<sup>1</sup>
- 100% rust proof
- UK manufactured
- Supplied direct from stock for fast delivery



Code	Description	Standard Colours	Standard Outlet	Standard Lid Size mm	Dimensions L x W x H (mm)
174024	240 Litre Horizontal Squat Tank	Black/Natural/Green	1.5"	255	925 x 710 x 510
174040	400 Litre Horizontal Squat Tank	Black/Natural/Green	1.5"	255	1600 x 710 x 510

Please note: Tank sizes quoted are subject to a +/- 3% variation

# Applicator Tanks

Enduratank's Applicator Tanks are selected for stationary or transportable applications both indoors and out and are supplied mounted on a galvanised chemical resistant steel frame.

## Popular uses include:

- Additive tanks
- Silage and forage tanks
- Liquid fertiliser tanks
- Sprayers and spot sprayer applications
- Vehicle mounted applications



## Applicator Tanks

### 300 Litre to 1000 Litre

Applicator Tanks feature a sump located directly below the lid to allow for the full drainage of contents. Each tank is designed for the containment of liquids up to 1.5 SG.

#### Features

- Mounted on a galvanised chemical resistant steel frame
- 100% rust proof
- Manufactured in the UK
- 2 year guarantee
- Supplied direct from stock for fast delivery

**ALSO  
AVAILABLE  
WITHOUT  
FRAME**



1735042

Code	Description	Standard Colours	Standard Outlet	Standard Lid Size mm	Dimensions L x W x H (mm)
1735032	300 Litre Applicator Tank with frame	Black/Natural/Green	1.5"	255	1275 x 590 x 865
1735042	400 Litre Applicator Tank with frame	Black/Natural/Green	1.5"	255	1147 x 710 x 916
1735052	500 Litre Applicator Tank with frame	Black/Natural/Green	1.5"	255	1112 x 812 x 1018
1735077	750 Litre Applicator Tank with frame	Black/Natural/Green	1.5"	255	1250 x 914 x 1119
1735102	1000 Litre Applicator Tank with frame	Black/Natural/Green	1.5"	255	1656 x 898 x 1110

Please note: Tank sizes quoted are subject to a +/- 3% variation

# Baffle Ball System

The 'Baffle Ball System' improves the stability of vehicles when transporting liquids by road. In the main this refers to liquid tankers or bowsers constructed of any type of material, but is also applicable for any vehicle fitted with a tank used to transport liquids.



## Baffle Balls

### Small, Large

Baffle balls come in two sizes and are supplied in two halves which require clipping together. When inserted into a tank the balls greatly reduce sloshing, particularly when cornering or on unstable ground, thereby enhancing the safety, stability and ride of the vehicle. Baffle balls are also suitable for use within boat fuel and water tanks.




#### Features

- Suitable for use with all tanks – poly, steel, fibreglass, aluminium, etc.
- Low liquid displacement
- 100% rust proof
- Supplied direct from stock for fast delivery

Code	Description	Colour	Dimensions (mm)	Displacement	Recommended Quantity
177005	Small Baffle Ball	Natural	195	Small ball displaces 150ml and weighs 120g	1 per 7 litres of tank capacity
177010	Large Baffle Ball	Natural	355	Large ball displaces 428ml and weighs 386g	1 per 40 litres of tank capacity
177010-F	Large Baffle Ball - Fitted	Natural	355	Large ball displaces 428ml and weighs 386g	1 per 40 litres of tank capacity

# Cone Tanks and Open Top Cone Tanks



Our range of Cone Tanks (also known as Conical Tanks or Cone Bottom Tanks) is designed for containment of liquids up to 1.5 SG. Closed Top Tanks come with a lid which can be vented or non-vented. Both Closed and Open Top Tanks are supplied with a heavy duty galvanised steel frame.

## Cone Tanks

### 250 Litre to 1000 Litre

Constructed using corrosion resistant, UV stabilised, high-density food grade polyethylene our Cone Tanks are frequently used in applications requiring settlement or clarification of liquids or the bulk removal of solids from waste water. Cone Tanks allow for the full drainage of tank contents for quality control and the elimination of particulate.



ALSO  
AVAILABLE  
WITHOUT  
FRAME



Code	Description	Standard Colours	Standard Outlet	Standard Lid Size mm	Dimensions dia x H (mm)
17520145-F	250 Litre 45° Cone Tank with frame	Black/Natural/Green	1"	455	609 x 1562
17520245-F	500 Litre 45° Cone Tank with frame	Black/Natural/Green	2"	455	812 x 1563
17520460-F	900 Litre 60° Cone Tank with frame	Black/Natural/Green	2"	455	1400 x 1681
17520330-F	1000 Litre 30° Cone Tank with frame	Black/Natural/Green	2"	455	1200 x 1552

Please note: Tank sizes quoted are subject to a +/- 3% variation

## Cone Tanks

**1500 Litre to 3150 Litre**

**Popular uses include:**

- Conical fermenters for Beer and Cider brewing
- Brewing Tank and Craft brewing tanks
- Wine making
- Bio-diesel and other Oil Treatment Processes
- Food Industry
- Mixing systems and blending
- Industrial holding and mix tank storage
- Processing tank
- Water storage tank
- Settlement and sludge tanks
- Processing tanks
- Water treatment tanks
- Chemical tank
- Clarification tanks

**VIEW  
OUR FULL  
RANGE  
ONLINE**



17520960-F




17521060-F

<b>Code</b>	<b>Description</b>	<b>Standard Colours</b>	<b>Standard Outlet</b>	<b>Standard Lid Size mm</b>	<b>Dimensions dia x H (mm)</b>
17520945-F	1500 Litre 45° Cone Tank with frame	Black/Natural/Green	2"	455	1900 x 1605
17520960-F	2000 Litre 60° Cone Tank with frame	Black/Natural/Green	2"	455	1900 x 2299
17521030-F	2700 Litre 30° Cone Tank with frame	Black/Natural/Green	2"	455	1400 x 2333
17521060-F	3150 Litre 60° Cone Tank with frame	Black/Natural/Green	2"	455	1400 x 3155

Please note: Tank sizes quoted are subject to a +/- 3% variation

## Cone Tanks

### 4200 Litre to 12000 Litre



ALSO  
AVAILABLE  
WITHOUT  
FRAME

Code	Description	Standard Colours	Standard Outlet	Standard Lid Size mm	Dimensions L x W x H (mm)
17521215-F	4200 Litre 15° Cone Tank with frame	Black/Natural/Green	2"	620	1900 x 2334
17521515-F	5200 Litre 15° Cone Tank with frame	Black/Natural/Green	2"	620	1900 x 2640
17521615-F	6200 Litre 15° Cone Tank with frame	Black/Natural/Green	2"	620	1900 x 3030
17521560-F	7000 Litre 60° Cone Tank with frame	Black/Natural/Green	2"	620	1900 x 3889
17521430-F	8000 Litre 30° Cone Tank with frame	Black/Natural/Green	2"	620	1900 x 2551
17521830-F	10000 Litre 30° Cone Tank with frame	Black/Natural/Green	2"	620	2600 x 3452
17521860-F	12000 Litre 60° Cone Tank with frame	Black/Natural/Green	2"	620	2600 x 5034

Please note: Tank sizes quoted are subject to a +/- 3% variation

## Cone Tanks

13000 Litre to 30000 Litre

VIEW  
OUR FULL  
RANGE  
ONLINE

### Features

- 100% rust proof
- UK manufactured
- 2 year guarantee
- Racking port available as an optional extra
- Supplied direct from stock for fast delivery



Code	Description	Standard Colours	Standard Outlet	Standard Lid Size mm	Dimensions L x W x H (mm)
17522513-F	13000 Litre 13° Cone Tank with frame	Black/Natural/Green	2"	620	2600 x 3379
17522530-F	14000 Litre 30° Cone Tank with frame	Black/Natural/Green	2"	620	2600 x 3930
17522830-F	16000 Litre 30° Cone Tank with frame	Black/Natural/Green	2"	620	2600 x 4122
17523013-F	17000 Litre 13° Cone Tank with frame	Black/Natural/Green	2"	620	2600 x 4949
17525005-F	25000 Litre 5° Cone Tank with frame	Black/Natural/Green	2"	620	3450 x 3737
17525505-F	30000 Litre 5° Cone Tank with frame	Black/Natural/Green	2"	620	3450 x 4067

Please note: Tank sizes quoted are subject to a +/- 3% variation

## Open Top Cone Tanks

### 900 Litre to 2700 Litre

Constructed using corrosion resistant, UV stabilised, high-density food grade polyethylene and designed for the containment of liquids up to a Specific Gravity of 1.5, our Open Top Cone Tanks otherwise known as Open Conical or Open Top Cone Bottom Tanks are frequently used in applications requiring settlement or clarification of liquids or the bulk removal of solids from waste water. Open Top Cone Tanks allow operators to easily visually observe and control mixing and blending.



ALSO  
AVAILABLE  
WITHOUT  
FRAME



Code	Description	Standard Colours	Standard Outlet	Dimensions L x W x H (mm)
17510460-F	900 Litre 60° Open Top Cone Tank with frame	Black/Natural/Green	2"	1660 x 1660
17510745-F	1500 Litre 45° Open Top Cone Tank with frame	Black/Natural/Green	2"	2180 x 1600
17510960-F	2000 Litre 60° Open Top Cone Tank with frame	Black/Natural/Green	2"	2180 x 2200
17511030-F	2700 Litre 30° Open Top Cone Tank with frame	Black/Natural/Green	2"	1660 x 2310

Please note: Tank sizes quoted are subject to a +/- 3% variation

# Open Top Cone Tanks

## 3150 Litre to 5900 Litre

Popular uses include:

- Conical fermenters for Beer and Cider brewing
- Flocculation tank
- Wine making
- Food Industry
- Mixing systems and blending
- Processing tank
- Water storage tank
- Processing tanks
- Water treatment tanks
- Chemical tank
- Clarification tank
- Coagulation tanks
- Industrial holding and mix tank storage
- Bio-diesel and other Oil Treatment Processes
- Settlement, sedimentation or sludge tanks

VIEW  
OUR FULL  
RANGE  
ONLINE



Code	Description	Standard Colours	Standard Outlet	Dimensions dia x H (mm)
17511060-F	3150 Litre 60° Open Top Cone Tank with frame	Black/Natural/Green	2"	1660 x 3130
17511215-F	4200 Litre 15° Open Top Cone Tank with frame	Black/Natural/Green	2"	2160 x 2210
17511515-F	5200 Litre 15° Open Top Cone Tank with frame	Black/Natural/Green	2"	2160 x 2510
17511545-F	5900 Litre 45° Open Top Cone Tank with frame	Black/Natural/Green	2"	2180 x 3070

Please note: Tank sizes quoted are subject to a +/- 3% variation

## Open Top Cone Tanks

### 6000 Litre to 8000 Litre

ALSO  
AVAILABLE  
WITHOUT  
FRAME

#### Features

- Supplied as standard with a full drain 2" outlet (other options available)
- Racking port available as an optional extra
- 100% rust proof
- UK manufactured
- 2 year guarantee
- Supplied direct from stock for fast delivery



Code	Description	Standard Colours	Standard Outlet	Dimensions dia x H (mm)
17511260-F	6000 Litre 60° Open Top Cone Tank with frame	Black/Natural/Green	2"	2180 x 3340
17511645-F	6900 Litre 45° Open Top Cone Tank with frame	Black/Natural/Green	2"	2180 x 3460
17511560-F	7000 Litre 60° Open Top Cone Tank with frame	Black/Natural/Green	2"	2180 x 3760
17511660-F	8000 Litre 60° Open Top Cone Tank with frame	Black/Natural/Green	2"	2180 x 4150

Please note: Tank sizes quoted are subject to a +/- 3% variation

# Industrial Tanks

Our specially designed Industrial Storage Tanks are available in 25 sizes ranging from 150 litres to 30,000 litres. Increased wall thickness means that specific gravities of between 1.5 SG – 2 SG can be stored. We offer customisation to our clients to meet specific needs such as additional bulkheads, welded flanges and more.



# Industrial Tanks

## 150 Litre to 1250 Litre

Manufactured using the latest rotationally moulded technologies and UV-stabilised polyethylene granules ensures our tanks are strong, durable and free from corrosion.

They are suitable for the storage of the following chemicals: Ferric Chloride, Caustic Soda, 'AUS-40' urea solution (AdBlue), Acetic Acid, Sodium Chloride, Sodium Hydroxide and Chlorine. For further information regarding chemical storage please contact our Technical Department.



**AVAILABLE  
IN 2SG  
FOR LIQUID  
TEMPERATURES  
UP TO 40°C**

Code	Description	Standard Colours	Standard Outlet	Standard Lid Size mm	Dimensions dia x H mm
1725011IND	150 Litre 1.5 SG Vertical WRAS Approved Industrial Tank	Black/Natural/Green	1.5"	455	600 x 650
1725031IND	300 Litre 1.5 SG Vertical WRAS Approved Industrial Tank	Black/Natural/Green	1.5"	455	600 x 1200
1725051IND	500 Litre 1.5 SG Vertical WRAS Approved Industrial Tank	Black/Natural/Green	1.5"	455	700 x 1500
1725071IND	720 Litre 1.5 SG Vertical WRAS Approved Industrial Tank	Black/Natural/Green	1.5"	455	700 x 2150
1722051IND	1250 Litre 1.5 SG Vertical WRAS Approved Industrial Tank	Black/Natural/Green	1.5"	455	1200 x 1200

Please note: Tank sizes quoted are subject to a +/- 3% variation

## Industrial Tanks 2000 Litre to 5000 Litre

### Popular uses include:

- Primary treatment and Clarification of liquids
- Beer/Cider brewing, winemaking and the Food Industry
- Dirty water tanks, sludge handling and treatment tank
- Dosing tank, Chemical and Biological treatment tank
- Aerobic/Aerobic Digestion tank
- Construction and civil engineering applications
- Chemical storage tank
- Bio-diesel tank
- Dissolved Air Floatation tank
- De-icing tank
- Ultra-pure water systems
- Cold liquor tanks
- Nutrient Removal Systems

VIEW  
OUR FULL  
RANGE  
ONLINE



1722081IND



1722111IND



1722151IND



Also suitable for potable water (**black tank only**)

Code	Description	Standard Colours	Standard Outlet	Standard Lid Size mm	Dimensions dia x H mm
1722081IND	2000 Litre 1.5 SG Vertical WRAS Approved Industrial Tank	Black/Natural/Green	1.5"	455	1200 x 1900
1722101IND	2500 Litre 1.5 SG Vertical WRAS Approved Industrial Tank	Black/Natural/Green	1.5"	455	1400 x 1800
1722111IND	3000 Litre 1.5 SG Vertical WRAS Approved Industrial Tank	Black/Natural/Green	2"	455	1400 x 2135
1722121IND	4000 Litre 1.5 SG Vertical WRAS Approved Industrial Tank	Black/Natural/Green	2"	620	1900 x 1875
1722151IND	5000 Litre 1.5 SG Vertical WRAS Approved Industrial Tank	Black/Natural/Green	2"	620	1900 x 2300

Please note: Tank sizes quoted are subject to a +/- 3% variation

# Industrial Tanks

## 6000 Litre to 12500 Litre

### Features

- WRAS approved, **black tank only**, supplied with a Bye-law 30 kit (Bye-law 60 in Scotland)
- Type AB Airgap can be fitted to all WRAS approved tanks as an optional extra
- 100% rust proof
- UK manufactured
- Supplied direct from stock for fast delivery



AVAILABLE  
IN 2SG  
FOR LIQUID  
TEMPERATURES  
UP TO 40°C

Code	Description	Standard Colours	Standard Outlet	Standard Lid Size mm	Dimensions dia x H mm
1722161IND	6000 Litre 1.5 SG Vertical WRAS Approved Industrial Tank	Black/Natural/Green	2"	620	1900 x 2500
1722171IND	7000 Litre 1.5 SG Vertical WRAS Approved Industrial Tank	Black/Natural/Green	2"	620	2400 x 1820
1722181IND	8500 Litre 1.5 SG Vertical WRAS Approved Industrial Tank	Black/Natural/Green	2"	620	2600 x 2063
1722221IND	10000 Litre 1.5 SG Vertical WRAS Approved Industrial Tank	Black/Natural/Green	2"	620	2400 x 2500
1722251IND	12500 Litre 1.5 SG Vertical WRAS Approved Industrial Tank	Black/Natural/Green	2"	620	2600 x 2650

Please note: Tank sizes quoted are subject to a +/- 3% variation

# Chemical Dosing Tanks

Enduratank's Chemical Dosing Tanks come in six sizes and are specifically designed for use within the water treatment and purification industry and for chemical dosing and storage applications. Tanks can be supplied with an outer bund for additional environmental protection security and as an optional extra. Our Chemical Dosing Tanks incorporate a stepped lid (raised upper section) to allow for the fitting of a chemical dosing pump.



# Chemical Dosing Tanks

## 400 Litre to 1500 Litre

### Popular uses include:

- Water treatment
- Purification of water
- Storage and mixing of chemicals
- Flocculation, pH adjustments and disinfection

### Features

- 100% rust proof
- UK manufactured
- 2 year guarantee
- Supplied direct from stock for fast delivery




Code	Description	Standard Colours	Standard Outlet	Standard Lid Size mm	Dimensions dia x H mm
172705	400 Litre Chemical Dosing Tank	Black/Natural	1.5"	255	700 x 1330
172707	600 Litre Chemical Dosing Tank	Black/Natural	1.5"	255	700 x 1880
172710	800 Litre Chemical Dosing Tank	Black/Natural	1.5"	255	980 x 1280
172712	1000 Litre Chemical Dosing Tank	Black/Natural	1.5"	255	980 x 1600
172715	1200 Litre Chemical Dosing Tank	Black/Natural	1.5"	255	1160 x 1310
172720	1500 Litre Chemical Dosing Tank	Black/Natural	1.5"	255	1160 x 1680

Please note: Tank sizes quoted are subject to a +/- 3% variation

# Batch Tanks

Designed for indoor applications, these tanks are perfect for batch chemical and mixer mounting systems. Manufactured from food grade, UV stabilised polyethylene, they are designed for the containment of liquids up to a Specific Gravity of 2.0.



## **Batch Tanks Bolt Down Lid**

### **400 Litre, 600 Litre, 800 Litre**

The tanks are available with either a bolt down or hinged lid. Batch Tanks are available with translucent sides for level viewing and are equipped with litre and gallon indicators (natural colour only).



<b>Code</b>	<b>Description</b>	<b>Standard Colours</b>	<b>Standard Outlet</b>	<b>Standard Lid Size mm</b>	<b>Dimensions dia x H mm</b>
1727053	400 Litre Batch Tank Bolt Down Lid	Black/Natural	1.5"	255	880 x 1300
1727073	600 Litre Batch Tank Bolt Down Lid	Black/Natural	1.5"	255	880 x 1900
1727103	800 Litre Batch Tank Bolt Down Lid	Black/Natural	1.5"	255	1160 x 1280

Please note: Tank sizes quoted are subject to a +/- 3% variation

## **Batch Tanks Bolt Down Lid**

### **1000 Litre, 1200 Litre, 1500 Litre**

Batch Tanks are available with translucent sides for level viewing and are equipped with litre and gallon indicators (natural colour only).



#### **Popular uses include:**

- Chemical mixing and blending
- Chemical storage
- Water softener applications
- Brine storage tank
- Salt grids
- For use in the Industrial, Chemical and Waste water sectors

<b>Code</b>	<b>Description</b>	<b>Standard Colours</b>	<b>Standard Outlet</b>	<b>Standard Lid Size mm</b>	<b>Dimensions dia x H mm</b>
1727123	1000 Litre Batch Tank Bolt Down Lid	Black/Natural	1.5"	255	1160 x 1580
1727153	1200 Litre Batch Tank Bolt Down Lid	Black/Natural	1.5"	255	1400 x 1320
1727203	1500 Litre Batch Tank Bolt Down Lid	Black/Natural	1.5"	255	1400 x 1680

Please note: Tank sizes quoted are subject to a +/- 3% variation

## Batch Tanks with Hinged Lid 400 Litre to 1500 Litre



### Features

- 100% rust proof
- UK manufactured
- 2 year guarantee
- Supplied direct from stock for fast delivery

Code	Description	Standard Colours	Standard Outlet	Standard Lid Size mm	Dimensions dia x H mm
1727054	400 Litre Batch Tank Hinged Lid	Black/Natural	1.5"	255	880 x 1300
1727074	600 Litre Batch Tank Hinged Lid	Black/Natural	1.5"	255	880 x 1900
1727104	800 Litre Batch Tank Hinged Lid	Black/Natural	1.5"	255	1160 x 1280
1727124	1000 Litre Batch Tank Hinged Lid	Black/Natural	1.5"	255	1160 x 1580
1727154	1200 Litre Batch Tank Hinged Lid	Black/Natural	1.5"	255	1400 x 1320
1727204	1500 Litre Batch Tank Hinged Lid	Black/Natural	1.5"	255	1400 x 1680

Please note: Tank sizes quoted are subject to a +/- 3% variation

# Bunded Tanks

Our Bunded Tanks are available in 13 sizes ranging from 400 litres up to 15000 litres and have been specially designed to control pollution with integral protection from leakage and overfilling. The customisation to a client's specific requirements is available upon request.



## Closed Top Bunded Tanks 400 Litre to 4000 Litre

Enduratank's Bunded Tanks have been specifically designed with pollution control in mind. The outer tank contains a minimum 110% volume of the inner tank to protect from leakage and over filling. They are designed for the containment of liquids up to a Specific Gravity of 1.5 and assist users in conforming to relevant regulations.

**VIEW  
OUR FULL  
RANGE  
ONLINE**



Code	Description	Standard Colours	Standard Lid Size mm	Dimensions dia x H mm
CTB400	400 Litre Closed Top Bunded Tank	Black/Natural/Green	455	1160 x 1580
CTB800	800 Litre Closed Top Bunded Tank	Black/Natural/Green	455	1400 x 1680
CTB1000	1000 Litre Closed Top Bunded Tank	Black/Natural/Green	455	1400 x 1680
CTB2500	2500 Litre Closed Top Bunded Tank	Black/Natural/Green	455	1900 x 2300
CTB4000	4000 Litre Closed Top Bunded Tank	Black/Natural/Green	620	2600 X 2663

Please note: Tank sizes quoted are subject to a +/- 3% variation

# Closed Top Bunded Tanks

## 5000 Litre to 15000 Litre

### Popular uses include:

- External protection for the inner tank
- Containment of liquids
- Waste water collection and storage
- Brine tanks
- Chemical tanks
- Septic or sewage tanks
- Storage of de-icers
- Pharmaceutical solutions
- Liquid fertilisers and molasses
- Foodstuffs
- Storage of high value liquids where leakage can be captured

VIEW  
OUR FULL  
RANGE  
ONLINE



Code	Description	Standard Colours	Standard Lid Size mm	Dimensions dia x H mm
CTB5000	5000 Litre Closed Top Bunded Tank	Black/Natural	620	2400 x 2500
CTB6000	6000 Litre Closed Top Bunded Tank	Black/Natural	620	2600 x 2500
CTB7000	7000 Litre Closed Top Bunded Tank	Black/Natural	620	2600 x 2650
CTB10000	10000 Litre Closed Top Bunded Tank	Black/Natural	620	2600 x 2900
CTB15000	15000 Litre Closed Top Bunded Tank	Black/Natural	620	2600 x 4150

Please note: Tank sizes quoted are subject to a +/- 3% variation

## Open Top Bunded Tanks

### 400 Litre to 15000 Litre



#### Features

- 100% rust proof
- UK manufactured
- 2 year guarantee
- Supplied direct from stock for fast delivery

Code	Description	Standard Colours	Standard Lid Size mm	Dimensions dia x H mm
OTB400	400 Litre Open Top Bunded Tank	Black/Natural	455	1160 x 1300
OTB1000	1000 Litre Open Top Bunded Tank	Black/Natural	455	1400 x 1200
OTB2500	2500 Litre Open Top Bunded Tank	Black/Natural	455	1900 x 1800
OTB4000	4000 Litre Open Top Bunded Tank	Black/Natural	620	2600 x 1875
OTB6000	6000 Litre Open Top Bunded Tank	Black/Natural	620	2600 x 2500
OTB15000	15000 Litre Open Top Bunded Tank	Black/Natural	620	2600 x 3550

Please note: Tank sizes quoted are subject to a +/- 3% variation

# Insulated Tanks

Enduratank's range of WRAS approved Insulated Vertical Tanks is designed for use where temperature regulation is key and the prevention of overheating or freezing of liquids paramount. The tanks are available in 25 different capacities from 150 litres up to 30,000 litres. They are tough, durable, impact resistant and suitable for the storage of a wide range of liquid chemicals.



## Insulated Tanks

### 150 Litre to 1250 Litre

Enduratank's WRAS approved Insulated Vertical Tanks are constructed from rotationally moulded mid density UV stabilised food grade polyethylene and are wrapped in a jacket constructed using an insulation system engineered to prevent condensation. This jacket effectively reduces thermal and energy loss. By utilising an insulated tank in conjunction with in-tank heaters or coolers running costs can be reduced. Tank fitments can be tailored to individual clients' requirements.



Code	Description	Standard Colour	Standard Outlet	Standard Lid Size mm	Dimensions dia x H mm
INS172501	150 litre WRAS Approved Insulated Vertical Tank	Black only	1.5"	455	600 x 650
INS172503	300 litre WRAS Approved Insulated Vertical Tank	Black only	1.5"	455	600 x 1200
INS172505	500 litre WRAS Approved Insulated Vertical Tank	Black only	1.5"	455	700 x 1500
INS172507	720 litre WRAS Approved Insulated Vertical Tank	Black only	1.5"	455	700 x 2150
INS172205	1250 litre WRAS Approved Insulated Vertical Tank	Black only	1.5"	455	1200 x 1200

Please note: Tank sizes quoted are subject to a +/- 3% variation

# Insulated Tanks

## 2000 Litre to 5000 Litre

### Popular uses include:

- Food Industry
- Water storage tanks
- Beer, cider brewing and winemaking
- Chemical storage and supply tanks
- Agricultural and Industrial applications
- Dosing tanks



Code	Description	Standard Colour	Standard Outlet	Standard Lid Size mm	Dimensions dia x H mm
INS172208	2000 litre WRAS Approved Insulated Vertical Tank	Black only	1.5"	455	1200 x 1900
INS172210	2500 litre WRAS Approved Insulated Vertical Tank	Black only	1.5"	455	1400 x 1800
INS172211	3000 litre WRAS Approved Insulated Vertical Tank	Black only	2"	455	1400 x 2135
INS172212	4000 litre WRAS Approved Insulated Vertical Tank	Black only	2"	620	1900 x 1875
INS172215	5000 litre WRAS Approved Insulated Vertical Tank	Black only	2"	620	1900 x 2300

Please note: Tank sizes quoted are subject to a +/- 3% variation

# Insulated Tanks

## 6000 Litre to 12500 Litre

VIEW  
OUR FULL  
RANGE  
ONLINE

### Features

- WRAS approved, supplied with a Bye-law 30 kit (Bye-law 60 in Scotland)
- Type AB Airgap can be fitted to all WRAS approved tanks as an optional extra
- 100% rust proof
- UK manufactured
- Supplied direct from stock for fast delivery
- Guaranteed for 10 years



Code	Description	Standard Colour	Standard Outlet	Standard Lid Size mm	Dimensions dia x H mm
INS172216	6000 Litre WRAS Approved Insulated Vertical Tank	Black only	2"	620	1900 x 2500
INS172217	7000 Litre WRAS Approved Insulated Vertical Tank	Black only	2"	620	2400 x 1820
INS172218	8500 Litre WRAS Approved Insulated Vertical Tank	Black only	2"	620	2600 x 2063
INS172222	10000 Litre WRAS Approved Insulated Vertical Tank	Black only	2"	620	2400 x 2500
INS172225	12500 Litre WRAS Approved Insulated Vertical Tank	Black only	2"	620	2600 x 2650

Please note: Tank sizes quoted are subject to a +/- 3% variation

# Tank Accessories and Modifications



## Rainwater Tank Lids and Strainers

Code	Description
135325	255mm Tank Lid and Rim - non-vented
135326	255mm Tank Lid and Rim - vented
135335	355mm Tank Lid and Rim - non-vented
135336	355mm Screw Lid and Rim - vented
135344	455mm Tank Lid and Rim - non-vented
135346	455mm Screw Lid and Rim - vented
135362	620mm Screw Lid and Rim - vented
135364	620mm Screw Lid and Rim - non-vented



135346




135325

135326

135364

Code	Description
135328	255mm Basket Filter
135333	355mm Basket Filter
135343	455mm Basket Filter
135363	620mm Basket Filter

## Rainwater Tank Ball Valves



178530

<b>Code</b>	<b>Description</b>
178505	0.5" Female x 1/2" Female BSP Ball Valve
178510	1" Female x 1" Female BSP Ball Valve
178515	1.5" Female x 1.5" Female BSP Ball Valve
178520	2" Female x 2" Female BSP Ball Valve
178530	3" Female x 3" Female BSP Bolted Ball Valve
178540-PVC	4" Female x 4" Female BSP PVC Ball Valve



178520

<b>Code</b>	<b>Description</b>
178516	1.5" Female x 1.5" Cam-lock Male Adaptor BSP Ball Valve
178517	1.5" Male x 1.5" Cam-lock Male Adaptor BSP Ball Valve
178524	2" Female x Cam-lock Male Adaptor BSP Ball Valve
178525	2" Male x Cam-lock Male Adaptor BSP Ball Valve
178534	3" Female x Cam-lock Male Adaptor BSP Ball Valve
178535	3" Male x 1.5" Cam-lock Male Adaptor BSP Ball Valve



178517

## WRAS Approved Outlets and Ball Valves



177820



177812-BV

<b>Code</b>	<b>Description</b>
177805	1/3" WRAS Approved Tank Outlet
177807	3/4" WRAS Approved Tank Outlet
177810	1" WRAS Approved Tank Outlet
177812	1 1/4" WRAS Approved Tank Outlet
177815	1 1/2" WRAS Approved Tank Outlet
177820	2" WRAS Approved Tank Outlet
177830	3" WRAS Approved Tank Outlet

<b>Code</b>	<b>Description</b>
177840	4" WRAS Approved Tank Outlet
177805-BV	1/2" WRAS Approved Ball Valve
177807-BV	3/4" WRAS Approved Ball Valve
177810-BV	1" WRAS Approved Ball Valve
177812-BV	1 1/4" WRAS Approved Ball Valve
177815-BV	1 1/2" WRAS Approved Ball Valve
177820-BV	2" WRAS Approved Ball Valve

## Banjo Parts

### NPT Thread and BSP Fittings

<b>Code</b>	<b>Description</b>
178023	2" Bolted Flange 3" Bolts
178033	3" Bolted Flange 3" Bolts
178120	2" Siphon Tube
1780130	3" Siphon Tube
178020-BDV	2" Bottom Drain 3" Bolts
178020-BDV 3.5	2" Bottom Drain 3 1/2" Bolts
178030-BDV	3" Bottom Drain 3" Bolts



<b>Code</b>	<b>Description</b>
178030-BDV 3.5	3" Bottom Drain 3 1/2" Bolts
178425	2" Male Adaptor x 2" Male Thread Ball Valve
178435	3" Ball Valve Male Adaptor x Male Thread
178220	2" Male Cam-lock Adaptor x Male Thread
178230	3" Male Cam-lock Adaptor x Male Thread



178620-BSP

<b>Code</b>	<b>Description</b>
178030	3" Tank flange (BSP)
178620-BSP	2" Banjo Ball Valve (BSP Threads)
178630-BSP	3" Banjo Ball Valve (BSP Threads)



178220

## Topaz and Vortex Part Fill and Differential Float Valves




**Topaz Part Fill**

A high flow valve for use in rainwater harvesting tanks to maintain a low level of water in the tank during periods of no or low rainfall. This allows services fed by the tank to continue whilst leaving the capacity in the tank for re-filling by the next rain.



**Vortex Part Fill**

A high flow valve for use in rainwater harvesting tanks to maintain a low level of water in the tank during periods of no or low rainfall. This allows services fed by the tank to continue whilst leaving the capacity in the tank for re-filling by the next rain.



**Vortex Differential**

Differential valves are ideal for use in water tanks which are filled by a pressure system controlled water pump. The valve gives a level difference which is adjustable from 50mm up to 2.5 metres to minimise starting and stopping of the pumping system.

DEALER STAMP

# ENDURATANK

Part of the ENDURAMAXX Family

Enduratank is a trading name of Enduramaxx Limited.



[www.enduratank.co.uk](http://www.enduratank.co.uk)