

Chimera 2.0

Susan, Om, Kanya



Chimera Camera App Redesign

- **Objective:** Improve usability, clarity, and control across camera workflows
- **Scope:** Research, competitive analysis, UX flows, prototype
- **Focus:** Reducing friction in core user actions







Problem Statement

- **Current camera app creates friction** in navigation and control
- **Users struggle with flows** for finding events, scrubbing timelines, managing data, exporting files, & information architecture
- **Overloaded interfaces** vs. hidden functionality tradeoff

Research Approach

- **Competitive analysis** of Ring, Google Nest, Arlo, Eufy
- **Heuristic evaluation** of current navigation, information architecture and interaction models
- **Focus areas:** live viewing, event retrieval, clip creation, data management

Competitive Analysis




Competitive Analysis

Platform	Core UX Style	Strengths	Weaknesses	Best For
Ring	Alert-based, feed-first	Fast live view, obvious alerts, simple timeline, community based features	Cluttered at scale, weak filtering, noisy, lots of notifications at times	Quick reactions
Google Nest	Minimal, AI-organized	Clean UI, strong categorization, smooth timeline scrubbing, integration with other Google products	Slower access, hidden controls, learning curve to learn how to use this	Browsing + clarity
Arlo	Control-heavy, modular	Deep customization, strong multi-cam view, flexible modes	Weird navigation, high effort to manage	Users who want lots of functionality
Eufy	Simple, local-first	Straightforward layout	Less polished, buried settings	Cost-conscious

Competitive Insights

- **Ring:** fast access, high noise and clutter
- **Nest:** clean UI, strong filtering, slower discovery
- **Arlo:** flexible controls, weak information architecture
- **Eufy:** simple and fast, weak organization

Heuristic Evaluation




Key UX Patterns Identified


- Feed-first vs. system-first navigation
- Timeline as primary interaction model
- Alert-driven vs. browsing-driven usage

Design Principles

- Immediate access to live state
- Visible system status and feedback
- Progressive disclosure of controls
- Consistency across flows
- Minimize cognitive load




Information Architecture




- Dashboard as central hub
- **Primary actions:** *Live Feed, Event History, Clip Maker, Data Management*
- Reduced navigation depth
- Clear separation between viewing and processing

Live Feed Flow

- Entry via dashboard camera card
- Quick expansion to full-screen live view
- Swipe between cameras
- Optional multi-camera grid view
- Minimal controls to reduce friction




Event History (Scrubber)




- Central timeline interaction model
- Filter by camera and date
- Thumbnail-based navigation
- Scrubbing for frame-level preview
- Direct transition to detail or export

Clip Maker Flow

- User selects camera and time range
- Marks start/end frames on timeline
- Chooses output: clip, timelapse, frame package
- Background processing with status feedback
- Export or save options



Data Management Flow



- Storage visibility by camera and date
- Deletion by date range OR by selecting camera
- Clear feedback on storage impact
- Confirmation to prevent errors

Key UX Decisions

- Take advantage of frame-based model for export customization
- Timeline as shared interaction across flows
- Reduce overwhelming menus; emphasize user-driven exploration
- Expose power features without overwhelming users

Open Design Opportunities

- **Data management rules:** automated deletion by date or % storage remaining
- **AI integrations** to detect objects & movements
- **Authentication flows:** registration, forgot password, 2FA

Outcome

- More predictable navigation
- Faster access to core actions
- Reduced cognitive load
- Scalable structure for advanced features

Chimera 2.0

