

curtiss_erp

accounts

Column	Type	Null	Default	Links to	Comments	Media type
id (<i>Primary</i>)	int(11)	No				
code	varchar(20)	No				
name	varchar(100)	No				
type	enum('Asset', 'Liability', 'Equity', 'Revenue', 'Expense')	No				
created_at	timestamp	No	current_timestamp()			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
code	BTREE	Yes	No	code	0	A	No	

audit_logs

Column	Type	Null	Default	Links to	Comments	Media type
id (<i>Primary</i>)	int(11)	No				
user_id	int(11)	Yes	NULL	users -> id		
action	varchar(50)	No				
module	varchar(50)	No				
description	text	No				
ip_address	varchar(45)	Yes	NULL			
created_at	timestamp	No	current_timestamp()			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	1	A	No	
user_id	BTREE	No	No	user_id	1	A	Yes	

budgets

Column	Type	Null	Default	Links to	Comments	Media type
id (<i>Primary</i>)	int(11)	No				
account_id	int(11)	No		chart_of_accounts -> id		
fiscal_year	int(11)	No				
budget_amount	decimal(15,2)	No	0.00			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
unique_budget	BTREE	Yes	No	account_id	0	A	No	
				fiscal_year	0	A	No	

chart_of_accounts

Column	Type	Null	Default	Links to	Comments	Media type
id (Primary)	int(11)	No				
account_code	varchar(20)	No				
account_name	varchar(100)	No				
account_type	enum('Asset', 'Liability', 'Equity', 'Revenue', 'Expense')	No				
parent_id	int(11)	Yes	NULL	chart_of_accounts -> id		
balance	decimal(15,2)	Yes	0.00			
is_active	tinyint(1)	Yes	1			
created_at	timestamp	No	current_timestamp()			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	46	A	No	
account_code	BTREE	Yes	No	account_code	46	A	No	
parent_id	BTREE	No	No	parent_id	23	A	Yes	

cheques

Column	Type	Null	Default	Links to	Comments	Media type
id (Primary)	int(11)	No				
customer_id	int(11)	No		customers -> id		
bank_name	varchar(100)	No				
cheque_number	varchar(50)	No				
amount	decimal(15,2)	No	0.00			
banking_date	date	No				
status	enum('Pending', 'Cleared', 'Bounced')	Yes	Pending			
rep_route_id	int(11)	Yes	NULL			
created_by	int(11)	Yes	NULL	users -> id		
created_at	timestamp	No	current_timestamp()			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	5	A	No	
customer_id	BTREE	No	No	customer_id	5	A	No	
created_by	BTREE	No	No	created_by	5	A	Yes	
rep_route_id	BTREE	No	No	rep_route_id	5	A	Yes	

company_settings

Column	Type	Null	Default	Links to	Comments	Media type
id (<i>Primary</i>)	int(11)	No				
company_name	varchar(100)	No	My Company			
email	varchar(100)	Yes	<i>NULL</i>			
phone	varchar(50)	Yes	<i>NULL</i>			
address	text	Yes	<i>NULL</i>			
tax_number	varchar(50)	Yes	<i>NULL</i>			
logo_path	varchar(255)	Yes	<i>NULL</i>			
updated_at	timestamp	No	current_timestamp()			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	1	A	No	

credit_notes

Column	Type	Null	Default	Links to	Comments	Media type
id (<i>Primary</i>)	int(11)	No				
credit_note_number	varchar(20)	No				
customer_id	int(11)	No		customers -> id		
invoice_id	int(11)	Yes	<i>NULL</i>	invoices -> id		
note_date	date	No				
total_amount	decimal(15,2)	Yes	0.00			
status	enum('Draft', 'Issued', 'Applied')	Yes	Issued			
journal_entry_id	int(11)	Yes	<i>NULL</i>	journal_entries -> id		
created_by	int(11)	Yes	<i>NULL</i>	users -> id		
created_at	timestamp	No	current_timestamp()			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	1	A	No	
credit_note_number	BTREE	Yes	No	credit_note_number	1	A	No	
customer_id	BTREE	No	No	customer_id	1	A	No	
invoice_id	BTREE	No	No	invoice_id	1	A	Yes	
journal_entry_id	BTREE	No	No	journal_entry_id	1	A	Yes	
created_by	BTREE	No	No	created_by	1	A	Yes	

credit_note_items

Column	Type	Null	Default	Links to	Comments	Media type
id (<i>Primary</i>)	int(11)	No				
credit_note_id	int(11)	No		credit_notes -> id		
item_id	int(11)	Yes	<i>NULL</i>			
variation_option_id	int(11)	Yes	<i>NULL</i>			
invoice_id	int(11)	Yes	<i>NULL</i>			

Column	Type	Null	Default	Links to	Comments	Media type
invoice_item_id	int(11)	Yes	NULL			
description	varchar(255)	No				
quantity	decimal(10,2)	No				
unit_price	decimal(15,2)	No				
total	decimal(15,2)	No				
condition_status	enum('Good', 'Damaged')	Yes	Good			
restocked	tinyint(1)	Yes	0			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	1	A	No	
credit_note_id	BTREE	No	No	credit_note_id	1	A	No	

customers

Column	Type	Null	Default	Links to	Comments	Media type
id (<i>Primary</i>)	int(11)	No				
name	varchar(100)	No				
email	varchar(100)	Yes	NULL			
phone	varchar(20)	Yes	NULL			
whatsapp	varchar(20)	Yes	NULL			
address	text	Yes	NULL			
latitude	decimal(10,8)	Yes	NULL			
longitude	decimal(11,8)	Yes	NULL			
created_at	timestamp	No	current_timestamp()			
mca_id	int(11)	Yes	NULL	mca_areas -> id		
territory	varchar(100)	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	8	A	No	
mca_id	BTREE	No	No	mca_id	8	A	Yes	

customer_payments

Column	Type	Null	Default	Links to	Comments	Media type
id (<i>Primary</i>)	int(11)	No				
customer_id	int(11)	No		customers -> id		
amount	decimal(15,2)	No				
payment_date	date	No				
payment_method	enum('Cash', 'Bank Transfer', 'Cheque')	No				
reference	varchar(100)	Yes	NULL			
journal_entry_id	int(11)	Yes	NULL	journal_entries -> id		
rep_route_id	int(11)	Yes	NULL			

Column	Type	Null	Default	Links to	Comments	Media type
created_by	int(11)	Yes	NULL	users -> id		
created_at	timestamp	No	current_timestamp()			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	18	A	No	
customer_id	BTREE	No	No	customer_id	18	A	No	
journal_entry_id	BTREE	No	No	journal_entry_id	18	A	Yes	
created_by	BTREE	No	No	created_by	6	A	Yes	
rep_route_id	BTREE	No	No	rep_route_id	9	A	Yes	

deliveries

Column	Type	Null	Default	Links to	Comments	Media type
id (<i>Primary</i>)	int(11)	No				
rep_route_id	int(11)	No		rep_daily_routes -> id		
delivery_date	date	No				
vehicle_number	varchar(50)	No				
driver_name	varchar(150)	No				
partner_name	varchar(150)	Yes	NULL			
status	varchar(50)	Yes	Arranged			
start_meter	decimal(10,2)	Yes	NULL			
end_meter	decimal(10,2)	Yes	NULL			
created_at	timestamp	No	current_timestamp()			
accepted_at	timestamp	Yes	NULL			
started_at	timestamp	Yes	NULL			
completed_at	timestamp	Yes	NULL			
cash_denominations	text	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	3	A	No	
fk_delivery_route	BTREE	No	No	rep_route_id	3	A	No	

depreciation_runs

Column	Type	Null	Default	Links to	Comments	Media type
id (<i>Primary</i>)	int(11)	No				
asset_id	int(11)	No		fixed_assets -> id		
run_date	date	No				
amount	decimal(15,2)	No				
journal_entry_id	int(11)	Yes	NULL	journal_entries -> id		
created_at	timestamp	No	current_timestamp()			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
asset_id	BTREE	No	No	asset_id	0	A	No	
journal_entry_id	BTREE	No	No	journal_entry_id	0	A	Yes	

employees

Column	Type	Null	Default	Links to	Comments	Media type
id (<i>Primary</i>)	int(11)	No				
first_name	varchar(50)	No				
last_name	varchar(50)	No				
email	varchar(100)	Yes	<i>NULL</i>			
phone	varchar(20)	Yes	<i>NULL</i>			
department	varchar(50)	Yes	<i>NULL</i>			
job_title	varchar(50)	Yes	<i>NULL</i>			
base_salary	decimal(15,2)	No	0.00			
hire_date	date	Yes	<i>NULL</i>			
status	enum('Active', 'Terminated', 'On Leave')	Yes	Active			
created_at	timestamp	No	current_timestamp()			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	3	A	No	
email	BTREE	Yes	No	email	3	A	Yes	

estimates

Column	Type	Null	Default	Links to	Comments	Media type
id (<i>Primary</i>)	int(11)	No				
estimate_number	varchar(20)	No				
customer_id	int(11)	No		customers -> id		
estimate_date	date	No				
expiry_date	date	No				
total_amount	decimal(15,2)	Yes	0.00			
status	enum('Draft', 'Sent', 'Accepted', 'Declined', 'Invoiced')	Yes	Draft			
created_by	int(11)	Yes	<i>NULL</i>	users -> id		
created_at	timestamp	No	current_timestamp()			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	1	A	No	
estimate_number	BTREE	Yes	No	estimate_number	1	A	No	
customer_id	BTREE	No	No	customer_id	1	A	No	
created_by	BTREE	No	No	created_by	1	A	Yes	

estimate_items

Column	Type	Null	Default	Links to	Comments	Media type
id (<i>Primary</i>)	int(11)	No				
estimate_id	int(11)	No		estimates -> id		
description	varchar(255)	No				
quantity	decimal(10,2)	No				
unit_price	decimal(15,2)	No				
total	decimal(15,2)	No				

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	1	A	No	
estimate_id	BTREE	No	No	estimate_id	1	A	No	

expenses

Column	Type	Null	Default	Links to	Comments	Media type
id (<i>Primary</i>)	int(11)	No				
reference	varchar(50)	Yes	NULL			
vendor_id	int(11)	Yes	NULL	vendors -> id		
expense_date	date	No				
amount	decimal(15,2)	No	0.00			
description	text	Yes	NULL			
journal_entry_id	int(11)	Yes	NULL	journal_entries -> id		
created_by	int(11)	Yes	NULL	users -> id		
created_at	timestamp	No	current_timestamp()			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
vendor_id	BTREE	No	No	vendor_id	0	A	Yes	
journal_entry_id	BTREE	No	No	journal_entry_id	0	A	Yes	
created_by	BTREE	No	No	created_by	0	A	Yes	

financial_years

Column	Type	Null	Default	Links to	Comments	Media type
id (<i>Primary</i>)	int(11)	No				
year_name	varchar(50)	No				
end_date	date	No				
closed_by	int(11)	Yes	NULL	users -> id		
closed_at	timestamp	No	current_timestamp()			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	1	A	No	

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
closed_by	BTREE	No	No	closed_by	1	A	Yes	

fixed_assets

Column	Type	Null	Default	Links to	Comments	Media type
id (<i>Primary</i>)	int(11)	No				
asset_name	varchar(100)	No				
purchase_date	date	No				
purchase_price	decimal(15,2)	No				
salvage_value	decimal(15,2)	Yes	0.00			
useful_life_years	int(11)	No				
asset_account_id	int(11)	No		chart_of_accounts -> id		
accum_dep_account_id	int(11)	No		chart_of_accounts -> id		
dep_expense_account_id	int(11)	No		chart_of_accounts -> id		
status	enum('Active', 'Disposed')	Yes	Active			
created_at	timestamp	No	current_timestamp()			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
asset_account_id	BTREE	No	No	asset_account_id	0	A	No	
accum_dep_account_id	BTREE	No	No	accum_dep_account_id	0	A	No	
dep_expense_account_id	BTREE	No	No	dep_expense_account_id	0	A	No	

goods_receipt_notes

Column	Type	Null	Default	Links to	Comments	Media type
id (<i>Primary</i>)	int(11)	No				
grn_number	varchar(50)	No				
receipt_number	varchar(100)	Yes	NULL			
po_id	int(11)	Yes	NULL	purchase_orders -> id		
vendor_id	int(11)	No		vendors -> id		
grn_date	date	No				
notes	text	Yes	NULL			
created_by	int(11)	Yes	NULL	users -> id		
created_at	timestamp	No	current_timestamp()			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	16	A	No	
grn_number	BTREE	Yes	No	grn_number	16	A	No	
po_id	BTREE	No	No	po_id	16	A	Yes	

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
vendor_id	BTREE	No	No	vendor_id	2	A	No	
created_by	BTREE	No	No	created_by	4	A	Yes	

grn_items

Column	Type	Null	Default	Links to	Comments	Media type
id (<i>Primary</i>)	int(11)	No				
grn_id	int(11)	No		goods_receipt_notes -> id		
item_id	int(11)	Yes	NULL			
item_variation_option_id	int(11)	Yes	NULL			
description	varchar(255)	No				
quantity	decimal(10,2)	No				
unit_cost	decimal(15,2)	No				
total	decimal(15,2)	No				
selling_price	decimal(15,2)	Yes	0.00			
wholesale_price	decimal(15,2)	Yes	0.00			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	26	A	No	
grn_id	BTREE	No	No	grn_id	26	A	No	

invoices

Column	Type	Null	Default	Links to	Comments	Media type
id (<i>Primary</i>)	int(11)	No				
invoice_number	varchar(20)	No				
customer_id	int(11)	No		customers -> id		
rep_route_id	int(11)	Yes	NULL	rep_daily_routes -> id		
latitude	decimal(10,8)	Yes	NULL			
longitude	decimal(11,8)	Yes	NULL			
invoice_date	date	No				
due_date	date	No				
payment_term_id	int(11)	Yes	NULL			
cheque_date	date	Yes	NULL			
tax_rate_id	int(11)	Yes	NULL	tax_rates -> id		
total_amount	decimal(15,2)	Yes	0.00			
global_discount_val	decimal(15,2)	Yes	0.00			
global_discount_type	enum('%', 'Rs')	Yes	Rs			
notes	text	Yes	NULL			
tax_amount	decimal(15,2)	Yes	0.00			
status	enum('Draft', 'Unpaid', 'Paid', 'Voided')	Yes	Unpaid			
delivery_status	varchar(20)	Yes	Pending			
stock_status	varchar(20)	Yes	deducted			

Column	Type	Null	Default	Links to	Comments	Media type
is_deleted	tinyint(4)	Yes	0			
deleted_by	int(11)	Yes	NULL			
delete_reason	text	Yes	NULL			
deleted_at	timestamp	Yes	NULL			
journal_entry_id	int(11)	Yes	NULL	journal_entries -> id		
created_by	int(11)	Yes	NULL	users -> id		
created_at	timestamp	No	current_timestamp()			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	25	A	No	
invoice_number	BTREE	Yes	No	invoice_number	25	A	No	
customer_id	BTREE	No	No	customer_id	25	A	No	
journal_entry_id	BTREE	No	No	journal_entry_id	25	A	Yes	
created_by	BTREE	No	No	created_by	6	A	Yes	
tax_rate_id	BTREE	No	No	tax_rate_id	2	A	Yes	
rep_route_id	BTREE	No	No	rep_route_id	12	A	Yes	

invoice_items

Column	Type	Null	Default	Links to	Comments	Media type
id (<i>Primary</i>)	int(11)	No				
invoice_id	int(11)	No		invoices -> id		
item_id	int(11)	Yes	NULL			
variation_option_id	int(11)	Yes	NULL			
description	varchar(255)	No				
quantity	decimal(10,2)	No				
loaded_quantity	decimal(10,2)	No	0.00			
unit_price	decimal(15,2)	No				
discount_value	decimal(15,2)	Yes	0.00			
discount_type	enum('%', 'Rs')	Yes	Rs			
total	decimal(15,2)	No				
cost_at_sale	decimal(15,2)	Yes	0.00			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	41	A	No	
invoice_id	BTREE	No	No	invoice_id	41	A	No	

invoice_item_batches

Column	Type	Null	Default	Links to	Comments	Media type
id (<i>Primary</i>)	int(11)	No				
invoice_item_id	int(11)	Yes	NULL			
sales_invoice_item_id	int(11)	Yes	NULL			

Column	Type	Null	Default	Links to	Comments	Media type
stock_batch_id	int(11)	No				
quantity	decimal(15,2)	No				
unit_cost	decimal(15,2)	No				

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
invoice_item_id	BTREE	No	No	invoice_item_id	0	A	Yes	
sales_invoice_item_id	BTREE	No	No	sales_invoice_item_id	0	A	Yes	
stock_batch_id	BTREE	No	No	stock_batch_id	0	A	No	

items

Column	Type	Null	Default	Links to	Comments	Media type
id (<i>Primary</i>)	int(11)	No				
woocommerce_product_id	int(11)	Yes	NULL			
item_code	varchar(50)	Yes	NULL			
name	varchar(150)	No				
category_id	int(11)	Yes	NULL	item_categories -> id		
vendor_id	int(11)	Yes	NULL	vendors -> id		
warehouse_id	int(11)	Yes	NULL	warehouses -> id		
description	text	Yes	NULL			
type	enum('Inventory', 'Service')	Yes	Inventory			
is_variable_pricing	tinyint(1)	Yes	0			
price	decimal(15,2)	No	0.00			
cost	decimal(15,2)	No	0.00			
quantity_on_hand	int(11)	Yes	0			
quantity_reserved	int(11)	Yes	0			
minimum_stock_level	int(11)	Yes	0			
income_account_id	int(11)	Yes	NULL	chart_of_accounts -> id		
expense_account_id	int(11)	Yes	NULL	chart_of_accounts -> id		
created_at	timestamp	No	current_timestamp()			
wholesale_price	decimal(10,2)	No	0.00			
qty	int(11)	No	0			
variations_json	text	Yes	NULL			
image_path	varchar(255)	Yes	NULL			
barcode	varchar(100)	Yes	NULL			
brand	varchar(100)	Yes	NULL			
warehouse	varchar(100)	Yes	NULL			
alert_qty	int(11)	No	5			
unit	varchar(20)	No	pcs			
status	varchar(20)	No	active			
weight	varchar(50)	Yes	NULL			

Column	Type	Null	Default	Links to	Comments	Media type
sync_woo	tinyint(4)	No	1			
cost_price	decimal(10,2)	No	0.00			
retail_margin	decimal(10,2)	No	0.00			
wholesale_margin	decimal(10,2)	No	0.00			
sample_code	varchar(100)	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	398	A	No	
item_code	BTREE	Yes	No	item_code	398	A	Yes	
income_account_id	BTREE	No	No	income_account_id	2	A	Yes	
expense_account_id	BTREE	No	No	expense_account_id	2	A	Yes	
category_id	BTREE	No	No	category_id	2	A	Yes	
vendor_id	BTREE	No	No	vendor_id	6	A	Yes	
warehouse_id	BTREE	No	No	warehouse_id	4	A	Yes	

item_categories

Column	Type	Null	Default	Links to	Comments	Media type
id (<i>Primary</i>)	int(11)	No				
name	varchar(100)	No				
description	text	Yes	NULL			
created_at	timestamp	No	current_timestamp()			
woo_category_id	int(11)	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	21	A	No	
name	BTREE	Yes	No	name	21	A	No	

item_images

Column	Type	Null	Default	Links to	Comments	Media type
id (<i>Primary</i>)	int(11)	No				
item_id	int(11)	No		items -> id		
variation_value_id	int(11)	Yes	NULL	variation_values -> id		
image_path	varchar(255)	No				
is_primary	tinyint(1)	Yes	0			
created_at	timestamp	No	current_timestamp()			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	8	A	No	
item_id	BTREE	No	No	item_id	2	A	No	
variation_value_id	BTREE	No	No	variation_value_id	2	A	Yes	

item_variation_options

Column	Type	Null	Default	Links to	Comments	Media type
id (<i>Primary</i>)	int(11)	No				
item_id	int(11)	No		items -> id		
variation_id	int(11)	No		variations -> id		
variation_value_id	int(11)	No		variation_values -> id		
sku	varchar(50)	Yes	NULL			
price	decimal(15,2)	Yes	NULL			
cost	decimal(15,2)	Yes	NULL			
quantity_on_hand	int(11)	Yes	0			
quantity_reserved	int(11)	Yes	0			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
item_id	BTREE	No	No	item_id	0	A	No	
variation_id	BTREE	No	No	variation_id	0	A	No	
variation_value_id	BTREE	No	No	variation_value_id	0	A	No	

journal_entries

Column	Type	Null	Default	Links to	Comments	Media type
id (<i>Primary</i>)	int(11)	No				
entry_date	date	No				
reference	varchar(50)	Yes	NULL			
description	text	Yes	NULL			
created_by	int(11)	Yes	NULL	users -> id		
status	enum('Draft', 'Posted', 'Voided')	Yes	Posted			
is_closed	tinyint(1)	Yes	0			
created_at	timestamp	No	current_timestamp()			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	50	A	No	
created_by	BTREE	No	No	created_by	8	A	Yes	

journal_lines

Column	Type	Null	Default	Links to	Comments	Media type
id (<i>Primary</i>)	int(11)	No				
entry_id	int(11)	No		journal_entries -> id		
account_id	int(11)	No		accounts -> id		
debit	decimal(15,2)	Yes	0.00			
credit	decimal(15,2)	Yes	0.00			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
entry_id	BTREE	No	No	entry_id	0	A	No	
account_id	BTREE	No	No	account_id	0	A	No	

leads

Column	Type	Null	Default	Links to	Comments	Media type
id (<i>Primary</i>)	int(11)	No				
first_name	varchar(50)	No				
last_name	varchar(50)	No				
company_name	varchar(100)	Yes	NULL			
email	varchar(100)	Yes	NULL			
phone	varchar(20)	Yes	NULL			
source	varchar(50)	Yes	NULL			
status	enum('New', 'Contacted', 'Qualified', 'Lost', 'Converted')	Yes	New			
assigned_to	int(11)	Yes	NULL	users -> id		
created_at	timestamp	No	current_timestamp()			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	2	A	No	
assigned_to	BTREE	No	No	assigned_to	2	A	Yes	

main_areas

Column	Type	Null	Default	Links to	Comments	Media type
id (<i>Primary</i>)	int(11)	No				
name	varchar(100)	No				
latitude	decimal(10,8)	Yes	NULL			
longitude	decimal(11,8)	Yes	NULL			
created_at	timestamp	No	current_timestamp()			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	2	A	No	

mca_areas

Column	Type	Null	Default	Links to	Comments	Media type
id (<i>Primary</i>)	int(11)	No				
main_area_id	int(11)	No		main_areas -> id		
name	varchar(100)	No				
start_lat	decimal(10,8)	Yes	NULL			

Column	Type	Null	Default	Links to	Comments	Media type
start_lng	decimal(11,8)	Yes	NULL			
end_lat	decimal(10,8)	Yes	NULL			
end_lng	decimal(11,8)	Yes	NULL			
budget_km	decimal(10,2)	Yes	0.00			
actual_route_km	decimal(10,2)	Yes	0.00			
created_at	timestamp	No	current_timestamp()			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	6	A	No	
main_area_id	BTREE	No	No	main_area_id	6	A	No	

notifications

Column	Type	Null	Default	Links to	Comments	Media type
id (<i>Primary</i>)	int(11)	No				
user_id	int(11)	No		users -> id		
title	varchar(100)	No				
message	text	No				
link_url	varchar(255)	Yes	NULL			
is_read	tinyint(1)	Yes	0			
created_at	timestamp	No	current_timestamp()			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
user_id	BTREE	No	No	user_id	0	A	No	

payment_terms

Column	Type	Null	Default	Links to	Comments	Media type
id (<i>Primary</i>)	int(11)	No				
name	varchar(50)	No				
days_due	int(11)	Yes	0			
is_active	tinyint(1)	Yes	1			
created_at	timestamp	No	current_timestamp()			
term_type	varchar(20)	Yes	standard			
net_due_days	int(11)	Yes	0			
discount_percent	decimal(5,2)	Yes	0.00			
discount_days	int(11)	Yes	0			
net_due_day_of_month	int(11)	Yes	31			
due_next_month_within_days	int(11)	Yes	5			
discount_day_of_month	int(11)	Yes	10			
is_inactive	tinyint(4)	Yes	0			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	4	A	No	

payroll_runs

Column	Type	Null	Default	Links to	Comments	Media type
id (<i>Primary</i>)	int(11)	No				
run_date	date	No				
period_start	date	No				
period_end	date	No				
total_gross	decimal(15,2)	No	0.00			
journal_entry_id	int(11)	Yes	NULL	journal_entries -> id		
created_by	int(11)	Yes	NULL	users -> id		
created_at	timestamp	No	current_timestamp()			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	1	A	No	
journal_entry_id	BTREE	No	No	journal_entry_id	1	A	Yes	
created_by	BTREE	No	No	created_by	1	A	Yes	

product_attributes

Column	Type	Null	Default	Links to	Comments	Media type
id (<i>Primary</i>)	int(11)	No				
name	varchar(100)	No				
slug	varchar(100)	No				
woo_attr_id	int(11)	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	6	A	No	
woo_attr_id	BTREE	Yes	No	woo_attr_id	6	A	Yes	

product_attribute_terms

Column	Type	Null	Default	Links to	Comments	Media type
id (<i>Primary</i>)	int(11)	No				
attribute_id	int(11)	No		product_attributes -> id		
name	varchar(150)	No				
slug	varchar(150)	No				
woo_term_id	int(11)	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	150	A	No	
woo_term_id	BTREE	Yes	No	woo_term_id	150	A	Yes	

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
attribute_id	BTREE	No	No	attribute_id	12	A	No	

purchase_orders

Column	Type	Null	Default	Links to	Comments	Media type
id (<i>Primary</i>)	int(11)	No				
po_number	varchar(20)	No				
vendor_id	int(11)	No		vendors -> id		
po_date	date	No				
expected_date	date	No				
total_amount	decimal(15,2)	Yes	0.00			
status	enum('Draft', 'Sent', 'Received', 'Canceled')	Yes	Draft			
notes	text	Yes	NULL			
created_by	int(11)	Yes	NULL	users -> id		
created_at	timestamp	No	current_timestamp()			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	6	A	No	
po_number	BTREE	Yes	No	po_number	6	A	No	
vendor_id	BTREE	No	No	vendor_id	2	A	No	
created_by	BTREE	No	No	created_by	6	A	Yes	

purchase_order_items

Column	Type	Null	Default	Links to	Comments	Media type
id (<i>Primary</i>)	int(11)	No				
po_id	int(11)	No		purchase_orders -> id		
item_id	int(11)	Yes	NULL			
item_variation_option_id	int(11)	Yes	NULL			
is_mix	tinyint(1)	Yes	0			
description	varchar(255)	No				
quantity	decimal(10,2)	No				
unit_price	decimal(15,2)	No				
total	decimal(15,2)	No				

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	20	A	No	
po_id	BTREE	No	No	po_id	20	A	No	

rep_daily_routes

Column	Type	Null	Default	Links to	Comments	Media type
id (<i>Primary</i>)	int(11)	No				
user_id	int(11)	No		users -> id		
route_name	varchar(150)	Yes	NULL			
start_meter	decimal(10,1)	No				
end_meter	decimal(10,1)	Yes	NULL			
start_time	datetime	No				
end_time	datetime	Yes	NULL			
start_lat	decimal(10,8)	Yes	NULL			
start_lng	decimal(11,8)	Yes	NULL			
end_lat	decimal(10,8)	Yes	NULL			
end_lng	decimal(11,8)	Yes	NULL			
status	varchar(50)	Yes	Active			
created_at	timestamp	No	current_timestamp()			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	8	A	No	
user_id	BTREE	No	No	user_id	8	A	No	

sales_invoices

Column	Type	Null	Default	Links to	Comments	Media type
id (<i>Primary</i>)	int(11)	No				
invoice_number	varchar(50)	No				
customer_name	varchar(150)	No				
customer_phone	varchar(50)	Yes	NULL			
billing_type	enum('retail', 'wholesale')	No	retail			
subtotal	decimal(10,2)	No	0.00			
discount	decimal(10,2)	No	0.00			
grand_total	decimal(10,2)	No	0.00			
created_at	timestamp	No	current_timestamp()			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
invoice_number	BTREE	Yes	No	invoice_number	0	A	No	

sales_invoice_items

Column	Type	Null	Default	Links to	Comments	Media type
id (<i>Primary</i>)	int(11)	No				
invoice_id	int(11)	No		sales_invoices -> id		
item_id	int(11)	No				
sku	varchar(100)	No				
name	varchar(255)	No				
billing_price	decimal(10,2)	No				

Column	Type	Null	Default	Links to	Comments	Media type
qty	int(11)	No				
total	decimal(10,2)	No				
cost_at_sale	decimal(15,2)	Yes	0.00			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
invoice_id	BTREE	No	No	invoice_id	0	A	No	

sales_orders

Column	Type	Null	Default	Links to	Comments	Media type
id (<i>Primary</i>)	int(11)	No				
order_number	varchar(50)	No				
customer_id	int(11)	No				
customer_name	varchar(150)	No				
customer_phone	varchar(50)	Yes	NULL			
billing_type	enum('retail', 'wholesale')	No	retail			
subtotal	decimal(10,2)	No	0.00			
discount	decimal(10,2)	No	0.00			
grand_total	decimal(10,2)	No	0.00			
notes	text	Yes	NULL			
rep_name	varchar(100)	Yes	NULL			
mca	varchar(100)	Yes	NULL			
rep_tp	varchar(50)	Yes	NULL			
po_number	varchar(50)	Yes	NULL			
order_date	date	No				
due_date	date	No				
status	varchar(50)	Yes	Pending			
created_at	timestamp	No	current_timestamp()			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
order_number	BTREE	Yes	No	order_number	0	A	No	

sales_order_items

Column	Type	Null	Default	Links to	Comments	Media type
id (<i>Primary</i>)	int(11)	No				
sales_order_id	int(11)	No		sales_orders -> id		
item_id	int(11)	No				
variation_option_id	int(11)	Yes	NULL			
sku	varchar(100)	No				
name	varchar(255)	No				
billing_price	decimal(10,2)	No				

Column	Type	Null	Default	Links to	Comments	Media type
qty	int(11)	No				
discount_value	decimal(10,2)	Yes	0.00			
discount_type	varchar(10)	Yes	Rs			
total	decimal(10,2)	No				

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
sales_order_id	BTREE	No	No	sales_order_id	0	A	No	

stock_batches

Column	Type	Null	Default	Links to	Comments	Media type
id (<i>Primary</i>)	int(11)	No				
item_id	int(11)	No				
variation_option_id	int(11)	Yes	NULL			
grn_id	int(11)	Yes	NULL			
quantity_received	decimal(15,2)	No				
quantity_remaining	decimal(15,2)	No				
unit_cost	decimal(15,2)	No				
created_at	timestamp	No	current_timestamp()			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	11	A	No	
item_id	BTREE	No	No	item_id	5	A	No	
variation_option_id	BTREE	No	No	variation_option_id	2	A	Yes	

supplier_returns

Column	Type	Null	Default	Links to	Comments	Media type
id (<i>Primary</i>)	int(11)	No				
return_number	varchar(100)	No				
vendor_id	int(11)	No				
return_date	date	No				
notes	text	Yes	NULL			
total_amount	decimal(10,2)	No	0.00			
created_by	int(11)	No				
created_at	timestamp	No	current_timestamp()			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
return_number	BTREE	Yes	No	return_number	0	A	No	

supplier_return_items

Column	Type	Null	Default	Links to	Comments	Media type
id (<i>Primary</i>)	int(11)	No				
supplier_return_id	int(11)	No				
item_id	int(11)	No				
item_variation_option_id	int(11)	Yes	NULL			
description	varchar(255)	No				
quantity	decimal(10,2)	No	0.00			
unit_cost	decimal(10,2)	No	0.00			
total	decimal(10,2)	No	0.00			
grn_id	int(11)	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

tax_rates

Column	Type	Null	Default	Links to	Comments	Media type
id (<i>Primary</i>)	int(11)	No				
tax_name	varchar(50)	No				
rate_percentage	decimal(5,2)	No				
liability_account_id	int(11)	No		chart_of_accounts -> id		
is_active	tinyint(1)	Yes	1			
created_at	timestamp	No	current_timestamp()			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
liability_account_id	BTREE	No	No	liability_account_id	0	A	No	

transactions

Column	Type	Null	Default	Links to	Comments	Media type
id (<i>Primary</i>)	int(11)	No				
journal_entry_id	int(11)	No				
account_id	int(11)	No				
debit	decimal(15,2)	Yes	0.00			
credit	decimal(15,2)	Yes	0.00			
is_cleared	tinyint(1)	Yes	0			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	82	A	No	
journal_entry_id	BTREE	No	No	journal_entry_id	82	A	No	
account_id	BTREE	No	No	account_id	16	A	No	

users

Column	Type	Null	Default	Links to	Comments	Media type
id (<i>Primary</i>)	int(11)	No				
username	varchar(50)	No				
email	varchar(100)	No				
password_hash	varchar(255)	No				
role	varchar(50)	Yes	Employee			
signature_path	varchar(255)	Yes	NULL			
created_at	timestamp	No	current_timestamp()			
updated_at	timestamp	No	current_timestamp()			
employee_id	int(11)	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	5	A	No	
username	BTREE	Yes	No	username	5	A	No	
email	BTREE	Yes	No	email	5	A	No	
fk_user_employee	BTREE	No	No	employee_id	5	A	Yes	

variations

Column	Type	Null	Default	Links to	Comments	Media type
id (<i>Primary</i>)	int(11)	No				
name	varchar(100)	No				
description	text	Yes	NULL			
created_at	timestamp	No	current_timestamp()			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
name	BTREE	Yes	No	name	0	A	No	

variation_values

Column	Type	Null	Default	Links to	Comments	Media type
id (<i>Primary</i>)	int(11)	No				
variation_id	int(11)	No				
value_name	varchar(100)	No				

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
variation_id	BTREE	No	No	variation_id	0	A	No	

vehicles

Column	Type	Null	Default	Links to	Comments	Media type
id (<i>Primary</i>)	int(11)	No				
vehicle_number	varchar(50)	No				
model	varchar(100)	No				
type	varchar(50)	No				
status	enum('Active', 'Maintenance', 'Inactive')	Yes	Active			
created_at	timestamp	No	current_timestamp()			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	2	A	No	
vehicle_number	BTREE	Yes	No	vehicle_number	2	A	No	

vendors

Column	Type	Null	Default	Links to	Comments	Media type
id (<i>Primary</i>)	int(11)	No				
name	varchar(100)	No				
email	varchar(100)	Yes	NULL			
phone	varchar(20)	Yes	NULL			
address	text	Yes	NULL			
created_at	timestamp	No	current_timestamp()			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	2	A	No	

warehouses

Column	Type	Null	Default	Links to	Comments	Media type
id (<i>Primary</i>)	int(11)	No				
name	varchar(100)	No				
location	varchar(255)	Yes	NULL			
is_default	tinyint(1)	Yes	0			
created_at	timestamp	No	current_timestamp()			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	2	A	No	

warehouse_transfers

Column	Type	Null	Default	Links to	Comments	Media type
id (<i>Primary</i>)	int(11)	No				
transfer_number	varchar(50)	No				
item_id	int(11)	No				
qty	int(11)	No				

Column	Type	Null	Default	Links to	Comments	Media type
from_warehouse_id	int(11)	No				
to_warehouse_id	int(11)	No				
transfer_date	date	No				
notes	text	Yes	NULL			
created_by	int(11)	No				
created_at	timestamp	No	current_timestamp()			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
transfer_number	BTREE	Yes	No	transfer_number	0	A	No	
item_id	BTREE	No	No	item_id	0	A	No	
from_warehouse_id	BTREE	No	No	from_warehouse_id	0	A	No	
to_warehouse_id	BTREE	No	No	to_warehouse_id	0	A	No	