

pgAdmin 4

pgAdminFileObjectToolsHelp

Browser

Servers (2)

PostgreSQL 15

lab_11

Databases (2)

lab11_wolny

Casts

Catalogs (2)

Event Triggers

Extensions (2)

Foreign Data Wrappers

Languages

Publications

Schemas (1)

Subscriptions

postgres

Login/Group Roles

Tablespaces

lab11_wolny/postgres@lab_11

No limit

QueryQuery History

Scratch Pad

1SELECT COUNT(name) AS liczba_ulic FROM nyc_streets

Data OutputMessagesNotifications

	liczba_ulic bigint
1	17099

Total rows: 1 of 1Query complete 00:00:00.103

Aktuwj system Windows
Przejdź do ustawień, aby aktywować system Windows.

Ln 1, Col 30

pgAdmin 4

pgAdminFileObjectToolsHelp

Browser

Servers (2)

- PostgreSQL 15
- lab11
 - Databases (2)
 - lab11_wolny
 - Casts
 - Catalogs (2)
 - Event Triggers
 - Extensions (2)
 - Foreign Data Wrappers
 - Languages
 - Publications
 - Schemas (1)
 - Subscriptions
 - postgres
 - Login/Group Roles
 - Tablespaces

lab11_wolny/postgres@lab_11

No limit

QueryQuery History

Scratch Pad x

Query

1SELECT name FROM nyc_streets

2WHERE name LIKE 'B%'

3OR name LIKE 'Q%'

4OR name LIKE 'M%'

Data OutputMessagesNotifications

	name	
	character varying (200)	
1	Bouck Ct	
2	Montgomery Pl	
3	Market St	
4	Myrtle Ave	
5	Bokee Ct	
6	Billings Pl	
7	Bergen St	
8	Matthews Ct	
9	Murdock Ct	
10	Boardwalk E	
11	Boat Ave	
12	Butler Pl	
13	Brighton Beach Ave	
14	Broadway	
15	Manhattan Ct	
16	Brighton Ct	
17	Morton St	
18	Beach Walk	

Total rows: 1000 of 2034Query complete 00:00:00.667

Aktywuj system Windows

Przejdź do ustawień, aby aktywować system Windows.

Ln 4, Col 17



Servers (2)

> PostgreSQL 15

> lab_11

> Databases (2)

> lab11_wolny

> Casts

> Catalogs (2)

> Event Triggers

> Extensions (2)

> Foreign Data Wrappers

> Languages

> Publications

> Schemas (1)

> Subscriptions

> postgres

> Login/Group Roles

> Tablespaces

lab11_wolny/postgres@lab_11



Query Query History

Scratch Pad x

```
1 SELECT SUM(popn_total) AS total_population FROM nyc_census_blocks
```

Data Output Messages Notifications



	total_population double precision
1	8175032



Servers (2)

> PostgreSQL 15

> lab_11

Databases (2)

> lab11_wolny

> Casts

> Catalogs (2)

> Event Triggers

> Extensions (2)

> Foreign Data Wrappers

> Languages

> Publications

> Schemas (1)

> Subscriptions

> postgres

> Login/Group Roles

> Tablespaces

lab11_wolny/postgres@lab_11



No limit



Query Query History

```
1 SELECT SUM(popn_total) AS population, nyc_neighborhoods.borocode AS neighborhood FROM nyc_census_blocks
2 JOIN nyc_neighborhoods ON nyc_neighborhoods.gid = nyc_census_blocks.gid
3 WHERE nyc_neighborhoods.borocode IN ('The Bronx', 'Manhattan', 'Queens')
4 GROUP BY nyc_neighborhoods.borocode
```

Data Output Messages Notifications



	population double precision	neighborhood character varying (43)
1	2942	Queens
2	2335	The Bronx
3	2728	Manhattan



Servers (2)

> PostgreSQL 15

> lab_11

Databases (2)

> lab11_wolny

> Casts

> Catalogs (2)

> Event Triggers

> Extensions (2)

> Foreign Data Wrappers

> Languages

> Publications

> Schemas (1)

> Subscriptions

> postgres

> Login/Group Roles

> Tablespaces

lab11_wolny/postgres@lab_11



Query

Query History

```
1 SELECT COUNT(name) AS number_of_neighborhoods, boroname AS borough FROM nyc_neighborhoods
2 GROUP BY boroname
```

Data Output

Messages

Notifications



	number_of_neighborhoods bigint	borough character varying (43)
1	30	Queens
2	23	Brooklyn
3	24	Staten Island
4	24	The Bronx
5	28	Manhattan