


85010926 - Indroji.Sushank@coforge.com

Emp Name - Indroji Sai Sushank

JDBC Connection Configurations in Apache JMeter

Steps:

Step 1 – Open SQL



Step 2 – Create Database Selenium Automation

```
2 • create database selenium_automation;  
3 • use selenium_automation;
```

Step 3 – Create Tables

```
CREATE TABLE book_det1  
(  
    book_no varchar(5) PRIMARY KEY ,  
    title varchar(50) NULL,  
    sub_code varchar(5) NULL,  
    author varchar(50) NULL,  
    publisher varchar(50) NULL,  
    status varchar(1) NULL,  
    yop varchar(4) NULL,  
    price int NULL);
```

- `insert into book_detl values('BI001','Clones','Bio','Ian','XYZ','S','1997',700.0000);`
- `insert into book_detl values('BI002','DNA','Bio','Watson','XYZ','S','unkn',575.0000);`
- `insert into book_detl values('CH001','Elements','Che','Robert','XYZ','S','1890',250.0000);`
- `insert into book_detl values('CH002','Nucleus','Che','Hilburn','XYZ','S','1992',350.0000);`
- `insert into book_detl values('MA001','Calculus','Mat','Newton','PQR','S','UNKN',195.0000);`
- `insert into book_detl values('MA002','Algebra','Mat','Raman','PQR','S','1990',190.0000);`
- `insert into book_detl values('MA003','Vectors','Mat','Richard','PQR','S','unkn',200.0000);`
- `insert into book_detl values('PH001','Chaos','Phy','Feynman','ABC','S','1997',300.0000);`
- `insert into book_detl values('PH002','Relativity','Phy','Einestein','ABC','S','1902',400.0000);`
- `insert into book_detl values('PH003','Relativity','Phy','Einestein','ABCD','O','1902',400.0000);`
- `insert into book_detl values('CS001','Raghu','Chaithu','Indian','Jmeter','Advance','2023',900.0000);`

Step 4 – Execute Queries

✓	3	17:08:37	CREATE TABLE book_detl (book_no varchar(5) PRIMARY KEY , title varchar(...	0 row(s) affected	0.062 sec
✓	4	17:08:37	insert into book_detl values(BI001,'Clones','Bio','Ian','XYZ','S','1997,700.0000)	1 row(s) affected	0.000 sec
✓	5	17:08:37	insert into book_detl values(BI002,'DNA','Bio','Watson','XYZ','S','unkn',575.0000)	1 row(s) affected	0.016 sec
✓	6	17:08:37	insert into book_detl values(CH001,'Elements','Che','Robert','XYZ','S','1890',250.0000)	1 row(s) affected	0.000 sec
✓	7	17:08:37	insert into book_detl values(CH002,'Nucleus','Che','Hilburn','XYZ','S','1992',350.0000)	1 row(s) affected	0.015 sec
✓	8	17:08:37	insert into book_detl values(MA001,'Calculus','Mat','Newton','PQR','S','UNKN',195.00...	1 row(s) affected	0.016 sec
✓	9	17:08:37	insert into book_detl values(MA002,'Algebra','Mat','Raman','PQR','S','1990',190.0000)	1 row(s) affected	0.000 sec
✓	10	17:08:37	insert into book_detl values(MA003,'Vectors','Mat','Richard','PQR','S','unkn',200.0000)	1 row(s) affected	0.015 sec
✓	11	17:08:37	insert into book_detl values(PH001,'Chaos','Phy','Feynman','ABC','S','1997,300.0000)	1 row(s) affected	0.016 sec
✓	12	17:08:37	insert into book_detl values(PH002,'Relativity','Phy','Einestein','ABC','S','1902,400.0000)	1 row(s) affected	0.016 sec
✓	13	17:08:37	insert into book_detl values(PH003,'Relativity','Phy','Einestein','ABCD','O','1902,400.0...	1 row(s) affected	0.015 sec

Step 5 – Download the SQL Connector Jar file from Maven repository

Home » com.mysql » mysql-connector-j » 9.7.0



MySQL Connector/J » 9.7.0

MySQL Connector/J is a JDBC Type 4 driver, which means that it is pure Java implementation of the MySQL protocol and does not rely on the MySQL client libraries. This driver supports auto-registration with the Driver Manager, standardized validity checks, categorized SQLExceptions, support for large update counts, support for local and offset date-time variants from the java.time package, support for JDBC-4.x XML processing, support for per connection client information and support for the ...

Overview

Dependencies (2)

Changes (0)

Books (40)

CATEGORIES

MySQL Drivers

JDBC Drivers

TAGS

database

sql

jdbc

driver

connector

rdbms

mysql

connection

ORGANIZATION

Oracle Corporation

HOMEPAGE

<http://dev.mysql.com/doc/connector-j/en/>

Inspect URL

LINKS



DATE

Apr 22, 2026

FILES

pom (3 KB)

jar (2.5 MB)

View All

REPOSITORIES

Central


RANKING

#63 in MvnRepository

#1 in MySQL Drivers



#1 in JDBC Drivers

Step 6 – Add the MySQL connection JAR into the JMeter lib folder.





Name	Date Modified	Size	Kind
mail-1.5.0-b01.jar	2 Jan 2024 at 21:14	519 KB	Java JAR file
miglayout-core-5.3.jar	2 Jan 2024 at 21:14	107 KB	Java JAR file
miglayout-swing-5.3.jar	2 Jan 2024 at 21:14	23 KB	Java JAR file
mongo-java-...iver-2.14.3.jar	2 Jan 2024 at 21:14	613 KB	Java JAR file
mxmlparser-1.2.2.jar	2 Jan 2024 at 21:14	30 KB	Java JAR file
mysql-connector-j-9.7.0.jar	Today at 12:09	2.6 MB	Java JAR file
neo4j-java-driver-4.4.13.jar	2 Jan 2024 at 21:14	5.2 MB	Java JAR file
oro-2.0.8.jar	2 Jan 2024 at 21:14	65 KB	Java JAR file
performance.hpi	Today at 11:21	3.3 MB	Document
ph-commons-10.2.5.jar	2 Jan 2024 at 21:14	1.3 MB	Java JAR file
ph-css-6.5.0.jar	2 Jan 2024 at 21:14	531 KB	Java JAR file
platf-awt-jvm-4.1.0.jar	2 Jan 2024 at 21:14	133 KB	Java JAR file
platf-batik-ivm-4.1.0.jar	2 Jan 2024 at 21:14	81 KB	Java JAR file


Step 7 – Add JDBC Requests in Jmeter




Step 8 – Add config element JDBC Connection config



Step 9 – Add Listeners



Step 10 – Add Response Assertions



Step 11 – Run and Validate

