# **Problem statement:**

With your knowledge gained on JS Objects and Referential Arrays prepare a code that gives the following output:



# Solution:

# **Html Code:**

```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <meta http-equiv="X-UA-Compatible" content="IE=edge">
   <meta name="viewport" content="width=device-width, initial-scale=1.0">
   <title>Quote Generator</title>
   <link rel="stylesheet" href="quote.css" type="text/css">
</head>
<body>
   <div class="container">
       <div id="qContain">
           <h3>Your Daily Quote</h3>
           </div>
       <button id="btn" onclick="quotePrint()">Click Here for New Quote</button>
   </div>
   <script src="quote.js" type="text/javascript"></script>
</body>
</html>
```

#### JS Code:

```
let btn = document.getElementById("btn"); //button lit
let quote = document.getElementById("quote"); //quote lit
let orator = document.getElementById("orator"); //speaker/orator of quote lit
var quotes = [
        q: "It Is Very Easy To Defeat Someone, But It Is Very Hard To Win Someone.",
       n: "- APJ Abdul Kalam" //object n for quote author/orator/speaker's name
    },
    {
        q:"Thinking is the capital, Enterprise is the way, Hard Work is the solution",
        n:"- APJ Abdul Kalam"
    },
        q:"The biggest guru-mantra is: never share your secrets with anybody. It will
destroy you.",
       n: "- Chanakya"
        q:"A person should not be too honest. Straight trees are cut first and honest people
are screwed first.",
        n: "- Chanakya"
    {
        q: "No one can defeat a powerful mind.",
        n: "- Chanakya"
    },
        q: "Life loses half its interest if there is no struggle — if there are no risks to
be taken.",
        n: "- Netaji Subhash Chandra Bose"
    },
       q: "I am such a lunatic that I am free even in jail.",
        n: "- Shaheed-e-Azam Bhagat Singh"
    },
        q: "No one saves us but ourselves. No one can and no one may. We ourselves must walk
the path.",
        n: "- Gautam Buddha"
    },
function quotePrint(){
    var randomQuote = Math.floor(Math.random() * quotes.length);
   var quoteString = quotes[randomQuote].q;
```


```
//storing random quote orator in quoteorator variable by using object n
var quoteOrator = quotes[randomQuote].n;
//printing quote and the name of author in the respective paragraphs
quote.innerHTML = quoteString;
orator.innerHTML = quoteOrator;
}
```

# **CSS Code:**

```
@import url('https://fonts.googleapis.com/css2?family=Quicksand:wght@300&display=swap');
*{
    margin: 0;
    padding: 0;
    box-sizing: border-box;
    font-family:'Quicksand', sans-serif;;
body{
    background-image: url(https://wallpapercave.com/wp/wp6622470.jpg);
    background-attachment: fixed;
    background-size: cover;
.container{
    display: flex;
    flex-direction: column;
    margin: auto;
    width: 50%;
    background-color: rgb(74, 189, 187);
    opacity: 0.8;
    border-radius: 0.4em;
    padding: 1em;
    margin-top: 8em;
    align-items: center;
h3,p{
    padding: 1em;
    text-align: center;
#quote{
    font-style:oblique;
    font-weight: bold;
    font-size: 2em;
    color: rgb(58, 84, 84);
#orator{
    font-style: italic;
    font-size: 1.2em;
    color:whitesmoke;
    font-weight: bold;
```

```
#btn{
    margin-top: 2em;
    padding: 0.8em;
    width: 35%;
    border-style: none;
    background-color: rgb(250, 236, 111);
    border-radius: 0.4em;
    cursor: pointer;
    font-weight: bold;
#btn:hover{
    background-color: rgb(244, 166, 152);
@media only screen and (max-width: 900px){
    .container{
        display: flex;
        flex-direction: column;
        margin: auto;
        width: 80%;
        background-color: rgb(74, 189, 187);
        opacity: 0.8;
        border-radius: 0.4em;
        padding: 0.8em 0.1em;
        margin-top: 3em;
        align-items: center;
    #quote{
        font-style:oblique;
        font-weight: bold;
        font-size: 1.5em;
        color: rgb(58, 84, 84);
    #orator{
        font-style: italic;
        font-size: 0.8em;
        color:whitesmoke;
        font-weight: bold;
    }
    #btn{
        width:50%;
        padding: 0.8em;
```

# Output:



# Onclick:

