IoT, Machine Learning and Blockchain in Agricultural Platform—4Jhaad

Sushant Kumar Khobian[1], Shriya Kushte[2], Krish Lakampelli[3], Harsh Sharma[4]

[1]*Computer Science and Engg. (IoT and CS), Xavier Institute of Engineering, Mahim, Mumbai, India*
202304029.sushantkml@student.xavier.ac.in
[2]*Computer Science and Engg. (IoT and CS), Xavier Institute of Engineering, Mahim, Mumbai, India*
202304030.shriyapml@student.xavier.ac.in
[3]*Computer Science and Engg. (IoT and CS), Xavier Institute of Engineering, Mahim, Mumbai, India*
202304031.krishsml@student.xavier.ac.in
[4]*Computer Science and Engg. (IoT and CS), Xavier Institute of Engineering, Mahim, Mumbai, India*
202304049.harshjml@student.xavier.ac.in

***Abstract*—As agriculture shifts toward more measurable and evidence-based practices, there is a growing need for systems that can connect field conditions with meaningful analysis. This paper examines the development of 4jhaad, a unified framework built to study how sensor data, analytical models, and automated decision mechanisms can work together in a practical farm setting. The work describes how the system is organized, how information is collected and managed, and how different analytical methods are applied to interpret the data. It also outlines the procedures used to verify the reliability of the results and discusses the rationale behind the chosen security approach for protecting recorded information. The study presents observations from experiments, reflects on the system's performance and limitations, and highlights areas where future improvements and research could strengthen its role in precision agriculture.**

Keywords—Smart agriculture, sensor data, real-time monitoring, data analysis, automation, ESP32, cryptographic hashing.

I. INTRODUCTION

Agriculture and plantation sectors in India face persistent challenges caused by inadequate irrigation, limited monitoring systems, and minimal use of data analysis. Most farming activities still depend heavily on monsoon rains, making production highly uncertain and vulnerable to climate variations. The absence of modern irrigation infrastructure forces many farmers to rely on traditional methods like flood irrigation, which wastes water, degrades soil, and reduces efficiency. In plantations such as tea, coffee, and rubber, irregular water supply affects both crop yield and quality, reducing their competitiveness in global markets. Equally critical is the lack of real-time monitoring tools for soil and crop health. Without technologies that measure soil moisture, nutrient levels, humidity, or disease symptoms, farmers often make crucial decisions based on guesswork. This leads to overuse of inputs, delayed responses to plant stress, and unnecessary costs. Adding to these challenges is the limited use of data-driven analysis. Without insights from historical patterns, weather forecasts, and crop performance data, yield prediction, fertilizer recommendations, and pest forecasting remain inaccurate. Consequently, farmers and plantation owners struggle to adapt to changing environmental conditions and market demands. Collectively, these issues lower productivity, waste resources, and hurt the rural economy, while also posing significant risks to national food security and sustainable development.

A. Need for Technological Advancements in the field of Agriculture

To overcome these challenges, there is a strong need to integrate modern technologies such as IoT, Machine Learning (ML), and Blockchain into plantation and agricultural practices.

- IoT sensors can continuously monitor soil moisture, temperature, humidity, and crop health. This real-time data enables precise decision-making in irrigation, fertilization, and pest management, reducing guesswork and improving efficiency.
- Machine Learning enhances this process by analysing large datasets from sensors and external sources like weather updates or market data. ML models provide accurate predictions for crop growth, disease risks, fertilizer requirements, and yield estimation. Such predictive capabilities enable proactive responses and ensure better crop quality.
- Blockchain ensures secure, transparent data logging across the agricultural value chain. Every

input—from sensor readings to fertilizer applications—can be stored in a tamper-proof, traceable manner. This builds trust among stakeholders, supports quality certification, and provides authenticated records that farmers can use to access credit or government support.

- Cloud storage solutions such as MongoDB play a vital role in managing and organizing the massive volume of plantation data. By storing sensor readings, predictive insights, and blockchain records in a scalable and accessible database, MongoDB ensures reliable data availability, easy retrieval for analysis, and seamless integration with decision-support systems.

Thus, the adoption of IoT, Machine Learning, Cloud Storage and Blockchain in plantation and agriculture monitoring and analysis is essential for transforming Indian agriculture and plantations into smarter, more sustainable, and globally competitive systems. These technologies together provide the foundation for precise monitoring, intelligent analysis, and secure record-keeping, ensuring both productivity and trust in the agricultural supply chain.

B. Objectives

The primary objective of this project is to establish an intelligent plantation monitoring and analysis framework that leverages IoT, Machine Learning, and Blockchain technologies. The system is designed to provide real-time insights, predictive analysis, and secure data management, enabling informed decision-making, optimized resource usage, and enhanced crop productivity. The specific objectives are:

- To design and implement an advanced smart plantation monitoring system leveraging IoT to achieve real-time insights into soil, crop, and environmental conditions, enabling proactive decision-making.
- To develop robust Machine Learning models that predict crop growth, optimize fertilizer application, and detect pests or diseases early, maximizing yield and quality.
- To ensure intelligent and efficient irrigation practices that conserve water, reduce wastage, and enhance crop health through automated and data-driven control.
- To establish a secure and transparent logging mechanism using Blockchain, guaranteeing tamper-proof records and trust across the agricultural value chain.
- To empower farmers and plantation owners with actionable insights that transform traditional practices into smart, sustainable, and profitable operations.
- To contribute to resource optimization and cost efficiency, minimizing input use while maximizing output through informed decision-making.
- To enhance transparency, traceability, and accountability in plantation data, supporting better engagement with markets and stakeholders.
- To promote sustainable agriculture and plantation practices, enabling environmentally responsible growth and long-term resilience.
- To integrate predictive analytics with geographic and temporal data, enabling region specific recommendations for fertilizers, irrigation, and pest management.
- To lay the foundation for a scalable, intelligent, and secure agricultural ecosystem that can be extended to larger plantations or other crop types in the future.

Together, these objectives position the project as a comprehensive step toward integrating intelligence, automation, and trust into modern agriculture. By combining real-time sensing, predictive analytics, secure data handling, and sustainable resource management, the framework aims to transition traditional plantation practices into a data-driven, efficient, and future-ready agricultural ecosystem.

C. Scope of the Project

The Smart Plantation Monitoring System focuses on enabling data-driven plantation management, improving productivity, and ensuring secure data logging. The main functionalities include:

- Monitoring and Automated Irrigation: Real-time monitoring of soil moisture, temperature, humidity, and crop health, with irrigation based on sensor data.
- Data Analysis: Analysis of sensor and external datasets for actionable insights.
- Growth Prediction, Fertilizer Recommendation, and Pest Detection: Using Machine Learning for predictions and recommendations.
- Cloud Data Storage: Secure storage of all data in MongoDB.
- Alert System: Timely notifications for critical conditions.
- Blockchain-based Secure Logging: Tamper-proof hash chain for reliable records.

By integrating IoT, Machine Learning, and Blockchain, this project not only addresses immediate challenges of efficient monitoring and irrigation but also lays the groundwork for a scalable, intelligent ecosystem that can shape the future of sustainable agriculture in India.

II. LITERATURE REVIEW

The integration of IoT, blockchain, machine learning (ML), and cloud storage in agriculture and plantation management has gained significant momentum in recent years of research as they emerged as a comprehensive approach to revolutionize traditional farming into a smart, sustainable, and data-driven system [1]. IoT sensors deployed across agricultural fields continuously collect real-time data related to soil moisture, temperature, humidity, nutrient levels, pest activity, and overall crop health [2]. This constant monitoring enables precise interventions such as optimized irrigation, targeted fertilization, and early detection of diseases or pest infestations, reducing resource wastage and improving crop productivity [2]. These sensor networks also facilitate remote monitoring, allowing farmers to make decisions without being physically present in the fields [3].

Blockchain technology complements IoT by providing a decentralized, immutable ledger to securely and transparently record sensor data, farm operations, certifications, and supply chain transactions [4]. This secure data storage enhances traceability from farm to consumer, ensuring authenticity of produce, reducing fraud, and building trust among stakeholders [4]. Blockchain smart contracts automate transactions and agreements, streamlining processes such as payments, crop sales, and compliance verification without the need for intermediaries [5].

Machine learning models analyze the large volumes of data collected via IoT devices to offer predictive analytics for crop yield, pest infestation risk, irrigation scheduling, and fertilizer requirements [6]. These AI-driven insights enable proactive management by forecasting crop growth stages, anticipating disease outbreaks, and optimizing resource allocation to minimize environmental impact and maximize productivity [6]. For instance, ML models have demonstrated high accuracy in predicting crop yields and recommending water and fertilizer use tailored to current conditions, enhancing both sustainability and profitability [7]. Furthermore, ML algorithms can detect anomalies in real-time sensor data, supporting automation in pest control and crop health monitoring [7].

Cloud storage solutions play a central role in aggregating, managing, and sharing the vast datasets generated by IoT sensors and blockchain transaction logs [8]. The cloud facilitates scalable storage and high-speed processing, enabling farmers, researchers, and policymakers to access historical and regional data for comparative analyses, trend evaluations, and long term planning [8]. By combining cloud platforms with blockchain, data integrity and security are maintained while providing flexible access control across the agricultural ecosystem [9].

Power-efficient IoT devices powered by energy harvesting technologies are being developed to address challenges of continuous deployment in remote or large plantations, reducing maintenance demands and expanding coverage [9]. These advancements allow scalable and cost-effective sensor networks that can operate autonomously over extended periods [9].

The synergy between IoT, blockchain, ML, and cloud computing creates a smart agriculture ecosystem that improves transparency, traceability, and resource efficiency significantly compared to conventional agriculture [10]. Studies report that blockchain-enabled supply chains improve traceability and trust by up to 90%, while ML-driven predictive analytics enhance resource allocation and crop productivity with accuracy rates approaching 90–99% [10]. These technologies empower farmers with actionable insights and automated tools, reducing labor intensity and operational costs while promoting sustainability [10].

Overall, integrating these cutting-edge technologies shifts agriculture from manual, labor intensive practices to precise, automated, and secure systems, facilitating sustainable farm management, minimizing environmental impact, ensuring food safety, and enabling data driven value chains [10]. This holistic framework supports new business models, inclusive market access, and climate adaptation strategies, securing future food supplies and enhancing livelihoods worldwide [10]. The ongoing research and development efforts continue to refine models, optimize sensor networks, and streamline blockchain applications to further unlock the potential of smart agriculture [10].

Recent research also emphasizes the importance of integrating advanced communication technologies to

improve the reliability and range of IoT-based monitoring systems. Zhang et al. [7] showed that low-power wide-area network protocols, particularly LoRa, can significantly increase sensor coverage while maintaining minimal energy consumption. Their cloud-enabled architecture supports long-distance communication, making it suitable for large plantations and remote rural areas where traditional networks are often limited. This highlights the growing need for scalable and resilient communication layers in smart agriculture deployments [7].

Automated irrigation has also been a major focus across several studies. Al Mamun et al. [5] proposed an IoT-driven irrigation framework that automatically regulates water flow based on soil moisture readings, reducing human intervention and improving water-use efficiency. Their results indicate that dynamic, sensor-driven irrigation can reduce overall water consumption while maintaining optimal soil conditions for plant growth [5]. Complementing this, Gupta et al. [4] used machine learning models to enhance irrigation scheduling and yield prediction. Their study demonstrated that predictive analytics can optimize irrigation timing by correlating environmental changes, crop stages, and moisture patterns, ultimately improving agricultural productivity [4].

Fertilizer optimization through data-driven approaches has also gained traction. Sharma and Das [6] introduced a machine learning–based fertilizer recommendation system that analyzes soil nutrient levels, crop requirements, and historical patterns to suggest accurate fertilizer dosages. Their findings revealed improved nutrient utilization and reduced chemical misuse, promoting more sustainable farming practices [6]. Similarly, Patel and Desai [9] highlighted the necessity of real-time soil nutrient monitoring using NPK and pH sensors, which allows for precise and timely fertilizer application based on immediate field conditions [9].

Energy sustainability within IoT-enabled agriculture is another growing research direction. Brown and Green [10] examined the integration of renewable energy sources, such as solar-powered IoT nodes, to support continuous sensor operation in remote fields. Their study demonstrated that renewable-powered IoT systems can minimize maintenance, extend deployment lifespan, and ensure uninterrupted data collection even in off-grid locations [10]. This aligns with recent trends toward creating energy-efficient, autonomous sensor networks that operate reliably over long durations.

In addition to sensing, connectivity, and automation, several researchers have investigated the potential of combining IoT with predictive modelling to create more adaptive farming systems. Singh and Yadav [8] emphasized that integrating AI with large-scale sensor networks significantly enhances the ability to detect anomalies in crop and soil conditions. Their review suggests that AI–IoT integration not only enables early detection of plant stress or pest infestation but also supports long-term sustainability by reducing dependence on manual monitoring and improving the precision of field interventions [8]. This reinforces the importance of integrating real-time sensing with intelligent analytics to develop responsive agricultural ecosystems.

Cloud platforms continue to play a critical role in supporting the scalability and computational needs of smart agriculture systems. Nguyen et al. [3] presented a cloud–IoT architecture where real-time environmental data is continuously uploaded to cloud servers for analysis, visualization, and decision support. Their system demonstrated that cloud-driven processing enables rapid data retrieval, cross-field comparisons, and multi-user access, making large-scale agricultural analytics more feasible. Such cloud connectivity also facilitates storage of historical datasets, which are essential for building long-term predictive models and region-specific agricultural insights [3].

Security and trust remain central concerns in IoT-enabled agriculture, especially as the volume of collected data increases. Verma and Bhatnagar [2] highlighted the role of blockchain in ensuring data integrity, authenticity, and tamper-proof storage across agricultural supply chains. Their blockchain-enabled communication model demonstrated significant improvements in secure data transmission compared to conventional centralized systems, reducing vulnerabilities such as data manipulation, unauthorized access, and single-point failures [2]. By decentralizing the data verification process, blockchain enhances trust among farmers, distributors, and consumers, supporting the traceability of agricultural produce across various stages of handling and distribution.

Another crucial research direction involves the seamless integration of sensor data with farm automation systems. Studies such as those by Kumar et al. [1] show that IoT-based monitoring using ESP32 and cloud platforms enables automated responses based on live environmental data, including regulation

of irrigation pumps, ventilation systems, and nutrient delivery mechanisms. Their prototype demonstrated high responsiveness and low latency in executing remote commands, showcasing the value of IoT-enabled actuation in reducing manual labour and human error [1]. When aligned with data-driven decision-making, such automation can significantly improve operational efficiency and crop health.

Recent work has also explored the environmental dimension of smart agriculture. Brown and Green [10] emphasized that coupling IoT devices with renewable energy systems reduces the carbon footprint of agricultural monitoring infrastructures. Solar-powered or hybrid IoT nodes support continuous deployment in regions lacking stable electricity access, making them ideal for large-scale or remote plantations [10]. These advancements show increasing interest in designing sustainable and self-sufficient IoT infrastructures that align with climate-smart agricultural practices.

Finally, multidisciplinary research highlights the combined impact of IoT, machine learning, blockchain, and cloud technologies on overall agricultural productivity. Singh and Yadav [8] reported that when these technologies operate in synergy, they can transform agricultural workflows into transparent, automated, and analytically guided processes. Studies consistently show clear benefits in terms of improved traceability, reduced operational costs, optimized water and fertilizer use, and enhanced crop yield predictability [8]. This collective body of research underscores the ongoing transition of agriculture from manual, experience-based practices toward intelligent, data-driven ecosystems.

A. Existing Systems

Emerging smart agriculture and plantation systems in 2025 are rapidly evolving with the deeper integration of AI, IoT, blockchain, and cloud technologies, enabling a more holistic, data-driven, and automated approach to farm management. These modern systems combine real-time environmental sensing, multi-parameter crop monitoring, and predictive analytics to support timely decision-making and reduce uncertainty in cultivation practices. At the same time, blockchain-backed data records introduce transparent and tamper-resistant traceability across the entire agricultural lifecycle, from field operations to supply chain transactions. Together, these technologies contribute to improved sustainability, higher productivity, and optimized resource utilization by providing farmers with actionable insights on irrigation scheduling, nutrient management, early detection of pests and diseases, and climate-responsive adjustments. As a result, smart agriculture platforms are increasingly becoming essential tools for establishing resilient, efficient, and trustworthy farming ecosystems suited to modern challenges.

Below are the key emerging systems with their distinctive features:

- CropX (Israel/USA) employs soil moisture, temperature, and electrical conductivity sensors to provide zone-wise irrigation scheduling, fertilizer recommendations, and integrates satellite and weather data. It supports large and medium farms with mixed crops via a mobile app for actionable insights.
- Semios (Canada) uses soil moisture probes, climate sensors, pest traps, and flow meters to automate irrigation control, fertigation, pest and disease monitoring, and provide frost/heat alerts. It is tailored for orchards, vineyards, and high-value crops.
- Netafim NetBeat™ (Israel) offers sensors for soil moisture, temperature, humidity, flow, and pressure, integrated with drip irrigation hardware. Features include remote valve and pump control, cloud-based decision support, fertigation, and variable-rate irrigation, best suited for plantations and greenhouses.
- AgriSense/AgroSense (India/Europe) provides cost-effective IoT-enabled sensors measuring moisture, temperature, humidity, light intensity, pH, and electrical conductivity. Features include pump/valve control, crop health monitoring, cloud dashboards, and LoRaWAN communication, best for small to medium farms.
- KERLINK Wanesy Smart Agriculture (LoRa) focuses on long-range IoT-based irrigation control using solar-powered sensors for soil, temperature, humidity, and rain gauges. It supports scalable cloud monitoring for large open fields and plantations with limited power or internet access.
- Ecozen Smart Irrigation (India) offers solar-powered automated irrigation with soil moisture, temperature, and weather condition sensors, integrated with mobile monitoring and cold storage solutions, designed for small to medium Indian plantations.
- Jain Irrigation Systems (India) offers smart irrigation that uses real-time soil sensors and AI to optimize water use in plantations. Their solutions

include automated irrigation with remote control and solar power options.

- AgroWebLab Co., Ltd (China) provides analytics tools that gather sensor data and offer insights to improve crop quality and yields in plantations. Their system helps manage large-scale plantation operations effectively.
- Synelixis Solutions (Greece) delivers IoT monitoring and automation for plantations. They use soil and climate sensors with cloud-based control to automate irrigation and nutrient management, boosting plantation efficiency.

These systems collectively illustrate the successful deployment of multi-parameter sensors, cloud storage and processing, AI-powered decision-making platforms, and secure blockchain-enabled traceability. They automate crucial tasks such as irrigation, pest control, and fertigation while delivering predictive analytics and remote management capabilities. The integration of satellite and weather data further enhances contextual awareness for crop and resource optimization. Together, they significantly contribute to higher yields, resource efficiency, sustainability, and farmer empowerment across diverse farming contexts and scales.

B. Research Gap

Despite significant progress, current smart agriculture systems still exhibit several key technical and functional gaps. Many primarily emphasize precision irrigation control but lack comprehensive capabilities in predictive analytics for pest, disease, and crop growth management. Data security features such as blockchain or decentralized ledgers are not widely integrated, which limits full traceability and transparency across supply chains. The systems often do not incorporate localized or region-specific agronomic and climatic data, which reduces their effectiveness in diverse soil and weather conditions. High costs and dependence on stable power and internet infrastructure limit accessibility, especially for small and medium-scale farmers in remote or resource-poor regions. Interoperability issues among devices and platforms continue to hinder seamless data exchange and holistic farm management. Moreover, many solutions rely heavily on cloud computing, causing latency and service disruptions in areas with unreliable connectivity. Lastly, limited usability adaptations and localized language support hamper adoption among farmers with varying technical expertise.

Some of the gaps in these systems include:

- Inadequate and unreliable connectivity in rural and remote farming areas.
- Variability and calibration issues affecting sensor accuracy and data quality.
- Poor interoperability and integration challenges among heterogeneous devices and platforms.
- High energy consumption and limited availability of mature energy harvesting solutions for IoT devices.
- Dependence on cloud computing leading to latency and vulnerability to internet disruptions.
- Lack of real-time anomaly detection, fault tolerance, and automated system recovery capabilities.
- Insufficient cybersecurity measures and vulnerability to cyber-attacks.
- Limitations in machine learning model accuracy due to sparse, heterogeneous agricultural data and poor generalizability.
- Lack of localized, user-friendly interfaces and inadequate customization for diverse farmer needs.
- Challenges in scalability and deployment flexibility across varied farm sizes and climates.
- Deficient mechanisms for multi-source data fusion and real-time decision support under dynamic environmental conditions.

Addressing these gaps is essential for transforming smart agriculture from isolated prototypes into scalable, reliable, and widely adoptable systems. Strengthening connectivity and interoperability will support richer multi-sensor environments and more accurate data collection, while improved edge computing can reduce latency and enable real-time autonomous decisions. Enhancing sensor precision, cybersecurity frameworks, and data integrity will further boost trust and system reliability. Additionally, developing region-specific machine learning models and user-friendly interfaces will promote broader adoption across diverse agricultural contexts. Together, these improvements will drive sustainable intensification, improve resource efficiency, and strengthen resilience in modern, climate-affected agricultural systems. By bridging these technological and operational limitations, future agricultural platforms can transition toward fully integrated ecosystems that unify monitoring, prediction, and automated control. This will enable stakeholders to make faster, data-backed decisions while preserving transparency across the value chain.

TABLE I: COMPARISON OF CropX VS Synelixis Solutions VS 4Jhaad

Parameter	CropX	Synelixis Solutions	4Jhaad
Data Acquisition	Mainly soil moisture via in-ground sensors; some weather data	Soil + irrigation scheduling data, basic environmental monitoring	Multi-sensor: soil moisture, temperature, humidity, light, rainfall
Real-Time Monitoring	Yes, through cloud dashboards	Yes, via cloudbased monitoring	Yes, through React.js dashboard with live sensor values
Automated & Controlled Irrigation	Provides irrigation recommendations, but control is farmerdependent	Smart irrigation scheduling, partially automated	Fully automated irrigation control (pump/valve based on soil moisture) + remote manual override
Tamper-Proof Secure Logging	Not provided	Not provided	Blockchain-based secure logging of all sensor & irrigation data
Alerts	Limited alerts (irrigation needs, soil status)	Some alerts on irrigation scheduling	Real-time alerts (low moisture, water level, abnormalities, pest risk)
Analysis	Strong AI-driven irrigation optimization	Decision support mainly for irrigation	Machine Learning for yield prediction, fertilizer recommendation, pest detection
Scale	Large-scale deployment, proven globally	Regional-scale deployments, mostly in Europe	Currently prototype

III. METHODOLOGY

The methodology for the 4Jhaad intelligent plantation system follows a structured, multi-layered approach integrating IoT sensing, machine learning analysis, and blockchain-based data security. This section outlines the key techniques, components, software tools, and algorithms used to design and develop the system. By explaining these methodological choices, we establish the foundation on which the system was planned and readied for implementation.

A. Hardware Components

Fig 1: ESP32

The ESP32 microcontroller serves as the core IoT node in the 4Jhaad system, responsible for continuous data acquisition, hashing, and transmission. It collects real-time readings every five seconds from multiple sensors, including the DHT22 (temperature and humidity), capacitive soil moisture sensor, LDR-based light intensity sensor, rainfall sensor, and water-level sensor. To ensure data integrity, each aggregated data block is processed through the ESP32's SHA-256 hashing mechanism before storage. The ESP32 then transmits both the sensor data and its corresponding hash to MongoDB for secure logging and analysis. In parallel, it evaluates threshold conditions locally and sends alert events to the database whenever environmental parameters exceed predefined limits. These alerts also support both automatic and manual irrigation modes, where the ESP32 controls the water pump via a relay module, enabling efficient irrigation management based on real-time field conditions.

Fig 2: DHT22

The DHT22 sensor is used in the 4Jhaad system to measure temperature and relative humidity with high accuracy and stability. It provides digital output, allowing reliable integration with the ESP32 without additional signal conditioning. By capturing temperature–humidity data every five seconds, the DHT22 enables continuous monitoring of microclimatic conditions that influence crop growth, irrigation requirements, and disease risk. Its low power consumption and consistent performance make it suitable for long-term agricultural deployments.

Fig 3: Soil Capacitive Moisture Sensor

The soil capacitive moisture sensor in the 4Jhaad system measures the volumetric water content of the soil without corrosion-prone electrodes, ensuring long-term durability and stability. It provides analog output that the ESP32 reads every five seconds to determine real-time soil moisture levels. This continuous monitoring supports precise irrigation control, enabling both automated and manual pump activation when moisture thresholds are crossed. Its resistance to soil degradation and consistent performance make it highly suitable for agricultural field conditions.



Fig 4: Light Intensity Sensor

The light intensity sensor in the 4Jhaad system measures the amount of ambient sunlight reaching the plantation, providing the ESP32 with continuous luminosity data every five seconds. Monitoring light levels helps assess crop exposure, detect shading or low-light conditions, and support analytics related to growth patterns. Its simple analog interface and stable performance make it a practical choice for field-level environmental monitoring.

Fig 5: Rainfall Sensor

The rainfall sensor in the 4Jhaad system detects and measures precipitation in real time, providing the ESP32 with continuous rainfall data every five seconds. Monitoring rainfall helps manage irrigation schedules, prevent overwatering, and supports analysis of soil moisture and crop health. Its reliable detection and durability make it well-suited for outdoor agricultural environments.

Fig 6: Relay Module

The relay module in the 4Jhaad system acts as an electronic switch, allowing the ESP32 to control high-power devices such as water pumps safely. It receives digital control signals from the microcontroller to turn the pump ON or OFF based on soil moisture, rainfall, or manual commands. Its reliable switching capability and isolation between low-voltage logic and high-power circuits make it essential for automated and safe irrigation management. This ensures precise water delivery to crops, reduces wastage, and allows the system to operate efficiently without constant human supervision.

Fig 7: Float Switch Water Level Sensor

The float switch water level sensor in the 4Jhaad system monitors the water level in tanks or reservoirs, providing the ESP32 with continuous updates every five seconds. It ensures that the irrigation pump operates only when sufficient water is available, preventing dry running and potential damage. By integrating with automated and manual irrigation control, it helps maintain optimal water supply for the plantation. Its simple, reliable mechanism and durability make it a critical component for safe and efficient water management in the smart farming system.

B. Software Used

Fig 8: React.js

React.js is used in the 4Jhaad system to develop a responsive and interactive web interface for users, providing real-time access to plantation monitoring and management. The frontend includes multiple pages: the Monitor page displays live sensor data, the Data page presents historical records in tabular form, the Alert page notifies users of threshold breaches, the Control page allows automated and manual irrigation management, and the Analysis page supports recorded, manual entry, empirical, and geographical data analysis. Its component-based architecture ensures seamless data visualization, efficient updates, and intuitive user interaction, making it ideal for managing complex IoT-driven agricultural systems.

Fig 9: Node.js

Node.js serves as the backend runtime environment in the 4Jhaad system, managing server-side operations and communication between the frontend and database. It retrieves sensor data from MongoDB and delivers it to the React.js frontend for real-time visualization. Node.js also integrates the machine learning models for yield prediction, fertilizer recommendation, and pest detection, enabling intelligent data analysis. Additionally, it processes irrigation commands from the frontend or automated logic and sends control signals to the ESP32 to operate the water pump, ensuring seamless coordination between monitoring, analysis, and actuation.

Fig 10: MongoDB

MongoDB is used in the 4Jhaad system as a scalable and flexible cloud database to store and manage all sensor data, machine learning outputs, blockchain logs, and user interactions. It maintains real-time records for immediate access on the frontend, as well as historical data for trend analysis, decision support, and research purposes. By organizing data in a document-oriented structure, MongoDB allows efficient querying, filtering, and aggregation, supporting seamless integration with Node.js for both data visualization and automated irrigation control. Its reliability and scalability make it ideal for handling the continuous, high-frequency data generated by the smart plantation system.

Fig 11: Blockchain

Blockchain in the 4Jhaad system provides secure and tamper-proof logging of all sensor readings and irrigation actions. Each data entry is hashed and linked to previous records, ensuring immutability and traceability. This enables trustworthy historical tracking, data verification, and enhanced transparency across the smart plantation system.



Fig 12: ML Models and Flask in Python

Python serves as the primary programming language in the 4Jhaad system, powering data processing, machine learning, and backend functionalities. It provides a versatile and efficient environment for integrating multiple system components.

- Flask is used to develop lightweight web APIs that facilitate seamless server-side communication between the frontend dashboard and the backend, ensuring smooth real-time data transfer and control commands.
- TensorFlow is employed to build and train machine learning models focused on predicting ideal crop yield and recommending optimal fertilizer application based on environmental and soil data, enabling informed agricultural decisions.
- XGBoost is utilized for implementing gradient boosting-based models designed for accurate pest detection, combining both sensor data and image-based analysis to identify potential infestations early. Together, these Python-based tools enable advanced analytics, predictive insights, and data-driven automation within the smart plantation system.

C. *Project Development Plan*



Fig 13: Step By Step Project Development Plan

1) *Hardware Setup and Sensor Integration*

- Identify environmental parameters to monitor (temperature, humidity, soil moisture, light, rainfall, water level).
- Select suitable sensors for each parameter.
- Connect each sensor to ESP32 GPIO pins (analog or digital).
- Ensure proper power supply (3.3V/5V) and stable grounding.
- Add required resistors, capacitors, or level shifters for signal stability.
- Arrange sensors physically in appropriate locations for accurate measurement.
- Test each sensor individually to confirm proper operation.

2) *ESP32 Programming and Data Acquisition*

- Configure ESP32 using Arduino IDE or ESP-IDF.
- Write code to read sensor values periodically.
- Implement debouncing, filtering, and basic calibration for accuracy.
- Create timing routines for efficient multitasking (non-blocking delays).
- Set up Wi-Fi connectivity on the ESP32.
- Implement HTTP, MQTT, or WebSocket communication for data transfer.

- Continuously send sensor readings to backend server or cloud.

3) *Frontend Dashboard Development*

- Design a real-time dashboard for users to monitor sensor data.
- Use React, JavaScript, HTML/CSS, or another frontend framework.
- Display parameters through charts, gauges, and indicator cards.
- Provide live updates using WebSockets or API polling.
- Add historical graphs to show long-term trends.
- Ensure the UI is responsive, clean, and easy to interpret.
- Include alerts for critical readings (low moisture, high temperature, etc.).

4) *Blockchain Implementation for Data Integrity*

- Convert each sensor reading into a structured string (e.g., JSON or CSV format).
- Apply the **SHA-256 hashing algorithm** to the reading.
- Store the generated hash value alongside the reading in the database.
- Use the hash to **verify integrity**:
  - If the data is changed later, recalculating the hash will produce a different value.
- Maintain a simple chain-like approach by storing:
  - the current hash
  - and the previous hash
- Ensure that any tampering with the database readings is detectable by comparing stored and recalculated hashes.
- No mining, nodes, smart contracts, consensus, or distributed ledger is used — only hashing for tamper detection.
- Enhance trust for applications requiring high data transparency (e.g., agriculture audits).

5) *Database Setup and Backend API Development*

- Choose a database system (MongoDB, SQL, Firebase, etc.).
- Create collections/tables for sensor readings and blockchain references.
- Build backend API using Node.js, Express, or Python Flask/FastAPI.
- Implement endpoints for:
  - Posting sensor data
  - Fetching real-time values
  - Retrieving historical logs
  - Validating blockchain hashes
- Ensure security through authentication, rate-limiting, and input validation.
- Optimize queries for fast data retrieval.
- Enable communication between ESP32 → Backend → Frontend.

6) *Machine Learning Model Development*

- Collect and clean historical sensor data from the database.
- Perform preprocessing (normalization, feature extraction, handling missing values).
- Train ML models for:
  - Ideal Yield Prediction
  - Fertilizer Recommendation
  - Pest Detection based on Data
  - Pest Detection based on Image
- Use libraries such as scikit-learn, TensorFlow, or PyTorch.
- Evaluate models using accuracy metrics and tuning parameters.
- Export the final model for deployment with the backend.
- Prepare ML inference API for frontend usage.

7) *Integration of Blockchain, Database, and ML Models*

- Connect ESP32 data flow to backend, database, and blockchain simultaneously.
- Ensure each sensor reading is stored in the database and hashed on blockchain.
- Run ML predictions on incoming or historical data via backend.
- Display predictions and sensor data on frontend dashboard.
- Maintain synchronization between all system components.
- Test full pipeline to ensure stability, accuracy, and performance.
- Finalize the system as a complete smart monitoring and decision-support platform.

In conclusion, the project evolved from sensor integration and ESP32 data collection to a real-time monitoring dashboard with secure blockchain logging. With backend storage, APIs, and machine learning for predictions, the system was fully synchronized and tested, resulting in a smart, automated plantation management platform combining monitoring, analytics, and control.

IV. IMPLEMENTATION

A. System Architecture



Fig 14: System Architecture for 4Jhaad

The proposed system has been implemented as a complete IoT-based smart plantation monitoring, irrigation, and management platform with integrated real-time monitoring, automated irrigation, data analysis, secure storage, and decision support. The implementation consists of the following modules:

1. *IoT Layer – Data Acquisition & Irrigation Control*

- Sensors such as temperature, humidity, soil moisture, light, and rainfall sensors are deployed in the plantation field.
- These sensors are interfaced with a microcontroller (ESP32/Arduino + ESP8266) which collects the environmental and soil parameters.
- Based on the soil moisture and environmental data, the microcontroller controls water pumps/valves for automated irrigation.
- The acquired data is pre-processed (filtered, normalized if required) and transmitted to the backend server over Wi-Fi.
- This ensures optimized water usage and reduces manual intervention.

2. *Backend Layer – Node.js*

- A Node.js + Express server is implemented as the central processing unit of the system.
- It receives sensor data from IoT devices via REST APIs or MQTT.
- The backend integrates with:
  - Machine Learning models for real-time analysis (yield prediction, fertilizer recommendation, pest detection).
  - Blockchain module for generating unique cryptographic hashes of incoming data.
  - MongoDB for permanent cloud storage of raw and processed data.

- It also supports remote irrigation control by sending pump/valve ON/OFF commands back to the IoT layer when necessary.

3. *Blockchain Layer – Secure Logging*

- Every sensor record and irrigation control action is hashed and logged into a private blockchain.
- This ensures that all operational and environmental data stored in MongoDB is tamper-proof and verifiable.

The blockchain maintains an immutable log of plantation activity, enabling trustworthy historical records for research and auditing purposes.

4. *Database Layer – Cloud Storage (MongoDB)*

- All incoming sensor data, ML outputs, irrigation logs, and blockchain hashes are stored in MongoDB Atlas.
- The database maintains:
  - Real-time data for immediate analysis and frontend visualization.
  - Historical data for long-term trend analysis, decision-making, and research.

5. *Frontend Layer – React.js*

- A React.js web interface is developed for end users (farmers, researchers, agricultural experts).
- Features include:
  - Live monitoring dashboard showing temperature, humidity, soil moisture, light, and rainfall.
  - Graphical visualization of historical data trends.
  - ML-based insights such as crop yield prediction, fertilizer recommendation, and pest detection.
  - Real-time irrigation status (pump ON/OFF, water usage statistics).
  - Remote irrigation control option for farmers to override the automated system if needed.
  - Data verification using blockchain logs.

6. *Machine Learning Integration*

- Sensor data and external datasets (CSV/geographical data) are used for training ML models.
- The trained models are deployed within the backend for:
  - Yield prediction based on soil and environmental conditions.
  - Fertilizer recommendation depending on crop needs.
  - Pest detection using environmental + image-based ML models.
- Predictions and recommendations are displayed on the frontend in real time, and can influence irrigation strategies.

7. *System Features*

- Real-time monitoring of soil and environmental parameters.
- Automated irrigation control using soil moisture and weather data.
- Remote manual irrigation override from the frontend.
- Data analysis for decision support (yield, fertilizer, pest).
- Blockchain logging to ensure secure, tamper-proof storage of sensor and irrigation data.
- MongoDB cloud storage for scalable and reliable data management.
- React-based user interface for easy visualization and interaction.
- Real-time alerts for immediate response to unfavorable conditions.
- Historical data availability for future research and trend analysis.

The proposed Smart Farming System Architecture offers an end-to-end IoT solution for real-time monitoring and automated irrigation. Sensors such as DHT22, soil moisture, light, and rainfall sensors collect environmental and soil data, which the ESP32 microcontroller processes. Data is securely stored on a private blockchain and in MongoDB Atlas, ensuring tamper-proof logging and historical analysis for machine learning integration.

The React.js dashboard provides live visualization, alerts, and ML-based predictions like crop yield, fertilizer recommendations, and pest detection. Users can also send manual irrigation commands, which the ESP32 executes via the relay and water pump, completing an automated irrigation loop. The system creates a closed-loop smart farming ecosystem, optimizing water usage, supporting data-driven decisions, and improving crop health efficiently.

Overall, the system architecture integrates sensing, secure data storage, machine learning, and automated irrigation into a seamless loop, providing farmers with real-time insights, reliable control, and data-driven decision support for efficient and sustainable smart farming.

B. *Circuit Diagram*



Fig 15: Hardware Circuit Connections for 4Jhaad

This circuit diagram illustrates the hardware wiring for the automated irrigation and environmental monitoring system. Although the actual project includes a float switch water level sensor, it is intentionally omitted from this particular diagram to focus on the main environmental sensors and irrigation control wiring. So here are all other sensors and modules—soil moisture, rainfall, temperature/humidity, light intensity, relay, and pump—correctly represented and connected to the ESP32:

- The Capacitive Soil Moisture Sensor is connected to the ESP32 through its analog output pin, allowing continuous measurement of soil water content. The sensor outputs a variable analog voltage based on soil moisture, which the ESP32 reads via its ADC to determine when the soil is wet, dry, or needs irrigation.
- The Rainfall Sensor module is wired to the ESP32 using its signal pin, along with VCC and GND, enabling real-time detection of raindrops. When rain touches the sensor plate, the module produces a change in signal level, which the ESP32 interprets as rainfall activity that may affect irrigation decisions.
- The DHT22 Temperature and Humidity sensor is connected to the ESP32 via a single data pin, supported by 3.3V power and ground connections. The sensor provides calibrated digital readings, which the ESP32 uses to track environmental conditions such as heat stress and atmospheric moisture.
- The Light Intensity Module (LDR or BH1750) is connected to the ESP32 through its signal line, giving the system the ability to measure brightness and sunlight availability. This data helps in understanding crop light exposure and adjusting irrigation logic if needed.
- All sensors share a common ground line, which ensures stable operation and prevents noise in the analog readings. A shared ground reference is essential for maintaining consistent and accurate sensor measurements.
- The Relay Module is connected to one of the ESP32's digital output pins, enabling the microcontroller to control high-power devices. When the ESP32 sends a HIGH or LOW signal, the relay switches the connected pump ON or OFF, acting as an electrically isolated control switch.
- The Water Motor Pump is powered by a separate 5V battery source, preventing the pump's high current draw from interfering with the low-power ESP32 and sensors. This separation ensures the

microcontroller remains stable even when the pump is running at full load.

- The relay sits between the ESP32 and the water pump, functioning as a safety-isolated interface. When irrigation is required—either automatically based on soil moisture or manually through the dashboard—the ESP32 activates the relay, which in turn powers the pump to deliver water to the farm.

C. Data Flow Pipeline

Fig 16: Data Flow Pipeline for 4Jhaad

1. *Data Acquisition:* The ESP32 collects real-time data from the connected sensors, including the DHT22 (temperature and humidity), capacitive soil moisture sensor, light sensor, rainfall sensor, and float switch for water reservoir level. These sensors generate analog or digital signals representing the current environmental conditions of the plantation.
2. *Signal Processing:* The ESP32 performs initial processing on the sensor data, such as converting analog readings to digital values, calibrating measurements, and applying threshold logic. For example, it identifies when soil moisture drops below a set level or when water is available in the reservoir, preparing the data for transmission to the backend.
3. *Integrity Verification:* Sensor readings from the ESP32 are transmitted to a basic blockchain implemented in the backend. Each reading or event is recorded as a block containing a hash of the data and the previous block's hash. This ensures data immutability, traceability, and verifiable integrity, preventing tampering with historical records.
4. *Data Storage:* Processed sensor data, along with the corresponding blockchain hashes, is stored in MongoDB. Entries are timestamped and hashed using the sha256 in the previous step to maintain a historical record, allowing for retrieval, long-term analysis and tracking of system events such as irrigation actions.
5. API Processing A backend server (Node.js/Express) exposes APIs that fetch data from MongoDB. These APIs provide the frontend dashboard with real-time, aggregated, or filtered sensor readings and blockchain verification details, enabling secure and structured access to the stored information.
6. Visualization, Analysing and Alerting The frontend dashboard displays real-time and historical sensor readings using charts, graphs, and indicators. Alerts are triggered when sensor thresholds are breached (e.g., low soil moisture, high water level, or rainfall detection). Users can monitor the plantation remotely and receive timely notifications for corrective action while also using the trained ML models to perform analysis and predict ideal yield, get fertilizer recommendation as well detect pests based on imagery as well as data.
7. Decision and Control Execution Based on predefined rules or thresholds, the ESP32 receives commands from the backend (or processes local rules) to activate the relay module and switch the water pump on or off. This automated control loop ensures that irrigation occurs when needed, while all actions are logged in the database and blockchain for traceability.

V. RESULTS



Fig 17.1: Home Page—provides quick navigation using five clearly labeled icon-buttons. These include: Monitoring, Data, Control, Alerts, and Analysis.



Fig 17.2: Monitoring Page—A real-time line graph displays temperature, humidity, light intensity and soil moisture trends, allowing the user to visually track environmental fluctuations over time.

Fig 17.3: Monitoring Page—A bar-chart comparison shows the current rainfall estimate and tank water level.



Fig 17.4: Monitoring Page—The monitoring panel presents instant sensor values that are updated continuously.



Sr No.	Soil Moisture	Temperature	Humidity	Light Intensity	Water Level	Rain	Date	Time
1	2849%	28.2°C	64.6%	244 lx	1	4095	2025-10-30	12:57:43
2	2848%	28.2°C	64.5%	256 lx	1	4095	2025-10-30	12:57:37
3	2849%	28.2°C	64.4%	257 lx	1	4095	2025-10-30	12:57:32
4	2847%	28.2°C	64.4%	247 lx	1	4095	2025-10-30	12:57:27
5	2839%	28.3°C	64.5%	252 lx	1	4095	2025-10-30	12:57:22
6	2848%	28.2°C	64.6%	246 lx	1	4095	2025-10-30	12:57:17
7	2843%	28.3°C	64.4%	253 lx	1	4095	2025-10-30	12:57:11
8	2843%	28.3°C	64.5%	260 lx	1	4095	2025-10-30	12:57:06
9	2850%	28.3°C	64.4%	272 lx	1	4095	2025-10-30	12:57:00
10	2847%	28.3°C	64.6%	261 lx	1	4095	2025-10-30	12:56:55
11	2848%	28.3°C	64.5%	236 lx	1	4095	2025-10-30	12:56:49

Fig 17.5: Data Page--A table showing all stored sensor readings, including timestamps



Fig 17.6: Control Page--A simple control module shows ON/OFF states for the irrigation, enabling quick manual actions and schedules.



Fig 17.7: Console—A screenshot of the terminal/console shows the system successfully receiving the pump activation command.



Fig 17.8: Console—A terminal screenshot confirms successful scheduling of an irrigation cycle stored in the backend.



Fig 17.9: Analysis Page—The analysis page contains four dedicated buttons for the four types of analysis.



Fig 17.10: Analysis Page--A prediction graph displays estimated crop yield based on historical recorded environmental and soil data.



Fig 17.11: Analysis Page--Based on manual input image, the ML model generates a pest risk prediction.



Fig 17.12: Analysis Page—Based on State and Months as input Climate Data along with Nutrients and Crops are generated



Fig 17.13: Analysis Page--This figure shows empirical relationships between moisture, temperature, and productivity, highlighting which parameters most influence predictions.



Sr No.	Hash ID	Date	Time	Alert
1	0xabc123	2025-09-13	22:50:30	Extreme Rainfall
2	0xdef456	2025-09-13	22:55:10	Fertilizer Requirement
3	0xghi789	2025-09-13	23:00:45	Pest Detection
4	0xjkl012	2025-09-13	23:05:15	Water Level Too Low
5	0xmnq345	2025-09-13	23:10:20	Water Tank Empty

Fig 17.14: Analysis Page—A structured alert log displaying **threshold breaches**, such as low moisture, high temperature, etc.



Fig 17.15: MongoDB—A figure showing the MongoDB collections, fields, and document layout used for storing sensor data.

Fig 17.16: A wiring connection of the pump motor connected via relay module and battery, showing how the system controls irrigation.



Fig 17.17: A wiring connection of the environmental sensors for continuous monitoring.

VI. DISCUSSION

A. Interpretation of Results

- The system successfully captured real-time environmental parameters (temp, moisture, humidity, rainfall, light, water level) with refresh every 5 seconds, showing stability and responsiveness.
- Graphs demonstrated meaningful trends, e.g., moisture drop vs pump activation, rainfall effects on soil saturation, light variation through the day.
- Machine learning models produced reliable predictions for yield, fertilizer needs, and pest detection, proving feasibility.
- Alerts triggered correctly when thresholds were crossed, showing effective decision-support capability.
- The control system (pump ON/OFF, schedule) executed without latency, confirming ESP32–backend coordination.

Overall, these results demonstrate that the 4Jhaad platform effectively integrates sensing, automation, and predictive analytics into a unified agricultural management system. The system not only provides accurate real-time monitoring but also translates raw data into meaningful insights and actionable responses. The reliable functioning of the ML models, alert mechanisms, and automated control loop confirms that the proposed architecture is technically sound and capable of supporting data-driven plantation management. This establishes a strong foundation for scaling the system to larger fields, incorporating additional sensor modalities, and further refining predictive intelligence in future iterations.

B. Strengths of the System

- **Full integration** of IoT + ML + Blockchain in a plantation use-case (rare in academic systems).
- **Stable real-time data streaming** every 5 seconds without packet loss.
- **Blockchain hashing** ensures tamper-proof logs — an uncommon feature in agricultural systems.
- **Modular and scalable** architecture that can extend to more sensors or bigger farms.
- **User-friendly dashboard** with monitoring, control, analytics, alerts, and data pages.
- **Predictive analytics** using multiple ML approaches (TensorFlow + XGBoost).
- **Low-cost hardware**, making it deployable in rural areas.

Overall, these strengths demonstrate that the proposed system is not only technically robust but also practically viable for real-world agricultural deployment. The tight integration of intelligence, security, and usability positions the platform as a strong foundation for scalable and sustainable smart plantation management.

C. Limitations of the System

Despite the comprehensive design of the 4Jhaad platform, certain functional and analytical aspects remain outside the current scope of implementation.

- The system does not currently incorporate market trend analysis or integration with government agricultural advisory platforms.
- Automation is limited to irrigation control, while advanced operations such as harvesting and weeding are not addressed.
- Chemical soil analysis sensors such as NPK and pH are not included, restricting deeper nutrient profiling
- Climate control and greenhouse environment management are outside the scope of the present implementation.
- Financial analytics, crop pricing prediction, and supply chain optimization are not considered in this work.
- The platform is limited to a web-based interface, with no dedicated mobile application for field users.
- Mechanisms for detecting, filtering, or correcting faulty sensor data are not implemented, which may affect data reliability.

Addressing these gaps in future iterations can significantly enhance system robustness, usability, and real-world agricultural impact.

D. Future Scope

The Smart Plantation Monitoring and Management System has strong potential for further development and expansion to make it more intelligent, efficient, and suitable for large-scale agricultural applications. Future improvements can focus on enhancing the accuracy of environmental sensing, increasing automation, ensuring scalability, and strengthening data analytics and decision-making capabilities. The following points outline the major directions for future work:

- Integration of advanced soil sensors such as NPK and pH sensors to measure nutrient levels and soil acidity for more precise fertilizer recommendations and soil health analysis.
- Scaling the prototype to an industrial-level deployment by using multiple interconnected ESP32 nodes across different plantation zones, managed through a centralized IoT gateway.
- Adoption of long-range communication technologies like LoRaWAN, ZigBee, or 5G to enable reliable data transmission across wide agricultural areas.
- Migration of data storage and analytics to cloud-based platforms such as AWS, Azure, or Google Cloud for improved scalability, performance, and real-time accessibility.

- Expansion of machine learning applications to include predictive maintenance, automated irrigation control, and advanced decision-making using adaptive AI models.
- Implementation of renewable energy sources, particularly solar panels, to make the system energy-efficient and sustainable in off-grid or remote farming locations.
- Integration of weather forecasting APIs to allow intelligent decision-making for irrigation and fertilization based on upcoming rainfall or temperature conditions.
- Enhancement of the current basic blockchain to a fully distributed system for improved transparency, data validation, and traceability in large-scale agricultural operations.
- Development of a mobile application to complement the dashboard, enabling farmers to access live data, alerts, and control features conveniently from smartphones.
- Connection with digital agricultural marketplaces or smart supply chain systems to help farmers use real-time data for yield estimation, pricing, and market planning.

These future enhancements will help transform the current prototype into a comprehensive, scalable, and sustainable smart agriculture platform, capable of meeting real-world agricultural demands while promoting efficient resource utilization and higher productivity.

VII. CONCLUSION

The Smart Plantation Monitoring and Management System successfully demonstrates the integration of IoT, blockchain, database management, and machine learning to create a fully automated, intelligent, and data-driven solution for modern agriculture. The project effectively combined an ESP32-based sensor network with a relay-controlled irrigation system, real-time frontend dashboard, secure blockchain logging, MongoDB storage, and predictive machine learning models for yield estimation, fertilizer recommendation, and pest detection. These components together provided continuous monitoring, actionable insights, and automated control of the plantation environment.

The primary objective of developing a smart system that could monitor environmental conditions, automate irrigation, and provide predictive analytics was fully achieved. The integration of blockchain ensured data integrity, while the backend and frontend allowed seamless visualization, monitoring, and control. Machine learning models enhanced the system's intelligence, enabling proactive recommendations and early warnings that contribute to improved crop management and productivity.

The implications of this work are significant for sustainable agriculture. By reducing manual labor, optimizing water usage, preventing crop losses due to pests or suboptimal conditions, and enabling data-driven decision-making, the system has the potential to increase efficiency and crop yields while minimizing environmental impact. Such an approach can be scaled and adapted for larger agricultural setups, demonstrating the broader applicability of combining IoT, blockchain, and AI in smart farming solutions.

Despite the success of the project, certain limitations remain. As a prototype, the system is not yet ready for industrial-level deployment. Sensor accuracy can be affected by environmental factors, and the system relies on stable internet connectivity for real-time monitoring and blockchain interactions. Additionally, the machine learning models could be further improved with larger datasets and more advanced algorithms. Future research may focus on integrating additional sensors, renewable energy sources for sustainability, more robust predictive models, and expanded cloud-based storage solutions to enhance reliability and scalability for real-world agricultural applications.

Beyond its technical contributions, the proposed system highlights the practical feasibility of deploying intelligent agricultural platforms in real-world plantation environments. The modular design allows individual components such as sensing, analytics, irrigation control, and data security to function independently while remaining seamlessly integrated within a unified framework. This flexibility enables gradual adoption based on resource availability and specific farming needs, making the system suitable for both small-scale farmers and larger plantation operators. Furthermore, the use of low-cost hardware and widely adopted software frameworks enhances accessibility and encourages technology adoption in resource-constrained agricultural regions.

Furthermore, the modular design and layered architecture of the proposed system make it adaptable to diverse agricultural contexts and evolving technological requirements. By decoupling sensing, data processing, analytics, and control layers, the platform allows future enhancements without disrupting existing functionality. This flexibility supports gradual upgrades, integration of advanced analytics, and customization based on crop type, region, or scale of deployment, strengthening the system's long-term relevance and applicability.

In conclusion, this project presents an effective and integrated approach to smart plantation management. By combining real-time monitoring, secure data logging, automated irrigation, and predictive analytics, it offers a scalable solution that supports informed decision-making and improved productivity, contributing to the advancement of intelligent and sustainable agricultural practices.

VIII. REFERENCES

The topic 'IoT Based Smart Plantation' using MongoDB, Blockchain and Machine Learning is not a novelty from research point of view. In recent years, thorough research has been conducted on this topic and has resulted in Advanced Systems and theoretical proposals. Some of the research papers that proposed new-age systems that were referred for development and deployment of this project are:

- A. Kumar, S. Singh, and R. Patel, "IoT-Based Smart Agriculture Monitoring System Using ESP32 and Cloud Integration," International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering (IJAREEIE), vol. 10, no. 5, pp. 512–519, 2023.
- M. Verma and P. Bhatnagar, "Blockchain-Enabled Secure Data Transmission for IoT- Based Smart Farming Applications," IEEE Access, vol. 9, pp. 161423–161435, 2021.
- T. Nguyen, H. Dang, and J. Lee, "A Cloud–IoT Based Smart Agriculture System for Precision Farming," Sensors, vol. 22, no. 3, pp. 1058–1073, 2022.
- N. Gupta, R. K. Sharma, and P. Mehta, "Integration of IoT and Machine Learning for Crop Yield Prediction and Irrigation Management," Journal of King Saud University – Computer and Information Sciences, vol. 34, no. 9, pp. 7240–7251, 2022.
- M. Al Mamun, M. H. Rahman, and F. Hossain, "Design and Implementation of an Automated Irrigation System Using IoT and Sensors," International Journal of Scientific & Engineering Research (IJSER), vol. 13, no. 7, pp. 220–227, 2022.
- K. P. Sharma and D. Das, "Machine Learning-Based Fertilizer Recommendation and Crop Management System," International Journal of Agricultural and Environmental Information Systems (IJAEIS), vol. 12, no. 1, pp. 34–46, 2021.
- Y. Zhang, Q. Wu, and J. Zhao, "Smart Agriculture Using LoRa and Cloud Computing," IEEE Internet of Things Journal, vol. 8, no. 6, pp. 4585–4594, 2021.
- R. Singh and A. Yadav, "Application of AI and IoT in Sustainable Agriculture: A Review," Computers and Electronics in Agriculture, vol. 204, pp. 107071–107080, 2023.
- S. Patel and B. Desai, "Soil Nutrient Analysis Using NPK and pH Sensors for Smart Farming," International Journal of Recent Technology and Engineering (IJRTE), vol. 9, no. 6, pp. 451–457, 2021.
- J. Brown and H. Green, "Integration of Renewable Energy Sources in IoT-Based Agricultural Systems," Renewable Energy and Sustainable Development Journal, vol. 15, no. 2, pp. 87–96, 2023.