



ZAP by
Checkmarx

ZAP by Checkmarx Scanning Report

Sites: <https://onlinemediadeals.s3.eu-north-1.amazonaws.com> <https://lh3.googleusercontent.com> <https://online-media-tools-server-vercel.onrender.com> <https://accounts.google.com> <https://ui-avatars.com> <https://static.cloudflareinsights.com> <https://affiliatechatbox.com> <http://affiliatechatbox.com> <https://content-signature-2.cdn.mozilla.net> <https://firefox-settings-attachments.cdn.mozilla.net> <https://firefox.settings.services.mozilla.com>

Generated on Thu, 25 Jun 2026 10:58:14

ZAP Version: 2.17.0

ZAP by [Checkmarx](#)

Summary of Alerts

Risk Level	Number of Alerts
High	0
Medium	4
Low	6
Informational	22

Alerts

Name	Risk Level	Number of Instances
Content Security Policy (CSP) Header Not Set	Medium	1
Cross-Domain Misconfiguration	Medium	10
Missing Anti-clickjacking Header	Medium	1
Sub Resource Integrity Attribute Missing	Medium	1
Cookie with SameSite Attribute None	Low	1
Server Leaks Information via "X-Powered-By" HTTP Response Header Field(s)	Low	4
Server Leaks Version Information via "Server" HTTP Response Header Field	Low	Systemic
Strict-Transport-Security Header Not Set	Low	Systemic
Timestamp Disclosure - Unix	Low	Systemic
X-Content-Type-Options Header Missing	Low	Systemic
Re-examine Cache-control Directives	Informational	Systemic
Retrieved from Cache	Informational	Systemic
Tech Detected - Amazon S3	Informational	2

Tech Detected - Amazon Web Services	Informational	2
Tech Detected - Cloudflare	Informational	5
Tech Detected - Cloudflare Browser Insights	Informational	1
Tech Detected - Express	Informational	1
Tech Detected - Google Cloud CDN	Informational	1
Tech Detected - Google Cloud Storage	Informational	1
Tech Detected - HSTS	Informational	2
Tech Detected - HTTP/2	Informational	1
Tech Detected - HTTP/3	Informational	4
Tech Detected - Lucide	Informational	1
Tech Detected - Netlify	Informational	2
Tech Detected - Next.js	Informational	1
Tech Detected - Nginx	Informational	1
Tech Detected - Priority Hints	Informational	1
Tech Detected - Radix UI	Informational	1
Tech Detected - Render	Informational	1
Tech Detected - Tailwind CSS	Informational	1
Tech Detected - Varnish	Informational	2
Tech Detected - shadcn/ui	Informational	1

Alert Detail

Medium	Content Security Policy (CSP) Header Not Set
Description	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
URL	https://affiliatechatbox.com/
Node Name	https://affiliatechatbox.com/
Method	GET
Attack	
Evidence	
Other Info	
Instances	1
Solution	Ensure that your web server, application server, load balancer, etc. is configured to set the Content-Security-Policy header.
Reference	https://developer.mozilla.org/en-US/docs/Web/HTTP/Guides/CSP https://cheatsheetseries.owasp.org/cheatsheets/Content_Security_Policy_Cheat_Sheet.html https://www.w3.org/TR/CSP/ https://w3c.github.io/webappsec-csp/ https://web.dev/articles/csp https://caniuse.com/#feat=contentsecuritypolicy https://content-security-policy.com/

CWE Id	693
WASC Id	15
Plugin Id	10038

Medium	Cross-Domain Misconfiguration
Description	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
URL	https://affiliatechatbox.com/cdn-cgi/challenge-platform/scripts/jsd/main.js
Node Name	https://affiliatechatbox.com/cdn-cgi/challenge-platform/scripts/jsd/main.js
Method	GET
Attack	
Evidence	access-control-allow-origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://firefox.settings.services.mozilla.com/v1/
Node Name	https://firefox.settings.services.mozilla.com/v1/
Method	GET
Attack	
Evidence	access-control-allow-origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://lh3.googleusercontent.com/a/ACg8ocJgBu15rwQFyDkUIMqF3tMJffkqEK3tk7kd4c5rl7TS-tzh2g=s96-c
Node Name	https://lh3.googleusercontent.com/a/ACg8ocJgBu15rwQFyDkUIMqF3tMJffkqEK3tk7kd4c5rl7TS-tzh2g=s96-c
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://lh3.googleusercontent.com/a/ACg8ocL3wZozvDm37MzaWYPNycnaaCjaFlwNCF4OFNkgs8HFwirC9LWG=s96-c
Node Name	https://lh3.googleusercontent.com/a/ACg8ocL3wZozvDm37MzaWYPNycnaaCjaFlwNCF4OFNkgs8HFwirC9LWG=s96-c
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *

Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://lh3.googleusercontent.com/a/ACg8ocLU8un-uJFRkCYXgV37MsxV0o5sv2m2WEPI35F-VHpuvbKe8Q=s96-c
Node Name	https://lh3.googleusercontent.com/a/ACg8ocLU8un-uJFRkCYXgV37MsxV0o5sv2m2WEPI35F-VHpuvbKe8Q=s96-c
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://online-media-tools-server-vercel.onrender.com/api/PinnedPosts/get_all_Pinned
Node Name	https://online-media-tools-server-vercel.onrender.com/api/PinnedPosts/get_all_Pinned
Method	GET
Attack	
Evidence	access-control-allow-origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://online-media-tools-server-vercel.onrender.com/api/posts/get_all_posts?page=1&pageSize=10
Node Name	https://online-media-tools-server-vercel.onrender.com/api/posts/get_all_posts (page, pageSize)
Method	GET
Attack	
Evidence	access-control-allow-origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://online-media-tools-server-vercel.onrender.com/api/users/allpartners
Node Name	https://online-media-tools-server-vercel.onrender.com/api/users/allpartners
Method	GET
Attack	
Evidence	access-control-allow-origin: *
Other	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from

Info	authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://static.cloudflareinsights.com/beacon.min.js/v833ccba57c9e4d2798f2e76cebdd09a11778172276447
Node Name	https://static.cloudflareinsights.com/beacon.min.js/v833ccba57c9e4d2798f2e76cebdd09a11778172276447
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://ui-avatars.com/api/?name=User&background=0A7EA4&color=fff
Node Name	https://ui-avatars.com/api/ (background,color,name)
Method	GET
Attack	
Evidence	access-control-allow-origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
Instances	10
Solution	Ensure that sensitive data is not available in an unauthenticated manner (using IP address white-listing, for instance). Configure the "Access-Control-Allow-Origin" HTTP header to a more restrictive set of domains, or remove all CORS headers entirely, to allow the web browser to enforce the Same Origin Policy (SOP) in a more restrictive manner.
Reference	https://vulncat.fortify.com/en/detail?category=HTML5&subcategory=Overly%20Permissive%20CORS%20Policy
CWE Id	264
WASC Id	14
Plugin Id	10098

Medium	Missing Anti-clickjacking Header
Description	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
URL	https://affiliatechatbox.com/
Node Name	https://affiliatechatbox.com/
Method	GET
Attack	
Evidence	
Other Info	

Instances	1
Solution	Modern Web browsers support the Content-Security-Policy and X-Frame-Options HTTP headers. Ensure one of them is set on all web pages returned by your site/app. If you expect the page to be framed only by pages on your server (e.g. it's part of a FRAMESET) then you'll want to use SAMEORIGIN, otherwise if you never expect the page to be framed, you should use DENY. Alternatively consider implementing Content Security Policy's "frame-ancestors" directive.
Reference	https://developer.mozilla.org/en-US/docs/Web/HTTP/Reference/Headers/X-Frame-Options
CWE Id	1021
WASC Id	15
Plugin Id	10020

Medium	Sub Resource Integrity Attribute Missing
Description	The integrity attribute is missing on a script or link tag served by an external server. The integrity tag prevents an attacker who have gained access to this server from injecting a malicious content.
URL	https://affiliatechatbox.com/
Node Name	https://affiliatechatbox.com/
Method	GET
Attack	
Evidence	<link rel="preload" as="image" href="https://ui-avatars.com/api/?name=User&background=0A7EA4&color=fff"/>
Other Info	
Instances	1
Solution	Provide a valid integrity attribute to the tag.
Reference	https://developer.mozilla.org/en-US/docs/Web/Security/Subresource_Integrity
CWE Id	345
WASC Id	15
Plugin Id	90003

Low	Cookie with SameSite Attribute None
Description	A cookie has been set with its SameSite attribute set to "none", which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
URL	https://affiliatechatbox.com/cdn-cgi/challenge-platform/h/b/jsd/oneshot/25e6c66701a0/0.8342647954846591:1782363622:seGtPSzWXg9declKArFpQBfTgbi7oavNv5U3-IGFiy8/a1118b681989c5bc
Node Name	https://affiliatechatbox.com/cdn-cgi/challenge-platform/h/b/jsd/oneshot/25e6c66701a0/0.8342647954846591:1782363622:seGtPSzWXg9declKArFpQBfTgbi7oavNv5U3-IGFiy8/a1118b681989c5bc ()(7GqSULkanDCWxax5xbx7SHgxowqCTSkWxUx40Zx9...)
Method	POST
Attack	
Evidence	set-cookie: cf_clearance
Other Info	
Instances	1
Solution	Ensure that the SameSite attribute is set to either 'lax' or ideally 'strict' for all cookies.

Reference	https://datatracker.ietf.org/doc/html/draft-ietf-httpbis-cookie-same-site
CWE Id	1275
WASC Id	13
Plugin Id	10054

Low	Server Leaks Information via "X-Powered-By" HTTP Response Header Field(s)
Description	The web/application server is leaking information via one or more "X-Powered-By" HTTP response headers. Access to such information may facilitate attackers identifying other frameworks/components your web application is reliant upon and the vulnerabilities such components may be subject to.
URL	https://affiliatechatbox.com/
Node Name	https://affiliatechatbox.com/
Method	GET
Attack	
Evidence	X-Powered-By: Next.js
Other Info	
URL	https://online-media-tools-server-vercel.onrender.com/api/PinnedPosts/get_all_Pinned
Node Name	https://online-media-tools-server-vercel.onrender.com/api/PinnedPosts/get_all_Pinned
Method	GET
Attack	
Evidence	x-powered-by: Express
Other Info	
URL	https://online-media-tools-server-vercel.onrender.com/api/posts/get_all_posts?page=1&pageSize=10
Node Name	https://online-media-tools-server-vercel.onrender.com/api/posts/get_all_posts (page, pageSize)
Method	GET
Attack	
Evidence	x-powered-by: Express
Other Info	
URL	https://online-media-tools-server-vercel.onrender.com/api/users/allpartners
Node Name	https://online-media-tools-server-vercel.onrender.com/api/users/allpartners
Method	GET
Attack	
Evidence	x-powered-by: Express
Other Info	
Instances	4
Solution	Ensure that your web server, application server, load balancer, etc. is configured to suppress "X-Powered-By" headers.
	https://owasp.org/www-project-web-security-testing-guide/v42/4-Web_Application_Security_Testing/01-Information_Gathering/08-

Reference	Fingerprint Web Application Framework https://www.troyhunt.com/shhh-dont-let-your-response-headers/
CWE Id	497
WASC Id	13
Plugin Id	10037

Low	Server Leaks Version Information via "Server" HTTP Response Header Field	
Description	The web/application server is leaking version information via the "Server" HTTP response header. Access to such information may facilitate attackers identifying other vulnerabilities your web/application server is subject to.	
URL	https://content-signature-2.cdn.mozilla.net/g/chains/202402/remote-settings.content-signature.mozilla.org-2026-07-26-12-56-51.chain	
Node Name	https://content-signature-2.cdn.mozilla.net/g/chains/202402/remote-settings.content-signature.mozilla.org-2026-07-26-12-56-51.chain	
Method	GET	
Attack		
Evidence	AmazonS3	
Other Info		
URL	https://onlinemediadeals.s3.eu-north-1.amazonaws.com/Users/2024-01-03T15-17-43.696Z-1704295063-temp.jpg	
Node Name	https://onlinemediadeals.s3.eu-north-1.amazonaws.com/Users/2024-01-03T15-17-43.696Z-1704295063-temp.jpg	
Method	GET	
Attack		
Evidence	AmazonS3	
Other Info		
URL	https://onlinemediadeals.s3.eu-north-1.amazonaws.com/Users/2024-01-29T11-20-34.861Z-1706527234-temp.jpg	
Node Name	https://onlinemediadeals.s3.eu-north-1.amazonaws.com/Users/2024-01-29T11-20-34.861Z-1706527234-temp.jpg	
Method	GET	
Attack		
Evidence	AmazonS3	
Other Info		
URL	https://onlinemediadeals.s3.eu-north-1.amazonaws.com/Users/2025-02-25T08-47-26.747Z-1740473246-temp.jpg	
Node Name	https://onlinemediadeals.s3.eu-north-1.amazonaws.com/Users/2025-02-25T08-47-26.747Z-1740473246-temp.jpg	
Method	GET	
Attack		
Evidence	AmazonS3	
Other Info		
URL	https://onlinemediadeals.s3.eu-north-1.amazonaws.com/Users/2026-05-12T11-03-35.530Z-1778583815-temp.jpg	
Node	https://onlinemediadeals.s3.eu-north-1.amazonaws.com/Users/2026-05-12T11-03-35.530Z-	

Name	1778583815-temp.jpg
Method	GET
Attack	
Evidence	AmazonS3
Other Info	
URL	https://onlinemediadeals.s3.eu-north-1.amazonaws.com/Users/2026-05-16T05-25-20.282Z-1778909120-temp.jpg
Node Name	https://onlinemediadeals.s3.eu-north-1.amazonaws.com/Users/2026-05-16T05-25-20.282Z-1778909120-temp.jpg
Method	GET
Attack	
Evidence	AmazonS3
Other Info	
Instances	Systemic
Solution	Ensure that your web server, application server, load balancer, etc. is configured to suppress the "Server" header or provide generic details.
Reference	https://httpd.apache.org/docs/current/mod/core.html#servertokens https://learn.microsoft.com/en-us/previous-versions/msp-n-p/ff648552(v=pandp.10) https://www.troyhunt.com/shhh-dont-let-your-response-headers/
CWE Id	497
WASC Id	13
Plugin Id	10036

Low	Strict-Transport-Security Header Not Set
Description	HTTP Strict Transport Security (HSTS) is a web security policy mechanism whereby a web server declares that complying user agents (such as a web browser) are to interact with it using only secure HTTPS connections (i.e. HTTP layered over TLS/SSL). HSTS is an IETF standards track protocol and is specified in RFC 6797.
URL	https://accounts.google.com/gsi/client
Node Name	https://accounts.google.com/gsi/client
Method	GET
Attack	
Evidence	
Other Info	
URL	https://affiliatechatbox.com/cdn-cgi/challenge-platform/h/b/scripts/jsd/25e6c66701a0/main.js
Node Name	https://affiliatechatbox.com/cdn-cgi/challenge-platform/h/b/scripts/jsd/25e6c66701a0/main.js
Method	GET
Attack	
Evidence	
Other Info	
URL	https://content-signature-2.cdn.mozilla.net/g/chains/202402/remote-settings.content-signature.mozilla.org-2026-07-26-12-56-51.chain

Node Name	https://content-signature-2.cdn.mozilla.net/g/chains/202402/remote-settings.content-signature.mozilla.org-2026-07-26-12-56-51.chain
Method	GET
Attack	
Evidence	
Other Info	
URL	https://firefox-settings-attachments.cdn.mozilla.net/bundles/startup.json.mozlz4
Node Name	https://firefox-settings-attachments.cdn.mozilla.net/bundles/startup.json.mozlz4
Method	GET
Attack	
Evidence	
Other Info	
URL	https://firefox-settings-attachments.cdn.mozilla.net/main-workspace/tracking-protection-lists/06c18356-948f-486d-b9a8-32df1ca8a9f6
Node Name	https://firefox-settings-attachments.cdn.mozilla.net/main-workspace/tracking-protection-lists/06c18356-948f-486d-b9a8-32df1ca8a9f6
Method	GET
Attack	
Evidence	
Other Info	
URL	https://firefox-settings-attachments.cdn.mozilla.net/main-workspace/tracking-protection-lists/4213222c-6705-4558-976d-817de081453f
Node Name	https://firefox-settings-attachments.cdn.mozilla.net/main-workspace/tracking-protection-lists/4213222c-6705-4558-976d-817de081453f
Method	GET
Attack	
Evidence	
Other Info	
URL	https://firefox-settings-attachments.cdn.mozilla.net/main-workspace/tracking-protection-lists/42520b78-dc12-495f-89bd-ce830a2c26c2
Node Name	https://firefox-settings-attachments.cdn.mozilla.net/main-workspace/tracking-protection-lists/42520b78-dc12-495f-89bd-ce830a2c26c2
Method	GET
Attack	
Evidence	
Other Info	
URL	https://firefox-settings-attachments.cdn.mozilla.net/main-workspace/tracking-protection-lists/e7c79838-8db6-4210-9f08-d827d34e6ba9
Node Name	https://firefox-settings-attachments.cdn.mozilla.net/main-workspace/tracking-protection-lists/e7c79838-8db6-4210-9f08-d827d34e6ba9
Method	GET

Attack	
Evidence	
Other Info	
URL	https://lh3.googleusercontent.com/a/ACg8ocJgBu15rwQFyDkUIMqF3tMJffkqEK3tk7kd4c5rl7TS-tzh2g=s96-c
Node Name	https://lh3.googleusercontent.com/a/ACg8ocJgBu15rwQFyDkUIMqF3tMJffkqEK3tk7kd4c5rl7TS-tzh2g=s96-c
Method	GET
Attack	
Evidence	
Other Info	
URL	https://lh3.googleusercontent.com/a/ACg8ocL3wZozvDm37MzaWYPNycnaaCjaFlwNCF4OFNkgs8HFwirC9LWG=s96-c
Node Name	https://lh3.googleusercontent.com/a/ACg8ocL3wZozvDm37MzaWYPNycnaaCjaFlwNCF4OFNkgs8HFwirC9LWG=s96-c
Method	GET
Attack	
Evidence	
Other Info	
URL	https://lh3.googleusercontent.com/a/ACg8ocLU8un-uJFRkCYXgV37MsxV0o5sv2m2WEPI35F-VHpuvbKe8Q=s96-c
Node Name	https://lh3.googleusercontent.com/a/ACg8ocLU8un-uJFRkCYXgV37MsxV0o5sv2m2WEPI35F-VHpuvbKe8Q=s96-c
Method	GET
Attack	
Evidence	
Other Info	
URL	https://online-media-tools-server-vercel.onrender.com/api/PinnedPosts/get_all_Pinned
Node Name	https://online-media-tools-server-vercel.onrender.com/api/PinnedPosts/get_all_Pinned
Method	GET
Attack	
Evidence	
Other Info	
URL	https://online-media-tools-server-vercel.onrender.com/api/posts/get_all_posts?page=1&pageSize=10
Node Name	https://online-media-tools-server-vercel.onrender.com/api/posts/get_all_posts (page, pageSize)
Method	GET
Attack	
Evidence	
Other	

Info	
URL	https://online-media-tools-server-vercel.onrender.com/api/users/allpartners
Node Name	https://online-media-tools-server-vercel.onrender.com/api/users/allpartners
Method	GET
Attack	
Evidence	
Other Info	
URL	https://onlinemediadeals.s3.eu-north-1.amazonaws.com/Users/2024-01-03T15-17-43.696Z-1704295063-temp.jpg
Node Name	https://onlinemediadeals.s3.eu-north-1.amazonaws.com/Users/2024-01-03T15-17-43.696Z-1704295063-temp.jpg
Method	GET
Attack	
Evidence	
Other Info	
URL	https://onlinemediadeals.s3.eu-north-1.amazonaws.com/Users/2024-01-29T11-20-34.861Z-1706527234-temp.jpg
Node Name	https://onlinemediadeals.s3.eu-north-1.amazonaws.com/Users/2024-01-29T11-20-34.861Z-1706527234-temp.jpg
Method	GET
Attack	
Evidence	
Other Info	
URL	https://onlinemediadeals.s3.eu-north-1.amazonaws.com/Users/2025-02-25T08-47-26.747Z-1740473246-temp.jpg
Node Name	https://onlinemediadeals.s3.eu-north-1.amazonaws.com/Users/2025-02-25T08-47-26.747Z-1740473246-temp.jpg
Method	GET
Attack	
Evidence	
Other Info	
URL	https://onlinemediadeals.s3.eu-north-1.amazonaws.com/Users/2026-05-12T11-03-35.530Z-1778583815-temp.jpg
Node Name	https://onlinemediadeals.s3.eu-north-1.amazonaws.com/Users/2026-05-12T11-03-35.530Z-1778583815-temp.jpg
Method	GET
Attack	
Evidence	
Other Info	
URL	https://onlinemediadeals.s3.eu-north-1.amazonaws.com/Users/2026-05-16T05-25-20.282Z-1778909120-temp.jpg

Node Name	https://onlinemediadeals.s3.eu-north-1.amazonaws.com/Users/2026-05-16T05-25-20.282Z-1778909120-temp.jpg
Method	GET
Attack	
Evidence	
Other Info	
URL	https://static.cloudflareinsights.com/beacon.min.js/v833ccba57c9e4d2798f2e76cebdd09a11778172276447
Node Name	https://static.cloudflareinsights.com/beacon.min.js/v833ccba57c9e4d2798f2e76cebdd09a11778172276447
Method	GET
Attack	
Evidence	
Other Info	
URL	https://ui-avatars.com/api/?name=User&background=0A7EA4&color=fff
Node Name	https://ui-avatars.com/api/ (background,color,name)
Method	GET
Attack	
Evidence	
Other Info	
URL	https://affiliatechatbox.com/cdn-cgi/challenge-platform/h/b/jsd/oneshot/25e6c66701a0/0.8342647954846591:1782363622:seGtPSzWXg9declKArFpQBfTgbi7oavNv5U3-IGFiy8/a1118b681989c5bc
Node Name	https://affiliatechatbox.com/cdn-cgi/challenge-platform/h/b/jsd/oneshot/25e6c66701a0/0.8342647954846591:1782363622:seGtPSzWXg9declKArFpQBfTgbi7oavNv5U3-IGFiy8/a1118b681989c5bc ()(7GqSULkanDCWxax5xbx7SHgxowqCTSkWxUx40Zx9...)
Method	POST
Attack	
Evidence	
Other Info	
URL	https://affiliatechatbox.com/cdn-cgi/rum
Node Name	https://affiliatechatbox.com/cdn-cgi/rum ()({memory:{},resources:[],referrer,eventType,firstPaint,firstContentfulPaint,startTime,versions:{fl,js,timings},pageloadId,location,nt,timingsV2:{nextHopProtocol,domainLookupStart,domainLookupEnd,connectStart,connectEnd,requestStart,responseStart,responseEnd,domInteractive,domComplete,loadEventStart,loadEventEnd,transferSize,decodedBodySize},siteToken,st})
Method	POST
Attack	
Evidence	
Other Info	
Instances	Systemic
Solution	Ensure that your web server, application server, load balancer, etc. is configured to enforce Strict-Transport-Security.

Reference	https://cheatsheetseries.owasp.org/cheatsheets/HTTP_Strict_Transport_Security_Cheat_Sheet.html https://owasp.org/www-community/Security-Headers https://en.wikipedia.org/wiki/HTTP_Strict_Transport_Security https://caniuse.com/stricttransportsecurity https://datatracker.ietf.org/doc/html/rfc6797
CWE Id	319
WASC Id	15
Plugin Id	10035

Low	Timestamp Disclosure - Unix
Description	A timestamp was disclosed by the application/web server. - Unix
URL	https://accounts.google.com/gsi/client
Node Name	https://accounts.google.com/gsi/client
Method	GET
Attack	
Evidence	1508970993
Other Info	1508970993, which evaluates to: 2017-10-26 04:06:33.
URL	https://accounts.google.com/gsi/client
Node Name	https://accounts.google.com/gsi/client
Method	GET
Attack	
Evidence	1555081692
Other Info	1555081692, which evaluates to: 2019-04-12 20:38:12.
URL	https://accounts.google.com/gsi/client
Node Name	https://accounts.google.com/gsi/client
Method	GET
Attack	
Evidence	1899447441
Other Info	1899447441, which evaluates to: 2030-03-11 13:47:21.
URL	https://accounts.google.com/gsi/client
Node Name	https://accounts.google.com/gsi/client
Method	GET
Attack	
Evidence	1925078388
Other Info	1925078388, which evaluates to: 2031-01-02 05:29:48.
URL	https://accounts.google.com/gsi/client
Node Name	https://accounts.google.com/gsi/client

Method	GET
Attack	
Evidence	1996064986
Other Info	1996064986, which evaluates to: 2033-04-02 19:59:46.
URL	https://affiliatechatbox.com/cdn-cgi/challenge-platform/h/b/scripts/jsd/25e6c66701a0/main.js
Node Name	https://affiliatechatbox.com/cdn-cgi/challenge-platform/h/b/scripts/jsd/25e6c66701a0/main.js
Method	GET
Attack	
Evidence	1782363622
Other Info	1782363622, which evaluates to: 2026-06-25 10:30:22.
URL	https://firefox-settings-attachments.cdn.mozilla.net/bundles/startup.json.mozlz4
Node Name	https://firefox-settings-attachments.cdn.mozilla.net/bundles/startup.json.mozlz4
Method	GET
Attack	
Evidence	1542338360
Other Info	1542338360, which evaluates to: 2018-11-16 08:49:20.
URL	https://firefox-settings-attachments.cdn.mozilla.net/bundles/startup.json.mozlz4
Node Name	https://firefox-settings-attachments.cdn.mozilla.net/bundles/startup.json.mozlz4
Method	GET
Attack	
Evidence	1703946492
Other Info	1703946492, which evaluates to: 2023-12-30 19:58:12.
URL	https://firefox-settings-attachments.cdn.mozilla.net/bundles/startup.json.mozlz4
Node Name	https://firefox-settings-attachments.cdn.mozilla.net/bundles/startup.json.mozlz4
Method	GET
Attack	
Evidence	1827377968
Other Info	1827377968, which evaluates to: 2027-11-28 10:29:28.
URL	https://firefox-settings-attachments.cdn.mozilla.net/bundles/startup.json.mozlz4
Node Name	https://firefox-settings-attachments.cdn.mozilla.net/bundles/startup.json.mozlz4
Method	GET
Attack	
Evidence	1889814595
Other Info	1889814595, which evaluates to: 2029-11-20 01:59:55.

URL	https://firefox-settings-attachments.cdn.mozilla.net/bundles/startup.json.mozlz4
Node Name	https://firefox-settings-attachments.cdn.mozilla.net/bundles/startup.json.mozlz4
Method	GET
Attack	
Evidence	1913609205
Other Info	1913609205, which evaluates to: 2030-08-22 11:36:45.
URL	https://online-media-tools-server-vercel.onrender.com/api/PinnedPosts/get_all_Pinned
Node Name	https://online-media-tools-server-vercel.onrender.com/api/PinnedPosts/get_all_Pinned
Method	GET
Attack	
Evidence	1704295063
Other Info	1704295063, which evaluates to: 2024-01-03 20:47:43.
URL	https://online-media-tools-server-vercel.onrender.com/api/PinnedPosts/get_all_Pinned
Node Name	https://online-media-tools-server-vercel.onrender.com/api/PinnedPosts/get_all_Pinned
Method	GET
Attack	
Evidence	1706527234
Other Info	1706527234, which evaluates to: 2024-01-29 16:50:34.
URL	https://online-media-tools-server-vercel.onrender.com/api/PinnedPosts/get_all_Pinned
Node Name	https://online-media-tools-server-vercel.onrender.com/api/PinnedPosts/get_all_Pinned
Method	GET
Attack	
Evidence	1740473246
Other Info	1740473246, which evaluates to: 2025-02-25 14:17:26.
URL	https://online-media-tools-server-vercel.onrender.com/api/posts/get_all_posts?page=1&pageSize=10
Node Name	https://online-media-tools-server-vercel.onrender.com/api/posts/get_all_posts (page, pageSize)
Method	GET
Attack	
Evidence	1704295063
Other Info	1704295063, which evaluates to: 2024-01-03 20:47:43.
URL	https://online-media-tools-server-vercel.onrender.com/api/posts/get_all_posts?page=1&pageSize=10
Node Name	https://online-media-tools-server-vercel.onrender.com/api/posts/get_all_posts (page, pageSize)
Method	GET

Attack	
Evidence	1740473246
Other Info	1740473246, which evaluates to: 2025-02-25 14:17:26.
URL	https://static.cloudflareinsights.com/beacon.min.js/v833ccba57c9e4d2798f2e76cebdd09a11778172276447
Node Name	https://static.cloudflareinsights.com/beacon.min.js/v833ccba57c9e4d2798f2e76cebdd09a11778172276447
Method	GET
Attack	
Evidence	1473231341
Other Info	1473231341, which evaluates to: 2016-09-07 12:25:41.
URL	https://static.cloudflareinsights.com/beacon.min.js/v833ccba57c9e4d2798f2e76cebdd09a11778172276447
Node Name	https://static.cloudflareinsights.com/beacon.min.js/v833ccba57c9e4d2798f2e76cebdd09a11778172276447
Method	GET
Attack	
Evidence	1732584193
Other Info	1732584193, which evaluates to: 2024-11-26 06:53:13.
URL	https://static.cloudflareinsights.com/beacon.min.js/v833ccba57c9e4d2798f2e76cebdd09a11778172276447
Node Name	https://static.cloudflareinsights.com/beacon.min.js/v833ccba57c9e4d2798f2e76cebdd09a11778172276447
Method	GET
Attack	
Evidence	1732584194
Other Info	1732584194, which evaluates to: 2024-11-26 06:53:14.
URL	https://static.cloudflareinsights.com/beacon.min.js/v833ccba57c9e4d2798f2e76cebdd09a11778172276447
Node Name	https://static.cloudflareinsights.com/beacon.min.js/v833ccba57c9e4d2798f2e76cebdd09a11778172276447
Method	GET
Attack	
Evidence	1770035416
Other Info	1770035416, which evaluates to: 2026-02-02 18:00:16.
URL	https://static.cloudflareinsights.com/beacon.min.js/v833ccba57c9e4d2798f2e76cebdd09a11778172276447
Node Name	https://static.cloudflareinsights.com/beacon.min.js/v833ccba57c9e4d2798f2e76cebdd09a11778172276447
Method	GET
Attack	
Evidence	1958414417

Other Info	1958414417, which evaluates to: 2032-01-23 01:30:17.
URL	https://affiliatechatbox.com/cdn-cgi/challenge-platform/h/b/jsd/oneshot/25e6c66701a0/0.8342647954846591:1782363622:seGtPSzWXg9declKArFpQBfTgbi7oavNv5U3-IGFiy8/a1118b681989c5bc
Node Name	https://affiliatechatbox.com/cdn-cgi/challenge-platform/h/b/jsd/oneshot/25e6c66701a0/0.8342647954846591:1782363622:seGtPSzWXg9declKArFpQBfTgbi7oavNv5U3-IGFiy8/a1118b681989c5bc ()(7GqSULKanDCWxax5xbx7SHgXowqCTSkWxUx40Zx9...)
Method	POST
Attack	
Evidence	1782365056
Other Info	1782365056, which evaluates to: 2026-06-25 10:54:16.
Instances	Systemic
Solution	Manually confirm that the timestamp data is not sensitive, and that the data cannot be aggregated to disclose exploitable patterns.
Reference	https://cwe.mitre.org/data/definitions/200.html
CWE Id	497
WASC Id	13
Plugin Id	10096

Low	X-Content-Type-Options Header Missing
Description	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
URL	https://affiliatechatbox.com/_next/static/chunks/main-app-2f0893b742b202b9.js
Node Name	https://affiliatechatbox.com/_next/static/chunks/main-app-2f0893b742b202b9.js
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://affiliatechatbox.com/_next/static/chunks/webpack-b76a250b67da7a51.js
Node Name	https://affiliatechatbox.com/_next/static/chunks/webpack-b76a250b67da7a51.js
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://affiliatechatbox.com/_next/static/css/c24fd7da36670c9c.css

Node Name	https://affiliatechatbox.com/_next/static/css/c24fd7da36670c9c.css
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://affiliatechatbox.com/_next/static/media/qr-code-appstore.8ce3dac6.png
Node Name	https://affiliatechatbox.com/_next/static/media/qr-code-appstore.8ce3dac6.png
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://affiliatechatbox.com/_next/static/media/qr-code-google-playstore.e318b51a.png
Node Name	https://affiliatechatbox.com/_next/static/media/qr-code-google-playstore.e318b51a.png
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://content-signature-2.cdn.mozilla.net/g/chains/202402/remote-settings.content-signature.mozilla.org-2026-07-26-12-56-51.chain
Node Name	https://content-signature-2.cdn.mozilla.net/g/chains/202402/remote-settings.content-signature.mozilla.org-2026-07-26-12-56-51.chain
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://firefox-settings-attachments.cdn.mozilla.net/bundles/startup.json.mozlz4
Node Name	https://firefox-settings-attachments.cdn.mozilla.net/bundles/startup.json.mozlz4
Method	GET
Attack	
Evidence	

Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://firefox-settings-attachments.cdn.mozilla.net/main-workspace/tracking-protection-lists/06c18356-948f-486d-b9a8-32df1ca8a9f6
Node Name	https://firefox-settings-attachments.cdn.mozilla.net/main-workspace/tracking-protection-lists/06c18356-948f-486d-b9a8-32df1ca8a9f6
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://firefox-settings-attachments.cdn.mozilla.net/main-workspace/tracking-protection-lists/4213222c-6705-4558-976d-817de081453f
Node Name	https://firefox-settings-attachments.cdn.mozilla.net/main-workspace/tracking-protection-lists/4213222c-6705-4558-976d-817de081453f
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://firefox-settings-attachments.cdn.mozilla.net/main-workspace/tracking-protection-lists/42520b78-dc12-495f-89bd-ce830a2c26c2
Node Name	https://firefox-settings-attachments.cdn.mozilla.net/main-workspace/tracking-protection-lists/42520b78-dc12-495f-89bd-ce830a2c26c2
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://firefox-settings-attachments.cdn.mozilla.net/main-workspace/tracking-protection-lists/e7c79838-8db6-4210-9f08-d827d34e6ba9
Node Name	https://firefox-settings-attachments.cdn.mozilla.net/main-workspace/tracking-protection-lists/e7c79838-8db6-4210-9f08-d827d34e6ba9
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.

URL	https://online-media-tools-server-vercel.onrender.com/api/PinnedPosts/get_all_Pinned
Node Name	https://online-media-tools-server-vercel.onrender.com/api/PinnedPosts/get_all_Pinned
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://online-media-tools-server-vercel.onrender.com/api/posts/get_all_posts?page=1&pageSize=10
Node Name	https://online-media-tools-server-vercel.onrender.com/api/posts/get_all_posts (page, pageSize)
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://online-media-tools-server-vercel.onrender.com/api/users/allpartners
Node Name	https://online-media-tools-server-vercel.onrender.com/api/users/allpartners
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://onlinemediadeals.s3.eu-north-1.amazonaws.com/Users/2024-01-03T15-17-43.696Z-1704295063-temp.jpg
Node Name	https://onlinemediadeals.s3.eu-north-1.amazonaws.com/Users/2024-01-03T15-17-43.696Z-1704295063-temp.jpg
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://onlinemediadeals.s3.eu-north-1.amazonaws.com/Users/2024-01-29T11-20-34.861Z-1706527234-temp.jpg
Node Name	https://onlinemediadeals.s3.eu-north-1.amazonaws.com/Users/2024-01-29T11-20-34.861Z-1706527234-temp.jpg
Method	GET

Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://onlinemediadeals.s3.eu-north-1.amazonaws.com/Users/2025-02-25T08-47-26.747Z-1740473246-temp.jpg
Node Name	https://onlinemediadeals.s3.eu-north-1.amazonaws.com/Users/2025-02-25T08-47-26.747Z-1740473246-temp.jpg
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://onlinemediadeals.s3.eu-north-1.amazonaws.com/Users/2026-05-12T11-03-35.530Z-1778583815-temp.jpg
Node Name	https://onlinemediadeals.s3.eu-north-1.amazonaws.com/Users/2026-05-12T11-03-35.530Z-1778583815-temp.jpg
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://onlinemediadeals.s3.eu-north-1.amazonaws.com/Users/2026-05-16T05-25-20.282Z-1778909120-temp.jpg
Node Name	https://onlinemediadeals.s3.eu-north-1.amazonaws.com/Users/2026-05-16T05-25-20.282Z-1778909120-temp.jpg
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://static.cloudflareinsights.com/beacon.min.js/v833ccb57c9e4d2798f2e76cebdd09a11778172276447
Node Name	https://static.cloudflareinsights.com/beacon.min.js/v833ccb57c9e4d2798f2e76cebdd09a11778172276447
Method	GET
Attack	
Evidence	

Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ui-avatars.com/api/?name=User&background=0A7EA4&color=fff
Node Name	https://ui-avatars.com/api/ (background,color,name)
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
Instances	Systemic
Solution	Ensure that the application/web server sets the Content-Type header appropriately, and that it sets the X-Content-Type-Options header to 'nosniff' for all web pages. If possible, ensure that the end user uses a standards-compliant and modern web browser that does not perform MIME-sniffing at all, or that can be directed by the web application /web server to not perform MIME-sniffing.
Reference	https://learn.microsoft.com/en-us/previous-versions/windows/internet-explorer/ie-developer/compatibility/gg622941(v=vs.85) https://owasp.org/www-community/Security_Headers
CWE Id	693
WASC Id	15
Plugin Id	10021

Informational	Re-examine Cache-control Directives
Description	The cache-control header has not been set properly or is missing, allowing the browser and proxies to cache content. For static assets like css, js, or image files this might be intended, however, the resources should be reviewed to ensure that no sensitive content will be cached.
URL	https://affiliatechatbox.com/
Node Name	https://affiliatechatbox.com/
Method	GET
Attack	
Evidence	public,max-age=0,must-revalidate
Other Info	
URL	https://affiliatechatbox.com/admin?_rsc=1r34m
Node Name	https://affiliatechatbox.com/admin (_rsc)
Method	GET
Attack	
Evidence	public,max-age=0,must-revalidate
Other Info	

URL	https://affiliatechatbox.com/directory?_rsc=1r34m
Node Name	https://affiliatechatbox.com/directory (_rsc)
Method	GET
Attack	
Evidence	public,max-age=0,must-revalidate
Other Info	
URL	https://affiliatechatbox.com/partners?_rsc=1r34m
Node Name	https://affiliatechatbox.com/partners (_rsc)
Method	GET
Attack	
Evidence	public,max-age=0,must-revalidate
Other Info	
URL	https://affiliatechatbox.com/terms-of-service?_rsc=1r34m
Node Name	https://affiliatechatbox.com/terms-of-service (_rsc)
Method	GET
Attack	
Evidence	public,max-age=0,must-revalidate
Other Info	
URL	https://firefox-settings-attachments.cdn.mozilla.net/main-workspace/tracking-protection-lists/06c18356-948f-486d-b9a8-32df1ca8a9f6
Node Name	https://firefox-settings-attachments.cdn.mozilla.net/main-workspace/tracking-protection-lists/06c18356-948f-486d-b9a8-32df1ca8a9f6
Method	GET
Attack	
Evidence	public, max-age=31536000, immutable
Other Info	
URL	https://firefox-settings-attachments.cdn.mozilla.net/main-workspace/tracking-protection-lists/0f5d4b73-9f15-46e3-ac70-a15a25acc19c
Node Name	https://firefox-settings-attachments.cdn.mozilla.net/main-workspace/tracking-protection-lists/0f5d4b73-9f15-46e3-ac70-a15a25acc19c
Method	GET
Attack	
Evidence	public, max-age=31536000, immutable
Other Info	
URL	https://firefox-settings-attachments.cdn.mozilla.net/main-workspace/tracking-protection-lists/4213222c-6705-4558-976d-817de081453f
Node Name	https://firefox-settings-attachments.cdn.mozilla.net/main-workspace/tracking-protection-lists/4213222c-6705-4558-976d-817de081453f
Method	GET

Attack	
Evidence	public, max-age=31536000, immutable
Other Info	
URL	https://firefox-settings-attachments.cdn.mozilla.net/main-workspace/tracking-protection-lists/42520b78-dc12-495f-89bd-ce830a2c26c2
Node Name	https://firefox-settings-attachments.cdn.mozilla.net/main-workspace/tracking-protection-lists/42520b78-dc12-495f-89bd-ce830a2c26c2
Method	GET
Attack	
Evidence	public, max-age=31536000, immutable
Other Info	
URL	https://firefox-settings-attachments.cdn.mozilla.net/main-workspace/tracking-protection-lists/e7c79838-8db6-4210-9f08-d827d34e6ba9
Node Name	https://firefox-settings-attachments.cdn.mozilla.net/main-workspace/tracking-protection-lists/e7c79838-8db6-4210-9f08-d827d34e6ba9
Method	GET
Attack	
Evidence	public, max-age=31536000, immutable
Other Info	
URL	https://firefox.settings.services.mozilla.com/v1/
Node Name	https://firefox.settings.services.mozilla.com/v1/
Method	GET
Attack	
Evidence	max-age=3600
Other Info	
URL	https://online-media-tools-server-vercel.onrender.com/api/PinnedPosts/get_all_Pinned
Node Name	https://online-media-tools-server-vercel.onrender.com/api/PinnedPosts/get_all_Pinned
Method	GET
Attack	
Evidence	
Other Info	
URL	https://online-media-tools-server-vercel.onrender.com/api/posts/get_all_posts?page=1&pageSize=10
Node Name	https://online-media-tools-server-vercel.onrender.com/api/posts/get_all_posts (page, pageSize)
Method	GET
Attack	
Evidence	
Other Info	

URL	https://online-media-tools-server-vercel.onrender.com/api/users/allpartners
Node Name	https://online-media-tools-server-vercel.onrender.com/api/users/allpartners
Method	GET
Attack	
Evidence	
Other Info	
Instances	Systemic
Solution	For secure content, ensure the cache-control HTTP header is set with "no-cache, no-store, must-revalidate". If an asset should be cached consider setting the directives "public, max-age, immutable".
Reference	https://cheatsheetseries.owasp.org/cheatsheets/Session_Management_Cheat_Sheet.html#web-content-caching https://developer.mozilla.org/en-US/docs/Web/HTTP/Reference/Headers/Cache-Control https://grayduck.mn/2021/09/13/cache-control-recommendations/
CWE Id	525
WASC Id	13
Plugin Id	10015

Informational	Retrieved from Cache
Description	The content was retrieved from a shared cache. If the response data is sensitive, personal or user-specific, this may result in sensitive information being leaked. In some cases, this may even result in a user gaining complete control of the session of another user, depending on the configuration of the caching components in use in their environment. This is primarily an issue where caching servers such as "proxy" caches are configured on the local network. This configuration is typically found in corporate or educational environments, for instance.
URL	https://firefox-settings-attachments.cdn.mozilla.net/bundles/startup.json.mozlz4
Node Name	https://firefox-settings-attachments.cdn.mozilla.net/bundles/startup.json.mozlz4
Method	GET
Attack	
Evidence	HIT
Other Info	
URL	https://firefox-settings-attachments.cdn.mozilla.net/main-workspace/tracking-protection-lists/06c18356-948f-486d-b9a8-32df1ca8a9f6
Node Name	https://firefox-settings-attachments.cdn.mozilla.net/main-workspace/tracking-protection-lists/06c18356-948f-486d-b9a8-32df1ca8a9f6
Method	GET
Attack	
Evidence	HIT
Other Info	
URL	https://firefox-settings-attachments.cdn.mozilla.net/main-workspace/tracking-protection-lists/4213222c-6705-4558-976d-817de081453f
Node Name	https://firefox-settings-attachments.cdn.mozilla.net/main-workspace/tracking-protection-lists/4213222c-6705-4558-976d-817de081453f
Method	GET

Attack	
Evidence	HIT
Other Info	
URL	https://firefox-settings-attachments.cdn.mozilla.net/main-workspace/tracking-protection-lists/42520b78-dc12-495f-89bd-ce830a2c26c2
Node Name	https://firefox-settings-attachments.cdn.mozilla.net/main-workspace/tracking-protection-lists/42520b78-dc12-495f-89bd-ce830a2c26c2
Method	GET
Attack	
Evidence	HIT
Other Info	
URL	https://firefox-settings-attachments.cdn.mozilla.net/main-workspace/tracking-protection-lists/e7c79838-8db6-4210-9f08-d827d34e6ba9
Node Name	https://firefox-settings-attachments.cdn.mozilla.net/main-workspace/tracking-protection-lists/e7c79838-8db6-4210-9f08-d827d34e6ba9
Method	GET
Attack	
Evidence	HIT
Other Info	
URL	https://firefox.settings.services.mozilla.com/v1/
Node Name	https://firefox.settings.services.mozilla.com/v1/
Method	GET
Attack	
Evidence	HIT
Other Info	
URL	https://affiliatechatbox.com/
Node Name	https://affiliatechatbox.com/
Method	GET
Attack	
Evidence	Age: 58126
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://affiliatechatbox.com/_next/static/chunks/webpack-b76a250b67da7a51.js
Node Name	https://affiliatechatbox.com/_next/static/chunks/webpack-b76a250b67da7a51.js
Method	GET
Attack	
Evidence	Age: 149973
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.

URL	https://affiliatechatbox.com/_next/static/css/c24fd7da36670c9c.css
Node Name	https://affiliatechatbox.com/_next/static/css/c24fd7da36670c9c.css
Method	GET
Attack	
Evidence	Age: 1020440
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://affiliatechatbox.com/_next/static/media/qr-code-appstore.8ce3dac6.png
Node Name	https://affiliatechatbox.com/_next/static/media/qr-code-appstore.8ce3dac6.png
Method	GET
Attack	
Evidence	Age: 1202948
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://affiliatechatbox.com/_next/static/media/qr-code-google-playstore.e318b51a.png
Node Name	https://affiliatechatbox.com/_next/static/media/qr-code-google-playstore.e318b51a.png
Method	GET
Attack	
Evidence	Age: 159224
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://content-signature-2.cdn.mozilla.net/g/chains/202402/remote-settings.content-signature.mozilla.org-2026-07-26-12-56-51.chain
Node Name	https://content-signature-2.cdn.mozilla.net/g/chains/202402/remote-settings.content-signature.mozilla.org-2026-07-26-12-56-51.chain
Method	GET
Attack	
Evidence	Age: 2156
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ui-avatars.com/api/?name=User&background=0A7EA4&color=fff
Node Name	https://ui-avatars.com/api/ (background,color,name)
Method	GET
Attack	
Evidence	Age: 1037136
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ui-avatars.com/api/?name=Diana%20Scott&background=0A7EA4&color=fff
Node Name	https://ui-avatars.com/api/ (background,color,name)
Method	GET
Attack	

Evidence	Age: 1807311
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ui-avatars.com/api/?name=Amir%20Javed&background=0A7EA4&color=fff
Node Name	https://ui-avatars.com/api/ (background,color,name)
Method	GET
Attack	
Evidence	Age: 78463
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ui-avatars.com/api/?name=Ujjwal%20Thakur&background=0A7EA4&color=fff
Node Name	https://ui-avatars.com/api/ (background,color,name)
Method	GET
Attack	
Evidence	Age: 81481
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
Instances	Systemic
Solution	Validate that the response does not contain sensitive, personal or user-specific information. If it does, consider the use of the following HTTP response headers, to limit, or prevent the content being stored and retrieved from the cache by another user: Cache-Control: no-cache, no-store, must-revalidate, private Pragma: no-cache Expires: 0 This configuration directs both HTTP 1.0 and HTTP 1.1 compliant caching servers to not store the response, and to not retrieve the response (without validation) from the cache, in response to a similar request.
Reference	https://datatracker.ietf.org/doc/html/rfc7234 https://datatracker.ietf.org/doc/html/rfc7231 https://www.rfc-editor.org/rfc/rfc9110.html
CWE Id	525
WASC Id	
Plugin Id	10050

Informational	Tech Detected - Amazon S3
Description	The following "CDN" technology was identified: Amazon S3. Described as: Amazon S3 or Amazon Simple Storage Service is a service offered by Amazon Web Services (AWS) that provides object storage through a web service interface.
URL	https://content-signature-2.cdn.mozilla.net/g/chains/202402/remote-settings.content-signature.mozilla.org-2026-07-26-12-56-51.chain
Node Name	https://content-signature-2.cdn.mozilla.net/g/chains/202402/remote-settings.content-signature.mozilla.org-2026-07-26-12-56-51.chain
Method	GET

Attack	
Evidence	AmazonS3
Other Info	
URL	https://onlinemediadeals.s3.eu-north-1.amazonaws.com/Users/2024-01-03T15-17-43.696Z-1704295063-temp.jpg
Node Name	https://onlinemediadeals.s3.eu-north-1.amazonaws.com/Users/2024-01-03T15-17-43.696Z-1704295063-temp.jpg
Method	GET
Attack	
Evidence	AmazonS3
Other Info	
Instances	2
Solution	
Reference	https://aws.amazon.com/s3/
CWE Id	
WASC Id	13
Plugin Id	10004

Informational	Tech Detected - Amazon Web Services
Description	The following "PaaS" technology was identified: Amazon Web Services. Described as: Amazon Web Services (AWS) is a comprehensive cloud services platform offering compute power, database storage, content delivery and other functionality.
URL	https://content-signature-2.cdn.mozilla.net/g/chains/202402/remote-settings.content-signature.mozilla.org-2026-07-26-12-56-51.chain
Node Name	https://content-signature-2.cdn.mozilla.net/g/chains/202402/remote-settings.content-signature.mozilla.org-2026-07-26-12-56-51.chain
Method	GET
Attack	
Evidence	x-amz-request-id
Other Info	
URL	https://onlinemediadeals.s3.eu-north-1.amazonaws.com/Users/2024-01-03T15-17-43.696Z-1704295063-temp.jpg
Node Name	https://onlinemediadeals.s3.eu-north-1.amazonaws.com/Users/2024-01-03T15-17-43.696Z-1704295063-temp.jpg
Method	GET
Attack	
Evidence	x-amz-request-id
Other Info	
Instances	2
Solution	
Reference	https://aws.amazon.com/

CWE Id	
WASC Id	13
Plugin Id	10004

Informational	Tech Detected - Cloudflare
Description	The following "CDN" technology was identified: Cloudflare. Described as: Cloudflare is a web-infrastructure and website-security company, providing content-delivery-network services, DDoS mitigation, Internet security, and distributed domain-name-server services.
URL	http://affiliatechatbox.com/
Node Name	http://affiliatechatbox.com/
Method	GET
Attack	
Evidence	cf-ray
Other Info	The following CPE is associated with the identified tech: cpe:2.3:a:cloudflare:cloudflare:***:****:*
URL	https://affiliatechatbox.com/
Node Name	https://affiliatechatbox.com/
Method	GET
Attack	
Evidence	cf-ray
Other Info	The following CPE is associated with the identified tech: cpe:2.3:a:cloudflare:cloudflare:***:****:*
URL	https://online-media-tools-server-vercel.onrender.com/api/PinnedPosts/get_all_Pinned
Node Name	https://online-media-tools-server-vercel.onrender.com/api/PinnedPosts/get_all_Pinned
Method	GET
Attack	
Evidence	cf-ray
Other Info	The following CPE is associated with the identified tech: cpe:2.3:a:cloudflare:cloudflare:***:****:*
URL	https://static.cloudflareinsights.com/beacon.min.js/v833ccba57c9e4d2798f2e76cebdd09a11778172276447
Node Name	https://static.cloudflareinsights.com/beacon.min.js/v833ccba57c9e4d2798f2e76cebdd09a11778172276447
Method	GET
Attack	
Evidence	cf-ray
Other Info	The following CPE is associated with the identified tech: cpe:2.3:a:cloudflare:cloudflare:***:****:*
URL	https://ui-avatars.com/api/?name=User&background=0A7EA4&color=fff
Node Name	https://ui-avatars.com/api/ (background,color,name)

Method	GET
Attack	
Evidence	cf-ray
Other Info	The following CPE is associated with the identified tech: cpe:2.3:a:cloudflare:cloudflare:*:*:*:* *:*:*:*
Instances	5
Solution	
Reference	https://www.cloudflare.com
CWE Id	
WASC Id	13
Plugin Id	10004

Informational	Tech Detected - Cloudflare Browser Insights
Description	The following "Analytics, RUM" technology was identified: Cloudflare Browser Insights. Described as: Cloudflare Browser Insights is a tool that measures the performance of websites from the perspective of users.
URL	https://affiliatechatbox.com/
Node Name	https://affiliatechatbox.com/
Method	GET
Attack	
Evidence	static.cloudflareinsights.com/beacon.min.js
Other Info	
Instances	1
Solution	
Reference	https://www.cloudflare.com
CWE Id	
WASC Id	13
Plugin Id	10004

Informational	Tech Detected - Express
Description	The following "Web frameworks, Web servers" technology was identified: Express. Described as: Express is a web application framework for Node.js, released as free and open-source software under the MIT License. It is designed for building web applications and APIs.
URL	https://online-media-tools-server-vercel.onrender.com/api/PinnedPosts/get_all_Pinned
Node Name	https://online-media-tools-server-vercel.onrender.com/api/PinnedPosts/get_all_Pinned
Method	GET
Attack	
Evidence	Express
Other Info	The following CPE is associated with the identified tech: cpe:2.3:a:expressjs:express:*:*:*:* *:*:*:*

Instances	1
Solution	
Reference	https://expressjs.com
CWE Id	
WASC Id	13
Plugin Id	10004

Informational	Tech Detected - Google Cloud CDN
Description	The following "CDN" technology was identified: Google Cloud CDN. Described as: Cloud CDN uses Google's global edge network to serve content closer to users.
URL	https://content-signature-2.cdn.mozilla.net/g/chains/202402/remote-settings.content-signature.mozilla.org-2026-07-26-12-56-51.chain
Node Name	https://content-signature-2.cdn.mozilla.net/g/chains/202402/remote-settings.content-signature.mozilla.org-2026-07-26-12-56-51.chain
Method	GET
Attack	
Evidence	1.1 google
Other Info	
Instances	1
Solution	
Reference	https://cloud.google.com/cdn
CWE Id	
WASC Id	13
Plugin Id	10004

Informational	Tech Detected - Google Cloud Storage
Description	The following "Miscellaneous" technology was identified: Google Cloud Storage. Described as: Google Cloud Storage allows world-wide storage and retrieval of any amount of data at any time.
URL	https://firefox-settings-attachments.cdn.mozilla.net/bundles/startup.json.mozlz4
Node Name	https://firefox-settings-attachments.cdn.mozilla.net/bundles/startup.json.mozlz4
Method	GET
Attack	
Evidence	STANDARD
Other Info	
Instances	1
Solution	
Reference	https://cloud.google.com/storage
CWE Id	
WASC Id	13

Plugin Id	10004
Informational	Tech Detected - HSTS
Description	The following "Security" technology was identified: HSTS. Described as: HTTP Strict Transport Security (HSTS) informs browsers that the site should only be accessed using HTTPS.
URL	https://affiliatechatbox.com/
Node Name	https://affiliatechatbox.com/
Method	GET
Attack	
Evidence	Strict-Transport-Security
Other Info	
URL	https://firefox.settings.services.mozilla.com/v1/
Node Name	https://firefox.settings.services.mozilla.com/v1/
Method	GET
Attack	
Evidence	Strict-Transport-Security
Other Info	
Instances	2
Solution	
Reference	https://www.rfc-editor.org/rfc/rfc6797#section-6.1
CWE Id	
WASC Id	13
Plugin Id	10004

Informational	Tech Detected - HTTP/2
Description	The following "Miscellaneous" technology was identified: HTTP/2. Described as: HTTP/2 (originally named HTTP/2.0) is a major revision of the HTTP network protocol used by the World Wide Web.
URL	http://affiliatechatbox.com/
Node Name	http://affiliatechatbox.com/
Method	GET
Attack	
Evidence	h2
Other Info	
Instances	1
Solution	

Reference	https://http2.github.io
CWE Id	
WASC Id	13
Plugin Id	10004

Informational	Tech Detected - HTTP/3
Description	The following "Miscellaneous" technology was identified: HTTP/3. Described as: HTTP/3 is the third major version of the Hypertext Transfer Protocol used to exchange information on the World Wide Web.
URL	https://accounts.google.com/gsi/client
Node Name	https://accounts.google.com/gsi/client
Method	GET
Attack	
Evidence	h3
Other Info	
URL	https://affiliatechatbox.com/
Node Name	https://affiliatechatbox.com/
Method	GET
Attack	
Evidence	h3
Other Info	
URL	https://lh3.googleusercontent.com/a/ACg8ocJgBu15rwQFyDkUIMqF3tMJffkqEK3tk7kd4c5rl7TS-tzh2g=s96-c
Node Name	https://lh3.googleusercontent.com/a/ACg8ocJgBu15rwQFyDkUIMqF3tMJffkqEK3tk7kd4c5rl7TS-tzh2g=s96-c
Method	GET
Attack	
Evidence	h3
Other Info	
URL	https://online-media-tools-server-vercel.onrender.com/api/PinnedPosts/get_all_Pinned
Node Name	https://online-media-tools-server-vercel.onrender.com/api/PinnedPosts/get_all_Pinned
Method	GET
Attack	
Evidence	h3
Other Info	
Instances	4
Solution	
Reference	https://httpwg.org/

CWE Id	
WASC Id	13
Plugin Id	10004

Informational	Tech Detected - Lucide
Description	The following "Font scripts" technology was identified: Lucide. Described as: Lucide is an open-source icon library that provides 1000+ vector (svg) files for displaying icons and symbols in digital and non-digital projects.
URL	https://affiliatechatbox.com/
Node Name	https://affiliatechatbox.com/
Method	GET
Attack	
Evidence	
Other Info	
Instances	1
Solution	
Reference	https://lucide.dev
CWE Id	
WASC Id	13
Plugin Id	10004

Informational	Tech Detected - Netlify
Description	The following "PaaS, CDN" technology was identified: Netlify. Described as: Netlify providers hosting and server-less backend services for web applications and static websites.
URL	http://affiliatechatbox.com/
Node Name	http://affiliatechatbox.com/
Method	GET
Attack	
Evidence	X-NF-Request-ID
Other Info	
URL	https://affiliatechatbox.com/
Node Name	https://affiliatechatbox.com/
Method	GET
Attack	
Evidence	X-NF-Request-ID
Other Info	

Instances	2
Solution	
Reference	https://www.netlify.com/
CWE Id	
WASC Id	13
Plugin Id	10004

Informational	Tech Detected - Next.js
Description	The following "JavaScript frameworks, Web frameworks, Web servers, Static site generator" technology was identified: Next.js. Described as: Next.js is a React framework for developing single page Javascript applications.
URL	https://affiliatechatbox.com/
Node Name	https://affiliatechatbox.com/
Method	GET
Attack	
Evidence	Next.js
Other Info	The following CPE is associated with the identified tech: cpe:2.3:a:vercel:next.js:*****:*
Instances	1
Solution	
Reference	https://nextjs.org
CWE Id	
WASC Id	13
Plugin Id	10004

Informational	Tech Detected - Nginx
Description	The following "Web servers, Reverse proxies" technology was identified: Nginx. Described as: Nginx is a web server that can also be used as a reverse proxy, load balancer, mail proxy and HTTP cache.
URL	https://firefox.settings.services.mozilla.com/v1/
Node Name	https://firefox.settings.services.mozilla.com/v1/
Method	GET
Attack	
Evidence	nginx
Other Info	The following CPE is associated with the identified tech: cpe:2.3:a:f5:nginx:*****:*
Instances	1
Solution	
Reference	https://nginx.org/en
CWE Id	
WASC Id	13

Plugin Id	10004
Informational	Tech Detected - Priority Hints
Description	The following "Performance" technology was identified: Priority Hints. Described as: Priority Hints exposes a mechanism for developers to signal a relative priority for browsers to consider when fetching resources.
URL	https://affiliatechatbox.com/
Node Name	https://affiliatechatbox.com/
Method	GET
Attack	
Evidence	
Other Info	
Instances	1
Solution	
Reference	https://wicg.github.io/priority-hints/
CWE Id	
WASC Id	13
Plugin Id	10004
Informational	Tech Detected - Radix UI
Description	The following "UI frameworks" technology was identified: Radix UI. Described as: Radix UI is a React-based user interface component library that offers accessible, responsive, and customisable components for building web applications.
URL	https://affiliatechatbox.com/_next/static/css/f9575f1fa8349ac9.css
Node Name	https://affiliatechatbox.com/_next/static/css/f9575f1fa8349ac9.css
Method	GET
Attack	
Evidence	--radix-select-trigger-width
Other Info	
Instances	1
Solution	
Reference	https://www.radix-ui.com
CWE Id	
WASC Id	13
Plugin Id	10004
Informational	Tech Detected - Render
	The following "PaaS" technology was identified: Render. Described as:

Description	Render is a cloud computing platform that provides a wide range of services, including web hosting, cloud computing, and application development. Render offers several hosting options, including static site hosting, web application hosting, and managed databases.
URL	https://online-media-tools-server-vercel.onrender.com/api/PinnedPosts/get_all_Pinned
Node Name	https://online-media-tools-server-vercel.onrender.com/api/PinnedPosts/get_all_Pinned
Method	GET
Attack	
Evidence	Render
Other Info	
Instances	1
Solution	
Reference	https://render.com
CWE Id	
WASC Id	13
Plugin Id	10004

Informational	Tech Detected - Tailwind CSS
Description	The following "UI frameworks" technology was identified: Tailwind CSS. Described as: Tailwind is a utility-first CSS framework for rapidly building custom user interfaces.
URL	https://affiliatechatbox.com/_next/static/css/f9575f1fa8349ac9.css
Node Name	https://affiliatechatbox.com/_next/static/css/f9575f1fa8349ac9.css
Method	GET
Attack	
Evidence	--tw-translate
Other Info	
Instances	1
Solution	
Reference	https://tailwindcss.com/
CWE Id	
WASC Id	13
Plugin Id	10004

Informational	Tech Detected - Varnish
Description	The following "Caching" technology was identified: Varnish. Described as: Varnish is a reverse caching proxy.
URL	https://firefox-settings-attachments.cdn.mozilla.net/bundles/startup.json.mozlz4
Node Name	https://firefox-settings-attachments.cdn.mozilla.net/bundles/startup.json.mozlz4

Method	GET
Attack	
Evidence	varnish
Other Info	The following CPE is associated with the identified tech: cpe:2.3:a:varnish-software:varnish_cache:*****:*
URL	https://firefox.settings.services.mozilla.com/v1/
Node Name	https://firefox.settings.services.mozilla.com/v1/
Method	GET
Attack	
Evidence	varnish
Other Info	The following CPE is associated with the identified tech: cpe:2.3:a:varnish-software:varnish_cache:*****:*
Instances	2
Solution	
Reference	https://www.varnish-cache.org
CWE Id	
WASC Id	13
Plugin Id	10004

Informational	Tech Detected - shadcn/ui
Description	The following "UI frameworks" technology was identified: shadcn/ui. Described as: shadcn/ui is a component system built with Radix UI and Tailwind CSS.
URL	https://affiliatechatbox.com/_next/static/css/f9575f1fa8349ac9.css
Node Name	https://affiliatechatbox.com/_next/static/css/f9575f1fa8349ac9.css
Method	GET
Attack	
Evidence	--destructive-foreground
Other Info	
Instances	1
Solution	
Reference	https://ui.shadcn.com
CWE Id	
WASC Id	13
Plugin Id	10004