

# Cucumber Report

01-Feb-2023, 9:24:20 AM

**Start : Feb 01, 9:24:05.498 AM**

**End : Feb 01, 9:24:17.806 AM**

**Duration : 12.308 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 1**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 1**


**FAILED - 3**

**SKIPPED - 0**

**PASSED - 9**


**FAILED - 3**

**SKIPPED - 0**




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>spotify browse</u>	9.454 s	3	0	3	0	9	6	3	0
<u>testing the getPlaylists</u>	2.829 s	1	1	0	0	3	3	0	0

<b>Tag</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>
@execute	1	0	1	0	1	0	1	0
@execute1	2	0	2	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>spotify browse</u>	3	0	3	0	9.454 s
2	<u>testing the getPlaylists</u>	1	1	0	0	2.829 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>spotify browse</u>	<u>browse all the categories</u>	3	2	1	0	8.319 s
2	<u>spotify browse</u>	<u>browse categories with response code 201</u>	3	2	1	0	0.553 s
3	<u>spotify browse</u>	<u>browse all the categories</u>	3	2	1	0	0.525 s
4	<u>testing the getPlaylists</u>	<u>testing playlist get feature</u>	3	3	0	0	2.822 s

## spotify browse

<b>FAILED</b>	DURATION - 9.454 s	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0		Steps Total - 9 Pass - 6 Fail - 3 Skip - 0	
/ 9:24:05.498 AM // 9:24:14.952 AM /					

## browse all the categories

<div>FAILED</div> <div>DURATION - 8.319 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 9:24:05.512 AM // 9:24:13.831 AM /				
spotify browse				
@execute				

#	Step / Hook Details	Status	Duration
1	Given when environment is up and working	PASSED	0.012 s
2	When user send the get request to get browse end point	PASSED	8.205 s
3	Then user should receive the response code 200. this is from ExtentCucumberAdapter java.lang.NullPointerException at stepDefinations.PrePostExecutions.REPORT_API_RESPONSE(PrePostExecutions.java:73) at stepDefinations.BrowseSteps.user_should_receive_the_response_code(BrowseSteps.java:54) at ?.user should receive the response code 200.(file:///Users/sushil/Documents/parabanks/APIAutomation/APIAuto2/src/test/java/features/browseCategories.feature:6) * Not displayable characters are replaced by '?'. 	FAILED	0.028 s

## browse categories with response code 201

<b>FAILED</b>	<b>DURATION - 0.553 s</b>		<b>Steps</b> Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 9:24:13.862 AM // 9:24:14.415 AM /				
spotify browse				
@execute1				

#	Step / Hook Details	Status	Duration
1	Given when environment is up and working	PASSED	0.001 s
2	When user send the get request to get browse end point	PASSED	0.544 s
3	Then user should receive the response code 201. this is from ExtentCucumberAdapter java.lang.NullPointerException at stepDefinations.PrePostExecutions.REPORT_API_RESPONSE(PrePostExecutions.java:73) at stepDefinations.BrowseSteps.user_should_receive_the_response_code(BrowseSteps.java:54) at ?.user should receive the response code 201.(file:///Users/sushil/Documents/parabanks/APIAutomation/APIAuto2/src/test/java/features/browseCategories.feature:12) * Not displayable characters are replaced by '?'. 	FAILED	0.003 s



### browse all the categories

<b>FAILED</b>	<b>DURATION - 0.525 s</b>		<b>Steps</b> Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 9:24:14.427 AM // 9:24:14.952 AM /				
spotify browse				
@execute1				



#	Step / Hook Details	Status	Duration
1	Given when environment is up and working	PASSED	0.001 s
2	When user send the get request to get browse end point	PASSED	0.513 s
3	Then user should receive the response code 200. this is from ExtentCucumberAdapter 	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	<pre>java.lang.NullPointerException   at stepDefinations.PrePostExecutions.REPORT_API_RESPONSE(PrePostExecutions.java:73)   at stepDefinations.BrowseSteps.user_should_receive_the_response_code(BrowseSteps.java:54)   at ?.user should receive the response code 200.(file:///Users/sushil/Documents/parabanks/APIAutomation/APIAuto2/src/test/java/features/browseCategories.feature:18)   * Not displayable characters are replaced by '?'. </pre>		

## testing the getPlaylists

<b>PASSED</b>	DURATION - 2.829 s	Scenarios		Steps	
/ 9:24:14.977 AM // 9:24:17.806 AM /		Total - 1		Total - 3	
		Pass - 1		Pass - 3	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## testing playlist get feature

<b>PASSED</b>		DURATION - 2.822 s			Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:24:14.984 AM // 9:24:17.806 AM /						
testing the getPlaylists						

#	Step / Hook Details	Status	Duration
1	Given When user send the get request to playlists	PASSED	2.812 s
2	Then response should be received with status code200	PASSED	0.003 s
3	And playlist name should be boom...boom....boom	PASSED	0.001 s