Experiment - 1

Name: Suchismita Tripathy
ID: 2019A7PS0554P

Gene Name: HUS1 Checkpoint Clamp Component (HUS1) transcript variant X1

Organism: **Theropithecus gelada** Accession Number: **XM_025380797.1**

- Aim: To retrieve the nucleotide sequence of Theropithecus gelada HUS1
 Checkpoint Clamp Component (HUS1) transcript variant X1 gene in Fasta and Genbank format using NCBI
- II. Materials Required: NCBI, Fasta and GenBank format
- III. **Procedure:** Steps:
 - 1. Go to the NCBI homepage.
 - 2. Select "Nucleotide".
 - 3. Enter "Accession No" (XM_025380797.1) in the search field and click the "Search" button.
 - 4. Select specific format.
 - 5. Interpret the results

IV. Observations:

A. FASTA

>XM_025380797.1 PREDICTED: Theropithecus gelada HUS1 checkpoint clamp component (HUS1), transcript variant X1, mRNA

AACCATGTGCGCGCCGCGTGTTTCCGGGCGGGGACACTCAGGGCGCGACACTCATCTGTTACCCACAGA GGCCGTCGCGGCTGCGGCAGGCGCCATGAGGTTTCGGGCCAAGATCGTGGACGGGCCTGTCTGAAC CACTTCACACGAATCAGTAACATGATAGCCAAGCTTGCCAAAACCTGCACCCTCCGCATCAGCCCTGATA AGCTTAACTTCATCCTTTGTGACAAGCTGGCTAATGGAGGGGTGAGCATGTGGTGTGAGCTGGAACAGGA TCGGAAAACTTATCTCGAGCCTTGAAAACTGCCCAGAATGCCAGAGCCTTGAAAATCAAACTGACTAATA AACACTTTCCCTGCCTCACAGTCTCCGTGGAGCTGTTATCTATGTCAAGCAGTAGCCGCATTGTGACACA TGACATCCCTATAAAGGTGATTCCTAGGAAATTGTGGAAGGACTTGCAAGAACCGGTGGTCCCAGATCCT GATGTTAGTATTTATTTACCAGTCTTGAAGACTATGAAGAGTGTTGTGGAAAAAAATGAAAAACATCAGCA ATCACCTTGTTATTGAAGCAAACCTAGATGGAGAATTGAATTTGAAAATAGAAACTGAATTAGTATGTGT TACAACTCATTTTAAAGATCTTGGAAATCCTCCTTTAGCCTCTGAAAGCACCCATCAAGACAGAAACATG GAACACATGGCTGAAGTGCACATAGATATTAGGAAGCTCCTACAGTTTCTTGCTGGACAACAAGTAAATC CCACAAAGGCCTTATGCAATATTGTGAATAACAAGATGGTGCATTTTGATCTGCTTCACGAAGACGTCTC CCTTCAGTATTTCATCCCTGCGCTGTCCTAGCACCCTGTTGCTGGAGTTGGCATGCGGAGACTTTGTCAG GATGGGAGAGGCCGTAGGCGTTGTGTTCTGATCACTGGTCTGTGTCCTCACAGCACCGCACATCGACACA CTGTACTTATTTGTCCCTCTCTAACATTTTAACTAAAAGTTGACTTAATGGCACACAGTTGGATAAACAT ATCACTTCATGTTGCTCATGTCTGTTTTGTTTTTTAAGACATTGAAAAGAAAAGCTAGAATTTATT TATTCAGACTTTAAAGAACAATTTCTCATTGACGTTGTGAAAATCCTCATGTATTTAGACTTGGTGTAGT AGCCAGAATTCGTGCAGCTGTTGCCTGGGAGCTGGGTACTTTCCCTCCGGGCAGAGGCTCTAGCTCAGCA AGTGACAGAAAGTATAGCCTCTGTCACCCCGCTGCCACTGCCTTGGTTACTCAGAGCGCTGTGGGGTGTC ACAGCTGCAGCATTTGGGGTCTCTCTCTCTCTCTGCTGAGTACTCAAGCCCACCTGAGTCCACTCCCCTCT TGATGCCTGGAGAGCTGGCCCAGCCAACACAGCTTTTCGCTGGGAGCTCCTTCTGCCATTCCAATTAGTT TGTCATTCTGGAAAGAAGACCCTTCTATTTAGAGTAGAAACAAATGAAACTTCTAAGGTATCATCTGTGT TAGGTGATGAGACCATATTTCTTTGATGTTTCTGAACATCAAAGCTGATTCAGTACTGGTAGATGTGCTC ATTCTCCCTGAAACATACCTATCATATTTCCTATTATAATTCTATCTCATTGTCCTGTGGAGGTGGACAT GATCAACAATATCTTTTATTTTCTTGTTTTGTTTTGAGACAAGGTCTCACTCTGTCACCCAGACTG GAGTGAAGGGCAACAATCATGGCTCACCGCCTTGACCTCCTTGGCTCAAGGCATCCTCCCACCTCAGCCT CCTGACTACCTGGGACTACTGGTGTGCGCCACCACATCCAGCTAGTTTTTAATTTTTCATAGAGACAGAG GTGCTGGGATTACAGGCATTAGCCATCACACCCATCCGTAAACGTTATCTTAATGTCACATTACAAAACT GAGGCCTAAGTTGCTTAGGACAAGATGAAGAAATCGAAGACTAGCTAACATGAAAATTTATATTTTGGCT TTTTCATGTTTTTTGGTAAAACCAGTGTATTTGAATAGTTCTTTTGATGTTTCATAATGGTTTTTTGTTT GTTTGCTTGGTTCAGTTTTTTTTTTCCTTGAGACAGAGTCTTGCTCTGTCGCCAGGCCAGAGTGCCAGT GTCACGATCTTGGCTCACTGCAACCTCCACCTCCCAAGTTCAAGCGATTCTCCTGCCTCAGCCCCCGAG TAGCTGGGACTATAGGCACGTGCCACCACCCAGCTAATTTTTGTATTTTTAGTAGAGATGGCATTTCA CTATGTTGGCCAGGATGGTCTCGATCTCTTGACTTTGTGATCCACCTGCCTTGGCCTCTCAAAAGTGCTG GGATTACAGGCGTGAGCCACCATGCCTGGCCTGTGTTTAATATGTTTAAATAGGGTGGAATATTTTGTT AAATTAACATTTTAAAATTAGAAGACGCCATTTTAATTTTTAAACCCTTTCTCCTCGTTGTAACAAAATT AATTCCAGCTGTAGTGAGAAAACTTAAAAATCATGATACAAAATGAAACAATATCTGAAAGTAGTTTTAT AAAACTGAAATTATTGTTAAAGAGAATGGTATTAGTGACTTAACCATTTGCTCTATATGATGTTTATTAT CAAATACACATAATTTTGAAGATTTTAATGAATGGCTTAAGATTTTATCTTTGTGTAGAATGTGGCTAAA GAAACCTTAGTTGAGATTCAA

B. GenBank

XM_025380797 3031 bp mRNA linear PRI 29-JUN-2018 DEFINITION PREDICTED: Theropithecus gelada HUS1 checkpoint clamp component (HUS1), transcript variant X1, mRNA. ACCESSION XM 025380797 XM_025380797.1 VERSION DBLINK BioProject: PRJNA477372 KEYWORDS RefSea. Theropithecus gelada (gelada) SOURCE ORGANISM Theropithecus gelada Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini; Catarrhini; Cercopithecidae; Cercopithecinae; Theropithecus. COMMENT MODEL REFSEQ: This record is predicted by automated computational analysis. This record is derived from a genomic sequence (NC 037670.1) annotated using gene prediction method: Gnomon, supported by mRNA and EST evidence. Also see: Documentation of NCBI's Annotation Process ##Genome-Annotation-Data-START## Annotation Provider :: NCBI Annotation Status :: Full annotation :: Theropithecus gelada Annotation Annotation Name Release 100 Annotation Version :: 100 Annotation Pipeline :: NCBI eukaryotic genome annotation pipeline Annotation Software Version :: 8.1 :: Best-placed RefSeq; Gnomon Annotation Method Features Annotated :: Gene; mRNA; CDS; ncRNA ##Genome-Annotation-Data-END## FEATURES Location/Qualifiers 1..3031 source /organism="Theropithecus gelada" /mol_type="mRNA" /isolate="Dixy /db_xref="taxon:9565" /chromosome="3" /sex="female" /tissue_type="whole blood" /dev stage="adult" /country="Ethiopia: Simien Mountains" /collection_date="Nov-2017" /collected_by="Simien Mountains Gelada Research Project" 1..3031 gene /gene="HUS1" /note="Derived by automated computational analysis using gene prediction method: Gnomon. Supporting evidence includes similarity to: 8 mRNAs, 85 ESTs, 3 Proteins, and 42% coverage of the annotated genomic feature by RNAseq alignments' /db_xref="GeneID:112621393" 99..941 CDS /gene="HUS1" /codon_start=1 /product="checkpoint protein HUS1 isoform X1" /protein_id="XP 025236582.1" /db_xref="GeneID: 112621393" /translation="MRFRAKIVDGACLNHFTRISNMIAKLAKTCTLRISPDKLNFILC DKLANGGVSMWCELEQENFFNEYQMEGVSAENNEIYLELTSENLSRALKTAQNARALK IKLTNKHFPCLTVSVELLSMSSSSRIVTHDIPIKVIPRKLWKDLQEPVVPDPDVSIYL PVLKTMKSVVEKMKNISNHLVIEANLDGELNLKIETELVCVTTHFKDLGNPPLASEST HQDRNMEHMAEVHIDIRKLLQFLAGQQVNPTKALCNIVNNKMVHFDLLHEDVSLQYFI PALS"

ORIGIN

```
1 aaccatgtgc gcgccgccgt gtttccgggc ggggacactc agggcgcgac actcatctgt
       61 tacccacaga ggccgtcgcg gctgcggcag gcgcggccat gaggtttcgg gccaagatcg
      121 tggacggggc ctgtctgaac cacttcacac gaatcagtaa catgatagcc aagcttgcca
      181 aaacctgcac cctccgcatc agccctgata agcttaactt catcctttgt gacaagctgg
      241 ctaatggagg ggtgagcatg tggtgtgagc tggaacagga gaacttcttc aacgaatatc
      301 aaatggaggg tgtctctgca gaaaacaatg agatttattt agagctaaca tcggaaaact
      361 tatctcgagc cttgaaaact gcccagaatg ccagagcctt gaaaatcaaa ctgactaata
      421 aacactttcc ctgcctcaca gtctccgtgg agctgttatc tatgtcaagc agtagccgca
      481 ttgtgacaca tgacatccct ataaaggtga ttcctaggaa attgtggaag gacttgcaag
      541 aaccggtggt cccagatcct gatgttagta tttatttacc agtcttgaag actatgaaga
      601 gtgttgtgga aaaaatgaaa aacatcagca atcaccttgt tattgaagca aacctagatg
      661 gagaattgaa tttgaaaata gaaactgaat tagtatgtgt tacaactcat tttaaagatc
      721 ttggaaatcc tcctttagcc tctgaaagca cccatcaaga cagaaacatg gaacacatgg
      781 ctgaagtgca catagatatt aggaagctcc tacagtttct tgctggacaa caagtaaatc
      841 ccacaaaggc cttatgcaat attgtgaata acaagatggt gcattttgat ctgcttcacg
      901 aagacgtctc ccttcagtat ttcatccctg cgctgtccta gcaccctgtt gctggagttg
      961 gcatgcggag actttgtcag gatgggagag gccgtaggcg ttgtgttctg atcactggtc
     1021 tgtgtcctca cagcaccgca catcgacaca ctgtacttat ttgtccctct ctaacatttt
     1081 aactaaaagt tgacttaatg gcacacagtt ggataaacat atcacttcat gttgctcatg
     1141 tctgttttgt tttgttttta agacattgaa aagaaaagct agaatttatt tattcagact
     1201 ttaaagaaca atttctcatt gacgttgtga aaatcctcat gtatttagac ttggtgtagt
     1261 agccagaatt cgtgcagctg ttgcctggga gctgggtact ttccctccgg gcagaggctc
     1321 tagctcagca cggcctgtag cgcacagtca gtcttgcatt tcagtgtgtt caccctgctt
     1381 gctcctgccc cttggagccc agtgacagaa agtatagcct ctgtcacccc gctgccactg
     1441 ccttggttac tcagagcgct gtggggtgtc acagctgcag catttggggt ctctctctct
     1501 cttgctgagt actcaagccc acctgagtcc actcccctct tgatgcctgg agagctggcc
     1561 cagccaacac agcttttcgc tgggagctcc ttctgccatt ccaattagtt tcttcctggg
     1621 gccagttttg ggtttaggtt gtaattcctt atatttcttt cttccacagt gcatcggatc
     1681 tgtcattctg gaaagaagac ccttctattt agagtagaaa caaatgaaac ttctaaggta
     1741 tcatctgtgt taggtgatga gaccatattt ctttgatgtt tctgaacatc aaagctgatt
     1801 cagtactggt agatgtgctc attctccctg aaacatacct atcatatttc ctattataat
     1861 tctatctcat tgtcctgtgg aggtggacat gatcaacaat atctttatt ttcttgtttt
     1921 gttttgtttg agacaaggtc tcactctgtc acccagactg gagtgaaggg caacaatcat
     1981 ggctcaccgc cttgacctcc ttggctcaag gcatcctccc acctcagcct cctgactacc
     2041 tgggactact ggtgtgcgcc accacatcca gctagttttt aatttttcat agagacagag
     2101 tcccactgtg ttgcctaggc tggtcttgaa ctcctgggct caagccaccc acccacctgg
     2161 gcctcccaaa gtgctgggat tacaggcatt agccatcaca cccatccgta aacgttatct
     2221 taatgtcaca ttacaaaact gaggcctaag ttgcttagga caagatgaag aaatcgaaga
     2281 ctagctaaca tgaaaattta tattttggct ttttcatgtt ttttggtaaa accagtgtat
     2341 ttgaatagtt cttttgatgt ttcataatgg ttttttgttt gtttgcttgg ttcagttttt
     2401 ttttttcctt gagacagagt cttgctctgt cgccaggcca gagtgccagt gtcacgatct
     2461 tggctcactg caacctccac ctcccaagtt caagcgattc tcctgcctca gccccccgag
     2521 tagctgggac tataggcacg tgccaccaca cccagctaat ttttgtattt ttagtagaga
     2581 tggcatttca ctatgttggc caggatggtc tcgatctctt gactttgtga tccacctgcc
     2641 ttggcctctc aaaagtgctg ggattacagg cgtgagccac catgcctggc ctgtgtttaa
     2701 taatgtttaa atagggtgga atattttgtt aaattaacat tttaaaatta gaagacgcca
     2761 ttttaatttt taaacccttt ctcctcgttg taacaaaatt aattccagct gtagtgagaa
     2821 aacttaaaaa tcatgataca aaatgaaaca atatctgaaa gtagttttat aaaactgaaa
     2881 ttattgttaa agagaatggt attagtgact taaccatttg ctctatatga tgtttattat
     2941 caaatacaca taattttgaa gattttaatg aatggcttaa gattttatct ttgtgtagaa
     3001 tgtggctaaa gaaaccttag ttgagattca a
//
```

V. Inferences:

A. Summary: The protein encoded by this gene is a component of an evolutionarily conserved, genotoxin-activated checkpoint complex that is involved in the cell cycle arrest in response to DNA damage. This protein forms a heterotrimeric complex with checkpoint proteins RAD9 and RAD1. In response to DNA damage, the trimeric complex interacts with another protein complex consisting of checkpoint protein RAD17 and four small subunits of the replication factor C (RFC), which loads the combined complex onto the chromatin. The DNA damage induced chromatin binding has been shown to depend

on the activation of the checkpoint kinase ATM and is thought to be an early checkpoint signaling event. Alternative splicing results in multiple transcript variants.

B. Location: chromosome: 3

Sequence: NC_037670.1 -> 65,152,075 ..65,169,087

- C. Exon Count and its Location: 8 for transcript variant x1
 - 1. (1..150)
 - 2. (151 ..278)
 - 3. (279 .. 455)
 - 4. (456 ..563)
 - 5. (564 ..638)
 - 6. (639 ..738)
 - 7. (739 ..858)
 - 8. (859 ..3031)
- D. Base Composition Size: 1 ..3031 : 3031 nt
- E. Coding Sequence Length: 99 ..941: 843 nt