

# Question Bank And Import

A polished walkthrough for teachers and institute admins to browse questions, import content, manage filters, and run safe bulk maintenance actions.

## Question Bank And Import User Manual

---

### Overview

This guide explains how to browse, filter, create, edit, import, and bulk-manage reusable questions.

This manual is written for:

- teachers
- institute admins

The shared question-bank flow is one of the most important authoring workspaces in Nexora.

### Routes Covered

- `/teacher/question-bank`
- `/teacher/question-bank/new`
- `/teacher/question-bank/import`
- `/teacher/question-bank/[questionId]`
- `/institute/question-bank`
- `/institute/question-bank/new`
- `/institute/question-bank/import`
- `/institute/question-bank/[questionId]`

### Before You Begin

Make sure you already have:

- a valid role session
- at least one subject and topic in academic setup
- either local questions or shared-library access if you want to import or link content

### Page Layout

The question bank is designed around three ideas:

---

- fast filtering
- visible inventory quality
- safe bulk actions

You will usually see:

- search and filter controls
  - topic, subject, and difficulty selectors
  - question cards or rows
  - bulk action controls
  - import and shared-library tools
-



N

Nexora

TEACHER PORTAL

+

Dashboard

📁

Exams

🔍

Question Bank

📊

Results

📝

Reviews

demo-teacher

teacher

Logout

N

1 Issue

×

Question Bank

Import Questions CSV

Import Comprehension CSV

Create Comprehension Set

Create Question

How licensed platform questions work here

This panel answers three operator questions quickly: can teachers see platform questions, can they act on them, and who owns the final linking step.

SHARED-LIBRARY SWITCH

Platform question visibility is enabled

Teachers can review platform-backed rows only when the institute package lane also matches the current class and subject.

QUESTION PACKAGE ACCESS

4 active question packages

A matching package means teachers can inspect the licensed lane and raise the right request for the current class and subject.

TEACHER ACTION PATH

Request-led teacher lane is ready

Teachers do not perform the final link here. When the switch and package are ready, the teacher lane stays request-only and the institute admin still approves or performs the intake step.

Total questions

105

Current filtered inventory returned by the backend

Published

14

Verified questions ready for cleaner reuse across exams

Missing explanation

0

Teacher guidance content still needed on these items

Academic scope

0

0 topic options across the current subject lane

Comprehension tools

Ready

Create or import passage-backed sets from the authoring actions above

Visible revision queue

1

High-priority items visible on the current page without extra background counting

Visible ambiguous items

0

Current-page questions whose response patterns suggest unclear wording or options

Visible skip risk

1

Current-page questions students may be skipping often enough to need editorial review

Visible emerging data

18

Current-page questions with limited response history and lower editorial confidence

Subscription visibility

Licensed package lanes and feature unlocks for this authoring scope

4 active packages

3 active features

Request-only

Shared library enabled

Teachers can inspect licensed shared-library questions, but access escalation stays request-led even when matching package coverage exists.

Matching package coverage means the teacher can review and request the source here. The final link still happens on the institute side, so this lane remains request-only.

TEACHER ROLE IN LICENSED INTAKE

Teachers can inspect licensed platform questions here, confirm whether the current class and subject lane looks useful, and raise a request when the source should be brought into the institute bank.

Institute admins complete the final linking step in Shared Library Linker after package access, intake scope, and local subject readiness are confirmed. Once that happens, teachers should switch to Linked Questions or duplicate the linked row into an editable local copy.

Demo Shared Library Paused Only

subject library

full scope

platform

Class 7 → Math (1 total)

No expiry is currently attached to this entitlement.

Demo Shared Library Access

subject library

full scope

platform

Class 7 → Math

No expiry is currently attached to this entitlement.

Demo Shared Library Quota Exhausted



subject library quota limited platform Quota attention

Class 8 → Math (1 total) Class 8 → Math (1/1 linked, 0 total remaining) Lowest remaining allowance: 0  
No expiry is currently attached to this entitlement.

Scholar Question Bank Access

subject library materialize on entitlement platform

Class 7 → Computer · Class 7 → General Knowledge No expiry is currently attached to this entitlement.

ADVANCED\_EXAM\_BUILDER · Scholar Question Bank Access QUESTION\_BANK\_BULK\_IMPORT · Scholar Question Bank Access  
QUESTION\_BANK\_SHARED\_LIBRARY · Scholar Question Bank Access

Shared platform library

1763 curated questions in current lane

ROWS  
PER  
PAGE 24

PAUSED ONLY DEMO :: An exterior angle of a triangle is 140 degrees. If one remote interior angle is 40 degrees, what is the other remote interior angle?

Demo Learning Public Content Hub Math Triangle Properties mcq single intermediate Access available  
linked

Exterior angle = sum of remote interior angles, so the other angle is  $140 - 40 = 100$  degrees.  
Matching package coverage exists for this licensed source, but this institute does not currently have a compatible local subject for intake. Choose a compatible class and subject before requesting access.  
Teacher path: Choose a compatible local subject first Matching packages: Demo Shared Library Paused Only  
Scope mismatch

BLOCKED MATCHABLE DEMO :: An exterior angle of a triangle is 140 degrees. If one remote interior angle is 40 degrees, what is the other remote interior angle?

Demo Learning Public Content Hub Math Triangle Properties mcq single intermediate  
Package available not requested

Exterior angle = sum of remote interior angles, so the other angle is  $140 - 40 = 100$  degrees.  
Matching package coverage exists for this licensed source, but this institute does not currently have a compatible local subject for intake. Choose a compatible class and subject before requesting access.  
Teacher path: Choose a compatible local subject first Matching packages: Demo Shared Library Blocked Matchable  
No matching subscribed package was found for this local scope.  
Scope mismatch

QUOTA LOCK DEMO :: A rope is 28 m long. If  $\frac{3}{4}$  of it is used, how many metres remain? [Class 8 Math · Rational Numbers · Seed 49]

Demo Learning Public Content Hub Math Rational Numbers mcq single intermediate Quota exhausted  
not requested

The unused part is  $\frac{1}{4}$  of 28, which is 7 m.  
Matching package coverage exists for this licensed source, but this institute does not currently have a compatible local subject for intake. Choose a compatible class and subject before requesting access.  
Teacher path: Choose a compatible local subject first Matching packages: Demo Shared Library Quota Exhausted  
Scope mismatch

QUOTA LOCK DEMO :: At a class celebration,  $\frac{3}{4}$  of 36 pizza slices were eaten. How many slices were eaten? [Class 8 Math · Rational Numbers · Seed 50]

Demo Learning Public Content Hub Math Rational Numbers mcq single intermediate Quota exhausted  
linked

$\frac{3}{4}$  of 36 = 27.  
Matching package coverage exists for this licensed source, but this institute does not currently have a compatible local subject for intake. Choose a compatible class and subject before requesting access.

Teacher path: Choose a compatible local subject first   Matching packages: Demo Shared Library Quota Exhausted

Scope mismatch

**UNENTITLED DEMO :: Which statement correctly connects pollination, fertilization, and seed formation?**

Demo Learning Public Content Hub   Science   Reproduction in Plants   mcq single   advanced

Package access required   not requested

Pollination places pollen on the stigma, fertilization occurs inside the ovule, and then the ovule develops into a seed.

No matching package coverage was found for this teacher scope.   Teacher path: Institute package required

No matching subscribed package was found for this local scope.

No matching subscribed package was found for this local scope.

Subscription required

**An exterior angle of a triangle is 145 degrees. If one remote interior angle is 35 degrees, what is the other remote interior angle?**

Demo Learning Public Content Hub   Math   Triangle Properties   mcq single   intermediate   Access available

entitled

Exterior angle = sum of remote interior angles, so the other angle is  $145 - 35 = 110$  degrees.

Matching package coverage exists for this licensed source, but this institute does not currently have a compatible local subject for intake. Choose a compatible class and subject before requesting access.

Teacher path: Choose a compatible local subject first   Matching packages: Demo Shared Library Access

Scope mismatch

**An exterior angle of a triangle is 140 degrees. If one remote interior angle is 40 degrees, what is the other remote interior angle?**

Demo Learning Public Content Hub   Math   Triangle Properties   mcq single   intermediate   Access available

entitled

Exterior angle = sum of remote interior angles, so the other angle is  $140 - 40 = 100$  degrees.

Matching package coverage exists for this licensed source, but this institute does not currently have a compatible local subject for intake. Choose a compatible class and subject before requesting access.

Teacher path: Choose a compatible local subject first   Matching packages: Demo Shared Library Access

Scope mismatch

**An exterior angle of a triangle is 135 degrees. If one remote interior angle is 45 degrees, what is the other remote interior angle?**

Demo Learning Public Content Hub   Math   Triangle Properties   mcq single   intermediate   Access available

entitled

Exterior angle = sum of remote interior angles, so the other angle is  $135 - 45 = 90$  degrees.

Matching package coverage exists for this licensed source, but this institute does not currently have a compatible local subject for intake. Choose a compatible class and subject before requesting access.

Teacher path: Choose a compatible local subject first   Matching packages: Demo Shared Library Access

Scope mismatch

**An exterior angle of a triangle is 130 degrees. If one remote interior angle is 50 degrees, what is the other remote interior angle?**

Demo Learning Public Content Hub   Math   Triangle Properties   mcq single   intermediate   Access available

entitled

Exterior angle = sum of remote interior angles, so the other angle is  $130 - 50 = 80$  degrees.

Matching package coverage exists for this licensed source, but this institute does not currently have a compatible local subject for intake. Choose a compatible class and subject before requesting access.

Teacher path: Choose a compatible local subject first   Matching packages: Demo Shared Library Access

Scope mismatch



**An exterior angle of a triangle is 125 degrees. If one remote interior angle is 55 degrees, what is the other remote interior angle?**

Demo Learning Public Content Hub Math Triangle Properties mcq single intermediate Access available  
entitled

Exterior angle = sum of remote interior angles, so the other angle is  $125 - 55 = 70$  degrees.

Matching package coverage exists for this licensed source, but this institute does not currently have a compatible local subject for intake. Choose a compatible class and subject before requesting access.

Teacher path: Choose a compatible local subject first Matching packages: Demo Shared Library Access

Scope mismatch

**An exterior angle of a triangle is 150 degrees. If one remote interior angle is 30 degrees, what is the other remote interior angle?**

Demo Learning Public Content Hub Math Triangle Properties mcq single intermediate Access available  
entitled

Exterior angle = sum of remote interior angles, so the other angle is  $150 - 30 = 120$  degrees.

Matching package coverage exists for this licensed source, but this institute does not currently have a compatible local subject for intake. Choose a compatible class and subject before requesting access.

Teacher path: Choose a compatible local subject first Matching packages: Demo Shared Library Access

Scope mismatch

**An exterior angle of a triangle is 145 degrees. If one remote interior angle is 35 degrees, what is the other remote interior angle?**

Demo Learning Public Content Hub Math Triangle Properties mcq single intermediate Access available  
entitled

Exterior angle = sum of remote interior angles, so the other angle is  $145 - 35 = 110$  degrees.

Matching package coverage exists for this licensed source, but this institute does not currently have a compatible local subject for intake. Choose a compatible class and subject before requesting access.

Teacher path: Choose a compatible local subject first Matching packages: Demo Shared Library Access

Scope mismatch

**An exterior angle of a triangle is 140 degrees. If one remote interior angle is 40 degrees, what is the other remote interior angle?**

Demo Learning Public Content Hub Math Triangle Properties mcq single intermediate Access available  
entitled

Exterior angle = sum of remote interior angles, so the other angle is  $140 - 40 = 100$  degrees.

Matching package coverage exists for this licensed source, but this institute does not currently have a compatible local subject for intake. Choose a compatible class and subject before requesting access.

Teacher path: Choose a compatible local subject first Matching packages: Demo Shared Library Access

Scope mismatch

**At a class celebration,  $\frac{3}{4}$  of 36 pizza slices were eaten. How many slices were eaten? [Class 8 Math · Rational Numbers · Seed 50]**

Nexora Public Institute Math Rational Numbers mcq single intermediate Access available entitled

$\frac{3}{4}$  of 36 = 27.

Matching package coverage exists for this licensed source, but this institute does not currently have a compatible local subject for intake. Choose a compatible class and subject before requesting access.

Teacher path: Choose a compatible local subject first Matching packages: Scholar Question Bank Access

Scope mismatch

**A rope is 28 m long. If  $\frac{3}{4}$  of it is used, how many metres remain? [Class 8 Math · Rational Numbers · Seed 49]**

Nexora Public Institute Math Rational Numbers mcq single intermediate Access available entitled

The unused part is  $\frac{1}{4}$  of 28, which is 7 m.

Matching package coverage exists for this licensed source, but this institute does not currently have a compatible local subject for intake. Choose a compatible class and subject before requesting access.

Teacher path: Choose a compatible local subject first   Matching packages: Scholar Question Bank Access

Scope mismatch

**A student says that  $\frac{3}{8}$  is greater than  $\frac{1}{2}$  because 3 is greater than 1. Which is the best correction? [Class 8 Math · Rational Numbers · Seed 48]**

Nexora Public Institute

Math

Rational Numbers

mcq single

intermediate

Access available

entitled

Fractions must be compared as parts of wholes, not by numerators alone.

Matching package coverage exists for this licensed source, but this institute does not currently have a compatible local subject for intake. Choose a compatible class and subject before requesting access.

Teacher path: Choose a compatible local subject first   Matching packages: Scholar Question Bank Access

Scope mismatch

**One bottle is  $\frac{4}{5}$  full and another is  $\frac{5}{6}$  full. Which bottle contains more water? [Class 8 Math · Rational Numbers · Seed 47]**

Nexora Public Institute

Math

Rational Numbers

mcq single

intermediate

Access available

entitled

Compare the actual fractional quantities rather than only numerators.

Matching package coverage exists for this licensed source, but this institute does not currently have a compatible local subject for intake. Choose a compatible class and subject before requesting access.

Teacher path: Choose a compatible local subject first   Matching packages: Scholar Question Bank Access

Scope mismatch

**At a class celebration,  $\frac{2}{4}$  of 30 pizza slices were eaten. How many slices were eaten? [Class 8 Math · Rational Numbers · Seed 46]**

Nexora Public Institute

Math

Rational Numbers

mcq single

intermediate

Access available

entitled

$\frac{2}{4}$  of 30 = 15.

Matching package coverage exists for this licensed source, but this institute does not currently have a compatible local subject for intake. Choose a compatible class and subject before requesting access.

Teacher path: Choose a compatible local subject first   Matching packages: Scholar Question Bank Access

Scope mismatch

**A rope is 28 m long. If  $\frac{3}{4}$  of it is used, how many metres remain? [Class 8 Math · Rational Numbers · Seed 45]**

Nexora Public Institute

Math

Rational Numbers

mcq single

intermediate

Access available

entitled

The unused part is  $\frac{1}{4}$  of 28, which is 7 m.

Matching package coverage exists for this licensed source, but this institute does not currently have a compatible local subject for intake. Choose a compatible class and subject before requesting access.

Teacher path: Choose a compatible local subject first   Matching packages: Scholar Question Bank Access

Scope mismatch

**A student says that  $\frac{3}{8}$  is greater than  $\frac{1}{2}$  because 3 is greater than 1. Which is the best correction? [Class 8 Math · Rational Numbers · Seed 44]**

Nexora Public Institute

Math

Rational Numbers

mcq single

intermediate

Access available

entitled

Fractions must be compared as parts of wholes, not by numerators alone.

Matching package coverage exists for this licensed source, but this institute does not currently have a compatible local subject for intake. Choose a compatible class and subject before requesting access.

Teacher path: Choose a compatible local subject first   Matching packages: Scholar Question Bank Access

Scope mismatch

**One bottle is  $\frac{3}{5}$  full and another is  $\frac{4}{6}$  full. Which bottle contains more water? [Class 8 Math · Rational Numbers · Seed 43]**

Nexora Public Institute

Math

Rational Numbers

mcq single

intermediate

Access available

entitled

Compare the actual fractional quantities rather than only numerators.

Matching package coverage exists for this licensed source, but this institute does not currently have a compatible local subject for intake. Choose a compatible class and subject before requesting access.

Teacher path: Choose a compatible local subject first Matching packages: Scholar Question Bank Access

Scope mismatch

**At a class celebration,  $\frac{1}{4}$  of 24 pizza slices were eaten. How many slices were eaten? [Class 8 Math · Rational Numbers · Seed 42]**

Nexora Public Institute Math Rational Numbers mcq single intermediate Access available entitled

$\frac{1}{4}$  of 24 = 6.

Matching package coverage exists for this licensed source, but this institute does not currently have a compatible local subject for intake. Choose a compatible class and subject before requesting access.

Teacher path: Choose a compatible local subject first Matching packages: Scholar Question Bank Access

Scope mismatch

**A rope is 28 m long. If  $\frac{3}{4}$  of it is used, how many metres remain? [Class 8 Math · Rational Numbers · Seed 41]**

Nexora Public Institute Math Rational Numbers mcq single intermediate Access available entitled

The unused part is  $\frac{1}{4}$  of 28, which is 7 m.

Matching package coverage exists for this licensed source, but this institute does not currently have a compatible local subject for intake. Choose a compatible class and subject before requesting access.

Teacher path: Choose a compatible local subject first Matching packages: Scholar Question Bank Access

Scope mismatch

**A student says that  $\frac{3}{8}$  is greater than  $\frac{1}{2}$  because 3 is greater than 1. Which is the best correction? [Class 8 Math · Rational Numbers · Seed 40]**

Nexora Public Institute Math Rational Numbers mcq single intermediate Access available entitled

Fractions must be compared as parts of wholes, not by numerators alone.

Matching package coverage exists for this licensed source, but this institute does not currently have a compatible local subject for intake. Choose a compatible class and subject before requesting access.

Teacher path: Choose a compatible local subject first Matching packages: Scholar Question Bank Access

Scope mismatch

Previous Shared Page

Shared page 1

Next Shared Page

### Find questions faster

20 visible on this page · 105 in the current filtered scope

SEARCH QUESTION TEXT

Search by wording or explanation

PROGRAM

All programs

SUBJECT

All subjects

TOPIC

All topics

TEACHER

All teachers

TAG

All tags

QUESTION TYPE

All types

DIFFICULTY

All difficulty levels

SORT BY

Recently created

QUALITY SIGNAL

All signals

REVISION PRIORITY

All priorities

STATUS

All statuses

SHARED LIBRARY

All source states

☐ Missing explanation

Apply Filters

Reset

#### MIXED-SOURCE GUIDANCE

Local questions stay editable inside the institute. Linked licensed copies are visible locally but should be duplicated before editing. Licensed source paused means the old row may still be visible, but new linked reuse should be treated as blocked until the package lane is restored.

Use the source-state filters to separate local-only authoring from active licensed reuse and paused licensed follow-up.



QUICK FILTERS

All

Missing Explanation

Draft

Verified

Licensed Paused

Licensed Active

Linked Licensed

Local Only

MCQ

Short Answer

Hard

Revision Queue

Skip Risk

Ambiguous

Most Used

Search: all

Teacher: all

Type: all

Quality: all

Revision: all

Difficulty: all

Local status: all

Source state: all

☐ Favorites only

☐ Compact view

Local view controls do not change backend filters or pagination.

Question inventory

20 visible of 105 questions

Bulk actions

Select one or more visible questions to unlock bulk updates.

☐ Select visible questions

DIFFICULTY TARGET

Choose difficulty

TOPIC TARGET

Choose topic

TAG TARGET

Choose tag

AVAILABILITY

Activate

Deactivate

CLASSIFICATION

Set Difficulty

Change Topic

TAGGING

Attach Tag

Remove Tag

DANGER ZONE

Delete Selected

☐ If  $2x + 3 = 11$ , enter the value of  $x$ .

JEE 2026 Foundation

Teacher-authored local

Editable local copy

Numeric Answer

Advanced

Ready to use

watch priority

published

Marks

4.00

Negative

0.00

Usage

1x

Wrong

0%

Skip

100%

Standalone question · No attachments · No tags

Source state: Teacher-authored local · Editable local copy

Private teacher-authored content owned by Neha Kapoor.

Needs more live attempts before editorial decisions become reliable.

Preview

Edit

Duplicate

Open full review

☐ If  $x^2 - 5x + 6 = 0$ , one root is:

JEE 2026 Foundation

Teacher-authored local

Editable local copy

MCQ Single

Advanced

Ready to use

watch priority

published

Marks

4.00

Negative

1.00

Usage

1x

Wrong

0%

Skip

0%

Standalone question · No attachments · No tags

Source state: Teacher-authored local · Editable local copy

Private teacher-authored content owned by Neha Kapoor.

Needs more live attempts before editorial decisions become reliable.

Preview

Edit

Duplicate

Open full review

☐ The value of  $\sin^2 \theta + \cos^2 \theta$  is:

JEE 2026 Foundation

Teacher-authored local

Editable local copy

MCQ Single

Advanced

Ready to use

watch priority

published

Marks

4.00

Negative

1.00

Usage

1x

Wrong

0%

Skip

0%

Standalone question · No attachments · No tags

Source state: Teacher-authored local · Editable local copy

Private teacher-authored content owned by Neha Kapoor. Needs more live attempts before editorial decisions become reliable.

Preview Edit Duplicate

Open full review

Enter the total number of atoms in one molecule of  $\text{H}_2\text{SO}_4$ .

JEE 2026 Foundation Teacher-authored local Editable local copy Numeric Answer Advanced  
Ready to use high priority published

|       |          |       |       |      |
|-------|----------|-------|-------|------|
| Marks | Negative | Usage | Wrong | Skip |
| 4.00  | 0.00     | 5x    | 0%    | 100% |

Standalone question · No attachments · No tags Source state: Teacher-authored local · Editable local copy

Private teacher-authored content owned by Neha Kapoor.

Students skip this question frequently. Tighten prompt clarity or break the task into simpler steps.

Preview Edit Duplicate

Open full review

The molar mass of water is:

JEE 2026 Foundation Teacher-authored local Editable local copy MCQ Single Advanced  
Ready to use watch priority published

|       |          |       |       |      |
|-------|----------|-------|-------|------|
| Marks | Negative | Usage | Wrong | Skip |
| 4.00  | 1.00     | 1x    | 0%    | 0%   |

Standalone question · No attachments · No tags Source state: Teacher-authored local · Editable local copy

Private teacher-authored content owned by Neha Kapoor. Needs more live attempts before editorial decisions become reliable.

Preview Edit Duplicate

Open full review

Avogadro number is approximately:

JEE 2026 Foundation Teacher-authored local Editable local copy MCQ Single Advanced  
Ready to use watch priority published

|       |          |       |       |      |
|-------|----------|-------|-------|------|
| Marks | Negative | Usage | Wrong | Skip |
| 4.00  | 1.00     | 1x    | 0%    | 0%   |

Standalone question · No attachments · No tags Source state: Teacher-authored local · Editable local copy

Private teacher-authored content owned by Neha Kapoor. Needs more live attempts before editorial decisions become reliable.

Preview Edit Duplicate

Open full review

A body moving at 4 m/s has mass 2 kg. Enter the momentum in kg m/s.

JEE 2026 Foundation Teacher-authored local Editable local copy Numeric Answer Advanced  
Ready to use watch priority published

|       |          |       |       |      |
|-------|----------|-------|-------|------|
| Marks | Negative | Usage | Wrong | Skip |
| 4.00  | 0.00     | 1x    | 0%    | 100% |

Standalone question · No attachments · No tags Source state: Teacher-authored local · Editable local copy

Private teacher-authored content owned by Neha Kapoor. Needs more live attempts before editorial decisions become reliable.

Preview Edit Duplicate

Open full review

☐ In projectile motion, the horizontal acceleration is:

JEE 2026 Foundation

Teacher-authored local

Editable local copy

MCQ Single

Advanced

Ready to use

watch priority

published

Marks

4.00

Negative

1.00

Usage

1x

Wrong

0%

Skip

0%

Standalone question · No attachments · No tags

Source state: Teacher-authored local · Editable local copy

Private teacher-authored content owned by Neha Kapoor.

Needs more live attempts before editorial decisions become reliable.

Preview

Edit

Duplicate

[► Open full review](#)

☐ The dimensional formula of impulse is:

JEE 2026 Foundation

Teacher-authored local

Editable local copy

MCQ Single

Advanced

Ready to use

none priority

published

Marks

4.00

Negative

1.00

Usage

5x

Wrong

0%

Skip

0%

Standalone question · No attachments · No tags

Source state: Teacher-authored local · Editable local copy

Private teacher-authored content owned by Neha Kapoor.

Attempt patterns look healthy for current usage.

Preview


Edit

Duplicate









Teacher question bank





N

**Nexora**  
INSTITUTE ADMIN PORTAL

+

Dashboard

□

Exams

○

Results

○

Reviews

●

Question Bank

□

People

○

Academic Setup

⌵

Teacher Assignments

■

Reports

+

Economy

N

Security

⚙️

Settings

demo-institute-admin

institute admin

Logout

INSTITUTE ADMIN WORKSPACE

Fri, 10 Jul

Search exams

Institute

People

Academic Setup

Exams

demo-institute-admin  
institute admin

Question Bank

Open Shared Library Linker

Open Linked Questions

Import Questions CSV

Import Comprehension CSV

Create Comprehension Set

Create Question

Why questions are or are not visible

Platform question access depends on three checks staying aligned: shared-library switch, package access, and the current class and subject filter.

SHARED-LIBRARY SWITCH

Platform question intake is enabled

This institute can open the intake page when a matching question package is also active.

QUESTION PACKAGE ACCESS

4 active question packages

Package coverage decides which class, subject, and topic rows can actually be brought into the institute bank.

CURRENT CLASS AND SUBJECT FILTER

All classes · All subjects · All topics

Filters only change what this page shows right now. They do not grant or remove access.

Feature status: Enabled

Active package lanes: 4

Active shared-library switches: 3

Demo Shared Library Paused Only +1 more package

ADVANCED\_EXAM\_BUILDER · Scholar Question Bank Access +1 more feature

Platform question access is active. Open Linked Questions to use what is already inside the institute bank, or open the linker when more questions are needed.

Package coverage preview: Class 7 → Math (1 total) +1 more scope lane

CURRENT STATUS: PLATFORM QUESTION ACCESS IS ACTIVE AND YOUR TEAM CAN SWITCH LANES AS NEEDED

Stay in the local lane for editing institute-owned rows. Open Linked Questions or the linker only when you need platform-backed stock.

Read the chain in this order: switch status, package coverage, then linked questions already inside the institute bank.

1. Intake switch: Ready

2. Package coverage: Ready

3. Linked stock ready to review: Pending review

Choose the right question-bank lane

Stay on one surface at a time so local authoring, linked review, and intake do not get mixed together.

CURRENT LANE: LOCAL QUESTION BANK

Stay here to create, edit, import, and organize institute-owned questions. Open Linked Questions only when you need to review platform rows already available in the bank.

Open the Shared Library Linker only when the current bank does not have enough questions and you need to bring in more platform stock.

Open Linked Questions

Open Shared Library Linker

Current local scope: All classes · All subjects

Linked review readiness: Pending review

Package coverage: Active

Use this screen for institute-owned questions

Stay on the local question bank when your team is writing, editing, importing, tagging, or organizing questions created by the institute.

Move to the licensed lane only when today's job changes

Open Linked Questions for already-added licensed rows, and open the Shared Library Linker only when the current bank is not enough and you need new platform stock.

Total questions

1756

Current filtered inventory returned by the backend

Published

0

Verified questions ready for cleaner institutional reuse

Missing explanation

0

Guidance content still needed on these items

Academic coverage

16

41 topic options across the current subject lane

Revision queue

0

High-priority questions on this visible page slice that need editorial cleanup

Ambiguous items

0

Visible questions where wrong and skip behavior suggests wording or distractor problems

Skip risk

0

Visible questions students defer often and may need simpler phrasing or stronger scaffolds

Emerging data

20

Visible questions with early response volume that should be monitored before heavy edits

Licensed intake shortcut

Use the linker only when the current bank is not enough and this institute needs additional platform-backed stock.

Institute admins complete the final intake step from Shared Library Linker after package coverage, academic scope, and local subject readiness are confirmed.

Teachers can inspect licensed source rows and raise requests from their workspace, but they do not perform the final link.

Open Shared Library Linker

Open Linked Questions For This Scope

Find questions faster

20 visible on this page · 1756 in the current filtered scope

SEARCH QUESTION TEXT

Search by wording or explanation

PROGRAM

All programs

SUBJECT

All subjects

TOPIC

All topics

TEACHER

All teachers

TAG

All tags

QUESTION TYPE

All types

DIFFICULTY

All difficulty levels

SORT BY

Recently created

QUALITY SIGNAL

All signals

REVISION PRIORITY

All priorities

STATUS

All statuses

SHARED LIBRARY

All source states

☐ Missing explanation

Apply Filters

Reset

MIXED-SOURCE GUIDANCE

Local questions stay editable inside the institute. Linked licensed copies are visible locally but should be duplicated before editing. Licensed source paused means the old row may still be visible, but new linked reuse should be treated as blocked until the package lane is restored.

Use the source-state filters to separate local-only authoring from active licensed reuse and paused licensed follow-up.

QUICK FILTERS

All

Missing Explanation

Draft

Verified

Licensed Paused

Licensed Active

Linked Licensed

Local Only

Search: all

Teacher: all

Type: all

Quality: all

Revision: all

Difficulty: all

Local status: all

Source state: all

☐ Favorites only

☒ Compact view

Local view controls do not change backend filters or pagination.

Question inventory

20 visible of 1756 questions

Bulk actions

Select one or more visible questions to unlock bulk updates.

☐ Select visible questions

DIFFICULTY TARGET

Choose difficulty

TOPIC TARGET

Choose topic

TAG TARGET

Choose tag

AVAILABILITY

Activate

Deactivate

CLASSIFICATION

Set Difficulty

Change Topic

TAGGING

Attach Tag

Remove Tag

ANGER ZONE

Delete Selected

☐ PW admin api probe 1783649203008



Class 10 Foundation · Mathematics

Institute-authored local

Editable local copy

MCQ Single

Intermediate

Ready to use

watch priority

draft

Marks

1.00

Negative

0.00

Usage

0x

Wrong

0%

Skip

0%

Standalone question · No attachments · No tags

Source state: Institute-authored local · Editable local copy

Private institute-owned content available only inside this institute.

Needs more live attempts before editorial decisions become reliable.

Preview

Edit

Duplicate

☐

Stage institute finalize timing question 1783647538114-500-500

☆

Class 10 Foundation · Mathematics · Algebra

Institute-authored local

Editable local copy

MCQ Single

Foundation

Ready to use

watch priority

inactive

Marks

1.00

Negative

0.00

Usage

0x

Wrong

0%

Skip

0%

Standalone question · No attachments · 2 tags

Source state: Institute-authored local · Editable local copy

Private institute-owned content available only inside this institute.

Needs more live attempts before editorial decisions become reliable.

Preview

Edit

Duplicate

☐

Stage institute finalize timing question 1783647538114-500-499

☆

Class 10 Foundation · Mathematics · Algebra

Institute-authored local

Editable local copy

MCQ Single

Foundation

Ready to use

watch priority

inactive

Marks

1.00

Negative

0.00

Usage

0x

Wrong

0%

Skip

0%

Standalone question · No attachments · 2 tags

Source state: Institute-authored local · Editable local copy

Private institute-owned content available only inside this institute.

Needs more live attempts before editorial decisions become reliable.

Preview

Edit

Duplicate

☐

Stage institute finalize timing question 1783647538114-500-498

☆

Class 10 Foundation · Mathematics · Algebra

Institute-authored local

Editable local copy

MCQ Single

Foundation

Ready to use

watch priority

inactive

Marks

1.00

Negative

0.00

Usage

0x

Wrong

0%

Skip

0%

Standalone question · No attachments · 2 tags

Source state: Institute-authored local · Editable local copy

Private institute-owned content available only inside this institute.

Needs more live attempts before editorial decisions become reliable.

Preview

Edit

Duplicate

☐

Stage institute finalize timing question 1783647538114-500-497

☆

Class 10 Foundation · Mathematics · Algebra

Institute-authored local

Editable local copy

MCQ Single

Foundation

Ready to use

watch priority

inactive

Marks

1.00

Negative

0.00

Usage

0x

Wrong

0%

Skip

0%

Standalone question · No attachments · 2 tags

Source state: Institute-authored local · Editable local copy

Private institute-owned content available only inside this institute.

Needs more live attempts before editorial decisions become reliable.

Preview

Edit

Duplicate

☐

Stage institute finalize timing question 1783647538114-500-496

☆

Class 10 Foundation · Mathematics · Algebra

Institute-authored local

Editable local copy

MCQ Single

Foundation

Ready to use

watch priority

inactive

Marks

1.00

Negative

0.00

Usage

0x

Wrong

0%

Skip

0%



|      |      |    |    |    |
|------|------|----|----|----|
| 1.00 | 0.00 | 0x | 0% | 0% |
|------|------|----|----|----|

Standalone question · No attachments · 2 tags

Source state: Institute-authored local · Editable local copy

Private institute-owned content available only inside this institute.

Needs more live attempts before editorial decisions become reliable.

[Preview](#) [Edit](#) [Duplicate](#)

☐ **Stage institute finalize timing question 1783647538114-500-495** ☆

[Class 10 Foundation · Mathematics · Algebra](#) [Institute-authored local](#) [Editable local copy](#) [MCQ Single](#)

[Foundation](#) [Ready to use](#) [watch priority](#) [inactive](#)

|       |          |       |       |      |
|-------|----------|-------|-------|------|
| Marks | Negative | Usage | Wrong | Skip |
| 1.00  | 0.00     | 0x    | 0%    | 0%   |

Standalone question · No attachments · 2 tags

Source state: Institute-authored local · Editable local copy

Private institute-owned content available only inside this institute.

Needs more live attempts before editorial decisions become reliable.

[Preview](#) [Edit](#) [Duplicate](#)

☐ **Stage institute finalize timing question 1783647538114-500-494** ☆

[Class 10 Foundation · Mathematics · Algebra](#) [Institute-authored local](#) [Editable local copy](#) [MCQ Single](#)

[Foundation](#) [Ready to use](#) [watch priority](#) [inactive](#)

|       |          |       |       |      |
|-------|----------|-------|-------|------|
| Marks | Negative | Usage | Wrong | Skip |
| 1.00  | 0.00     | 0x    | 0%    | 0%   |

Standalone question · No attachments · 2 tags

Source state: Institute-authored local · Editable local copy

Private institute-owned content available only inside this institute.

Needs more live attempts before editorial decisions become reliable.

[Preview](#) [Edit](#) [Duplicate](#)

☐ **Stage institute finalize timing question 1783647538114-500-493** ☆

[Class 10 Foundation · Mathematics · Algebra](#) [Institute-authored local](#) [Editable local copy](#) [MCQ Single](#)

[Foundation](#) [Ready to use](#) [watch priority](#) [inactive](#)

|       |          |       |       |      |
|-------|----------|-------|-------|------|
| Marks | Negative | Usage | Wrong | Skip |
| 1.00  | 0.00     | 0x    | 0%    | 0%   |

Standalone question · No attachments · 2 tags

Source state: Institute-authored local · Editable local copy

Private institute-owned content available only inside this institute.

Needs more live attempts before editorial decisions become reliable.

[Preview](#) [Edit](#) [Duplicate](#)

☐ **Stage institute finalize timing question 1783647538114-500-492** ☆

[Class 10 Foundation · Mathematics · Algebra](#) [Institute-authored local](#) [Editable local copy](#) [MCQ Single](#)

[Foundation](#) [Ready to use](#) [watch priority](#) [inactive](#)

|       |          |       |       |      |
|-------|----------|-------|-------|------|
| Marks | Negative | Usage | Wrong | Skip |
| 1.00  | 0.00     | 0x    | 0%    | 0%   |

Standalone question · No attachments · 2 tags

Source state: Institute-authored local · Editable local copy

Private institute-owned content available only inside this institute.

Needs more live attempts before editorial decisions become reliable.

[Preview](#) [Edit](#) [Duplicate](#)

☐ **Stage institute finalize timing question 1783647538114-500-491** ☆

Class 10 Foundation · Mathematics · Algebra

Institute-authored local

Editable local copy

MCQ Single

Foundation

Ready to use

watch priority

inactive

Marks

1.00

Negative

0.00

Usage

0x

Wrong

0%

Skip

0%

Standalone question · No attachments · 2 tags

Source state: Institute-authored local · Editable local copy

Private institute-owned content available only inside this institute.

Needs more live attempts before editorial decisions become reliable.

Preview

Edit

Duplicate

☐ Stage institute finalize timing question 1783647538114-500-490

☆

Class 10 Foundation · Mathematics · Algebra

Institute-authored local

Editable local copy

MCQ Single

Foundation

Ready to use

watch priority

inactive

Marks

1.00

Negative

0.00

Usage

0x

Wrong

0%

Skip

0%

Standalone question · No attachments · 2 tags

Source state: Institute-authored local · Editable local copy

Private institute-owned content available only inside this institute.

Needs more live attempts before editorial decisions become reliable.

Preview

Edit

Duplicate

☐ Stage institute finalize timing question 1783647538114-500-489

☆

Class 10 Foundation · Mathematics · Algebra

Institute-authored local

Editable local copy

MCQ Single

Foundation

Ready to use

watch priority

inactive

Marks

1.00

Negative

0.00

Usage

0x

Wrong

0%

Skip

0%

Standalone question · No attachments · 2 tags

Source state: Institute-authored local · Editable local copy

Private institute-owned content available only inside this institute.

Needs more live attempts before editorial decisions become reliable.

Preview

Edit

Duplicate

☐ Stage institute finalize timing question 1783647538114-500-488

☆

Class 10 Foundation · Mathematics · Algebra

Institute-authored local

Editable local copy

MCQ Single

Foundation

Ready to use

watch priority

inactive

Marks

1.00

Negative

0.00

Usage

0x

Wrong

0%

Skip

0%

Standalone question · No attachments · 2 tags

Source state: Institute-authored local · Editable local copy

Private institute-owned content available only inside this institute.

Needs more live attempts before editorial decisions become reliable.

Preview

Edit

Duplicate

☐ Stage institute finalize timing question 1783647538114-500-487

☆

Class 10 Foundation · Mathematics · Algebra

Institute-authored local

Editable local copy

MCQ Single

Foundation

Ready to use

watch priority

inactive

Marks

1.00

Negative

0.00

Usage

0x

Wrong

0%

Skip

0%

Standalone question · No attachments · 2 tags

Source state: Institute-authored local · Editable local copy

Private institute-owned content available only inside this institute.



Needs more live attempts before editorial decisions become reliable.

Preview

Edit

Duplicate

☐ Stage institute finalize timing question 1783647538114-500-486



Class 10 Foundation · Mathematics · Algebra

Institute-authored local

Editable local copy

MCQ Single

Foundation

Ready to use

watch priority

inactive

Marks

1.00

Negative

0.00

Usage

0x

Wrong

0%

Skip

0%

Standalone question · No attachments · 2 tags

Source state: Institute-authored local · Editable local copy

Private institute-owned content available only inside this institute.

Needs more live attempts before editorial decisions become reliable.

Preview

Edit

Duplicate

☐ Stage institute finalize timing question 1783647538114-500-485



Class 10 Foundation · Mathematics · Algebra

Institute-authored local

Editable local copy

MCQ Single

Foundation

Ready to use

watch priority

inactive

Marks

1.00

Negative

0.00

Usage

0x

Wrong

0%

Skip

0%

Standalone question · No attachments · 2 tags

Source state: Institute-authored local · Editable local copy

Private institute-owned content available only inside this institute.

Needs more live attempts before editorial decisions become reliable.

Preview

Edit

Duplicate

☐ Stage institute finalize timing question 1783647538114-500-484



Class 10 Foundation · Mathematics · Algebra

Institute-authored local

Editable local copy

MCQ Single

Foundation

Ready to use

watch priority

inactive

Marks

1.00

Negative

0.00

Usage

0x

Wrong

0%

Skip

0%

Standalone question · No attachments · 2 tags

Source state: Institute-authored local · Editable local copy

Private institute-owned content available only inside this institute.

Needs more live attempts before editorial decisions become reliable.

Preview

Edit

Duplicate

☐ Stage institute finalize timing question 1783647538114-500-483



Class 10 Foundation · Mathematics · Algebra

Institute-authored local

Editable local copy

MCQ Single

Foundation

Ready to use

watch priority

inactive

Marks

1.00

Negative

0.00

Usage

0x

Wrong

0%

Skip

0%

Standalone question · No attachments · 2 tags

Source state: Institute-authored local · Editable local copy

Private institute-owned content available only inside this institute.

Needs more live attempts before editorial decisions become reliable.

Preview

Edit

Duplicate

☐ Stage institute finalize timing question 1783647538114-500-482



Class 10 Foundation · Mathematics · Algebra

Institute-authored local

Editable local copy


MCQ Single

Foundation

Ready to use

watch priority

inactive



## Key Areas

### Filters

Use filters to narrow the inventory by:

- subject
- topic
- tag
- difficulty
- question type
- quality or revision signal

### Inventory List


The main inventory area helps you inspect:

- question title or stem
- subject and topic mapping
- question type
- difficulty
- usage or revision state
- tag presence

### Shared Library And Linking

Some institutes and teachers also see shared-library tools such as:

- library linker
- entitlement checks
- package visibility
- quota or access status



## Common Tasks

### Search Questions

1. Open the question bank.
2. Enter a search term.
3. Combine it with subject or topic filters if needed.
4. Inspect the resulting list.

### Open A Question

1. Find the question in the list.
2. Open the detail page.
3. Review the stem, options, explanation, tags, and metadata.

### Create Or Edit A Question

1. Open [New Question](#) or the question detail page.

2. Fill in the stem and answer fields.
3. Set subject, topic, and difficulty.
4. Save the question.

## Import Questions

1. Open the import route.
2. Upload the source file.
3. Check the preview and mapping step.
4. Confirm the import.

Tip: Use import when you need to bring in a batch of questions with consistent structure.

## Run Bulk Actions

Common bulk actions may include:

- tagging
- topic reassignment
- difficulty updates
- archive or restore
- other inventory maintenance actions

Always select the questions first, then run the action.

## Manage Shared-Library Access

1. Open the shared library tools if available.
2. Check whether the package is visible and entitled.
3. Link only the content that is allowed for your role and institute.

---

## Common Mistakes

- importing before the subject and topic structure exists
- tagging questions without checking whether they match the intended syllabus
- using bulk updates on the wrong filtered set
- confusing local inventory with shared-library content

---

## Troubleshooting

### The list is empty

Check whether:

- the filters are too narrow
- the subject or topic is missing
- the account does not have access to that inventory

### Import fails

Check whether:

- the file format is wrong
  - required columns are missing
-



- the topic map is incomplete
- the shared-library entitlement is unavailable

---

## Related Pages

- [Exam Creation And Builder](#)
- [Exam Detail And Lifecycle](#)
- [Results And Analytics](#)

