

MACHINE LEARNING

In Q1 to Q11, only one option is correct, choose the correct option:

1. Which of the following methods do we use to find the best fit line for data in Linear Regression?

A) Least Square Error B) Maximum Likelihood
C) Logarithmic Loss D) Both A and B
Answer: A) Least square error

2. Which of the following statement is true about outliers in linear regression?

A) Linear regression is sensitive to outliers B) linear regression is not sensitive to outliers
C) Can't say
D) none of the these

Answer: A) Linear regression is sensitive to outliers

3. A line falls from left to right if a slope is _____?

A) Positive B) Negative
C) Zero D) Undefined

Answer: B) Negative

4. Which of the following will have symmetric relation between dependent variable and independent variable?

A) Regression B) Correlation
C) Both of them D) None of these

Answer: B) Correlation

5. Which of the following is the reason for over fitting condition?

A) High bias and high variance B) Low bias and low variance C) Low bias and high variance D) none of these

Answer: C) Low bias and high variance

6. If output involves label, then that model is called as:

A) Descriptive model B) Predictive modal
C) Reinforcement learning D) All of the above

Answer: B) Predictive modal

7. Lasso and Ridge regression techniques belong to _____?

A) Cross validation B) Removing outliers
C) SMOTE D) Regularization

Answer: D) Regularization

Answer: D) SMOTE

A) TPR and FPR

C) Sensitivity and Specificity D) Recall and precision

Answer: A) TPR and FPR

A) True B) False

Answer: B) False

A) Construction bag of words from a email
dimensional data

C) Removing stop words

Answer: B) Apply PCA to project high dimensional data

In Q12, more than one options are correct, choose all the correct options:

- A) We don't have to choose the learning rate.
- B) It becomes slow when number of features is very large.
- C) We need to iterate.
- D) It does not make use of dependent variable.

Answer: These three option were correct:

- A) We don't have to choose the learning rate.
- B) It becomes slow when number of features is very large.
- C) We need to iterate

Q13 and Q15 are subjective answer type questions, Answer them briefly.

Answer: Regularization is a set of methods for reducing overfitting in machine learning models.

14. Which particular algorithms are used for regularization?

Answer: lasso regularization algorithms (also called L1 regularization), ridge regularization algorithms (L2 regularization) and elastic net regularization.

15. Explain the term error present in linear regression equation?

Answer: The error term is a random variable with a mean of zero and a constant variance. The meaning of this is that the variances of the independent variables are independent of the value of the variable.

