

Vehicle Type Average Pricing

Clox Freight Forwarding

Australia-focused, but globally usable

Vehicle Type Average Pricing

1. Light Vehicles FLV (Local / Express)

Motorbike / Scooter

- Payload: up to 30 kg
- Per hour: \$45 – \$70
- Per km: \$1.20 – \$1.80
- Volume: small satchel
- Use: documents, urgent parcels

Car / Hatchback / Sedan

- Payload: 100 – 200 kg
- Per hour: \$50 – \$80
- Per km: \$1.40 – \$2.00
- Volume: ~0.5 m³
- Use: small parcels, urgent deliveries

Ute (Single Cab) & (Dual Cab)

- Payload: 800 – 1,000 kg
- Per hour: \$70 – \$100
- Per km: \$2.00 – \$3.00
- Tray: ~2.4 m x 1.8 m
- Use: building materials, pallets, machinery

2. Vans FLV (High-Volume App Usage)

Small Van (SWB)

- Payload: 800 – 1,000 kg
- Per hour: \$75 – \$95
- Per km: \$2.20 – \$3.00
- Volume: 3 – 4 m³

Medium Van (MWB)

- Payload: 1,000 – 1,200 kg
- Per hour: \$85 – \$110
- Per km: \$2.50 – \$3.50
- Volume: 6 – 8 m³
- Pallets: 2
- Use: retail stock, e-commerce

Large Van (LWB - Hi-Roof)

- Payload: 1,200 – 1,500 kg
- Per hour: \$95 – \$130
- Per km: \$2.80 – \$4.00
- Volume: 10 – 14 m³
- Pallets: 3–4
- Use: furniture, bulk cartons

3. Small to Medium Trucks FLT

1–2 Tonne Truck

- Payload: 1,000 – 2,000 kg
- Per hour: \$110 – \$150
- Per km: \$3.50 – \$4.80
- Pallets: 4–6
- Use: metro freight, short haul

3 Tonne Truck

- Payload: 3,000 kg
- Per hour: \$120 – \$170
- Per km: \$4.00 – \$5.50
- Pallets: 6–8
- Use: distribution, store deliveries

4–6 Tonne Truck

- Payload: 4,000 – 6,000 kg
- Per hour: \$140 – \$200
- Per km: \$4.50 – \$6.50
- Pallets: 10–12
- Use: regional freight

8–10 Tonne Truck

- Payload: 8,000 – 10,000 kg
- Per hour: \$170 – \$240
- Per km: \$5.50 – \$8.00
- Pallets: 14–16
- Use: interstate, heavy loads

4. Rigid & Specialised Trucks

Rigid Truck (12–14 Pallet)

- Payload: 10 – 12 tonnes
- Per hour: \$180 – \$260
- Per km: \$6.50 – \$9.00
- Use: retail, FMCG, warehouses

Tailgate Truck (Add-on)

- Add: +\$10–\$25/hour
- Or: +\$0.30–\$0.60/km
- Payload: varies by size
- Feature: hydraulic tail lift
- Use: no-forklift sites

Refrigerated Truck (Reefer)

- Payload: 2 – 12 tonnes
- Per hour: \$200 – \$300
- Per km: \$7.00 – \$10.00
- Use: food, pharma, cold chain

Flatbed / Tray Truck

- Payload: 2 – 12 tonnes
- Per hour: \$160 – \$240
- Per km: \$6.00 – \$9.00
- Use: steel, timber, machinery

Crane Truck (Hiab) Lift 1-8 Tones

- Payload: 4 – 12 tonnes
- Per hour: \$220 – \$350
- Per km: \$7.50 – \$12.00
- Use: site deliveries, containers

5. Heavy & Linehaul FULL LOAD Vehicles

Semi-Trailer (Single)

- Payload: 22 – 24 tonnes
- Per km: \$4.00 – \$5.00 (long haul)
- Per hour (metro): \$220 – \$260
- Pallets: 22–24
- Length: 13.6 m
- Use: Local & interstate freight

B-Double

- Payload: 34 – 38 tonnes
- Per km: \$5.50 – \$6.50 (long haul)
- Per hour (metro): \$320 – \$380
- Pallets: 34
- Use: long-haul, bulk freight

Road Train

- Payload: up to 120 tonnes
- Per km: \$7.00 – \$10.00+
- Special permits required
- Use: mining, remote transport

6. Containers (If app supports ports)

Container

- Payload: ~28 tonnes
- Per hour: \$240 – \$300
- Per km: \$4.50 – \$6.00
- Volume: 33 m³

Smart Add-Ons (Recommended)

- Waiting time: \$80–\$120/hr
- After-hours: +15–30%
- Weekend/public holiday: +25–50%
- Toll pass-through (actual cost)
- Minimum charge (4–6 hours)

PRICING MODEL (AU AVERAGES)

- Rates are per vehicle, not per pallet
- Prices vary by city, fuel, demand, and access conditions.
- can use this directly for vehicle selection, quoting, and matching fleet.
- Ex-GST | Metro & Regional averages

Realistic Australian market average pricing ranges you can safely use in your Clox Freight Forwarding app for hourly and per-kilometre rates.

These are industry-standard averages (metro & regional AU) — suitable for price guidance, instant estimates, and carrier validation, not fixed quotes.

Recommended App Filters (Best Practice)

For Clox Freight Forwarding, include:

- Vehicle Type
 - Max Weight (kg)
 - Pallet Count
 - Volume (m³)
 - Special Features (Tailgate, Reefer, Crane)
 - Licence Class (MR, HR, HC, MC)
 - Metro / Regional / Interstate
-

Sender vs Carrier Vehicle Selection Flow

Sender vs Carrier Vehicle Selection Flow

SENDER FLOW (Primary Control)

Step 1: Enter Shipment Details

Sender must enter:

- Pickup & delivery locations
- Freight type (cartons / pallets / machinery / loose)
- Weight (kg)
- Dimensions (L × W × H)
- Pallet count
- Special requirements:
 - ☐ Tailgate
 - ☐ Forklift on site
 - ☐ Refrigerated
 - ☐ Crane (Hiab)
 - ☐ Time-critical

 Sender cannot skip this step

Step 2: System Vehicle Recommendation (Auto)

Clox system:

- Calculates minimum required vehicle
- Shows recommended vehicle types
 - Example: “Large Van or 3-Tonne Truck”

Sender sees:

- Recommended vehicle
- Vehicles too small are disabled
- Larger vehicles allowed (with higher cost)

Step 3: Sender Vehicle Preference (Optional)

Sender can:

- Select Preferred Vehicle Type
 - Example: “3-Tonne with Tailgate”
- OR leave “Any suitable vehicle”

Important:

The sender selects requirements, not a specific truck or driver.

Step 4: Base Rate Visibility

Sender sees:

- Price ranges per vehicle type
- ETA
- Capacity suitability indicator:
 -  Perfect fit
 -  Extra space
 -  Risk of overload (blocked)

Core Principle

- Sender defines the freight requirement
- Carrier confirms the vehicle that meets it
- This keeps liability clear and reduces disputes.

CARRIER FLOW (Confirmation & Responsibility)

Step 5: Carrier Views Job Requirements

Carrier sees:

- Freight specs entered by sender
- Required vehicle class
- Mandatory features
- Sender's preferred vehicle (if any)

Step 6: Carrier Submits Proposal

Carrier must:

- Select actual vehicle from their fleet:
 - Vehicle type
 - Load capacity
 - Registration
 - Features (tailgate, reefer, crane)
- Assign:
 - Driver
 - Licence class

System validation:

- Blocks undersized vehicles, Blocks licence mismatch

Step 7: Smart Conflict Handling

If carrier:

- Proposes a larger vehicle → Allowed (price adjusts)
- Proposes a smaller vehicle → Blocked
- Proposes same truck for multiple jobs:
 - Once one job is awarded → others auto-expire
 - Carrier notified instantly

JOB AWARD & LOCK

Step 8: Sender Accepts Proposal

When sender accepts:

- Vehicle + driver locked
- Other carrier proposals auto-cancelled
- Job status → Confirmed

 Liability:

- Carrier is responsible for providing the confirmed Driver and vehicle
- Sender responsible for correct freight details, pick-up location, drop-off location, booking date and time

EXCEPTION HANDLING (Real-World Ready)

Vehicle Breakdown

Carrier must:

- Request vehicle substitution
- Replacement must meet or exceed original capacity
- notified instantly
- Penalty charge apply per hour on base rate

Freight Mismatch at Pickup

If freight is:

- Heavier / larger than declared:
 - Carrier can reject
 - Or request upgrade via app
- App logs evidence (photos + time stamp)

WHY THIS FLOW WORKS

- ✓ Prevents under-quoting
- ✓ Stops wrong vehicle bookings
- ✓ Clear liability
- ✓ Scales for enterprise users
- ✓ Matches how real transport businesses operate

Truck Breakdown – App Screen Flow

Truck Breakdown – App Screen Flow

1 Driver App Flow

Screen 1: Active Trip Screen

State: Trip → In Progress

Visible elements:

- Map with live route
- ETA
- Trip ID
- Pickup → Drop details
- Buttons:
 1. Complete Trip (disabled)
 2. Report Issue

Screen 2: Report Issue

(Opened when driver taps Report Issue)

Options (Radio buttons):

- Truck Breakdown
- Accident
- Traffic Delay
- Other

Driver selects Truck Breakdown

CTA: Continue

Screen 3: Breakdown Details

Fields:

- Breakdown Type (dropdown)
- Engine
- Tyre
- Electrical
- Accident-related
- Other
- Auto-captured GPS location
- Optional:
 - Photo upload
 - Short note (text)

CTA: Submit

Screen 4: Breakdown Submitted (Status Screen)

Status: Breakdown – In Progress (penalty start time)

Displayed:

- Breakdown time
- Location
- Message:

“Sender, Receiver, Colx Admin and Transport admin have been Auto notified.”

Buttons:

- Update Repair Status
- Contact Company
- Emergency Call (optional)

2 Transport Company App / Web Flow

Screen 5: Breakdown Alert

Instant notification:

“Truck KA01AB1234 reported breakdown on Trip #CLOX-9087”

CTA: View Trip

Screen 6: Breakdown Management Screen

Trip summary shown

- Driver details
- Vehicle details
- Current location
- Goods info

Resolution Options (Cards):

Option A: Assign Replacement Vehicle

- Select available vehicle
- Select driver
- Estimated arrival time

CTA: Propose Replacement

Option B: Repair & Continue

- Enter estimated repair time (minutes/hours)

CTA: Update Repair ETA

Option C: Cancel Trip

- Reason mandatory

Shows penalty warning before confirmation

CTA: Cancel Trip

3 Sender App Flow

Screen 7: Breakdown Notification

Push notification:

“Your shipment has encountered a breakdown. Action required.”

CTA: View Details

Screen 8: Breakdown Details Screen

Shows:

- Breakdown reason
- Location on map
- Time occurred
- Current status

If Option A (Replacement Proposed):

- New vehicle details
- New driver profile
- Updated ETA

Buttons:

- Approve Replacement
- Reject

Screen 9: Sender Decision Outcome

If Approved:

- Status: ● Trip Resumed
- Live tracking restarts

If Rejected:

- Transport company notified
- Admin alerted
- Possible cancellation flow starts

4 Admin Panel Flow

Screen 10: Breakdown Monitoring Dashboard

Table View:

- Trip ID
- Company
- Breakdown type
- Delay duration
- Resolution status

Actions:

- Force replacement
- Force cancellation
- Waive / apply penalties
- Add admin notes

5 Final Trip Completion

Screen 11: Trip Completion

- Final ETA logged
- Delay reason tagged as "Breakdown"
- Fare adjusted if applicable
- Breakdown logged in:
- Company performance score
- Driver history

CLOX – LOAD TYPES

CLOX – LOAD TYPES

(CUSTOMER SELECTION)

GENERAL FREIGHT (DEFAULT)

- Cartons
- Palletised goods
- Retail stock
- FMCG

TEMPERATURE CONTROLLED

- Chilled goods
- Frozen goods
- Perishable food
- Pharmaceuticals

 Requires refrigerated vehicle

DANGEROUS GOODS (DG)

- Flammable liquids
- Flammable solids
- Corrosive substances
- Toxic materials
- Aerosols
- Batteries (Lithium, industrial)
- Gas cylinders
- Chemicals

Requires:

- DG-licensed carrier
- Correct placards & paperwork

LIQUID / BULK LIQUID

- Drums
- IBCs
- Tanker loads
- Oils
- Paints
- Food-grade liquids

May require:

- Spill containment and DG Placard Paperwork
- Food-grade certification

HEAVY FREIGHT

- Machinery
- Engines
- Industrial equipment
- Mining equipment

Weight-critical

Often requires higher-capacity vehicles

OVERSIZE / OVER-DIMENSION

- Long steel
- Pipes
- Beams
- Structural steel
- Precast concrete
- Large equipment

May require:

Flatbed / extendable trailer, Permits, Pilot / escort vehicles

STEEL & METAL

- Steel coils
- Steel plates
- Rebar
- Aluminium
- Metal sheets

Requires:

Chains & restraints

NHVR load restraint compliance

TIMBER & BUILDING MATERIALS

- Timber packs
- Plywood
- Gyprock
- Bricks
- Roofing materials

PLANT & VEHICLES

- Forklifts
- Excavators
- Skid steers
- Cars
- Tractors
- Agricultural equipment

Often requires ramps or low loader

BULK / LOOSE LOAD

- Sand
- Gravel
- Soil
- Scrap metal
- Waste materials

Tip truck or walking floor

CONTAINERS (PORT / WHARF)

- 20ft container
- 40ft container
- Empty container
- Reefer container

Wharf access & time slots apply

FURNITURE & HOUSEHOLD

Commercial furniture

Office fit-outs

Large items (non-removalist)

HIGH-VALUE / SENSITIVE

- Electronics
- Medical equipment
- Fragile machinery
- Controlled goods

WASTE / RECYCLING

- Industrial waste
- Medical waste
- Construction waste
- Recyclables

EPA compliance may apply

RECOMMENDED APP UI (VERY IMPORTANT)

Step:

“What are you transporting?”

Use simple checkboxes:

- ☐ General Freight
 - ☐ Dangerous Goods
 - ☐ Liquid / Bulk Liquid
 - ☐ Oversize / Over-dimension
 - ☐ Steel / Metal
 - ☐ Temperature Controlled
 - ☐ Machinery / Heavy
 - ☐ Vehicles / Plant
 - ☐ Containers
 - ☐ Timber / Building Materials
 - ☐ High-Value / Sensitive
 - ☐ Waste / Recycling
-

SMART RULES FOR CLOX (AUTO-LOGIC)

If customer selects	System action
Dangerous Goods	Only DG-approved carriers
Oversize	Permit warning + flatbed only
Liquid	Spill containment check
Steel	Chain & restraint confirmation
Reefer	Temp range mandatory
Container	Wharf access check

LEGAL PROTECTION TEXT (USE THIS)

“Incorrect load type selection may result in job rejection or additional charges.”

WHY THIS WORKS

- ✓ Easy for customers
 - ✓ Filters wrong carriers automatically
 - ✓ Reduces disputes
 - ✓ NHVR-aligned
 - ✓ Scales to enterprise customers
-

Add-on

- Convert this into app dropdown wording
- Add auto-warning messages
- Map load type → vehicle type
- Create carrier compliance checklist