

App Workflows by All User Roles

A. Admin Workflow

Global Administrative Hierarchy & Revenue Distribution

Clox operates under a three-tier "Command and Control" revenue-sharing model. Commissions are calculated based on the job's **Origin City/Region**.

Role Name	Tier	Revenue Share	Core Global Responsibility
Super Admin (Clox HQ)	Global/National	15% (of Gross)	Infrastructure governance, global pricing standards, and 3rd party API costs. ¹
Regional Master Admin	State/Province	10% (of Gross)	Regional compliance, legislative adherence (NHVR/FMCSA), and Master Admin support. ²
Local BDE Admin	City/Suburb	5% (of Gross)	Local Business Development, carrier/sender onboarding, and relationship management. ²

1. **Configuration:** Set minimum base fares and platform commission rates (30%).
2. **Compliance Audit:** Review uploaded documents. Automated system flags RWCs and ABNs nearing expiration.
3. **Liquidated Damages:** Review and approve/deny claims for late cancellations or substantial detention.

B. Sender (Customer) Workflow: Business vs. Individual

1. **Onboarding:** Register via OTP login.
 - **Business Branch:** Mandatory ABN/ACN entry; verified via **3rd-party API**.
 - **Individual Branch:** Mandatory Driver's License or Passport scan; verified via **3rd-party API**.
2. **Request Creation:** Input pickup/drop locations using the **Google Maps Platform**.
3. **Job Selection:** Choose "Per KM" (Interstate) or "**Hourly**" (Local - mandatory minimum 4 hours).* **Base rate set up by super admin.**
4. **Multi-Pickup/Dropoff (Hourly Only):** Senders can add up to **four (4) pickups**. The system optimises the route and checks the driving time against fatigue-break thresholds.
Clarification on the "Hourly Job" (4-Hour Min)

The developer needs to understand that for local hourly work, the platform acts as a "dedicated driver for hire."

The Workflow for Hourly Jobs:

- **The 4-Hour Rule:** Senders are billed a minimum of 4 hours, even if the task takes 1 hour. This ensures compliance with the *Road Transport and Distribution Award 2020*.
- **The Stop Limit:** Senders can add **up to four (4) locations total** per hourly booking.
- **Flexible Sequencing:** The system must support two specific stop patterns:
 - **Pattern A (Multi-Pickup):** 3 Pickups $\rightarrow$ 1 Final Drop-off.
 - **Pattern B (Multi-Drop):** 1 Pickup $\rightarrow$ 3 Separate Drop-offs.

Challenges for the Developer to Solve (Logic Requirements):

1. **Stop Sequencing:** The system should use a basic TSP (Travelling Salesman Problem) algorithm to sequence these 4 points in the most efficient order to save the driver time.
2. **Fatigue Logic:** Even for local work, the system must check the total duration. If the auto-route planning predicts the total shift (including loading/unloading time) will exceed **5.25 hours**, the system must insert a mandatory **15-minute unpaid rest break** into the ETA and notify the sender.
3. **Wait Time Integration:** The "30-minute free pickup" and "60-minute free drop-off" rules still apply per stop. If a driver is delayed at "Stop 2" of 4, the hourly clock continues to run, but the "Detention/Waiting Charge" alerts must still trigger to notify the sender of the delay.

Summary Table for Developer Logic

Feature	Requirement	Internal Logic or API?
Stop Count	Max 4 locations (including start/end).	Internal Logic
Minimum Pay	Auto-round any local job to 4.0 hours.	Internal Logic
Route Order	Auto-sequence by shortest distance.	Internal Logic (via Google Routes)
Safety Gate	Block "Start Trip" until Mass Check at Stop 1.	Internal Logic
Fatigue Alert	Notify users if driving exceeds 5.5 hours.	Internal Logic (NHVR Standard)

- 5. Site Access & Maneuverability Assessment:** Mandatory Input. Senders must categorise site conditions using the following criteria: Maneuverability: Tight Street, Standard Industrial, or Wide Yard. Facility Specs: Raised Loading Dock (48-52"), Ground Level, or Forklift Required.

6. SPECIAL LOAD ADDERS (PUBLIC)

Feature	App Rate
Tailgate	+\$20–\$30/hr OR +\$0.60/km
Refrigerated	+25–35%
Crane (Hiab)	\$280–\$350/hr (4-hr min)
After-hours	+20–30%
Weekend / PH	+30–50%

7. **Chargeable Weight Input:** Mandatory dead weight (kg) and dimensions (L x W x H).

8. **Choose load type.** Use simple checkboxes:

General Freight

- Cartons
- Palletised goods
- Retail stock
- FMCG
- General merchandise

No special handling required

Dangerous Goods

- Flammable liquids
- Flammable solids
- Corrosive substances
- Toxic materials
- Aerosols
- Batteries (Lithium, industrial)
- Gas cylinders
- Chemicals

 Requires:

- DG-licensed carrier
- Correct placards & paperwork

If they choose DG Load (Danger Good) must select Class and weight; if the weight is above 1000 kg, they must upload the DG Document.

Liquid / Bulk Liquid

- Drums
- IBCs
- Tanker loads
- Oils
- Paints
- Food-grade liquids

 May require:

- Spill containment
- Food-grade certification

Oversize / Over-dimension

- Long steel
- Pipes
- Beams
- Structural steel
- Precast concrete
- Large equipment

 May require:

- Flatbed/extendable trailer, Permits and Pilot/escort vehicles.

Steel / Metal

- Steel coils
- Steel plates
- Rebar
- Aluminium
- Metal sheets

 Requires:

- Chains & restraints
- NHVR load restraint compliance

Temperature Controlled

- Chilled goods
- Frozen goods
- Perishable food
- Pharmaceuticals

 Requires a refrigerated vehicle

Machinery / Heavy & Vehicles / Plant

- Machinery
- Engines
- Industrial equipment
- Mining equipment

 Weight-critical
Often requires higher-capacity vehicles

- Forklifts
- Excavators

- Skid steers
- Cars
- Tractors
- Agricultural equipment

⚠ Often requires ramps or a low loader

Containers (PORT / WHARF)

- 20ft container
- 40ft container
- Empty container
- Reefer container

⚠ Wharf access & time slots apply

Timber / Building Materials

- Timber packs
- Plywood
- Gyprock
- Bricks
- Roofing materials

High-Value / Sensitive

- Electronics
- Medical equipment
- Fragile machinery
- Controlled goods

🔒 May require:

- Insurance confirmation

Waste / Recycling

- Industrial waste
- Construction waste
- Recyclables

⚠ EPA compliance may apply



RECOMMENDED APP UI (VERY IMPORTANT)

Step: “What are you transporting?”

Use **simple checkboxes**:

- ☐ General Freight
- ☐ Dangerous Goods
- ☐ Liquid / Bulk Liquid
- ☐ Oversized / Over-dimensional
- ☐ Steel / Metal
- ☐ Temperature Controlled
- ☐ Machinery / Heavy
- ☐ Vehicles / Plant
- ☐ Containers
- ☐ Timber / Building Materials
- ☐ High-Value / Sensitive
- ☐ Waste / Recycling



SMART RULES FOR CLOX (AUTO-LOGIC)

If the customer selects	System action
Dangerous Goods	Only DG-approved carriers
Oversize	Permit warning + flatbed only
Liquid	Spill containment check
Steel	Chain & restraint confirmation
Reefer	Temp range mandatory
Container	Wharf access check

LEGAL PROTECTION TEXT (USE THIS)

“Incorrect load type selection may result in job rejection or additional charges.”

9. **Pick up** date and time on calendars.
10. **Pricing:** Submit a bid. The system enforces a validation rule: **The bid amount cannot be lower than the minimum base price set by the Super Admin.**
11. **Post the proposal** job broadcast online.
12. **Proposal Review:** Review from the transport company side. The review screen must display:(masking transport company info)
 - **Driver Details:** Profile photo, rating, and years of experience.
 - **Vehicle Details:** Vehicle type and registration number.
 - **Operational Details:** Estimated Arrival Time (ETA) to the pickup point.
 - **Insurances and certificates**
13. **100% Upfront Payment:** Accept the proposal and pay 100% of the agreed fare upfront via **Stripe Connect**.
14. **Active Monitoring:** Monitor the trip through real-time GPS tracking on an integrated map.
15. **Finalisation:** Automatically receive the digital **Proof of Delivery (POD)** and **Tax Invoice including GST** upon trip completion.

C. Transportation Company Workflow: Basic vs. Fleet Management

Access is locked behind a mandatory compliance gate.

A. Basic

1. **Pre-Registration Compliance Gate:** Mandatory upload of **ABN/ACN**, **Public Liability**, and **Transit/Cargo** insurance. verified via **3rd party API**
2. **Fleet Registration:** Add vehicles with tare weight, GVM/GCM, and upload **Roadworthy Certificates (RWC)**. verified via **3rd party API**
3. **Upload all compliance documents, all insurances, and all Permits**
4. **Receive Jobs Broadcast:** Real-time notifications for new freight requests in the carrier's service area.
5. **Proposal Acceptance and Submission: (masking customers' info)**
 - **Assignment:** Assign a specific verified vehicle and driver to the load.
 - **Net Display:** The app displays the **Net Payout** (70%) to the carrier, not the gross fare paid by the sender.
6. **Total Balance:** up to date.
7. **Settlement:** Withdraw 70% payout after the 7-day clearing period.

B. Fleet Management Mode (Fleet+ SaaS Subscription)

Subscription & Setup

1. **Compliance Gate:** Mandatory upload of ABN, Public Liability (\$10M-\$20M), Transit Insurance, and RWCs.
2. **Fleet+ Tiers:** Companies select from Free Trial (14 days), Starter, Growth, or Enterprise.
3. **Vehicle Profiles:** Each vehicle is registered with fuel type, service schedule, and a custom Cost Profile (\$/km or \$/hr).

Smart Dispatching & Analytics

- Job Board Visibility: System auto-filters jobs based on vehicle class and specialised permits (e.g., DG).
- Smart Allocation: The system suggests the Closest, Most Profitable, or Least Idle vehicle for any accepted RFP.
- Profit Dashboard: Real-time visibility into fleet utilisation % and revenue per truck.
- Technical Specification: "Profit per Vehicle" Engine
- This engine calculates the financial performance of each asset in the fleet.

Acceptance Criteria for Developers:

AC 1: Data Aggregation: The system shall aggregate data from four sources: Completed Job Fares (70% Net), Fuel Log Entries (Manual/API), Driver Payroll Data (Shift time vs. Grade rate), and Variable Costs (Tolls/Maintenance).

AC 2: Profit Calculation Formula: The system must calculate trip-level profit using:

AC 3: Depreciation Allocation: For the "Enterprise" tier, the system shall subtract a daily Asset Depreciation value based on the vehicle's initial purchase price and target residual value.

AC 4: Utilisation Thresholds: The dashboard shall flag any vehicle with a Profit Margin < 15% or Idle Time > 40% for management review.

AC 5: Maintenance Watchdog: The system shall auto-status a vehicle to MAINTENANCE and block it from job bidding if the odometer exceeds the set service interval or the RWC expires

AC 6: Auto-generating run-sheet for multi pickup/dropoff for all users

D. Driver Workflow

Received a notification of a job sent by a transport company.

1. **Authentication:** Secure login via company-provided credentials.
2. **Pre-Trip Checklist:** Mandatory NHVR safety gate (tyres, brakes, lights, fluids, and "Last Rest Period" entry). (#A)
3. **Maneuverability Preview:** Driver receives the Site Access Assessment (Turning circle/Dock height) provided by the sender before arrival.
4. **Manual Logbook:** Driver manages rest breaks via paper diary; no in-app fatigue alerts are triggered in this version.
5. **Auto Pre Alert:** ETA and send notification 15 minutes before reaching the destination.
6. **Arrive:** Auto sends a notification to all users (*start time calculation based on fleet loading offloading window setup by super admin) 30 minutes after the charge waiting time, calculating notifications to all users
7. **Start Loading/Unloading:** Auto sends a notification to all users.
8. **Pickup Mass Check:** Inspect load and secure with appropriate straps or chains. Tap "Report Discrepancy" if exceeds declaration, triggering an automated surcharge to the sender. (including collecting all required documents)
9. **Start trip:** Notification "Start Trip" button is enabled ONLY after the Mass Check is submitted.
10. **Transit Lock: "Start Trip"** button is enabled ONLY after Mass Check Tracking goes live to all users.
11. **Taking a break:** Notification to all users.
12. **Auto Pre Alert:** Send notification 15 minutes before reaching the destination. Notifications to all users 60 minutes after the start of the waiting charge.
13. **Start unloading/Loading:** Auto sends a notification to all users.
14. **POD Capture:** Geofence triggers arrival timestamp. Capture the receiver's Sign-on-Glass (SOG) and mandatory collection of all required documents and goods photos. (server-locked timestamps)

Truck Breakdown – Consolidated App Screen Flow

Driver App Flow

- **Screen 1 (Active Trip)** shows a map, ETA, and a  **Report Issue** button.
- **Screen 2 (Report Issue)**: Radio buttons: Truck Breakdown, Accident, Traffic, Other.
- **Screen 3 (Details)**: Dropdown (Engine, Tyre, etc.), GPS, Odometer, and mandatory photo upload.
- **Screen 4 (Status)**: Status becomes  Breakdown – In Progress. Mandatory Photo/GPS.

Transport Company Flow

- **Screen 5 (Alert)**: Instant dashboard notification with Trip ID and Vehicle Rego.
- **Screen 6 (Management)**: Resolution options:
 - **Option A: Assign Replacement (Internal)**: Assign another company truck.
 - **Option B: Release to Marketplace**: Perform a **Stripe Transfer Reversal** to re-payout a new carrier.
 - **Option C: Repair & Continue**: Enter ETA; validated against legal fatigue limits.

Sender App Flow

- **Screen 7 (Notification)**: Push notification of the delay.
- **Screen 8 (Details)**: Location and status. If replaced, it shows the **new driver pic, rating, vehicle type, rego, and ETA. Must tap Approve or Cancel (Refunds follow ACL rules)**.
- **Screen 9 (Outcome)**: Sender approves or rejects/requests a refund (if delay exceeds ACL "Major Failure" thresholds).

Admin & Completion

- **Screen 10 (Admin Monitoring)**: High-level view of all incidents for manual intervention.
- **Screen 11 (Final Trip Completion)**: Breakdown recorded in the Company Performance Score.

#A. Essential Pre-Trip Checklist

Organise your daily walk-around into these critical focus areas:

- **Wheels & Tyres**
 - **Tread Depth:** Minimum 1.5 mm across the entire tread.
 - **Condition:** No deep cuts, bulges, exposed cords, or mismatched sizes.
 - **Security:** Check for missing or loose wheel nuts and signs of rim movement (e.g., rust streaks or "fretting" dust).
- **Brakes & Air Systems**
 - **Functionality:** Test that the service and parking brakes hold the vehicle securely.
 - **Air Leaks:** Listen for audible leaks and ensure air pressure builds up within normal timeframes.
 - **Components:** Visually inspect hoses, lines, and couplings for damage or insecure connections.
- **Lights & Electrical**
 - **Visibility:** Test all headlights (high/low beam), indicators, hazard lights, and brake lights.
 - **Markers:** Ensure clearance lights, number plate lights, and reflectors are clean and functional.
 - **Dashboard:** Confirm all warning lights extinguish after start-up.
- **Engine & Fluid Levels**
 - **Leaks:** Check under the vehicle for fresh oil, fuel, coolant, or hydraulic fluid leaks.
 - **Levels:** Verify engine oil and coolant are within range.
 - **Exhaust:** Inspect for excessive smoke, noise, or leaks.

- **Cabin & Safety Equipment**

- **Visibility:** Clean windscreen and mirrors; check for cracks that could impair your view.
- **Safety Gear:** Ensure a fire extinguisher (in-date and secure) and three warning triangles are on board (mandatory for GVM over 12 tonnes).
- **Seatbelts:** Confirm they are in good condition and function correctly.

- **Load & Couplings**

- **Restraint:** Confirm the load is stable, distributed correctly, and secured with appropriate straps or chains.
- **Coupling:** Ensure the turntable or pin is engaged correctly and locked.

Mass Discrepancy Flow

- Step 1: Driver arrives at pickup and identifies weight is higher than declared.
- Step 2: Driver taps "Report Discrepancy" and enters actual weight + photo evidence.
- Step 3: System notifies Sender: "Additional charge of \$X required to proceed due to weight discrepancy."
- Step 4: The system performs a Stripe Incremental Authorisation.
- Step 5: Upon payment success, the "Start Trip" button is unlocked for the Driver.

Essential Technical Logic for Developers

1. Labour Compliance: The "Hourly" job engine must default to a 4-hour minimum payment to comply with the Road Transport and Distribution Award 2020.
2. State Machine: Trip status must follow this strict sequence: SafetyCheck → Arrived_at_Pickup → Loading → Mass_Check_Submitted → Trip_Started. Live tracking to the sender is disabled until Trip_Started.
3. Fatigue Engine: The in-house EWD must record time in 1-minute increments. It must trigger a broadcast notification to all IDs associated with the trip 15 minutes before a legal rest break is required.
4. Taxation: Auto-invoicing must include the Sender's Name and Address for any transaction $\geq \$1,000$ to be ATO compliant.
5. Cubic Formula: Always use the standard Australian road divisor: Chargeable Weight = $(L \times W \times H \text{ in cm}) / 4,000$.

Consolidated 3rd Party Costs (AUD)

- Stripe Connect: 2.00/acc/mo + 2.9% + 30¢ per transaction.
- easyAML (KYB/KYC): \$1.00 - \$3.00 per business/individual verification.
- Radar.com (Geofencing): Free tier; Pro $\approx$ \$600/mo (for up to 10k users).
- Twilio Proxy (Masking): $\approx$ \$1.15/local number/mo + usage.
- Monoova (NPP/Osko): $\approx$ \$0.50 - \$1.50 per payout.

1. Clox Run Sheet Data Requirements (Developer Specification)

The PDF generator (e.g., PDFKit or Puppeteer) must pull the following data points from the trip state machine:

- **Header Data:** Driver Name, Transport Company Name + ABN, Vehicle Registration (Rego), Date, and Job ID.
- **Trip Summary:** Total Duration (billed as 4.0 hours minimum), Total Distance (calculated from first pickup to final drop-off), and Site Access Assessment details provided by the sender.
- **Odometer Logic:** The system must require a manual input from the driver at the start of Stop 1 and at the conclusion of the final stop.

2. Clox Run Sheet Template Structure (PDF Layout)

Stop #	Stop Type	Address	Arrival Time	Departure Time	Dwell/Wait Time	Odometer Reading
1	Pickup	123 Warehouse St, VIC	08:00 AM	08:45 AM	45 mins	[Manual Input]
2	Pickup	45 Distribution Rd, VIC	09:15 AM	09:40 AM	25 mins	N/A (GPS Sync)
3	Drop-off	88 Retail Blvd, VIC	10:20 AM	11:15 AM	55 mins	N/A (GPS Sync)
4	Drop-off	10 Final Way, VIC	11:45 AM	12:30 PM	45 mins	[Final Input]

Mandatory Fatigue & Break Log Section:

- **Break 1:** Start: | End: | Duration: [Mins] | Location:
- **Total Work Time:** [HH:MM]
- **Total Rest Time:** [HH:MM]

Signatures:

- **Driver Signature:** _____ (Digital Capture)
- **Final Receiver Name:** _____ (Sign-on-Glass)

3. Integrated Hourly Flow & PDF Generation Logic

For hourly "Day Basis" work, the app flow must follow this strict sequence to populate the run sheet accurately:

1. **Shift Start (Driver App):**
 - Complete **Pre-Trip Checklist**.
 - **Manual Input:** Enter starting Odometer reading.
2. **Pickup 1 (Stop 1):**
 - Arrival triggered by Radar.com geofence (recorded as **Arrival Time**).
 - **Mass Check Gate:** Driver verifies load weight. "Start Trip" button unlocks only after this is submitted.
 - Driver taps "Start Load" and "Finish Load" (recorded as **Departure Time**).
3. **Subsequent Stops (2, 3, and 4):**
 - App auto-captures arrival/departure via geofence.
 - If the driver triggers a **Break**, the live tracking pauses for the sender, and the time is logged in the **Break Log** section of the run sheet.
4. **Final Stop Completion:**
 - The receiver performs **Sign-on-Glass (SOG)**.
 - **Manual Input:** Driver enters final Odometer reading.
5. **PDF Trigger:**
 - Upon "Mark Job Complete," the system bundles all timestamps, Odometer readings, and SOG photos into the **Clox Official Run Sheet PDF**.
 - **Distribution:** Automatically emailed to the Sender (as an attachment to the Tax Invoice) and the Transport Company (for their records).

4. Critical Business Rules for Run Sheets

- **The 4-Hour Floor:** If the "Final Arrival Time" minus "Stop 1 Arrival Time" is less than 4 hours, the PDF summary must explicitly state: *"Total Time: [Actual], Billed Time: 4.0 Hours (Minimum Engagement)."*
- **Odometer Verification:** The system should cross-reference the manual odometer input against the GPS-calculated distance. If there is a discrepancy of >10%, it must be flagged for Super Admin review.
- **Wait Time Calculation:** The dwell time at Stop 1 is calculated from arrival. Notifications are sent to the Sender at 30 minutes. If the total time at a stop exceeds 60 minutes, it is flagged on the run sheet in **RED** for potential detention billing.

Direct Instruction to Developer:

"I want the run sheet to look as professional as a Tier-1 carrier. It must be a clean PDF that the transport company can use for their tax, and the sender can use for their audit. Every stop must have a timestamp, and every hourly job must have start/end odometer readings."

To support the professional execution of hourly local jobs, the **Clox Run Sheet** serves as the legal record of truth for billing, payroll, and NHVR compliance. For hourly bookings (minimum 4 hours), the system must generate a downloadable PDF that captures the driver's exact movements across the allowed maximum of four stops.