

1. Program

Question 1

Revisit Later

How to Attempt?

Return second last digit of the given number.

Write a function that returns the second last digit of the given number. Second last digit is being referred to the digit in the tens place in the given number.

For example, if the given number is 197, the second last digit is 9

Note1 - The second last digit should be returned as a positive number. i.e. if the given number is -197, the second last digit is 9

Note2 - If the given number is a single digit number, then the second last digit does not exist. In such cases, the function should return -1. i.e. if the given number is 5, the second last digit should be returned as -1

Attempted: 1/1
C Compiler: gcc 5.4.0

```
1 #include<stdio.h>
2 #include<string.h>
3 // Read only region start
4
5 int secondLastDigitOf(int input1)
6 {
7     // Read only region end
8     if(input1>=9 && input1<=9)
9         return -1;
10    if(input1<0)
11        input1*=-1;
12    input1/=10;
13    int n=input1%10;
14    return n;
15 }
```

☐ Use Custom Input



Compile and Test

Submit Code

1. Program

1

Attempted: 1/1

Question 1

Revisit Later

How to Attempt?

Return second last digit of the given number.

Write a function that returns the second last digit of the given number. Second last digit is being referred to the digit in the tens place in the given number.

For example, if the given number is 197, the second last digit is 9

Note1 - The second last digit should be returned as a positive number. i.e. if the given number is -197, the second last digit is 9

Note2 - If the given number is a single digit number, then the second last digit does not exist. In such cases, the function should return -1. i.e. if the given number is 5, the second last digit should be returned as -1

0/2 - Sample Test Cases Failed

Default 2

CODE EXECUTION DETAILS

Time: 207 ms

Memory: 103812 kb

TEST CASE INFORMATION

Input

-50

Expected Output

5

Actual Output

5

CONSOLE OUTPUT

1. Program

Question 1

Revisit Later

How to Attempt?

Return second last digit of the given number.

Write a function that returns the second last digit of the given number. Second last digit is being referred to the digit in the tens place in the given number.

For example, if the given number is 197, the second last digit is 9

Note1 - The second last digit should be returned as a positive number. i.e. if the given number is -197, the second last digit is 9

Note2 - If the given number is a single digit number, then the second last digit does not exist. In such cases, the function should return -1. i.e. if the given number is 5, the second last digit should be returned as -1

Attempted: 1/1

TEST CASE INFORMATION

Input

-50

Expected Output

5

Actual Output

5

CONSOLE OUTPUT

STANDARD ERROR/WARNING

None

Default 1

Mercer | mettl

Sai sushmitha.J
LP_Practice_2ndLastDigitOfN / Saved: 0 seconds ago

1. Program

Question 1

How to Attempt?

Return second last digit of the given number.
Write a function that returns the second last digit of the given number. Second last digit is being referred to the digit in the tens place in the given number.

For example, if the given number is 197, the second last digit is 9

Note1 - The second last digit should be returned as a positive number. I.e. if the given number is -197, the second last digit is 9

Note2 - If the given number is a single digit number, then the second last digit does not exist. In such cases, the function should return -1. I.e. if the given number is 5, the second last digit should be returned as -1

Revisit Later

1

Attempt

TEST Q

Input

-50

Exp

5

Actual

5

CON

STAN

None

Defau

Mettl Online Assessment © 2021-2031 Need Help? Contact us: +1 (800)

Finish Test

Remaining Time: 01:00:22

Your Test Summary

1 Total Questions

Attempted: 1/1

Marked for Revisit: 0/1

Unattempted: 0/1

Section Summary

#	SECTION NAME	STATUS
1.	Program Unimed Section	<div>1</div> Total: 1 Questions

Yes, End Test!

No, Back to Test