

1. Program

Question 1

Revisit Later

How to Attempt?

Of the given 5 numbers, How many are odd?

Write a function that accepts 5 input parameters and returns the count of how many of those 5 are odd.

For example:

If the five input parameters are 12, 17, 19, 14, and 115, there are three odd numbers 17, 19 and 115. So, the function must return 3.

Similarly,

If the five input parameters are 15, 0, -12, 19, and 28, there are two odd numbers 15 and 19. So, the function must return 2.

Observe that zero is considered an even number.

Attempted: 1/1

C Compiler: gcc 5.4.0

```
1 #include<stdio.h>
2 #include<string.h>
3 // Read only region start
4
5 int countEvens(int input1,int input2,int input3,int input4,int input5)
6 {
7     // Read only region end
8     int count=0;
9     if(input1%2!=0)
10         count++;
11     if(input2%2!=0)
12         count++;
13     if(input3%2!=0)
14         count++;
15     if(input4%2!=0)
16         count++;
17     if(input5%2!=0)
18         count++;
19
20     return count;
21 }
22
23
24
```

☐ Use Custom Input

①

Compile and Test

Submit Code

1. Program

1

Attempted: 1/1

Question 1

Revisit Later

How to Attempt?

Of the given 5 numbers, How many are odd?

Write a function that accepts 5 input parameters and returns the count of how many of those 5 are odd.

For example,

If the five input parameters are 12, 17, 19, 14, and 115, there are three odd numbers 17, 19 and 115. So, the function must return 3.

Similarly,

If the five input parameters are 15, 0, -12, 19, and 28, there are two odd numbers 15 and 19. So, the function must return 2.

Observe that zero is considered an even number.

Default 2

CODE EXECUTION DETAILS

Time: 157 ms

Memory: 103812 kb

TEST CASE INFORMATION

Input

15,0,-12,19,28

Expected Output

2

Actual Output

2

CONSOLE OUTPUT

STANDARD ERROR/WARNING

None

Default 1

1. Program

Question 1

Revisit Later

How to Attempt?

Of the given 5 numbers, How many are odd?

Write a function that accepts 5 input parameters and returns the count of how many of those 5 are odd.

For example,

If the five input parameters are 12, 17, 19, 14, and 115, there are three odd numbers 17, 19 and 115. So, the function must return 3.

Similarly,

If the five input parameters are 15, 0, -12, 19, and 28, there are two odd numbers 15 and 19. So, the function must return 2.

Observe that zero is considered an even number.

Attempt

Code Execution

0/8 - Graded

✓ Correct

✓ Correct

✓ Necessary

✓ Necessary

✓ Basic 4


✓ Basic 3

✓ Basic 2

✓ Basic 1

Finish Test

Remaining Time: 00:59:18



Your Test Summary

1 Total Questions

- Attempted: 1/1
- Marked for Revisit: 0/1
- Unattempted: 0/1

Section Summary

#	SECTION NAME	STATUS
1.	Program Untimed Section	<div><div>1</div></div> <div>Total: 1 Questions</div>

Yes, End Test!

No, Back to Test