




Pulling source code from github repository:





Validating the repository :



Joining x Joining x Infobell x Red Hat x saurabh x Try Red x Openshift x Inbox x saurabh x Import f x

console-openshift-console.apps.sandbox-m2.ll9k.p1.openshiftapps.com/import/ns/saurabh7nt-dev

Maps GeeksforGeeks Udem Medium GitHub gitignore.io - Create... sushmithakong/CDA... +Add - Red Hat Open...

Red Hat OpenShift Dedicated Purchase saurabh7nt

Developer

+Add

Topology

Observe

Search

Builds


Pipelines

Helm

Project

ConfigMaps

Project: saurabh7nt-dev Application: All applications

 **Red Hat OpenJDK 17 (UBI 8)** [Edit Import Strategy](#)

BUILDER JAVA OPENJDK

Build and run Java applications using Maven and OpenJDK 17.
Sample repository: <https://github.com/jboss-openshift/openshift-quickstarts>

General

Application name

openshift-example-app

A unique name given to the application grouping to label your resources.

Name *

openshift-example

A unique name given to the component that will be used to name associated resources.

Create Cancel

31°C Mostly cloudy Search ENG IN 16:24 03-05-2023

Joining x Joining x Infobell x Red H x saural x Try Re x Open x Inbox x saural x Topol x https/ x

openshift-example-saurabh7nt-dev.apps.sandbox-m2.ll9k.p1.openshiftapps.com/Saurabh

Maps GeeksforGeeks Udem Medium GitHub gitignore.io - Create... sushmithakong/CDA... +Add - Red Hat Open...

Hello Saurabh welcome to my website.

31°C Mostly cloudy Search ENG IN 16:42 03-05-2023