Name : Madhavi Suratkar

Topic : Cloud Concepts

Date : 12-05-2023

RDS

RDS Service





Postgres Engine






aws
Services
RDS
N. Virginia
Simran_Patil
Production
Use defaults for high availability and fast, consistent performance.
Dev/Test
This instance is intended for development use outside of a production environment.
Free tier
Use RDS Free Tier to develop new applications, test existing applications, or gain hands-on experience with Amazon RDS.
Info
Availability and durability
Deployment options Info
The deployment options below are limited to those supported by the engine you selected above.
Multi-AZ DB Cluster - new
Creates a DB cluster with a primary DB instance and two readable standby DB instances, with each DB instance in a different Availability Zone (AZ). Provides high availability, data redundancy and increases capacity to serve read workloads.
Multi-AZ DB instance (not supported for Multi-AZ DB cluster snapshot)
Creates a primary DB instance and a standby DB instance in a different AZ. Provides high availability and data redundancy, but the standby DB instance doesn't support connections for read workloads.
Single DB instance (not supported for Multi-AZ DB cluster snapshot)
Creates a single DB instance with no standby DB instances.
Settings
DB instance identifier Info
Type a name for your DB instance. The name must be unique across all DB instances owned by your AWS account in the current AWS Region.
CloudShell
Feedback
Language
© 2023, Amazon Web Services India Private Limited or its affiliates.
Privacy
Terms
Cookie preferences


aws
Services
RDS
N. Virginia
Simran_Patil
Master username Info
Type a login ID for the master user of your DB instance.
postgres
1 to 16 alphanumeric characters. First character must be a letter.
Manage master credentials in AWS Secrets Manager
Manage master user credentials in Secrets Manager. RDS can generate a password for you and manage it throughout its lifecycle.
If you manage the master user credentials in Secrets Manager, some RDS features aren't supported.
Learn more
Auto generate a password
Amazon RDS can generate a password for you, or you can specify your own password.
Master password Info
Constraints: At least 8 printable ASCII characters. Can't contain any of the following: / (slash), '(single quote), "(double quote) and @ (at sign).
Confirm master password Info
Instance configuration
The DB instance configuration options below are limited to those supported by the engine that you selected above.
CloudShell
Feedback
Language
© 2023, Amazon Web Services India Private Limited or its affiliates.
Privacy
Terms
Cookie preferences


aws
Services
RDS
N. Virginia
Simran_Patil
Burstable classes (includes t classes)
db.t3.micro
2 vCPUs 1 GiB RAM Network: 2,085 Mbps
Include previous generation classes
Storage
Storage type Info
General Purpose SSD (gp2)
Baseline performance determined by volume size
Allocated storage Info
200
GiB
The minimum value is 20 GiB and the maximum value is 6,144 GiB
Storage autoscaling Info
Provides dynamic scaling support for your database's storage based on your application's needs.
Enable storage autoscaling
Enabling this feature will allow the storage to increase after the specified threshold is exceeded.
Maximum storage threshold Info
Charges will apply when your database autoscales to the specified threshold
1000
GiB
CloudShell
Feedback
Language
© 2023, Amazon Web Services India Private Limited or its affiliates.
Privacy
Terms
Cookie preferences


aws
Services
RDS
N. Virginia
Simran_Patil
Storage autoscaling Info
Provides dynamic scaling support for your database's storage based on your application's needs.
Enable storage autoscaling
Enabling this feature will allow the storage to increase after the specified threshold is exceeded.
Maximum storage threshold Info
Charges will apply when your database autoscales to the specified threshold
1000
GiB
The minimum value is 220 GiB and the maximum value is 6,144 GiB
Connectivity Info
Compute resource
Choose whether to set up a connection to a compute resource for this database. Setting up a connection will automatically change connectivity settings so that the compute resource can connect to this database.
Don't connect to an EC2 compute resource
Don't set up a connection to a compute resource for this database. You can manually set up a connection to a compute resource later.
Connect to an EC2 compute resource
Set up a connection to an EC2 compute resource for this database.
Network type Info
To use dual-stack mode, make sure that you associate an IPv6 CIDR block with a subnet in the VPC you specify.
IPv4
Your resources can communicate only over the IPv4 addressing protocol.
Dual-stack mode
Your resources can communicate over IPv4, IPv6, or both.
Virtual private cloud (VPC) Info
CloudShell
Feedback
Language
© 2023, Amazon Web Services India Private Limited or its affiliates.
Privacy
Terms
Cookie preferences


aws
Services
RDS
N. Virginia
Simran_Patil
IPv4
Your resources can communicate only over the IPv4 addressing protocol.
Dual-stack mode
Your resources can communicate over IPv4, IPv6, or both.
Virtual private cloud (VPC) Info
Choose the VPC. The VPC defines the virtual networking environment for this DB instance.
Default VPC (vpc-09239e0111ebcfea8)
6 Subnets, 6 Availability Zones
Only VPCs with a corresponding DB subnet group are listed.
After a database is created, you can't change its VPC.
DB subnet group Info
Choose the DB subnet group. The DB subnet group defines which subnets and IP ranges the DB instance can use in the VPC that you selected.
default-vpc-09239e0111ebcfea8
6 Subnets, 6 Availability Zones
Public access Info
Yes
RDS assigns a public IP address to the database. Amazon EC2 instances and other resources outside of the VPC can connect to your database. Resources inside the VPC can also connect to the database. Choose one or more VPC security groups that specify which resources can connect to the database.
No
RDS doesn't assign a public IP address to the database. Only Amazon EC2 instances and other resources inside the VPC can connect to your database. Choose one or more VPC security groups that specify which resources can connect to the database.
VPC security group (firewall) Info
Choose one or more VPC security groups to allow access to your database. Make sure that the security group rules allow the
CloudShell
Feedback
Language
© 2023, Amazon Web Services India Private Limited or its affiliates.
Privacy
Terms
Cookie preferences


aws
Services
RDS
N. Virginia
Simran_Patil
RDS doesn't assign a public IP address to the database. Only Amazon EC2 instances and other resources inside the VPC can connect to your database. Choose one or more VPC security groups that specify which resources can connect to the database.
VPC security group (firewall) Info
Choose one or more VPC security groups to allow access to your database. Make sure that the security group rules allow the appropriate incoming traffic.
Choose existing
Choose existing VPC security groups
Create new
Create new VPC security group
New VPC security group name
madhavi
Availability Zone Info
us-east-1a
RDS Proxy
RDS Proxy is a fully managed, highly available database proxy that improves application scalability, resiliency, and security.
Create an RDS Proxy Info
RDS automatically creates an IAM role and a Secrets Manager secret for the proxy. RDS Proxy has additional costs. For more information, see Amazon RDS Proxy pricing.
Certificate authority - optional Info
Using a server certificate provides an extra layer of security by validating that the connection is being made to an Amazon database. It does so by checking the server certificate that is automatically installed on all databases that you provision.
rds-ca-2019 (default)
If you don't select a certificate authority, RDS chooses one for you.
Additional configuration
CloudShell
Feedback
Language
© 2023, Amazon Web Services India Private Limited or its affiliates.
Privacy
Terms
Cookie preferences


aws
Services
RDS
N. Virginia
Simran_Patil
Additional configuration
Database authentication
Database authentication options Info
Password authentication
Authenticates using database passwords.
Password and IAM database authentication
Authenticates using the database password and user credentials through AWS IAM users and roles.
Password and Kerberos authentication
Choose a directory in which you want to allow authorized users to authenticate with this DB instance using Kerberos Authentication.
Monitoring
Turn on Performance Insights
Retention period for Performance Insights Info
7 days (free tier)
AWS KMS key Info
CloudShell
Feedback
Language
© 2023, Amazon Web Services India Private Limited or its affiliates.
Privacy
Terms
Cookie preferences


aws
Services
RDS
N. Virginia
Simran_Patil
(default) aws/rds
Account
872095404408
KMS key ID
fb55daeb-1d3a-4336-b17a-ec4737565e26
You can't change the KMS key after enabling Performance Insights.
Turn on DevOps Guru Info
DevOps Guru for RDS automatically detects performance anomalies for DB instances and provides recommendations.
Additional configuration
Enhanced Monitoring
Additional configuration
Database options, encryption turned on, backup turned on, backtrack turned off, maintenance, CloudWatch Logs, delete protection turned off.
Estimated monthly costs
CloudShell
Feedback
Language
© 2023, Amazon Web Services India Private Limited or its affiliates.
Privacy
Terms
Cookie preferences

Creating Database







pgAdmin Server


pgAdmin 4
pgAdmin
File
Object
Tools
Help
Browser
Dashboard
Properties
SQL
Statistics
Dependencies
Dependents
Servers (3)
Register
Server...
Deploy Cloud Instance...
Create
Refresh...
Remove Server Group
Properties...
No dependant information is available for the selected object.
24°C
Mostly cloudy
Search
ENG
IN
22:19
11-05-2023


pgAdmin 4
pgAdmin
File
Object
Tools
Help
Browser
Dashboard
Properties
SQL
Statistics
Dependencies
Dependents
Servers (4)
PostgreSQL 14
infobelldb
madhavi
Databases
Login/Group Roles
Tablespaces
shruti
No dependant information is available for the selected object.
24°C
Mostly cloudy
Search
ENG
IN
22:33
11-05-2023

EC2


aws
Services
EC2
N. Virginia
Simran_Patil
Amazon RDS
Dashboard
Databases
Query Editor
Performance insights
Snapshots
Exports in Amazon S3
Automated backups
Reserved instances
Proxies
Subnet groups
Parameter groups
Option groups
Custom engine versio
Events
Event subscriptions
Search results for 'EC2'
Services (12)
Features (53)
Resources New
Blogs (1,963)
Documentation (27,967)
Knowledge Articles (13)
Tutorials (21)
Events (30)
Marketplace (2,357)
Services
See all 12 results
EC2
Virtual Servers in the Cloud
Top features
Dashboard
Launch templates
Instances
Spot Instance requests
Savings plans
EC2 Image Builder
A managed service to automate build, customize and deploy OS images
Amazon Inspector
Continual vulnerability management at scale
AWS Firewall Manager
Central management of firewall rules
Features
See all 53 results
Dashboard
EC2 feature
for you.
ved price-performance, with up to 40% costs savings for
des. A Blue/Green Deployment provides a staging
Restore from S3
Create database
Size
Status
Actions
db.t3.micro
Creating
https://us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1
© 2023, Amazon Web Services India Private Limited or its affiliates.
Privacy
Terms
Cookie preferences


aws
Services
Search
[Alt+S]
N. Virginia
Simran_Patil
New EC2 Experience
Tell us what you think
EC2 Dashboard
EC2 Global View
Events
Limits
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Scheduled Instances
Capacity Reservations
Images
AMIs
AMI Catalog
Elastic Block Store
You are using the following Amazon EC2 resources in the US East (N. Virginia) Region:
Filter resources by tag(s)
Instances (running) 0
Auto Scaling Groups 0
Dedicated Hosts 0
Elastic IPs 0
Instances 0
Key pairs 3
Load balancers 0
Placement groups 0
Security groups 11
Snapshots 0
Volumes 0
Easily size, configure, and deploy Microsoft SQL Server Always On availability groups on AWS using the AWS Launch Wizard for SQL Server. Learn more
Launch instance
To get started, launch an Amazon EC2 instance, which is a virtual server in the cloud.
Launch instance
Migrate a server
Note: Your instances will launch in the US East (N. Virginia) Region
Service health
AWS Health Dashboard
Region
US East (N. Virginia)
Status
This service is operating normally
Zones
Supported platforms
VPC
Default VPC
vpc-09239e0111ebcfea8
Settings
EBS encryption
Zones
EC2 Serial Console
Default credit specification
Console experiments
Explore AWS
Enable Best Price-Performance with AWS Graviton2
AWS Graviton2 powered EC2 instances enable up to 40% better price performance for a broad spectrum of cloud workloads. Learn more
Amazon GuardDuty Malware Protection
GuardDuty now provides agentless malware detection in Amazon EC2 & EC2 container workloads. Learn more
CloudShell
Feedback
Language
© 2023, Amazon Web Services India Private Limited or its affiliates.
Privacy
Terms
Cookie preferences


Services
Search
[Alt+S]
N. Virginia
Simran_Patil
EC2 > Instances > Launch an instance
Launch an instance Info
Amazon EC2 allows you to create virtual machines, or instances, that run on the AWS Cloud. Quickly get started by following the simple steps below.
Name and tags Info
Name
madhavi
Add additional tags
Application and OS Images (Amazon Machine Image) Info
An AMI is a template that contains the software configuration (operating system, application server, and applications) required to launch your instance. Search or Browse for AMIs if you don't see what you are looking for below
Search our full catalog including 1000s of application and OS images
Quick Start
Summary
Number of instances Info
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.0.2...read more
ami-0889a44b331db0194
Virtual server type (instance type)
t2.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Free tier: In your first year includes 750 hours of t2.micro (or t3.micro in the
Cancel
Launch instance
Review commands
CloudShell
Feedback
Language
© 2023, Amazon Web Services India Private Limited or its affiliates.
Privacy
Terms
Cookie preferences


Services
Search
[Alt+S]
N. Virginia
Simran_Patil
Quick Start
Amazon Linux
macOS
Ubuntu
Windows
Red Hat
Browse more AMIs
Including AMIs from AWS, Marketplace and the Community
Amazon Machine Image (AMI)
Amazon Linux 2023 AMI
ami-0889a44b331db0194 (64-bit (x86)) / ami-08fc6fb8ad2e794bb (64-bit (Arm))
Virtualization: hvm ENA enabled: true Root device type: ebs
Free tier eligible
Description
Amazon Linux 2023 AMI 2023.0.20230503.0 x86_64 HVM kernel-6.1
Architecture
64-bit (x86)
AMI ID
ami-0889a44b331db0194
Verified provider
Instance type Info
Instance type
t2.micro
Free tier eligible
Summary
Number of instances Info
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.0.2...read more
ami-0889a44b331db0194
Virtual server type (instance type)
t2.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Free tier: In your first year includes 750 hours of t2.micro (or t3.micro in the
Cancel
Launch instance
Review commands
CloudShell
Feedback
Language
© 2023, Amazon Web Services India Private Limited or its affiliates.
Privacy
Terms
Cookie preferences


Services
Search
[Alt+S]
N. Virginia
Simran_Patil
Instance type
t2.micro
Free tier eligible
Family: t2 1 vCPU 1 GiB Memory Current generation: true
On-Demand Windows pricing: 0.0162 USD per Hour
On-Demand SUSE pricing: 0.0116 USD per Hour
On-Demand RHEL pricing: 0.0716 USD per Hour
On-Demand Linux pricing: 0.0116 USD per Hour
All generations
Compare instance types
Key pair (login) Info
You can use a key pair to securely connect to your instance. Ensure that you have access to the selected key pair before you launch the instance.
Key pair name - required
madhavi
Create new key pair
Network settings Info
Edit
Network Info
vpc-09239e0111ebcfea8
Summary
Number of instances Info
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.0.2...read more
ami-0889a44b331db0194
Virtual server type (instance type)
t2.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Launch instance
Review commands
CloudShell
Feedback
Language
© 2023, Amazon Web Services India Private Limited or its affiliates.
Privacy
Terms
Cookie preferences


aws
Services
Search
[Alt+S]
N. Virginia
Simran_Patil
No preference (Default subnet in any availability zone)
Auto-assign public IP Info
Enable
Firewall (security groups) Info
A security group is a set of firewall rules that control the traffic for your instance. Add rules to allow specific traffic to reach your instance.
Create security group
Select existing security group
We'll create a new security group called 'launch-wizard-7' with the following rules:
Allow SSH traffic from
Helps you connect to your instance
Anywhere
0.0.0.0/0
Allow HTTPS traffic from the internet
To set up an endpoint, for example when creating a web server
Allow HTTP traffic from the internet
To set up an endpoint, for example when creating a web server
Rules with source of 0.0.0.0/0 allow all IP addresses to access your instance. We recommend setting security group rules to allow access from known IP addresses only.
Summary
Number of instances Info
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.0.2...read more
ami-0889a44b331db0194
Virtual server type (instance type)
t2.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Launch instance
Review commands
CloudShell
Feedback
Language
© 2023, Amazon Web Services India Private Limited or its affiliates.
Privacy
Terms
Cookie preferences


aws
Services
Search
[Alt+S]
N. Virginia
Simran_Patil
Rules with source of 0.0.0.0/0 allow all IP addresses to access your instance. We recommend setting security group rules to allow access from known IP addresses only.
Configure storage Info
Advanced
1x
8
GiB
gp3
Root volume (Not encrypted)
Free tier eligible customers can get up to 30 GB of EBS General Purpose (SSD) or Magnetic storage
Add new volume
0 x File systems
Edit
Advanced details Info
Summary
Number of instances Info
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.0.2...read more
ami-0889a44b331db0194
Virtual server type (instance type)
t2.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Launch instance
Review commands
CloudShell
Feedback
Language
© 2023, Amazon Web Services India Private Limited or its affiliates.
Privacy
Terms
Cookie preferences


aws
Services
Search
[Alt+S]
N. Virginia
Simran_Patil
EC2 > Instances > Launch an instance
Launching instance
Please wait while we launch your instance.
Do not close your browser while this is loading.
Creating security group rules
23%
Details
CloudShell
Feedback
Language
© 2023, Amazon Web Services India Private Limited or its affiliates.
Privacy
Terms
Cookie preferences


Services
Search
[Alt+S]
N. Virginia
Simran_Patil
EC2 > Instances > Launch an instance
Success
Successfully initiated launch of instance (i-01deeda9ee54380a2)
Launch log
Next Steps
What would you like to do next with this instance, for example "create alarm" or "create backup"
Create billing and free tier usage alerts
To manage costs and avoid surprise bills, set up email notifications for billing and free tier usage thresholds.
Create billing alerts
Connect to your instance
Once your instance is running, log into it from your local computer.
Connect to instance
Learn more
Connect an RDS database
Configure the connection between an EC2 instance and a database to allow traffic flow between them.
Connect an RDS database
Create EBS snapshot policy
Create a policy that automates the creation, retention, and deletion of EBS snapshots
Create EBS snapshot policy
CloudShell
Feedback
Language
© 2023, Amazon Web Services India Private Limited or its affiliates.
Privacy
Terms
Cookie preferences


FileZilla
File Edit View Transfer Server Bookmarks Help
Host:
Username:
Password:
Port:
Quickconnect
Command:keyfile "C:\Users\Simran\Downloads\madhavi.ppk"
Command:open "ec2-user@52.23.200.3" 5432
Error: Connection timed out after 20 seconds of inactivity
Error: Could not connect to server
Site Manager
Select entry:
My Sites
New site
New site 2
New Site1
General Advanced Transfer Settings Charset
Protocol: SFTP - SSH File Transfer Protocol
Host: 52.23.200.3
Port: 5432
Logon Type: Key file
User: ec2-user
Key file: C:\Users\Simran\Downloads\madhavi.ppk
Browse...
Background color: None
Comments:
New site
New folder
New Bookmark
Rename
Delete
Duplicate
Connect
OK
Cancel
Not connected.
Queued files
Failed transfers
Successful transfers
Queue: empty
24°C
Mostly cloudy
Search
ENG
IN
22:17
11-05-2023


New site 3 - sftp://ec2-user@54.167.140.26 - FileZilla
File Edit View Transfer Server Bookmarks Help
Host: Username: Password: Port: Quickconnect
Status: Connected to 54.167.140.26
Status: Retrieving directory listing...
Status: Listing directory /home/ec2-user
Status: Directory listing of "/home/ec2-user" successful
Local site: C:\Users\Simran\Downloads\
Remote site: /home/ec2-user
Downloads
eclipse
eclipse-workspace
Favorites
GIT
Infobell
IntelGraphicsProfiles
Links
home
ec2-user
Filename Filesize Filetype Last modified
uTorrent Web Tutori... File folder 07-05-2023 18:...
lqhlogs.doc 22,528 Microsoft Wor... 06-02-2023 13:...
5_62580836960881... 419,395 Compressed (z... 10-05-2023 22:...
app-deployment.ya... 364 Yaml Source File 11-05-2023 10:...
desktop.ini 282 Configuration ... 28-09-2022 19:...
Docker Project.pdf 694,367 Microsoft Edg... 09-05-2023 12:...
FileZilla_3.64.0_win6... 12,560,0... Application 11-05-2023 14:...
index.py 233 Python Source ... 11-05-2023 13:...
infobell.ppk 1,426 PuTTY Private ... 11-05-2023 13:...
madhavi.ppk 1,425 PuTTY Private ... 11-05-2023 22:...
MySQL CRUD Oper... 1,032,472 Microsoft Edg... 11-05-2023 10:...
mysql-deployment.... 664 Yaml Source File 11-05-2023 10:...
Openshift Comman... 1,377,724 Microsoft Edg... 08-05-2023 10:...
23 files and 1 directory. Total size: 206,939,242 bytes
Filename Filesize Filetype Last modifi... Permissi... Owner/Gr...
.ssh File folder 11-05-2023... drwx------ ec2-user ...
.bash_logout 18 Bash Lo... 29-01-2023... -rw-r--r-- ec2-user ...
.bash_profile 141 Bash Pro... 29-01-2023... -rw-r--r-- ec2-user ...
.bashrc 492 Bash RC ... 29-01-2023... -rw-r--r-- ec2-user ...
3 files and 1 directory. Total size: 651 bytes
Server/Local file Direc... Remote file Size Priority Status
Queued files Failed transfers Successful transfers
Queue: empty
24°C Mostly cloudy
Search
ENG IN
22:42 11-05-2023


New site 3 - sftp://ec2-user@54.167.140.26 - FileZilla
File Edit View Transfer Server Bookmarks Help
Host: Username: Password: Port: Quickconnect
Status: File transfer successful, transferred 87 bytes in 1 second
Status: Retrieving directory listing of "/home/ec2-user"...
Status: Listing directory /home/ec2-user
Status: Directory listing of "/home/ec2-user" successful
Local site: C:\Users\Simran\Downloads\
Remote site: /home/ec2-user
Downloads
eclipse
eclipse-workspace
Favorites
GIT
Infobell
IntelGraphicsProfiles
Links
home
ec2-user
Filename Filesize Filetype Last modified
5_62580836960881... 419,395 Compressed (z... 10-05-2023 22:...
app-deployment.ya... 364 Yaml Source File 11-05-2023 10:...
desktop.ini 282 Configuration ... 28-09-2022 19:...
Docker Project.pdf 694,367 Microsoft Edg... 09-05-2023 12:...
FileZilla_3.64.0_win6... 12,560,0... Application 11-05-2023 14:...
index.py 233 Python Source ... 11-05-2023 13:...
infobell.ppk 1,426 PuTTY Private ... 11-05-2023 13:...
madhavi.ppk 1,425 PuTTY Private ... 11-05-2023 22:...
MySQL CRUD Oper... 1,032,472 Microsoft Edg... 11-05-2023 10:...
mysql-deployment.... 664 Yaml Source File 11-05-2023 10:...
Openshift Comman... 1,377,724 Microsoft Edg... 08-05-2023 10:...
Openshift Comman... 1,377,724 Microsoft Edg... 08-05-2023 11:...
Openshift Comman... 1,377,724 Microsoft Edg... 07-05-2023 23:...
pattern.py 87 Python Source ... 11-05-2023 15:...
Selected 1 file. Total size: 87 bytes
Filename Filesize Filetype Last modifi... Permissi... Owner/Gr...
.ssh File folder 11-05-2023... drwx------ ec2-user ...
.bash_logout 18 Bash Lo... 29-01-2023... -rw-r--r-- ec2-user ...
.bash_profile 141 Bash Pro... 29-01-2023... -rw-r--r-- ec2-user ...
.bashrc 492 Bash RC ... 29-01-2023... -rw-r--r-- ec2-user ...
pattern.py 87 Python S... 11-05-2023... -rw-rw-r-- ec2-user ...
4 files and 1 directory. Total size: 738 bytes
Server/Local file Direc... Remote file Size Priority Status
FileZilla
Transfers finished
All files have been successfully transferred
Queued files Failed transfers Successful transfers (1)
Queue: empty
24°C Mostly cloudy
Search
ENG IN
22:42 11-05-2023


ec2-user@ip-172-31-81-107:~
login as: ec2-user
Authenticating with public key "madhavi"
Amazon Linux 2023
https://aws.amazon.com/linux/amazon-linux-2023
[ec2-user@ip-172-31-81-107 ~]$ python --version
-bash: python: command not found
[ec2-user@ip-172-31-81-107 ~]$ python3 --version
Python 3.9.16
[ec2-user@ip-172-31-81-107 ~]$ python3 pattern.py
1
1 2
1 2 3
1 2 3 4
1 2 3 4 5
[ec2-user@ip-172-31-81-107 ~]$
24°C
Mostly cloudy
Search
ENG
IN
22:42
11-05-2023


aws
Services
Search
[Alt+S]
N. Virginia
Simran_Patil
New EC2 Experience
Tell us what you think
EC2 Dashboard
EC2 Global View
Events
Limits
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Scheduled Instances
Capacity Reservations
Images
AMIs
Terminate instance?
On an EBS-backed instance, the default action is for the root EBS volume to be deleted when the instance is terminated. Storage on any local drives will be lost.
Are you sure you want to terminate these instances?
i-0729498407889bdf1 (madhavi1)
To confirm that you want to terminate the instances, choose the terminate button below. Terminating the instance cannot be undone.
Cancel
Terminate
CloudShell
Feedback
Language
© 2023, Amazon Web Services India Private Limited or its affiliates.
Privacy
Terms
Cookie preferences


Services
Search
[Alt+S]
N. Virginia
Simran_Patil
New EC2 Experience
Tell us what you think
Successfully terminated i-0729498407889bdf1
Notifications
EC2 Dashboard
EC2 Global View
Events
Limits
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Scheduled Instances
Capacity Reservations
Images
AMIs
Instances (1/2) Info
Connect
Instance state
Actions
Launch instances
Find instance by attribute or tag (case-sensitive)
Name
Instance ID
Instance state
Instance type
Status check
Alarm status
Availability Zone
Public IPv4 DNS
madhavi1
i-0729498407889bdf1
Shutting-dow
t2.micro
No alarms
us-east-1a
ec2-54-167-140-
madhavi
i-01deeda9ee54380a2
Terminated
t2.micro
No alarms
us-east-1b
Instance: i-0729498407889bdf1 (madhavi1)
Details
Security
Networking
Storage
Status checks
Monitoring
Tags
Instance summary Info
Instance ID
i-0729498407889bdf1 (madhavi1)
Public IPv4 address
54.167.140.26 | open address
Private IPv4 addresses
172.31.81.107
IPv6 address
–
Instance state
Shutting-down
Public IPv4 DNS
ec2-54-167-140-26.compute-1.amazonaws.com | open address
Hostname type
IP name: ip-172-31-81-107.ec2.internal
Private IP DNS name (IPv4 only)
ip-172-31-81-107.ec2.internal
CloudShell
Feedback
Language
© 2023, Amazon Web Services India Private Limited or its affiliates.
Privacy
Terms
Cookie preferences