

Command Prompt

```
C:\Users\Sumukh G>oc get svc
```

NAME	TYPE	CLUSTER-IP	EXTERNAL-IP	PORT(S)	AGE
modelmesh-serving	ClusterIP	None	<none>	8033/TCP,8008/TCP,8443/TCP,2112/TCP	23h
sumukh-prac-git	ExternalName	<none>	kourier-internal.knative-serving-ingress.svc.cluster.local	80/TCP	22h
sumukh-prac-git-00001	ClusterIP	172.30.25.86	<none>	80/TCP,443/TCP	22h
sumukh-prac-git-00001-private	ClusterIP	172.30.55.125	<none>	80/TCP,443/TCP,9090/TCP,9091/TCP,8022/TCP,8012/TCP	22h

```
C:\Users\Sumukh G>
```



```
Command Prompt
C:\Users\Sumukh G>oc login --token=sha256~14w1Uvaqoe9mFLiqTp5iXOW00PC0iFc9wiehyD_CqJw --server=https://api.sandbox-m2.ll9k.p1.openshiftapps.com:6443
Logged into "https://api.sandbox-m2.ll9k.p1.openshiftapps.com:6443" as "sumukhgiridhar" using the token provided.

You have one project on this server: "sumukhgiridhar-dev"

Using project "sumukhgiridhar-dev".

C:\Users\Sumukh G>
```

```
C:\Users\Sumukh G>oc get po
```

NAME	READY	STATUS	RESTARTS	AGE
my-pod	0/1	ImagePullBackOff	0	2m39s
my-pod-998ccdcf5-r68zt	0/1	ImagePullBackOff	0	72s
sumukh-prac-git-2-build	0/1	Completed	0	7m10s

```
C:\Users\Sumukh G>oc delete po my-pod-998ccdcf5-r68zt
pod "my-pod-998ccdcf5-r68zt" deleted
```

```
C:\Users\Sumukh G>oc get po
```

NAME	READY	STATUS	RESTARTS	AGE
my-pod	0/1	ErrImagePull	0	3m22s
my-pod-998ccdcf5-wbzw	0/1	ImagePullBackOff	0	6s
sumukh-prac-git-2-build	0/1	Completed	0	7m53s

C:\Users\Sumukh G>

Command Prompt

C:\Users\Sumukh G>oc get rs

NAME	DESIRED	CURRENT	READY	AGE
my-pod-998ccdcf5	1	1	0	19s
sumukh-prac-git-00001-deployment-8697fbc7dd	0	0	0	23h

C:\Users\Sumukh G>

```
C:\Users\Sumukh G>oc get pods
```

NAME	READY	STATUS	RESTARTS	AGE
sumukh-prac-git-2-build	0/1	Completed	0	113s

NAME	TYPE	CLUSTER-IP	EXTERNAL-IP	PORT(S)	AGE
modelmesh-serving	ClusterIP	None	<none>	8033/TCP, 8008/TCP, 8443/TCP, 2112/TCP	24h
sumukh-prac-git	ExternalName	<none>	kourier-internal.knative-serving-ingress.svc.cluster.local	80/TCP	23h
sumukh-prac-git-00001	ClusterIP	172.30.25.86	<none>	80/TCP, 443/TCP	23h
sumukh-prac-git-00001-private	ClusterIP	172.30.55.125	<none>	80/TCP, 443/TCP, 9090/TCP, 9091/TCP, 8022/TCP, 8012/TCP	23h

```
C:\Users\Sumukh G>oc get deploy
```

NAME	READY	UP-TO-DATE	AVAILABLE	AGE
sumukh-prac-git-00001-deployment	0/0	0	0	23h

```
C:\Users\Sumukh G>oc get pod
```

NAME	READY	STATUS	RESTARTS	AGE
my-pod	0/1	ImagePullBackOff	0	19s
sumukh-prac-git-2-build	0/1	Completed	0	4m50s

```
C:\Users\Sumukh G>oc get po
```

NAME	READY	STATUS	RESTARTS	AGE
my-pod	0/1	ImagePullBackOff	0	95s
my-pod-998ccdcf5-r68zt	0/1	ImagePullBackOff	0	8s
sumukh-prac-git-2-build	0/1	Completed	0	6m6s

```
C:\Users\Sumukh G>
```