Software Development Lifecycle

Date-09/05/2023

SDLC stands for Software Development Life Cycle. SDLC is a process that consists of a series of planned activities to develop or alter the Software Products.

Software Development Life Cycle (SDLC) is a process used by the software industry to design, develop and test high quality softwares. The SDLC aims to produce a high-quality software that meets or exceeds customer expectations, reaches completion within times and cost estimates.

SDLC is a process followed for a software project, within a software organization. It consists of a detailed plan describing how to develop, maintain, replace and alter or enhance specific software. The life cycle defines a methodology for improving the quality of software and the overall development process.

Following are the most important and popular SDLC models followed in the industry –


- Waterfall Model
- Agile Model

WaterFall Model

The Waterfall Model was the first Process Model to be introduced. It is also referred to as a **linear-sequential life cycle model**. It is very simple to understand and use. In a waterfall model, each phase must be completed before the next phase can begin and there is no overlapping in the phases.

In "The Waterfall" approach, the whole process of software development is divided into separate phases. In this Waterfall model, typically, the outcome of one phase acts as the input for the next phase sequentially.

The following illustration is a representation of the different phases of the Waterfall Model.



The sequential phases in Waterfall model are -

- Requirement Gathering and analysis All possible requirements of the system to be developed are captured in this phase and documented in a requirement specification document.
- System Design The requirement specifications from first phase are studied in this phase and the system design is prepared. This system design helps in specifying hardware and system requirements and helps in defining the overall system architecture.
- **Implementation** With inputs from the system design, the system is first developed in small programs called units, which are integrated in the next phase. Each unit is developed and tested for its functionality, which is referred to as Unit Testing.
- Integration and Testing All the units developed in the implementation phase are integrated into a system after testing of each unit. Post integration the entire system is tested for any faults and failures.
- **Deployment of system** Once the functional and non-functional testing is done; the product is deployed in the customer environment or released into the market.
- Maintenance There are some issues which come up in the client environment. To fix those issues, patches are released. Also to enhance the product some better versions are released. Maintenance is done to deliver these changes in the customer environment.

All these phases are cascaded to each other in which progress is seen as flowing steadily downwards (like a waterfall) through the phases. The next phase is started only after the defined set of goals are achieved for previous phase and it is signed off, so the name "Waterfall Model". In this model, phases do not overlap.

Some of the major advantages of the Waterfall Model are as follows –

- Simple and easy to understand and use
- Easy to manage due to the rigidity of the model. Each phase has specific deliverables and a review process.
- Phases are processed and completed one at a time.
- Works well for smaller projects where requirements are very well understood.
- Clearly defined stages.
- Well understood milestones.
- Easy to arrange tasks.
- Process and results are well documented.

The major disadvantages of the Waterfall Model are as follows –

- No working software is produced until late during the life cycle.
- High amounts of risk and uncertainty.
- Not a good model for complex and object-oriented projects.
- Poor model for long and ongoing projects.
- Not suitable for the projects where requirements are at a moderate to high risk of changing. So, risk and uncertainty is high with this process model.
- It is difficult to measure progress within stages.
- Cannot accommodate changing requirements.
- Adjusting scope during the life cycle can end a project.

Agile Model

Agile SDLC model is a combination of iterative and incremental process models with focus on process adaptability and customer satisfaction by rapid delivery of working software product. Agile Methods break the product into small incremental builds. These builds are provided in iterations.

Each iteration typically lasts from about one to three weeks. Every iteration involves cross functional teams working simultaneously on various areas like –

- Planning
- Requirements Analysis
- Design
- Coding
- Unit Testing and
- Acceptance Testing.

At the end of the iteration, a working product is displayed to the customer and important stakeholders.


Agile model believes that every project needs to be handled differently and the existing methods need to be tailored to best suit the project requirements. In Agile, the tasks are divided to time boxes (small time frames) to deliver specific features for a release.

Iterative approach is taken and working software build is delivered after each iteration. Each build is incremental in terms of features; the final build holds all the features required by the customer.

Here is a graphical illustration of the Agile Model –

Following are the Agile Manifesto principles –

- Individuals and interactions In Agile development, self-organization and motivation are important, as are interactions like co-location and pair programming.
- Working software Demo working software is considered the best means of communication with the customers to understand their requirements, instead of just depending on documentation.



- **Customer collaboration** As the requirements cannot be gathered completely in the beginning of the project due to various factors, continuous customer interaction is very important to get proper product requirements.
- **Responding to change** Agile Development is focused on quick responses to change and continuous development.

The advantages of the Agile Model are as follows –

- Is a very realistic approach to software development.
- Promotes teamwork and cross training.
- Functionality can be developed rapidly and demonstrated.
- Resource requirements are minimum.
- Suitable for fixed or changing requirements
- Delivers early partial working solutions.
- Good model for environments that change steadily.
- Minimal rules, documentation easily employed.
- Enables concurrent development and delivery within an overall planned context.
- Little or no planning required.

- Easy to manage.
- Gives flexibility to developers.

The disadvantages of the Agile Model are as follows –

- Not suitable for handling complex dependencies.
- More risk of sustainability, maintainability and extensibility.
- An overall plan, an agile leader and agile PM practice is a must without which it will not work.
- Strict delivery management dictates the scope, functionality to be delivered, and adjustments to meet the deadlines.
- Depends heavily on customer interaction, so if customer is not clear, team can be driven in the wrong direction.
- There is a very high individual dependency, since there is minimum documentation generated.
- Transfer of technology to new team members may be quite challenging due to lack of documentation.