



				·					
C:\Windows\System32\cmd.exe				- D					
E:\extra\Project_for_deployment>kubectl get pods									
NAME	READY	STATUS	RESTARTS	AGE					
mysqldb-56c698c98b-xzw4w	1/1	Running	0	24m					
server-7c5898f958-nzxt5	0/1	CrashLoopBackOff	7 (4m25s ago)	o) 17m					
E:\extra\Project_for_deployment>kubectl get pods									
NAME	READY	STATUS	RESTARTS	AGE					
mysqldb-56c698c98b-xzw4w	1/1	Running	0	24m					
server-7c5898f958-nzxt5	0/1	CrashLoopBackOff	7 (4m27s ago)	o) 17m					
E:\extra\Project_for_deplo	yment>ku	ubectl get pods							
NAME	READY	STATUS	RESTARTS	AGE					
mysqldb-56c698c98b-xzw4w	1/1	Running	0	24m					
server-7c5898f958-nzxt5	0/1	CrashLoopBackOff	7 (4m28s ago)	o) 17m					
			. (
E:\extra\Project for deplo	yment>ku	ubectl get pods							
NAME	READY	STATUS	RESTARTS	AGE					
mysqldb-56c698c98b-xzw4w	1/1	Running	0	26m					
server-7c5898f958-nzxt5	0/1	CrashLoopBackOff	8 (51s ago)	19m					
E:\extra\Project for deployment>kubectl get pods									
NAME	READY	STATUS	RESTARTS	AGE					
mysqldb-56c698c98b-xzw4w	1/1	Running	0	26m					
server-7c5898f958-nzxt5	0/1	CrashLoopBackOff	8 (53s ago)	19m					
Server resosorsso nexes	0, 1	ет азпеворваекот т	0 (333 080)	22					
E:\extra\Project for deployment>kubectl get pods									
NAME	READY	STATUS	RESTARTS	AGE					
mysqldb-56c698c98b-xzw4w	1/1	Running	0	27m					
server-7c5898f958-nzxt5	0/1	CrashLoopBackOff	8 (2m8s ago)						
301 VC1 7030301330 112X03	0/1	стазпеоорваскотт	0 (21103 ugo)	, 2011					
E:\extra\Project for deplo	wment \ki	shectl get nods							
NAME	READY	STATUS RESTARTS	AGE						
mysqldb-56c698c98b-xzw4w	1/1	Running 0	30m						
server-7c5898f958-nzxt5	1/1	Running 9 (5m13s							
3C1 VC1 -7C30301330-112XC3	1/1	Raining 5 (5min)	, ugo) 25111						
E:\extra\Project for deployment>kubectl get pods									
NAME	READY	STATUS RESTARTS	AGE						
mysqldb-56c698c98b-xzw4w	1/1	Running 0	31m						
server-7c5898f958-nzxt5	1/1	Running 9 (5m16s							
3C1 VC1 -/C30901930-112XC3	1/1	Kamiting a (amito:	2311						
E:\extra\Project for deployment>_									
c. (extra (Project_Tor_depic	ymenc/_								

C:\Windows\System32\cmd.exe				– O X					
E:\extra\Project_for_deploy				^					
		STATUS Running	RESTARTS 0	AGE 26m					
		CrashLoopBackOff	8 (51s ago)	19m					
E:\extra\Project for deployment>kubectl get pods									
		ect1 get pods STATUS	RESTARTS	AGE					
		Running	0	26m					
server-7c5898f958-nzxt5	0/1	CrashLoopBackOff	8 (53s ago)	19m					
E:\extra\Project for deployment>kubectl get pods									
		STATUS	RESTARTS	AGE					
		Running	0	27m					
server-7c5898f958-nzxt5	0/1	CrashLoopBackOff	8 (2m8s ago)	20m					
E:\extra\Project for deployment>kubectl get pods									
NAME	READY	STATUS RESTARTS							
		Running 0	30m						
Sel-vel/C38981938-112XC3	1/1	Running 9 (5m13s	ago) 23m						
E:\extra\Project_for_deployment>kubectl get pods									
		STATUS RESTARTS							
		Running 0 Running 9 (5m16s	31m ago) 23m						
Server resosorsso mexes	-/-		480/ 23						
E:\extra\Project_for_deploy									
		STATUS RESTARTS Running 0	AGE 31m						
		Running 9 (5m21s							
E:\extra\Project_for_deploy									
	ET PORT	URL							
	/								
	0/7878	http://192.168.4 							
* Starting tunnel for servi									
	SET PORT	URL							
default server		http://127.0.0.1	:54059						
ļ									
* Opening service default/server in default browser! Because you are using a Docker driver on windows, the terminal needs to be open to run it.									
* Stopping tunnel for service server.									











