Star Vetter - confirmed eclipsing binary candidates

TIC	Period (d)	Depth	BLS SNR	Pixel SNR	Offset	Tier
437150434	5.2853	15.003%	1081	85.33	1"	Clean
237115819	14.7921	8.883%	507	27.82	4"	Clean
66732476	3.1087	9.814%	370	26.93	8"	Clean
29495157	5.1474	8.579%	333	52.62	5"	Alias
119459681	5.9442	15.977%	311	68.15	2"	Clean
411434067	1.3536	4.289%	193	33.70	4"	Alias
330901906	3.7321	0.498%	60	87.24	4"	Thin margin
303470667	5.4319	2.220%	57	5.02	9"	Marginal
273158289	1.1519	1.255%	41	17.24	2"	Thin margin
111149941	5.2401	0.045%	10	9.73	21"	Ambiguous
251898081	27.3089	18.630%	5535	464.16	3"	Alias
467214801	0.7609	0.950%	2134	21.36	0"	Alias
399770041	1.5802	4.291%	489	36.92	1"	Clean
349701853	30.3427	28.445%	343	51.05	6"	Clean
233459038	25.3384	8.315%	237	84.46	5"	Alias
281310348	1.7702	7.273%	180	57.87	2"	Clean
318887646	14.2817	3.605%	150	6.94	13"	Clean
444465823	18.5133	3.476%	147	25.18	1"	Alias
380943251	0.7209	7.667%	101	15.26	3"	Clean
66716482	8.0283	3.329%	65	21.51	7"	Clean
309656476	28.9204	0.050%	25	13.80	14"	Clean
229494833	15.3839	0.037%	15	5.19	12"	Alias
44533527	14.5952	0.101%	12	7.33	16"	Clean
220423668	3.6511	4.525%	755	17.67	6"	Alias
365998904	1.2494	2.398%	375	15.52	3"	Clean
233452636	1.9063	5.467%	202	8.94	2"	Thin margin
437171483	1.4735	4.947%	923	73.37	3"	Clean
411457490	2.4324	5.531%	431	58.00	1"	Alias
295373509	5.4219	8.026%	247	22.12	2"	Clean
374158907	14.6563	4.974%	179	21.40	2"	Alias

TIC 96680649

Eclipsing binary candidate dossier - Star Vetter

PERIOD ALIAS

```
BLS EPHEMERIS
  Period       4.396182 d  (ALIASED, see below)
    -> corrected period: 8.792365 d
  Epoch (t0)   2914.3487 BTJD
  Duration     0.2440 d
  Depth        3.490 %  (34,897 ppm)
  SNR          957.8


INDEPENDENT CHECKS (f3i gates)
  Eclipses observed     11  (gate >= 3)
  Robust depth ratio    0.99  (gate >= 0.50)
  Robust depth sigma    752.1  (gate >= 7.0)
  Odd/even z-score      265.38  (ALIAS FLAGGED)
  Secondary eclipse     not detected
```


```
CATALOG CROSS-MATCH (novelty)

  VSX                                 no match
  ASAS-SN                             no match
  Gaia eclipsing-binary table         no match
  Gaia variable classification        no match
  TESS EB catalog (Prsa+2022)         no match
  ExoFOP TOI list                     no match

  Verdict: NOVEL
```

```
PIXEL-LEVEL SOURCE CHECK (TESScut difference imaging)
  Sector 59    light-curve dip in this sector: 603.0 sigma    t0 refined by 0.0000 phase
  Difference-image peak SNR   23.17   (gate >= 5.0)      Compactness   0.64   (gate >= 0.50)
  Dimming centroid offset     0.53 px (11 arcsec)   (gate <= 1.0 px, i.e. on the target)
  Nearest bright-enough neighbour in cutout: TIC 96680645
    2.31 px away, dTmag +3.30 - farther from the dimming than the target
```





Caveat (PERIOD ALIAS): Odd/even eclipse-depth z-score is 265.38 (gate > 3.0): alternating eclipses differ significantly in depth, the signature of a true period double what BLS found. Pixel-check confirmation and eclipse timing are unaffected - report the corrected period, 8.792365 d, in any write-up.

TIC 468122704

Eclipsing binary candidate dossier - Star Vetter

CLEAN

```
BLS EPHEMERIS
  Period       8.654598 d
  Epoch (t0)   1661.4199 BTJD
  Duration     0.2440 d
  Depth        22.265 %  (222,647 ppm)
  SNR          488.4


INDEPENDENT CHECKS (f3i gates)
  Eclipses observed     3  (gate >= 3)
  Robust depth ratio    1.04  (gate >= 0.50)
  Robust depth sigma    35.2  (gate >= 7.0)
  Odd/even z-score      1.95  (consistent)
  Secondary eclipse     not detected
```


```
CATALOG CROSS-MATCH (novelty)

  VSX                                 no match
  ASAS-SN                             no match
  Gaia eclipsing-binary table         no match
  Gaia variable classification        no match
  TESS EB catalog (Prsa+2022)         no match
  ExoFOP TOI list                     no match

  Verdict: NOVEL
```

```
PIXEL-LEVEL SOURCE CHECK (TESScut difference imaging)
  Sector 13    light-curve dip in this sector: 41.7 sigma    t0 refined by 0.0000 phase
  Difference-image peak SNR   23.97   (gate >= 5.0)      Compactness   0.87   (gate >= 0.50)
  Dimming centroid offset     0.17 px (4 arcsec)   (gate <= 1.0 px, i.e. on the target)
  Nearest bright-enough neighbour in cutout: TIC 468122707
    2.52 px away, dTmag +0.45 - farther from the dimming than the target
```





No caveats - clean detection on every check.

TIC 257922637

Eclipsing binary candidate dossier - Star Vetter

PERIOD ALIAS

```
BLS EPHEMERIS
  Period       4.476903 d  (ALIASED, see below)
    -> corrected period: 8.953807 d
  Epoch (t0)   3211.3193 BTJD
  Duration     0.1200 d
  Depth        6.932 %  (69,320 ppm)
  SNR          338.7


INDEPENDENT CHECKS (f3i gates)
  Eclipses observed     4  (gate >= 3)
  Robust depth ratio    1.09  (gate >= 0.50)
  Robust depth sigma    297.4  (gate >= 7.0)
  Odd/even z-score      3.72  (ALIAS FLAGGED)
  Secondary eclipse     detected, phase -0.47, 5.3 sigma
```


```
CATALOG CROSS-MATCH (novelty)

  VSX                                 no match
  ASAS-SN                             no match
  Gaia eclipsing-binary table         no match
  Gaia variable classification        no match
  TESS EB catalog (Prsa+2022)         no match
  ExoFOP TOI list                     no match

  Verdict: NOVEL
```

```
PIXEL-LEVEL SOURCE CHECK (TESScut difference imaging)
  Sector 70    light-curve dip in this sector: 268.5 sigma    t0 refined by 0.0000 phase
  Difference-image peak SNR   48.66   (gate >= 5.0)      Compactness   0.83   (gate >= 0.50)
  Dimming centroid offset     0.10 px (2 arcsec)   (gate <= 1.0 px, i.e. on the target)
  Nearest bright-enough neighbour in cutout: none within the cutout
```





Caveat (PERIOD ALIAS): Odd/even eclipse-depth z-score is 3.72 (gate > 3.0): alternating eclipses differ significantly in depth, the signature of a true period double what BLS found. Pixel-check confirmation and eclipse timing are unaffected - report the corrected period, 8.953807 d, in any write-up.

TIC 43712813

Eclipsing binary candidate dossier - Star Vetter

CLEAN

```
BLS EPHEMERIS
  Period        1.705590 d
  Epoch (t0)    1438.0808 BTJD
  Duration      0.0840 d
  Depth         6.118 %  (61,182 ppm)
  SNR           277.0


INDEPENDENT CHECKS (f3i gates)
  Eclipses observed      15  (gate >= 3)
  Robust depth ratio     1.05  (gate >= 0.50)
  Robust depth sigma     220.8  (gate >= 7.0)
  Odd/even z-score       0.93  (consistent)
  Secondary eclipse      not detected
```


```
CATALOG CROSS-MATCH (novelty)

  VSX                                 no match
  ASAS-SN                             no match
  Gaia eclipsing-binary table         no match
  Gaia variable classification        no match
  TESS EB catalog (Prsa+2022)         no match
  ExoFOP TOI list                     no match

  Verdict: NOVEL
```

```
PIXEL-LEVEL SOURCE CHECK (TESScut difference imaging)
  Sector 5    light-curve dip in this sector: 211.4 sigma    t0 refined by 0.0050 phase
  Difference-image peak SNR   37.91   (gate >= 5.0)      Compactness   0.79   (gate >= 0.50)
  Dimming centroid offset     0.18 px (4 arcsec)   (gate <= 1.0 px, i.e. on the target)
  Nearest bright-enough neighbour in cutout: TIC 43712827
    5.24 px away, dTmag +2.69 - farther from the dimming than the target
```





No caveats - clean detection on every check.

TIC 318109813

Eclipsing binary candidate dossier - Star Vetter

PERIOD ALIAS

```
BLS EPHEMERIS
  Period       2.982215 d  (ALIASED, see below)
    -> corrected period: 5.964430 d
  Epoch (t0)   1569.6973 BTJD
  Duration     0.1200 d
  Depth        3.779 %  (37,790 ppm)
  SNR          240.9


INDEPENDENT CHECKS (f3i gates)
  Eclipses observed     16  (gate >= 3)
  Robust depth ratio    1.08  (gate >= 0.50)
  Robust depth sigma    140.5  (gate >= 7.0)
  Odd/even z-score      6.63  (ALIAS FLAGGED)
  Secondary eclipse     detected, phase 0.49, 5.4 sigma
```


```
CATALOG CROSS-MATCH (novelty)

  VSX                                 no match
  ASAS-SN                             no match
  Gaia eclipsing-binary table         no match
  Gaia variable classification        no match
  TESS EB catalog (Prsa+2022)         no match
  ExoFOP TOI list                     no match

  Verdict: NOVEL
```

```
PIXEL-LEVEL SOURCE CHECK (TESScut difference imaging)
  Sector 10    light-curve dip in this sector: 104.6 sigma    t0 refined by -0.0075 phase
  Difference-image peak SNR   27.64   (gate >= 5.0)      Compactness   0.92   (gate >= 0.50)
  Dimming centroid offset     0.09 px (2 arcsec)   (gate <= 1.0 px, i.e. on the target)
  Nearest bright-enough neighbour in cutout: TIC 318109796
    0.31 px away, dTmag +0.26 - farther from the dimming than the target
```





Caveat (PERIOD ALIAS): Odd/even eclipse-depth z-score is 6.63 (gate > 3.0): alternating eclipses differ significantly in depth, the signature of a true period double what BLS found. Pixel-check confirmation and eclipse timing are unaffected - report the corrected period, 5.964430 d, in any write-up.

TIC 182536219

Eclipsing binary candidate dossier - Star Vetter

PERIOD ALIAS

```
BLS EPHEMERIS
  Period       4.904698 d  (ALIASED, see below)
    -> corrected period: 9.809396 d
  Epoch (t0)   1520.6585 BTJD
  Duration     0.0840 d
  Depth        2.305 %  (23,051 ppm)
  SNR          170.1


INDEPENDENT CHECKS (f3i gates)
  Eclipses observed     10  (gate >= 3)
  Robust depth ratio    1.17  (gate >= 0.50)
  Robust depth sigma    77.3  (gate >= 7.0)
  Odd/even z-score      3.28  (ALIAS FLAGGED)
  Secondary eclipse     not detected
```


```
CATALOG CROSS-MATCH (novelty)

  VSX                                 no match
  ASAS-SN                             no match
  Gaia eclipsing-binary table         no match
  Gaia variable classification        no match
  TESS EB catalog (Prsa+2022)         no match
  ExoFOP TOI list                     no match

  Verdict: NOVEL
```

```
PIXEL-LEVEL SOURCE CHECK (TESScut difference imaging)
  Sector 34    light-curve dip in this sector: 80.8 sigma    t0 refined by 0.0000 phase
  Difference-image peak SNR   15.86   (gate >= 5.0)      Compactness   0.83   (gate >= 0.50)
  Dimming centroid offset     0.08 px (2 arcsec)   (gate <= 1.0 px, i.e. on the target)
  Nearest bright-enough neighbour in cutout: TIC 182404282
    1.72 px away, dTmag +2.92 - farther from the dimming than the target
```





Caveat (PERIOD ALIAS): Odd/even eclipse-depth z-score is 3.28 (gate > 3.0): alternating eclipses differ significantly in depth, the signature of a true period double what BLS found. Pixel-check confirmation and eclipse timing are unaffected - report the corrected period, 9.809396 d, in any write-up.

TIC 447350975

Eclipsing binary candidate dossier - Star Vetter

CLEAN

```
BLS EPHEMERIS
  Period        1.423739 d
  Epoch (t0)    1628.1901 BTJD
  Duration      0.1200 d
  Depth         1.655 %  (16,546 ppm)
  SNR           118.7


INDEPENDENT CHECKS (f3i gates)
  Eclipses observed      15  (gate >= 3)
  Robust depth ratio     1.11  (gate >= 0.50)
  Robust depth sigma     38.6  (gate >= 7.0)
  Odd/even z-score       0.69  (consistent)
  Secondary eclipse      not detected
```


```
CATALOG CROSS-MATCH (novelty)

  VSX                                 no match
  ASAS-SN                             no match
  Gaia eclipsing-binary table         no match
  Gaia variable classification        no match
  TESS EB catalog (Prsa+2022)         no match
  ExoFOP TOI list                     no match

  Verdict: NOVEL
```

```
PIXEL-LEVEL SOURCE CHECK (TESScut difference imaging)
  Sector 12    light-curve dip in this sector: 82.2 sigma    t0 refined by 0.0000 phase
  Difference-image peak SNR   8.87   (gate >= 5.0)      Compactness   0.81   (gate >= 0.50)
  Dimming centroid offset     0.33 px (7 arcsec)   (gate <= 1.0 px, i.e. on the target)
  Nearest bright-enough neighbour in cutout: TIC 447350979
    0.83 px away, dTmag +4.01 - farther from the dimming than the target
```





No caveats - clean detection on every check.