

Star Vetter - confirmed eclipsing binary candidates

TIC	Period (d)	Depth	BLS SNR	Pixel SNR	Offset	Tier
437150434	5.2853	15.003%	1081	85.33	1"	Clean
237115819	14.7921	8.883%	507	27.82	4"	Clean
66732476	3.1087	9.814%	370	26.93	8"	Clean
29495157	5.1474	8.579%	333	52.62	5"	Alias
119459681	5.9442	15.977%	311	68.15	2"	Clean
411434067	1.3536	4.289%	193	33.70	4"	Alias
330901906	3.7321	0.498%	60	87.24	4"	Thin margin
303470667	5.4319	2.220%	57	5.02	9"	Marginal
273158289	1.1519	1.255%	41	17.24	2"	Thin margin
111149941	5.2401	0.045%	10	9.73	21"	Ambiguous
251898081	27.3089	18.630%	5535	464.16	3"	Alias
467214801	0.7609	0.950%	2134	21.36	0"	Alias
399770041	1.5802	4.291%	489	36.92	1"	Clean
349701853	30.3427	28.445%	343	51.05	6"	Clean
233459038	25.3384	8.315%	237	84.46	5"	Alias
281310348	1.7702	7.273%	180	57.87	2"	Clean
318887646	14.2817	3.605%	150	6.94	13"	Clean
444465823	18.5133	3.476%	147	25.18	1"	Alias
380943251	0.7209	7.667%	101	15.26	3"	Clean
66716482	8.0283	3.329%	65	21.51	7"	Clean
309656476	28.9204	0.050%	25	13.80	14"	Clean
229494833	15.3839	0.037%	15	5.19	12"	Alias
44533527	14.5952	0.101%	12	7.33	16"	Clean
220423668	3.6511	4.525%	755	17.67	6"	Alias
365998904	1.2494	2.398%	375	15.52	3"	Clean
233452636	1.9063	5.467%	202	8.94	2"	Thin margin
437171483	1.4735	4.947%	923	73.37	3"	Clean
411457490	2.4324	5.531%	431	58.00	1"	Alias
295373509	5.4219	8.026%	247	22.12	2"	Clean
374158907	14.6563	4.974%	179	21.40	2"	Alias

TIC 72729777

Eclipsing binary candidate dossier - Star Vetter

PERIOD ALIAS

BLS EPHEMERIS

Period 28.675544 d (ALIASED, see below)
-> corrected period: 57.351087 d
Epoch (t0) 3938.8622 BTJD
Duration 0.1700 d
Depth 21.547 % (215,473 ppm)
SNR 1480.3

CATALOG CROSS-MATCH (novelty)

VSX	no match
ASAS-SN	no match
Gaia eclipsing-binary table	no match
Gaia variable classification	no match
TESS EB catalog (Prsa+2022)	no match
ExoFOP TOI list	no match

INDEPENDENT CHECKS (f3i gates)



Eclipses observed 3 (gate ≥ 3)
Robust depth ratio 1.02 (gate ≥ 0.50)
Robust depth sigma 1103.1 (gate ≥ 7.0)
Odd/even z-score 111.74 (ALIAS FLAGGED)
Secondary eclipse not detected

Verdict: NOVEL

PIXEL-LEVEL SOURCE CHECK (TESScut difference imaging)

Sector 97 light-curve dip in this sector: 910.6 sigma t0 refined by 0.0000 phase
Difference-image peak SNR 53.24 (gate ≥ 5.0) Compactness 0.81 (gate ≥ 0.50)
Dimming centroid offset 0.36 px (7 arcsec) (gate ≤ 1.0 px, i.e. on the target)
Nearest bright-enough neighbour in cutout: none within the cutout

Phase-folded light curve (shaded = BLS eclipse window)



Caveat (PERIOD ALIAS): Odd/even eclipse-depth z-score is 111.74 (gate > 3.0): alternating eclipses differ significantly in depth, the signature of a true period double what BLS found. Pixel-check confirmation and eclipse timing are unaffected - report the corrected period, 57.351087 d, in any write-up.

TIC 96795030

Eclipsing binary candidate dossier - Star Vetter

PERIOD ALIAS

BLS EPHEMERIS

Period 1.709540 d (ALIASED, see below)
-> corrected period: 3.419080 d
Epoch (t0) 1470.0046 BTJD
Duration 0.0580 d
Depth 4.758 % (47,580 ppm)
SNR 1037.4

CATALOG CROSS-MATCH (novelty)

VSX	no match
ASAS-SN	no match
Gaia eclipsing-binary table	no match
Gaia variable classification	no match
TESS EB catalog (Prsa+2022)	no match
ExoFOP TOI list	no match

INDEPENDENT CHECKS (f3i gates)



Eclipses observed 47 (gate ≥ 3)
Robust depth ratio 1.16 (gate ≥ 0.50)
Robust depth sigma 540.0 (gate ≥ 7.0)
Odd/even z-score 42.78 (ALIAS FLAGGED)
Secondary eclipse not detected

Verdict: NOVEL

PIXEL-LEVEL SOURCE CHECK (TESScut difference imaging)

Sector 33 light-curve dip in this sector: 325.0 sigma t0 refined by -0.0025 phase
Difference-image peak SNR 51.01 (gate ≥ 5.0) Compactness 0.84 (gate ≥ 0.50)
Dimming centroid offset 0.05 px (1 arcsec) (gate ≤ 1.0 px, i.e. on the target)
Nearest bright-enough neighbour in cutout: TIC 96795021
1.58 px away, dTmag +2.74 - farther from the dimming than the target

Phase-folded light curve (shaded = BLS eclipse window)



Caveat (PERIOD ALIAS): Odd/even eclipse-depth z-score is 42.78 (gate > 3.0): alternating eclipses differ significantly in depth, the signature of a true period double what BLS found. Pixel-check confirmation and eclipse timing are unaffected - report the corrected period, 3.419080 d, in any write-up.

TIC 365726727

Eclipsing binary candidate dossier - Star Vetter

PERIOD ALIAS

BLS EPHEMERIS

Period 2.202743 d (ALIASSED, see below)
-> corrected period: 4.405487 d
Epoch (t0) 1655.1969 BTJD
Duration 0.1200 d
Depth 4.947 % (49,466 ppm)
SNR 759.6

CATALOG CROSS-MATCH (novelty)

VSX	no match
ASAS-SN	no match
Gaia eclipsing-binary table	no match
Gaia variable classification	no match
TESS EB catalog (Prsa+2022)	no match
ExoFOP TOI list	no match

INDEPENDENT CHECKS (f3i gates)



Eclipses observed 23 (gate ≥ 3)
Robust depth ratio 1.10 (gate ≥ 0.50)
Robust depth sigma 444.8 (gate ≥ 7.0)
Odd/even z-score 39.25 (ALIAS FLAGGED)
Secondary eclipse not detected

Verdict: NOVEL

PIXEL-LEVEL SOURCE CHECK (TESScut difference imaging)

Sector 39 light-curve dip in this sector: 302.1 sigma t0 refined by -0.0125 phase
Difference-image peak SNR 116.55 (gate ≥ 5.0) Compactness 0.70 (gate ≥ 0.50)
Dimming centroid offset 0.15 px (3 arcsec) (gate ≤ 1.0 px, i.e. on the target)
Nearest bright-enough neighbour in cutout: TIC 365726741
1.87 px away, dTmag +3.14 - farther from the dimming than the target

Phase-folded light curve (shaded = BLS eclipse window)



Caveat (PERIOD ALIAS): Odd/even eclipse-depth z-score is 39.25 (gate > 3.0): alternating eclipses differ significantly in depth, the signature of a true period double what BLS found. Pixel-check confirmation and eclipse timing are unaffected - report the corrected period, 4.405487 d, in any write-up.

TIC 437022904

Eclipsing binary candidate dossier - Star Vetter

PERIOD ALIAS

BLS EPHEMERIS		CATALOG CROSS-MATCH (novelty)	
Period	0.715504 d (ALIASED, see below)	VSX	no match
-> corrected period:	1.431008 d	ASAS-SN	no match
Epoch (t0)	3235.9849 BTJD	Gaia eclipsing-binary table	no match
Duration	0.2440 d	Gaia variable classification	no match
Depth	0.485 % (4,853 ppm)	TESS EB catalog (Prsa+2022)	no match
SNR	573.0	ExoFOP TOI list	no match
INDEPENDENT CHECKS (f3i gates)		Verdict: NOVEL	
Eclipses observed	64 (gate >= 3)		
Robust depth ratio	0.81 (gate >= 0.50)		
Robust depth sigma	75.8 (gate >= 7.0)		
Odd/even z-score	7.00 (ALIAS FLAGGED)		
Secondary eclipse	not detected		

PIXEL-LEVEL SOURCE CHECK (TESScut difference imaging)



Sector 71 light-curve dip in this sector: 45.0 sigma t0 refined by -0.0475 phase

Difference-image peak SNR 8.99 (gate >= 5.0) Compactness 0.83 (gate >= 0.50)

Dimming centroid offset 0.14 px (3 arcsec) (gate <= 1.0 px, i.e. on the target)

Nearest bright-enough neighbour in cutout: TIC 437022914

2.21 px away, dTmag +5.67 - farther from the dimming than the target



Caveat (PERIOD ALIAS): Odd/even eclipse-depth z-score is 7.00 (gate > 3.0): alternating eclipses differ significantly in depth, the signature of a true period double what BLS found. Pixel-check confirmation and eclipse timing are unaffected - report the corrected period, 1.431008 d, in any write-up.

TIC 463349042

Eclipsing binary candidate dossier - Star Vetter

CLEAN

BLS EPHEMERIS

Period 15.566920 d
Epoch (t0) 1549.9919 BTJD
Duration 0.1200 d
Depth 10.783 % (107,825 ppm)
SNR 524.7

INDEPENDENT CHECKS (f3i gates)

Eclipses observed 3 (gate ≥ 3)
Robust depth ratio 0.99 (gate ≥ 0.50)
Robust depth sigma 269.0 (gate ≥ 7.0)
Odd/even z-score 1.73 (consistent)
Secondary eclipse not detected

CATALOG CROSS-MATCH (novelty)



VSX	no match
ASAS-SN	no match
Gaia eclipsing-binary table	no match
Gaia variable classification	no match
TESS EB catalog (Prsa+2022)	no match
ExoFOP TOI list	no match

Verdict: NOVEL

PIXEL-LEVEL SOURCE CHECK (TESScut difference imaging)

Sector 9 light-curve dip in this sector: 209.3 sigma t0 refined by 0.0000 phase
Difference-image peak SNR 54.86 (gate ≥ 5.0) Compactness 0.89 (gate ≥ 0.50)
Dimming centroid offset 0.09 px (2 arcsec) (gate ≤ 1.0 px, i.e. on the target)
Nearest bright-enough neighbour in cutout: TIC 463349121
2.50 px away, dTmag +1.27 - farther from the dimming than the target

Phase-folded light curve (shaded = BLS eclipse window)



No caveats - clean detection on every check.

TIC 401936263

Eclipsing binary candidate dossier - Star Vetter

CLEAN

BLS EPHEMERIS

Period 2.201021 d
Epoch (t0) 1517.7707 BTJD
Duration 0.1700 d
Depth 5.787 % (57,875 ppm)
SNR 271.2

CATALOG CROSS-MATCH (novelty)

VSX	no match
ASAS-SN	no match
Gaia eclipsing-binary table	no match
Gaia variable classification	no match
TESS EB catalog (Prsa+2022)	no match
ExoFOP TOI list	no match

INDEPENDENT CHECKS (f3i gates)



Eclipses observed 22 (gate ≥ 3)
Robust depth ratio 1.04 (gate ≥ 0.50)
Robust depth sigma 164.0 (gate ≥ 7.0)
Odd/even z-score 1.74 (consistent)
Secondary eclipse not detected

Verdict: NOVEL

PIXEL-LEVEL SOURCE CHECK (TESScut difference imaging)

Sector 9 light-curve dip in this sector: 120.6 sigma t0 refined by 0.0025 phase
Difference-image peak SNR 82.33 (gate ≥ 5.0) Compactness 0.96 (gate ≥ 0.50)
Dimming centroid offset 0.06 px (1 arcsec) (gate ≤ 1.0 px, i.e. on the target)
Nearest bright-enough neighbour in cutout: TIC 401936305
2.14 px away, dTmag +1.65 - farther from the dimming than the target

Phase-folded light curve (shaded = BLS eclipse window)



No caveats - clean detection on every check.

TIC 77210120

Eclipsing binary candidate dossier - Star Vetter

CLEAN

BLS EPHEMERIS

Period 1.534431 d
Epoch (t0) 3480.6325 BTJD
Duration 0.1700 d
Depth 4.621 % (46,205 ppm)
SNR 250.3

CATALOG CROSS-MATCH (novelty)

VSX	no match
ASAS-SN	no match
Gaia eclipsing-binary table	no match
Gaia variable classification	no match
TESS EB catalog (Prsa+2022)	no match
ExoFOP TOI list	no match

INDEPENDENT CHECKS (f3i gates)



Eclipses observed 16 (gate ≥ 3)
Robust depth ratio 0.92 (gate ≥ 0.50)
Robust depth sigma 133.6 (gate ≥ 7.0)
Odd/even z-score 2.45 (consistent)
Secondary eclipse not detected

Verdict: NOVEL

PIXEL-LEVEL SOURCE CHECK (TESScut difference imaging)

Sector 80 light-curve dip in this sector: 123.5 sigma t0 refined by 0.0000 phase
Difference-image peak SNR 134.50 (gate ≥ 5.0) Compactness 0.80 (gate ≥ 0.50)
Dimming centroid offset 0.12 px (3 arcsec) (gate ≤ 1.0 px, i.e. on the target)
Nearest bright-enough neighbour in cutout: TIC 77210114
0.89 px away, dTmag +2.41 - farther from the dimming than the target

Phase-folded light curve (shaded = BLS eclipse window)



No caveats - clean detection on every check.

BLS EPHEMERIS		CATALOG CROSS-MATCH (novelty)	
Period	7.145158 d	VSX	no match
Epoch (t0)	1546.7268 BTJD	ASAS-SN	no match
Duration	0.0840 d	Gaia eclipsing-binary table	no match
Depth	5.137 % (51,365 ppm)	Gaia variable classification	no match
SNR	209.2	TESS EB catalog (Prsa+2022)	no match
INDEPENDENT CHECKS (f3i gates)		ExoFOP TOI list	no match
Eclipses observed	4 (gate >= 3)	Verdict:	NOVEL
Robust depth ratio	1.06 (gate >= 0.50)		
Robust depth sigma	86.0 (gate >= 7.0)		
Odd/even z-score	0.51 (consistent)		
Secondary eclipse	not detected		

PIXEL-LEVEL SOURCE CHECK (TESScut difference imaging)



Sector 9 light-curve dip in this sector: 74.3 sigma t0 refined by 0.0000 phase

Difference-image peak SNR 17.18 (gate >= 5.0) Compactness 0.72 (gate >= 0.50)

Dimming centroid offset 0.38 px (8 arcsec) (gate <= 1.0 px, i.e. on the target)

Nearest bright-enough neighbour in cutout: TIC 23382413

0.38 px away, dTmag -0.65 - farther from the dimming than the target



Caveat (THIN MARGIN): The ON_TARGET call rests on a neighbour-competition margin of just 0.002 px (dimming centroid 0.376 px from target vs 0.378 px from the nearest bright-enough neighbour) - inside diag_pixel.py's own stated centroid systematic of 0.10-0.3 px. TESS's resolution cannot confidently separate this star from that neighbour.

TIC 158864044

Eclipsing binary candidate dossier - Star Vetter

CLEAN

BLS EPHEMERIS		CATALOG CROSS-MATCH (novelty)	
Period	5.715552 d	VSX	no match
Epoch (t0)	1600.2586 BTJD	ASAS-SN	no match
Duration	0.1700 d	Gaia eclipsing-binary table	no match
Depth	16.358 % (163,581 ppm)	Gaia variable classification	no match
SNR	187.9	TESS EB catalog (Prsa+2022)	no match
INDEPENDENT CHECKS (f3i gates)		ExoFOP TOI list	no match
Eclipses observed	3 (gate >= 3)	Verdict:	NOVEL
Robust depth ratio	1.10 (gate >= 0.50)		
Robust depth sigma	69.7 (gate >= 7.0)		
Odd/even z-score	1.38 (consistent)		
Secondary eclipse	not detected		

PIXEL-LEVEL SOURCE CHECK (TESScut difference imaging)



Sector 11 light-curve dip in this sector: 80.6 sigma t0 refined by -0.0025 phase

Difference-image peak SNR 48.88 (gate >= 5.0) Compactness 0.80 (gate >= 0.50)

Dimming centroid offset 0.17 px (3 arcsec) (gate <= 1.0 px, i.e. on the target)

Nearest bright-enough neighbour in cutout: TIC 158864034

1.79 px away, dTmag +1.12 - farther from the dimming than the target



BLS EPHEMERIS		CATALOG CROSS-MATCH (novelty)	
Period	1.998340 d	VSX	no match
Epoch (t0)	1765.9972 BTJD	ASAS-SN	no match
Duration	0.0840 d	Gaia eclipsing-binary table	no match
Depth	1.018 % (10,182 ppm)	Gaia variable classification	no match
SNR	168.5	TESS EB catalog (Prsa+2022)	no match
INDEPENDENT CHECKS (f3i gates)		ExoFOP TOI list	no match
Eclipses observed	318 (gate >= 3)	Verdict:	NOVEL
Robust depth ratio	1.35 (gate >= 0.50)		
Robust depth sigma	161.1 (gate >= 7.0)		
Odd/even z-score	1.94 (consistent)		
Secondary eclipse	not detected		

PIXEL-LEVEL SOURCE CHECK (TESScut difference imaging)



Sector 85 light-curve dip in this sector: 44.0 sigma t0 refined by -0.0150 phase

Difference-image peak SNR 39.20 (gate >= 5.0) Compactness 0.91 (gate >= 0.50)

Dimming centroid offset 0.05 px (1 arcsec) (gate <= 1.0 px, i.e. on the target)

Nearest bright-enough neighbour in cutout: TIC 1884574048

0.10 px away, dTmag +4.35 - farther from the dimming than the target



Caveat (THIN MARGIN): The ON_TARGET call rests on a neighbour-competition margin of just 0.051 px (dimming centroid 0.049 px from target vs 0.101 px from the nearest bright-enough neighbour) - inside diag_pixel.py's own stated centroid systematic of 0.10-0.3 px. TESS's resolution cannot confidently separate this star from that neighbour.

TIC 86880482

Eclipsing binary candidate dossier - Star Vetter

CLEAN

BLS EPHEMERIS

Period 2.828371 d
Epoch (t0) 1654.8347 BTJD
Duration 0.1700 d
Depth 3.588 % (35,885 ppm)
SNR 150.1

CATALOG CROSS-MATCH (novelty)

VSX	no match
ASAS-SN	no match
Gaia eclipsing-binary table	no match
Gaia variable classification	no match
TESS EB catalog (Prsa+2022)	no match
ExoFOP TOI list	no match

INDEPENDENT CHECKS (f3i gates)



Eclipses observed 8 (gate ≥ 3)
Robust depth ratio 1.06 (gate ≥ 0.50)
Robust depth sigma 89.8 (gate ≥ 7.0)
Odd/even z-score 0.23 (consistent)
Secondary eclipse not detected

Verdict: NOVEL

PIXEL-LEVEL SOURCE CHECK (TESScut difference imaging)

Sector 13 light-curve dip in this sector: 87.1 sigma t0 refined by -0.0050 phase
Difference-image peak SNR 25.59 (gate ≥ 5.0) Compactness 0.76 (gate ≥ 0.50)
Dimming centroid offset 0.40 px (8 arcsec) (gate ≤ 1.0 px, i.e. on the target)
Nearest bright-enough neighbour in cutout: TIC 86880494
0.51 px away, dTmag +2.45 - farther from the dimming than the target

Phase-folded light curve (shaded = BLS eclipse window)





No caveats - clean detection on every check.

TIC 411305220

Eclipsing binary candidate dossier - Star Vetter

PERIOD ALIAS

BLS EPHEMERIS		CATALOG CROSS-MATCH (novelty)	
Period	21.593432 d (ALIASED, see below)	VSX	no match
-> corrected period:	43.186863 d	ASAS-SN	no match
Epoch (t0)	2827.8840 BTJD	Gaia eclipsing-binary table	no match
Duration	0.1700 d	Gaia variable classification	no match
Depth	1.820 % (18,201 ppm)	TESS EB catalog (Prsa+2022)	no match
SNR	133.1	ExoFOP TOI list	no match
INDEPENDENT CHECKS (f3i gates)		Verdict: NOVEL	
Eclipses observed	4 (gate >= 3)		
Robust depth ratio	1.25 (gate >= 0.50)		
Robust depth sigma	137.3 (gate >= 7.0)		
Odd/even z-score	6.07 (ALIAS FLAGGED)		
Secondary eclipse	detected, phase 0.30, 8.0 sigma		
PIXEL-LEVEL SOURCE CHECK (TESScut difference imaging)			
Sector 56	light-curve dip in this sector: 83.2 sigma	t0 refined by	-0.0025 phase
Difference-image peak SNR	23.60 (gate >= 5.0)	Compactness	0.95 (gate >= 0.50)
Dimming centroid offset	0.42 px (9 arcsec) (gate <= 1.0 px, i.e. on the target)		
Nearest bright-enough neighbour in cutout:	TIC 411305224		
	1.42 px away, dTmag +2.04 - farther from the dimming than the target		



Caveat (PERIOD ALIAS): Odd/even eclipse-depth z-score is 6.07 (gate > 3.0): alternating eclipses differ significantly in depth, the signature of a true period double what BLS found. Pixel-check confirmation and eclipse timing are unaffected - report the corrected period, 43.186863 d, in any write-up.

BLS EPHEMERIS		CATALOG CROSS-MATCH (novelty)	
Period	3.082574 d	VSX	no match
Epoch (t0)	1544.2440 BTJD	ASAS-SN	no match
Duration	0.0840 d	Gaia eclipsing-binary table	no match
Depth	1.235 % (12,352 ppm)	Gaia variable classification	no match
SNR	88.2	TESS EB catalog (Prsa+2022)	no match
INDEPENDENT CHECKS (f3i gates)		ExoFOP TOI list	no match
Eclipses observed	15 (gate >= 3)	Verdict: NOVEL	
Robust depth ratio	1.00 (gate >= 0.50)		
Robust depth sigma	53.9 (gate >= 7.0)		
Odd/even z-score	0.13 (consistent)		
Secondary eclipse	not detected		

PIXEL-LEVEL SOURCE CHECK (TESScut difference imaging)



Sector 9 light-curve dip in this sector: 39.6 sigma t0 refined by -0.0025 phase

Difference-image peak SNR 6.56 (gate >= 5.0) Compactness 0.88 (gate >= 0.50)

Dimming centroid offset 0.14 px (3 arcsec) (gate <= 1.0 px, i.e. on the target)

Nearest bright-enough neighbour in cutout: TIC 294860384

0.14 px away, dTmag +2.31 - farther from the dimming than the target



Caveat (THIN MARGIN): The ON_TARGET call rests on a neighbour-competition margin of just 0.007 px (dimming centroid 0.136 px from target vs 0.143 px from the nearest bright-enough neighbour) - inside diag_pixel.py's own stated centroid systematic of 0.10-0.3 px. TESS's resolution cannot confidently separate this star from that neighbour.

TIC 9586662

Eclipsing binary candidate dossier - Star Vetter

CLEAN

BLS EPHEMERIS

Period 1.113067 d
Epoch (t0) 1569.7366 BTJD
Duration 0.0580 d
Depth 2.768 % (27,681 ppm)
SNR 84.1

CATALOG CROSS-MATCH (novelty)

VSX	no match
ASAS-SN	no match
Gaia eclipsing-binary table	no match
Gaia variable classification	no match
TESS EB catalog (Prsa+2022)	no match
ExoFOP TOI list	no match

INDEPENDENT CHECKS (f3i gates)



Eclipses observed 13 (gate ≥ 3)
Robust depth ratio 1.04 (gate ≥ 0.50)
Robust depth sigma 36.9 (gate ≥ 7.0)
Odd/even z-score 0.82 (consistent)
Secondary eclipse not detected

Verdict: NOVEL

PIXEL-LEVEL SOURCE CHECK (TESScut difference imaging)

Sector 10 light-curve dip in this sector: 38.7 sigma t0 refined by 0.0000 phase
Difference-image peak SNR 6.24 (gate ≥ 5.0) Compactness 0.95 (gate ≥ 0.50)
Dimming centroid offset 0.52 px (11 arcsec) (gate ≤ 1.0 px, i.e. on the target)
Nearest bright-enough neighbour in cutout: TIC 9586683
4.51 px away, dTmag +2.37 - farther from the dimming than the target

Phase-folded light curve (shaded = BLS eclipse window)



No caveats - clean detection on every check.