

Star Vetter - confirmed eclipsing binary candidates

TIC	Period (d)	Depth	BLS SNR	Pixel SNR	Offset	Tier
437150434	5.2853	15.003%	1081	85.33	1"	Clean
237115819	14.7921	8.883%	507	27.82	4"	Clean
66732476	3.1087	9.814%	370	26.93	8"	Clean
29495157	5.1474	8.579%	333	52.62	5"	Alias
119459681	5.9442	15.977%	311	68.15	2"	Clean
411434067	1.3536	4.289%	193	33.70	4"	Alias
330901906	3.7321	0.498%	60	87.24	4"	Thin margin
303470667	5.4319	2.220%	57	5.02	9"	Marginal
273158289	1.1519	1.255%	41	17.24	2"	Thin margin
111149941	5.2401	0.045%	10	9.73	21"	Ambiguous
251898081	27.3089	18.630%	5535	464.16	3"	Alias
467214801	0.7609	0.950%	2134	21.36	0"	Alias
399770041	1.5802	4.291%	489	36.92	1"	Clean
349701853	30.3427	28.445%	343	51.05	6"	Clean
233459038	25.3384	8.315%	237	84.46	5"	Alias
281310348	1.7702	7.273%	180	57.87	2"	Clean
318887646	14.2817	3.605%	150	6.94	13"	Clean
444465823	18.5133	3.476%	147	25.18	1"	Alias
380943251	0.7209	7.667%	101	15.26	3"	Clean
66716482	8.0283	3.329%	65	21.51	7"	Clean
309656476	28.9204	0.050%	25	13.80	14"	Clean
229494833	15.3839	0.037%	15	5.19	12"	Alias
44533527	14.5952	0.101%	12	7.33	16"	Clean

23 of 152 novel candidates confirmed on-target by TESS pixel-level difference imaging.
Generated by f5_dossier.py from f3i_vet.py, f4f_novelty.py and diag_pixel.py results.
Period column is the BLS-fitted value; candidates tiered Alias have a doubled true period - see their page.