TIC 355734358

Eclipsing binary candidate dossier - Star Vetter

THIN MARGIN

```
BLS EPHEMERIS
  Period       2.242576 d  (ALIASED, see below)
    -> corrected period: 4.485152 d
  Epoch (t0)   2693.0714 BTJD
  Duration     0.0400 d
  Depth        6.979 %  (69,791 ppm)
  SNR          173.5


INDEPENDENT CHECKS (f3i gates)
  Eclipses observed     6  (gate >= 3)
  Robust depth ratio    1.04  (gate >= 0.50)
  Robust depth sigma    153.5  (gate >= 7.0)
  Odd/even z-score      7.43  (ALIAS FLAGGED)
  Secondary eclipse     not detected
```


```
CATALOG CROSS-MATCH (novelty)

  VSX                                 no match
  ASAS-SN                             no match
  Gaia eclipsing-binary table         no match
  Gaia variable classification        no match
  TESS EB catalog (Prsa+2022)         no match
  ExoFOP TOI list                     no match

  Verdict: NOVEL
```

```
PIXEL-LEVEL SOURCE CHECK (TESScut difference imaging)
  Sector 51    light-curve dip in this sector: 150.0 sigma    t0 refined by 0.0000 phase
  Difference-image peak SNR   16.22   (gate >= 5.0)      Compactness   0.87   (gate >= 0.50)
  Dimming centroid offset     0.20 px (4 arcsec)   (gate <= 1.0 px, i.e. on the target)
  Nearest bright-enough neighbour in cutout: TIC 1100920305
    0.23 px away, dTmag +2.49 - farther from the dimming than the target
```





Caveat (PERIOD ALIAS): Odd, even eclipse-depth z-score is 7.43 (gate > 3.0): alternating eclipses differ significantly in depth, the signature of a true period double what BLS found. Pixel-check confirmation and eclipse timing are unaffected - report the corrected period, 4.485152 d, in any write-up.
Caveat (THIN MARGIN): The ON_TARGET call rests on a neighbour-competition margin of just 0.030 px (dimming centroid 0.203 px from target vs 0.233 px from the nearest bright-enough neighbour) - inside diag_pixel.py's own stated centroid systematic of 0.10-0.3 px. TESS's resolution cannot confidently separate this star from that neighbour.